Message

From: Gallo, Patty (CONTR) [Patty.Gallo@lm.doe.gov]
Sent: 2/16/2017 5:21:49 PM
To: Moritz, Vera [Moritz.Vera@epa.gov]; Smith, Patricia [Smith.Patricia@epa.gov]; ''Carl Spreng (carl.spreng@state.co.us)' (carl.spreng@state.co.us)' [carl.spreng@state.co.us]; 'lindsay.masters@state.co.us' [lindsay.masters@state.co.us]
Subject: RE: Preliminary draft review of Rocky Flats fourth FYR report
Attachments: removed.txt; Appendix H_ARARs.xlsx

Patty

Patricia Gallo
Environmental Compliance, Rocky Flats Site
Navarro Research and Engineering, Inc.
Contractor to the U.S. Department of Energy
Office of Legacy Management
11025 Dover Street, Unit 1000
Westminster, CO 80021
720-377-9684
patty.gallo@lm.doe.gov

From: Gallo, Patty (CONTR)
Sent: Wednesday, February 15, 2017 6:46 PM
To: Moritz, Vera (Moritz.Vera@epa.gov); smith.patricia@epa.gov; Surovchak, Scott; Murl, Jeffrey; 'Carl Spreng (carl.spreng@state.co.us)' (carl.spreng@state.co.us); lindsay.masters@state.co.us
Cc: Fiehweg, Bob (CONTR); Ward, David (CONTR); Kaiser, Linda (CONTR); Boylan, John (CONTR); Squibb, George (CONTR); Nelson, Jody (CONTR); Wehner, Jeremy (CONTR); Cummins, Laura (CONTR); McDonald, Michael (CONTR)
Subject: Preliminary draft review of Rocky Flats fourth FYR report

All,

Please find attached the subject preliminary draft report for your review. In order to meet the document schedule, comments must be received no later than Friday, February 24 c.o.b.

As discussed in previous meetings, this is an unedited, preliminary version of the report for working group internal review. As such, please focus on the report content, rather than technical edits.
The attached files contain:

- Main report (minus radiological risk evaluation portions of Question B and O&M cost evaluation)
- Appendix C, Risk Assessment Review (minus radiological risk evaluation portions for COU, chemical UU/UE discussion for POU, radiological UU/UE discussion for POU and OU3)
- Appendix E, Groundwater and Surface Water Monitoring
- Appendix H, Changes to ARARs table

The preliminary draft of the radiological risk portion of Question B and Appendix C will be transmitted to you for review by Friday, February 24.

Appendices not included in this email, but to be transmitted for your review next week include:

Appendix A, Site Chronology
Appendix F, Documents Reviewed
Appendix I, Responses to Stakeholder Input on the FYR

Appendices that consist of reproductions of documents/reports/contact records will not be transmitted to you for review until March 24 as part of the First Draft of the report. These appendices include:

Appendix B, RFLMA, Attachment 2
Appendix D, RFLMA Contact Records
Appendix G, Site Inspection Checklist
Appendix J, Evaluation of Water Quality Variability for Uranium and Other Selected Parameters in Walnut Creek

Please feel free to call me with questions/concerns. Many thanks for your review.

Patty

Patricia Gallo
Environmental Compliance, Rocky Flats Site
Navarro Research and Engineering, Inc.
Contractor to the U.S. Department of Energy
Office of Legacy Management
11025 Dover Street, Unit 1000
Westminster, CO 80021
720-377-9684
patty.gallo@lm.doe.gov

NAVARRO