Message

From: Gallo, Patty (CONTR) [Patty.Gallo@lm.doe.gov]
Sent: 3/8/2017 5:57:40 PM
To: Surovchak, Scott [Scott.Surovchak@lm.doe.gov]; Murl, Jeffrey [Jeffrey.Murl@lm.doe.gov]; 'Carl Spreng (carl.spreng@state.co.us)' (carl.spreng@state.co.us) [carl.spreng@state.co.us]; lindsay.masters@state.co.us; Smith, Patricia [Smith.Patricia@epa.gov]; Moritz, Vera [Moritz.Vera@epa.gov]
CC: Valenti, John (CONTR) [John.Valenti@lm.doe.gov]; McDonald, Michael (CONTR) [Michael.McDonald@lm.doe.gov]; Ward, David (CONTR) [David.Ward@lm.doe.gov]; Cummins, Laura (CONTR) [Laura.Cummins@lm.doe.gov]; Kaiser, Linda (CONTR) [Linda.Kaiser@lm.doe.gov]
Subject: Chemcial and Radiological UU/UE evaluation for POU - Rocky Flats FYR
Attachments: removed.txt; Appendix C_Risk Assessment.docx; Question B_tracked changes_030817.docx

All:

Please find attached the revised Question B (main report excerpt) and Appendix C, Risk Evaluation for the RF FYR report for your review. The major change is the addition of Section C3.0 POU in Appendix C, which contains the chemical and radiological evaluation of UU/UE for the POU. This section was not included in the last version you reviewed. Please note the risk for the radiological constituents in the POU (Appendix C) – we are still within the risk range and suitable for UU/UE, but changes in toxicity factors appear to have had a greater impact for the POU (residential scenario) than they did for the COU (WRW).

Please provide comments no later than Monday, March 13, if possible. I can schedule a FYR Team meeting next week to discuss if you think it necessary. Thanks.

P.S. The Question B file is a 'track changes' version – the Appendix C file is not because it was too busy.

Patty

Patricia Gallo
Environmental Compliance, Rocky Flats Site
Navarro Research and Engineering, Inc.
Contractor to the U.S. Department of Energy
Office of Legacy Management
11025 Dover Street, Unit 1000
Westminster, CO 80021
720-377-9684
patty.gallo@lm.doe.gov

From: Gallo, Patty (CONTR)
Sent: Monday, February 27, 2017 3:26 PM
To: Surovchak, Scott; Murl, Jeffrey; 'Carl Spreng (carl.spreng@state.co.us)' (carl.spreng@state.co.us); lindsay.masters@state.co.us; smith.patricia@epa.gov; Moritz, Vera (Moritz.Vera@epa.gov)
Cc: Valenti, John (CONTR); McDonald, Michael (CONTR); Ward, David (CONTR); Cummins, Laura (CONTR)
Subject: Radiological risk evaluation for Rocky Flats FYR

All:

Please find attached two files that contain the radiological risk/dose evaluation for your review. The files are: (1) an excerpt from the main body of the document (Question B) and (2) a revised Appendix C, Risk Evaluation. These files contain our progress on the radiological risk evaluation portion of the FYR. This is still a work in progress, but we wanted to provide you something to consider prior to the meeting tomorrow. I am sorry we could not get this to you last week, as promised.

In the Question B file, the text that is not highlighted in grey is the new radiological text. In Appendix C, the new radiological text begins with Section C.2.3.3 and continues through the end of the appendix.

Our radiological SME, Mike McDonald will be attending the meeting tomorrow and will provide a summary of the approach taken to complete the radiological evaluation for this FYR.

See you tomorrow. Thanks.

Patty

Patricia Gallo
Environmental Compliance, Rocky Flats Site
Navarro Research and Engineering, Inc.
Contractor to the U.S. Department of Energy
Office of Legacy Management
11025 Dover Street, Unit 1000
Westminster, CO 80021
720-377-9684
patty.gallo@lm.doe.gov