Message

From: Don Edgington [d.edgington@erllc.com]
Sent: 10/19/2018 8:59:39 PM
To: Reeves, Michael L [reeves.michael@cleanharbors.com]
CC: Evan Wortman [e.wortman@erllc.com]; Moore, Gary [Moore.Gary@epa.gov]; Delgado, Paige [Delgado.Paige@epa.gov]; Janice Rick [j.rick@erllc.com]; Angela Harbin [a.harbin@erllc.com]
Subject: Final Analytical Set
Attachments: 7595992_fr_draft.pdf

Good afternoon, Michael.

Attached please find the third and final analysis, in draft form, relating to the TSCA and non-regulated soils to be excavated at the F.J. Doyle removal in Leonard, Texas.

Sample No. FJD-WP1 is a composite sample associated with those grids that had elevated (>50 ppm) PCBs in the original Weston assessment sample. Sample No(s) FJD-WP2 and WP3 are also composites and are associated with those grids that had PCB levels below 50 ppm.

Due to the late delivery of this set of analyses, the bid due date has been extended until 10:00 AM on Wednesday, 10/24/18.

Thanks,

Don

Confidentiality Warning: This e-mail and any attachments contain information intended only for the use of the individual or entity named above. If the reader of this e-mail is not the intended recipient or the employee or agent responsible for delivering it to the intended recipient, any dissemination, publication or copying of this e-mail is strictly prohibited. Although this email has been scanned for malware, the sender does not accept any responsibility for any loss, disruption or damage to your data or computer system that may occur while using data contained in, or transmitted with, this e-mail. If you have received this e-mail in error, please immediately notify by return e-mail. Thank you.