Method
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C
8260C

CAS No.
71-55-6
79-34-5
76-13-1
79-00-5
75-34-3
75-35-4
120-82-1
96-12-8
106-93-4
95-50-1
107-06-2
540-59-0
78-87-5
541-73-1
106-46-7
78-93-3
591-78-6
108-10-1
67-64-1
71-43-2
75-27-4
75-25-2
74-83-9
75-15-0
56-23-5
108-90-7
75-00-3
67-66-3
74-87-3
156-59-2
10061-01-5
110-82-7
124-48-1
75-71-8
100-41-4
98-82-8
108-38-3/106-42
79-20-9
108-87-2
1634-04-4
75-09-2
95-47-6
100-42-5
127-18-4

	Sample ID:	VPB161-GW-042716-58-60	VPB161-GWD-042716	VPB161-GW-042816-98-100
	Sample Date:	04/27/2016	04/27/2016	04/28/2016
	Sample Type:	Groundwater	Field Duplicate	Groundwater
Analyte	**Units**			
1,1,1-TRICHLOROETHANE	UG_L	0.5 U	0.5 U	0.5 U
1,1,2,2-TETRACHLOROETHANE	UG_L	0.5 U	0.5 U	0.5 U
1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE	UG_L	0.5 U	0.5 U	0.5 U
1,1,2-TRICHLOROETHANE	UG_L	0.5 U	0.5 U	0.5 U
1,1-DICHLOROETHANE	UG_L	0.5 U	0.5 U	0.5 U
1,1-DICHLOROETHENE	UG_L	0.5 U	0.5 U	0.5 U
1,2,4-TRICHLOROBENZENE	UG_L	0.5 U	0.5 U	0.5 U
1,2-DIBROMO-3-CHLOROPROPANE	UG_L	0.75 U	0.75 U	0.75 U
1,2-DIBROMOETHANE	UG_L	0.5 U	0.5 U	0.5 U
1,2-DICHLOROBENZENE	UG_L	0.5 U	0.5 U	0.5 U
1,2-DICHLOROETHANE	UG_L	0.5 U	0.5 U	0.5 U
1,2-DICHLOROETHENE, TOTAL	UG_L	1 U	1 U	1 U
1,2-DICHLOROPROPANE	UG_L	0.5 U	0.5 U	0.5 U
1,3-DICHLOROBENZENE	UG_L	0.5 U	0.5 U	0.5 U
1,4-DICHLOROBENZENE	UG_L	0.5 U	0.5 U	0.5 U
2-BUTANONE	UG_L	2.5 UJ	2.5 UJ	2.5 UJ
2-HEXANONE	UG_L	2.5 UJ	2.5 UJ	2.5 UJ
4-METHYL-2-PENTANONE	UG_L	2.5 U	2.5 U	2.5 U
ACETONE	UG_L	2.5 UJ	2.5 UJ	2.5 UJ
BENZENE	UG_L	0.5 U	0.5 U	0.5 U
BROMODICHLOROMETHANE	UG_L	0.5 U	0.5 U	0.5 U
BROMOFORM	UG_L	0.5 U	0.5 U	0.5 U
BROMOMETHANE	UG_L	1 U	1 U	1 U
CARBON DISULFIDE	UG_L	0.5 U	0.5 U	0.5 U
CARBON TETRACHLORIDE	UG_L	0.5 U	0.5 U	0.5 U
CHLOROBENZENE	UG_L	0.5 U	0.5 U	0.5 U
CHLOROETHANE	UG_L	1 U	1 U	1 U
CHLOROFORM	UG_L	**0.49 J**	**0.47 J**	0.5 U
CHLOROMETHANE	UG_L	1 U	1 U	1 U
CIS-1,2-DICHLOROETHENE	UG_L	0.5 U	0.5 U	0.5 U
CIS-1,3-DICHLOROPROPENE	UG_L	0.5 U	0.5 U	0.5 U
CYCLOHEXANE	UG_L	0.5 U	0.5 U	**3.7**
DIBROMOCHLOROMETHANE	UG_L	0.5 U	0.5 U	0.5 U
DICHLORODIFLUOROMETHANE	UG_L	1 UJ	1 UJ	1 UJ
ETHYLBENZENE	UG_L	0.5 U	0.5 U	0.5 U
ISOPROPYLBENZENE	UG_L	0.5 U	0.5 U	0.5 U
M- AND P-XYLENE	UG_L	1 U	1 U	1 U
METHYL ACETATE	UG_L	0.75 U	0.75 U	0.75 U
METHYL CYCLOHEXANE	UG_L	0.5 U	0.5 U	**6.4**
METHYL TERT-BUTYL ETHER	UG_L	0.5 U	0.5 U	0.5 U
METHYLENE CHLORIDE	UG_L	2.5 U	2.5 U	2.5 U
O-XYLENE	UG_L	0.5 U	0.5 U	0.5 U
STYRENE	UG_L	0.5 U	0.5 U	0.5 U
TETRACHLOROETHENE	UG_L	0.5 U	0.5 U	0.5 U

VPB161-GW-050216-158-160	VPB161-GW-050316-198-200	VPB161-GW-050316-218-220	VPB161-GW-050316-238-240
05/02/2016	05/03/2016	05/03/2016	05/03/2016
Groundwater	Groundwater	Groundwater	Groundwater
0.5 U	0.5 U	**0.9 J**	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	**7.3**	**1.7**
0.5 U	0.5 U	**1.8**	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.75 U	0.75 U	0.75 U	0.75 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
1 U	1 U	**0.55 J**	1 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
2.5 U	2.5 UJ	2.5 UJ	2.5 UJ
2.5 U	2.5 UJ	2.5 UJ	2.5 UJ
2.5 U	2.5 U	2.5 U	2.5 U
14 J	2.5 UJ	2.5 UJ	2.5 UJ
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
1 U	1 U	1 U	1 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
1 U	1 U	1 U	1 U
0.5 U	0.5 U	**0.82 J**	0.5 U
1 U	1 U	1 U	1 U
0.5 U	0.5 U	**0.55 J**	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
1 U	1 UJ	1 UJ	1 UJ
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
1 U	1 U	1 U	1 U
0.75 U	0.75 U	0.75 U	0.75 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
2.5 U	2.5 U	2.5 U	2.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	**0.76 J**	0.5 U

VPB161-GW-050416-258-260	VPB161-GW-050416-278-280	VPB161-GW-050416-298-300	VPB161-GW-050516-318-320
05/04/2016	05/04/2016	05/04/2016	05/05/2016
Groundwater	Groundwater	Groundwater	Groundwater
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.75 U	0.75 U	0.75 U	0.75 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
1 U	1 U	1 U	1 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
2.5 UJ	2.5 UJ	2.5 UJ	2.5 UJ
2.5 UJ	2.5 UJ	2.5 UJ	2.5 UJ
2.5 U	2.5 U	2.5 U	2.5 U
2.5 UJ	2.5 UJ	2.5 UJ	2.5 UJ
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
1 U	1 U	1 U	1 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
1 U	1 U	1 U	1 U
0.5 U	0.5 U	0.5 U	0.5 U
1 U	1 U	1 U	1 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
1 UJ	1 UJ	1 UJ	1 UJ
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
1 U	1 U	1 U	1 U
0.75 U	0.75 U	0.75 U	0.75 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
2.5 U	2.5 U	2.5 U	2.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U

VPB161-GW-050516-338-340	VPB161-GW-050616-358-360	VPB161-GW-050916-378-380	VPB161-GW-050916-398-400
05/05/2016	05/06/2016	05/09/2016	05/09/2016
Groundwater	Groundwater	Groundwater	Groundwater
0.5 U	0.5 U	1 U	0.5 U
0.5 U	0.5 U	1 U	0.5 U
0.5 U	0.5 U	1 U	0.5 U
0.5 U	0.5 U	1 U	0.5 U
0.5 U	0.5 U	1 U	0.5 U
0.5 U	0.5 U	1 U	0.5 U
0.5 U	0.5 U	1 U	0.5 U
0.75 U	0.75 U	1.5 U	0.75 U
0.5 U	0.5 U	1 U	0.5 U
0.5 U	0.5 U	1 U	0.5 U
0.5 U	0.5 U	1 U	0.5 U
1 U	1 U	2 U	1 U
0.5 U	0.5 U	1 U	0.5 U
0.5 U	0.5 U	1 U	0.5 U
0.5 U	0.5 U	1 U	0.5 U
2.5 UJ	2.5 U	5 U	2.5 U
2.5 UJ	2.5 U	5 U	2.5 U
2.5 U	2.5 U	5 U	2.5 U
2.5 UJ	2.5 U	5 U	2.5 U
0.5 U	0.5 U	1 U	0.5 U
0.5 U	0.5 U	1 U	0.5 U
0.5 U	0.5 U	1 U	0.5 U
1 U	1 U	2 U	1 U
0.5 U	0.5 U	1 U	0.5 U
0.5 U	0.5 U	1 U	0.5 U
0.5 U	0.5 U	1 U	0.5 U
1 U	1 U	2 U	1 U
0.5 U	0.5 U	1 U	0.5 U
1 U	1 U	2 U	1 U
0.5 U	0.5 U	1 U	0.5 U
0.5 U	0.5 U	1 U	0.5 U
0.5 U	0.5 U	1 U	0.5 U
0.5 U	0.5 U	1 U	0.5 U
1 UJ	1 U	2 U	1 U
0.5 U	0.5 U	1 U	0.5 U
0.5 U	0.5 U	1 U	0.5 U
1 U	1 U	2 U	1 U
0.75 U	0.75 U	1.5 U	0.75 U
0.5 U	0.5 U	1 U	0.5 U
0.5 U	0.5 U	1 U	0.5 U
2.5 U	2.5 U	5 U	2.5 U
0.5 U	0.5 U	1 U	0.5 U
0.5 U	0.5 U	1 U	0.5 U
0.5 U	0.5 U	1 U	0.5 U

VPB161-GW-051016-418-420	VPB161-GW-051016-438-440	VPB161-GW-051016-458-460	VPB161-GWD-051016
05/10/2016	05/10/2016	05/10/2016	05/10/2016
Groundwater	Groundwater	Groundwater	Field Duplicate
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.75 U	0.75 U	0.75 U	0.75 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
1 U	1 U	1 U	1 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
2.5 U	2.5 U	2.5 U	2.5 U
2.5 U	2.5 U	2.5 U	2.5 U
2.5 UJ	2.5 UJ	2.5 UJ	2.5 UJ
2.5 UJ	2.5 U	2.5 U	2.5 UJ
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
1 U	1 U	1 U	1 U
0.5 UJ	0.5 UJ	0.5 UJ	0.5 UJ
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
1 U	1 U	1 U	1 U
0.5 U	0.5 U	0.5 U	0.5 U
1 UJ	1 UJ	1 UJ	1 UJ
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
1 UJ	1 UJ	1 UJ	1 UJ
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
1 U	1 U	1 U	1 U
0.75 U	0.75 U	0.75 U	0.75 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
2.5 U	2.5 U	2.5 U	2.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U

VPB161-GW-051116-478-480	VPB161-GW-051116-498-500	VPB161-GW-051216-518-520	VPB161-GW-051216-538-540
05/11/2016	05/11/2016	05/12/2016	05/12/2016
Groundwater	Groundwater	Groundwater	Groundwater
0.5 U	0.5 U	1.1 U	0.5 U
0.5 U	0.5 U	1.1 U	0.5 U
0.5 U	0.5 U	1.1 U	0.5 U
0.5 U	0.5 U	1.1 U	0.5 U
0.5 U	0.5 U	1.1 U	0.5 U
0.5 U	0.5 U	1.1 U	0.5 U
0.5 U	0.5 U	1.1 U	0.5 U
0.75 U	0.75 U	1.7 U	0.75 U
0.5 U	0.5 U	1.1 U	0.5 U
0.5 U	0.5 U	1.1 U	0.5 U
0.5 U	0.5 U	1.1 U	0.5 U
1 U	1 U	2.3 U	1 U
0.5 U	0.5 U	1.1 U	0.5 U
0.5 U	0.5 U	1.1 U	0.5 U
0.5 U	0.5 U	1.1 U	0.5 U
2.5 U	2.5 U	5.7 U	2.5 U
2.5 U	2.5 U	5.7 U	2.5 U
2.5 UJ	2.5 UJ	5.7 UJ	2.5 UJ
2.5 U	2.5 U	5.7 U	2.5 U
0.5 U	0.5 U	1.1 U	0.5 U
0.5 U	0.5 U	1.1 U	0.5 U
0.5 U	0.5 U	1.1 U	0.5 U
1 U	1 U	2.3 U	1 U
0.5 UJ	0.5 UJ	1.1 UJ	0.5 UJ
0.5 U	0.5 U	1.1 U	0.5 U
0.5 U	0.5 U	1.1 U	0.5 U
1 U	1 U	2.3 U	1 U
0.5 U	0.5 U	1.1 U	0.5 U
1 UJ	1 UJ	2.3 UJ	1 UJ
0.5 U	0.5 U	1.1 U	0.5 U
0.5 U	0.5 U	1.1 U	0.5 U
0.5 U	0.5 U	1.1 U	0.5 U
0.5 U	0.5 U	1.1 U	0.5 U
1 UJ	1 UJ	2.3 UJ	1 UJ
0.5 U	0.5 U	1.1 U	0.5 U
0.5 U	0.5 U	1.1 U	0.5 U
1 U	1 U	2.3 U	1 U
0.75 U	0.75 U	1.7 U	0.75 U
0.5 U	0.5 U	1.1 U	0.5 U
0.5 U	0.5 U	1.1 U	0.5 U
2.5 U	2.5 U	5.7 U	2.5 U
0.5 U	0.5 U	1.1 U	0.5 U
0.5 U	0.5 U	1.1 U	0.5 U
0.5 U	0.5 U	1.1 U	0.5 U

VPB161-GW-051216-558-560	VPB161-GW-051316-578-580	VPB161-GW-051616-603-605	VPB161-GW-051616-623-625
05/12/2016	05/13/2016	05/16/2016	05/16/2016
Groundwater	Groundwater	Groundwater	Groundwater
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.75 U	0.75 U	0.75 U	0.75 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
1 U	1 U	1 U	1 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
2.5 U	2.5 U	2.5 U	2.5 U
2.5 U	2.5 U	2.5 U	2.5 U
2.5 UJ	2.5 UJ	2.5 UJ	2.5 UJ
2.5 U	2.5 U	2.5 U	2.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
1 U	1 U	1 U	1 U
0.5 UJ	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
1 U	1 U	1 U	1 U
0.5 U	0.5 U	0.5 U	0.5 U
1 UJ	1 UJ	1 UJ	1 UJ
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
1 UJ	1 UJ	1 UJ	1 UJ
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
1 U	1 U	1 U	1 U
0.75 U	0.75 U	0.75 U	0.75 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
2.5 U	2.5 U	2.5 U	2.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U

VPB161-GW-051716-638-640	VPB161-GW-051716-658-660	VPB161-GW-051816-683-685	VPB161-GW-051816-698-700
05/17/2016	05/17/2016	05/18/2016	05/18/2016
Groundwater	Groundwater	Groundwater	Groundwater
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.75 U	0.75 U	0.75 U	0.75 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
1 U	1 U	1 U	1 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
2.5 U	2.5 U	2.5 U	2.5 U
2.5 U	2.5 U	2.5 U	2.5 U
2.5 U	2.5 U	2.5 U	2.5 U
2.5 U	2.5 U	2.5 U	2.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
1 U	1 U	1 U	1 U
0.75 J	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
1 U	1 U	1 U	1 U
0.5 U	0.5 U	0.5 U	0.5 U
1 U	1 U	1 U	1 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
1 U	1 U	1 U	1 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
1 U	1 U	1 U	1 U
0.75 U	0.75 U	0.75 U	0.75 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
2.5 U	2.5 U	2.5 U	2.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U

VPB161-GW-051916-718-720 05/19/2016 Groundwater	VPB161-GW-052016-738-740 05/20/2016 Groundwater	VPB161-GW-052016-758-760 05/20/2016 Groundwater	VPB161-GW-052316-778-780 05/23/2016 Groundwater
0.5 U	1.5 U	0.72 U	0.5 U
0.5 U	1.5 U	0.72 U	0.5 U
0.5 U	1.5 U	0.72 U	0.5 U
0.5 U	1.5 U	0.72 U	0.5 U
0.5 U	1.5 U	0.72 U	0.5 U
0.5 U	1.5 U	0.72 U	0.5 U
0.5 U	1.5 U	0.72 U	0.5 U
0.75 U	2.3 U	1.1 U	0.75 U
0.5 U	1.5 U	0.72 U	0.5 U
0.5 U	1.5 U	0.72 U	0.5 U
0.5 U	1.5 U	0.72 U	0.5 U
1 U	3 U	1.4 U	1 U
0.5 U	1.5 U	0.72 U	0.5 U
0.5 U	1.5 U	0.72 U	0.5 U
0.5 U	1.5 U	0.72 U	0.5 U
2.5 U	7.6 U	3.6 U	2.5 U
2.5 U	7.6 U	3.6 U	2.5 U
2.5 U	7.6 UJ	3.6 UJ	2.5 UJ
2.5 U	**17 J**	**14 J**	**9.5 J**
0.5 U	1.5 U	0.72 U	0.5 U
0.5 U	1.5 U	0.72 U	0.5 U
0.5 U	1.5 U	0.72 U	0.5 U
1 U	3 U	1.4 U	1 U
0.5 U	1.5 UJ	**0.55 J**	0.5 UJ
0.5 U	1.5 U	0.72 U	0.5 U
0.5 U	1.5 U	0.72 U	0.5 U
1 U	3 U	1.4 U	1 U
0.5 U	1.5 U	0.72 U	0.5 U
1 U	3 UJ	1.4 UJ	1 UJ
0.5 U	1.5 U	0.72 U	0.5 U
0.5 U	1.5 U	0.72 U	0.5 U
0.5 U	1.5 U	0.72 U	0.5 U
0.5 U	1.5 U	0.72 U	0.5 U
1 U	3 UJ	1.4 UJ	1 UJ
0.5 U	1.5 U	0.72 U	0.5 U
0.5 U	1.5 U	0.72 U	0.5 U
1 U	3 U	1.4 U	1 U
0.75 U	2.3 U	1.1 U	0.75 U
0.5 U	1.5 U	0.72 U	0.5 U
0.5 U	1.5 U	0.72 U	0.5 U
2.5 U	7.6 U	3.6 U	2.5 U
0.5 U	1.5 U	0.72 U	0.5 U
0.5 U	1.5 U	0.72 U	0.5 U
0.5 U	1.5 U	0.72 U	0.5 U

VPB161-GW-052316-798-800	VPB161-GW-052416-818-820	VPB161-GW-052416-838-840	VPB161-GW-052516-858-860
05/23/2016	05/24/2016	05/24/2016	05/25/2016
Groundwater	Groundwater	Groundwater	Groundwater
0.5 U	0.5 U	1.3 U	0.5 U
0.5 U	0.5 U	1.3 U	0.5 U
0.5 U	0.5 UJ	1.3 UJ	0.5 UJ
0.5 U	0.5 U	1.3 U	0.5 U
0.5 U	0.5 U	1.3 U	0.5 U
0.5 U	0.5 U	1.3 U	0.5 U
0.5 U	0.5 U	1.3 U	0.5 U
0.75 U	0.75 U	2 U	0.75 U
0.5 U	0.5 U	1.3 U	0.5 U
0.5 U	0.5 U	1.3 U	0.5 U
0.5 U	0.5 U	1.3 U	0.5 U
1 U	1 U	2.7 U	1 U
0.5 U	0.5 U	1.3 U	0.5 U
0.5 U	0.5 U	1.3 U	0.5 U
0.5 U	0.5 U	1.3 U	0.5 U
2.5 U	2.5 UJ	6.7 UJ	2.5 UJ
2.5 U	2.5 U	6.7 U	2.5 U
2.5 UJ	2.5 UJ	6.7 UJ	2.5 UJ
8 J	2.5 UJ	6.7 UJ	2.5 UJ
0.5 U	0.5 U	1.3 U	0.5 U
0.5 U	0.5 U	1.3 U	0.5 U
0.5 U	0.5 U	1.3 U	0.5 U
1 U	1 U	2.7 U	1 U
0.5 UJ	0.5 UJ	1.3 UJ	0.5 UJ
0.5 U	0.5 U	1.3 U	0.5 U
0.5 U	0.5 U	1.3 U	0.5 U
1 U	1 U	2.7 U	1 U
0.5 U	0.5 U	1.3 U	0.5 U
1 UJ	1 U	2.7 U	1 U
0.5 U	0.5 U	1.3 U	0.5 U
0.5 U	0.5 U	1.3 U	0.5 U
0.5 U	0.5 U	1.3 U	0.5 U
0.5 U	0.5 U	1.3 U	0.5 U
1 UJ	1 UJ	2.7 UJ	1 UJ
0.5 U	0.5 U	1.3 U	0.5 U
0.5 U	0.5 U	1.3 U	0.5 U
1 U	1 U	2.7 U	1 U
0.75 U	0.75 U	2 U	0.75 U
0.5 U	0.5 U	1.3 U	0.5 U
0.5 U	0.5 U	1.3 U	0.5 U
2.5 U	2.5 U	6.7 U	2.5 U
0.5 U	0.5 U	1.3 U	0.5 U
0.5 U	0.5 U	1.3 U	0.5 U
0.5 U	0.5 U	1.3 U	0.5 U

VPB161-GW-052516-878-880	VPB161-GW-052616-898-900	VPB161-GW-052716-923-925	VPB161-GW-053116-938-940
05/25/2016	05/26/2016	05/27/2016	05/31/2016
Groundwater	Groundwater	Groundwater	Groundwater
0.5 U	0.5 U	0.5 U	0.5 UJ
0.5 U	0.5 U	0.5 U	0.5 UJ
0.5 UJ	0.5 UJ	0.5 U	0.5 UJ
0.5 U	0.5 U	0.5 U	0.5 UJ
0.5 U	0.5 U	0.5 U	0.5 UJ
0.5 U	0.5 U	0.5 U	0.5 UJ
0.5 U	0.5 U	0.5 U	0.5 UJ
0.75 U	0.75 U	0.75 U	0.75 UJ
0.5 U	0.5 U	0.5 U	0.5 UJ
0.5 U	0.5 U	0.5 U	0.5 UJ
0.5 U	0.5 U	0.5 U	0.5 UJ
1 U	1 U	1 U	1 UJ
0.5 U	0.5 U	0.5 U	0.5 UJ
0.5 U	0.5 U	0.5 U	0.5 UJ
0.5 U	0.5 U	0.5 U	0.5 UJ
2.5 UJ	2.5 UJ	2.5 U	**1.4 J**
2.5 U	2.5 U	2.5 U	2.5 UJ
2.5 UJ	2.5 UJ	2.5 U	2.5 UJ
2.5 UJ	2.5 UJ	2.5 UJ	2.5 UJ
0.5 U	0.5 U	0.5 U	0.5 UJ
0.5 U	0.5 U	0.5 U	0.5 UJ
0.5 U	0.5 U	0.5 U	0.5 UJ
1 U	1 U	1 U	1 UJ
0.5 UJ	0.5 UJ	0.5 U	0.5 UJ
0.5 U	0.5 U	0.5 U	0.5 UJ
0.5 U	0.5 U	0.5 U	0.5 UJ
1 U	1 U	1 U	1 UJ
0.5 U	0.5 U	0.5 U	0.5 UJ
1 U	1 U	1 U	1 UJ
0.5 U	0.5 U	0.5 U	0.5 UJ
0.5 U	0.5 U	0.5 U	0.5 UJ
0.5 U	0.5 U	0.5 U	0.5 UJ
0.5 U	0.5 U	0.5 U	0.5 UJ
1 UJ	1 UJ	1 U	1 UJ
0.5 U	0.5 U	0.5 U	0.5 UJ
0.5 U	0.5 U	0.5 U	0.5 UJ
1 U	1 U	1 U	1 UJ
0.75 U	0.75 U	0.75 U	0.75 UJ
0.5 U	0.5 U	0.5 U	0.5 UJ
0.5 U	0.5 U	0.5 U	0.5 UJ
2.5 U	2.5 U	2.5 U	2.5 UJ
0.5 U	0.5 U	0.5 U	0.5 UJ
0.5 U	0.5 U	0.5 U	0.5 UJ
0.5 U	0.5 U	0.5 U	0.5 UJ

VPB161-GW-053116-958-960	VPB161-GW-060116-978-980
05/31/2016	06/01/2016
Groundwater	Groundwater
20 UJ	10 UJ
20 UJ	10 UJ
20 UJ	10 UJ
20 UJ	10 UJ
20 UJ	10 UJ
20 UJ	10 UJ
20 UJ	10 UJ
30 UJ	15 UJ
20 UJ	10 UJ
20 UJ	10 UJ
20 UJ	10 UJ
40 UJ	20 UJ
20 UJ	10 UJ
20 UJ	10 UJ
20 UJ	10 UJ
100 UJ	50 UJ
100 UJ	50 UJ
100 UJ	50 UJ
100 UJ	50 UJ
20 UJ	10 UJ
20 UJ	10 UJ
20 UJ	10 UJ
40 UJ	20 UJ
20 UJ	10 UJ
20 UJ	10 UJ
20 UJ	10 UJ
40 UJ	20 UJ
20 UJ	10 UJ
40 UJ	20 UJ
20 UJ	10 UJ
20 UJ	10 UJ
20 UJ	10 UJ
20 UJ	10 UJ
40 UJ	20 UJ
20 UJ	10 UJ
20 UJ	10 UJ
40 UJ	20 UJ
30 UJ	15 UJ
20 UJ	10 UJ
20 UJ	10 UJ
100 UJ	50 UJ
20 UJ	10 UJ
20 UJ	10 UJ
20 UJ	10 UJ

8260C
8260C
8260C
8260C
8260C
8260C
8260C

Notes:

UG_L

Bold

U

J

UJ

108-88-3
156-60-5
10061-02-6
79-01-6
75-69-4
75-01-4
1330-20-7

= Micrograms per liter

= Detected result

= *Undetected* — The parameter was analyzed but undetected or was qualified as undetected during data review due to blank artifacts.

= *Estimated Value* — One or more quality control parameters were outside control limits or the analyte concentration was less than the limit of quantitatio

= *Undetected and Estimated* — The parameter was analyzed but undetected and was estimated because of a quality control outlier.

TOLUENE	UG_L	0.5 U	0.5 U	0.5 U
TRANS-1,2-DICHLOROETHENE	UG_L	0.5 U	0.5 U	0.5 U
TRANS-1,3-DICHLOROPROPENE	UG_L	0.5 U	0.5 U	0.5 U
TRICHLOROETHENE	UG_L	0.5 U	0.5 U	0.5 U
TRICHLOROFLUOROMETHANE	UG_L	1 U	1 U	1 U
VINYL CHLORIDE	UG_L	1 U	1 U	1 U
XYLENES, TOTAL	UG_L	1.5 U	1.5 U	1.5 U

n.

0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.49 J	**0.64 J**	**1.5**	0.5 U
1 U	1 U	1 U	1 U
1 U	1 U	1 U	1 U
1.5 U	1.5 U	1.5 U	1.5 U

0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
1 U	1 U	1 U	1 U
1 U	1 U	1 U	1 U
1.5 U	1.5 U	1.5 U	1.5 U

0.5 U	0.5 U	1 U	0.5 U
0.5 U	0.5 U	1 U	0.5 U
0.5 U	0.5 U	1 U	0.5 U
0.5 U	0.5 U	1 U	0.5 U
1 U	1 U	2 U	1 U
1 U	1 U	2 U	1 U
1.5 U	1.5 U	3 U	1.5 U

0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
1 U	1 U	1 U	1 U
1 U	1 U	1 U	1 U
1.5 U	1.5 U	1.5 U	1.5 U

0.5 U	0.5 U	1.1 U	0.5 U
0.5 U	0.5 U	1.1 U	0.5 U
0.5 U	0.5 U	1.1 U	0.5 U
0.5 U	0.5 U	1.1 U	0.5 U
1 U	1 U	2.3 U	1 U
1 U	1 U	2.3 U	1 U
1.5 U	1.5 U	3.4 U	1.5 U

0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
1 U	1 U	1 U	1 U
1 U	1 U	1 U	1 U
1.5 U	1.5 U	1.5 U	1.5 U

0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
0.5 U	0.5 U	0.5 U	0.5 U
1 U	1 U	1 U	1 U
1 U	1 U	1 U	1 U
1.5 U	1.5 U	1.5 U	1.5 U

0.5 U	1.5 U	0.72 U	0.5 U
0.5 U	1.5 U	0.72 U	0.5 U
0.5 U	1.5 U	0.72 U	0.5 U
0.5 U	1.5 U	0.72 U	0.5 U
1 U	3 U	1.4 U	1 U
1 U	3 U	1.4 U	1 U
1.5 U	4.6 U	2.2 U	1.5 U

0.5 U	0.5 U	1.3 U	0.5 U
0.5 U	0.5 U	1.3 U	0.5 U
0.5 U	0.5 U	1.3 U	0.5 U
0.5 U	0.5 U	1.3 U	0.5 U
1 U	1 U	2.7 U	1 U
1 U	1 U	2.7 U	1 U
1.5 U	1.5 U	4 U	1.5 U

0.5 U	0.5 U	0.5 U	0.5 UJ
0.5 U	0.5 U	0.5 U	0.5 UJ
0.5 U	0.5 U	0.5 U	0.5 UJ
0.5 U	0.5 U	0.5 U	0.5 UJ
1 U	1 U	1 U	1 UJ
1 U	1 U	1 U	1 UJ
1.5 U	1.5 U	1.5 U	1.5 UJ

20 UJ	10 UJ
20 UJ	10 UJ
20 UJ	10 UJ
20 UJ	10 UJ
40 UJ	20 UJ
40 UJ	20 UJ
60 UJ	30 UJ