December 2018 Validated Analytical Data
Navy OU2 Groundwater Sampling
Naval Weapons Industrial Reserve Plant Bethpage

LOCATION	RE103D1	RE103D2	RE103D3	RE104D1	RE104D2	RE104D2
NSAMPLE	RE103D1-20181205	RE103D2-20181205	RE103D3-20181205	RE104D1-20181206	RE104D2-20181206	DUP02-20181206
SAMPLE DATE	12/05/2018	12/05/2018	12/05/2018	12/06/2018	12/06/2018	12/06/2018
QC TYPE	NM	NM	NM	NM	NM	NM
DUP OF						RE104D2-20181206
SDG	J6324	J6324	J6324	J6324	J6323	J6323
OV (UG/L)						
1,1,1-TRICHLOROETHANE	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2,2-TETRACHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-TRICHLOROETHANE	0.67 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-TRICHLOROTRIFLUOROETHANE	6.1	1.8 J	1.8 J	1.3 J	0.5 U	0.5 U
1,1-DICHLOROETHANE	0.91 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-DICHLOROETHENE	4 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-DICHLOROETHANE	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,2-DICHLOROPROPANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-BUTANONE	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
2-HEXANONE	3.8 U	3.8 U	3.8 U	3.8 U	3.8 U	3.8 U
4-METHYL-2-PENTANONE	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
ACETONE	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
BENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
BROMODICHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
BROMOFORM	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
BROMOMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CARBON DISULFIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CARBON TETRACHLORIDE	0.44 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLORODIBROMOMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLOROFORM	0.78 J	0.61 J	0.39 J	0.5 U	1.3 J	1.3 J
CHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CIS-1,2-DICHLOROETHENE	1.6 J	0.61 J	0.57 J	0.5 U	11.6	11.1
CIS-1,3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
ETHYLBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
ISOPROPYLBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
M+P-XYLENES	1 U	1 U	1 U	1 U	1 U	1 U
METHYL CYCLOHEXANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
METHYL TERT-BUTYL ETHER	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
METHYLENE CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
O-XYLENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
STYRENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TETRACHLOROETHENE	3.4 J	0.71 J	0.57 J	2.2 J	0.5 U	0.5 U
TOLUENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRANS-1,2-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRANS-1,3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRICHLOROETHENE	650	440	320	46.3	45.6	47
TRICHLOROFLUOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
VINYL CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
8270D (UG/L)						
1,4-DIOXANE	7.7	0.77	0.28	3.6	0.43	0.43
8260C-SIM (UG/L)						
1,4-DIOXANE	--	--	--	--	--	--
522 (UG/L)						
1,4-DIOXANE	--	--	--	--	--	--

December 2018 Validated Analytical Data
Navy OU2 Groundwater Sampling
Naval Weapons Industrial Reserve Plant Bethpage

LOCATION	RE104D3	RE105D1	RE105D2	RE105D2	RE108D1	RE108D2
NSAMPLE	RE104D3-20181206	RE105D1-20181210	RE105D2-20181210	DUP03-20181210	RE108D1-20181210	RE108D2-20181210
SAMPLE DATE	12/06/2018	12/10/2018	12/10/2018	12/10/2018	12/10/2018	12/10/2018
QC TYPE	NM	NM	NM	NM	NM	NM
DUP OF				RE105D2-20181210		
SDG	J6323	J6405	J6405	J6405	J6405	J6405
OV (UG/L)						
1,1,1-TRICHLOROETHANE	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2,2-TETRACHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-TRICHLOROETHANE	0.5 U	0.5 U	0.96 J	1 J	0.5 U	1.3 J
1,1,2-TRICHLOROTRIFLUOROETHANE	0.5 U	4.1 J	16.7	16.7	0.5 U	5.9
1,1-DICHLOROETHANE	0.5 U	0.5 U	1.5 J	1.4 J	0.5 U	3.5 J
1,1-DICHLOROETHENE	0.5 U	0.66 J	7.9	7.6	0.5 U	5.4
1,2-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-DICHLOROETHANE	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,2-DICHLOROPROPANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-BUTANONE	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
2-HEXANONE	3.8 U	3.8 U	3.8 U	3.8 U	3.8 U	3.8 U
4-METHYL-2-PENTANONE	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
ACETONE	2.5 U	25 U	25 U	2.5 U	2.5 U	2.5 U
BENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
BROMODICHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
BROMOFORM	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
BROMOMETHANE	0.5 U	0.5 UJ	0.5 UJ	0.5 UJ	0.5 U	0.5 UJ
CARBON DISULFIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CARBON TETRACHLORIDE	0.5 U	0.5 U	1.6 J	1.5 J	0.5 U	1.1 J
CHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLORODIBROMOMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLOROFORM	0.5 U	0.5 U	1.3 J	1.3 J	0.5 U	2.5 J
CHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CIS-1,2-DICHLOROETHENE	0.5 U	1.3 J	3.7 J	3.6 J	0.5 U	7.5
CIS-1,3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
ETHYLBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
ISOPROPYLBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
M+P-XYLENES	1 U	1 U	1 U	1 U	1 U	1 U
METHYL CYCLOHEXANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
METHYL TERT-BUTYL ETHER	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
METHYLENE CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
O-XYLENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
STYRENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TETRACHLOROETHENE	0.5 U	0.6 J	3.4 J	3.3 J	1.4 J	3.5 J
TOLUENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRANS-1,2-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRANS-1,3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRICHLOROETHENE	0.5 U	95.6 J+	1600	1600	34.3	2600
TRICHLOROFLUOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
VINYL CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
8270D (UG/L)						
1,4-DIOXANE	0.05 U	4 J	5	5.7	2.8	3
8260C-SIM (UG/L)						
1,4-DIOXANE	--	--	--	--	--	--
522 (UG/L)						
1,4-DIOXANE	--	--	--	--	--	--

December 2018 Validated Analytical Data
Navy OU2 Groundwater Sampling
Naval Weapons Industrial Reserve Plant Bethpage

LOCATION	RE108D2	RE109D1	RE109D2	RE109D3	RE117D1	RE117D2
NSAMPLE	DUP04-20181210	RE109D1-20181206	RE109D2-20181206	RE109D3-20181206	RE117D1-20181204	RE117D2-20181204
SAMPLE DATE	12/10/2018	12/06/2018	12/06/2018	12/06/2018	12/04/2018	12/04/2018
QC TYPE	NM	NM	NM	NM	NM	NM
DUP OF	RE108D2-20181210					
SDG	J6405	J6324	J6324	J6324	J6325	J6325
OV (UG/L)						
1,1,1-TRICHLOROETHANE	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2,2-TETRACHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-TRICHLOROETHANE	1.3 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-TRICHLOROTRIFLUOROETHANE	5.8	0.63 J	1.2 J	2.5 J	0.5 U	0.5 U
1,1-DICHLOROETHANE	3.6 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-DICHLOROETHENE	5.6	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-DICHLOROETHANE	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,2-DICHLOROPROPANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-BUTANONE	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
2-HEXANONE	3.8 U	3.8 U	3.8 U	3.8 U	3.8 U	3.8 U
4-METHYL-2-PENTANONE	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
ACETONE	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
BENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
BROMODICHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
BROMOFORM	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
BROMOMETHANE	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CARBON DISULFIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CARBON TETRACHLORIDE	1.1 J	0.5 U	0.5 U	0.57 J	0.5 U	0.5 U
CHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLORODIBROMOMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLOROFORM	2.5 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CIS-1,2-DICHLOROETHENE	7.3	0.5 U	0.5 U	0.89 J	0.5 U	0.5 U
CIS-1,3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
ETHYLBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
ISOPROPYLBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
M+P-XYLENES	1 U	1 U	1 U	1 U	1 U	1 U
METHYL CYCLOHEXANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
METHYL TERT-BUTYL ETHER	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
METHYLENE CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
O-XYLENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
STYRENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TETRACHLOROETHENE	3.4 J	0.5 U	0.44 J	0.72 J	0.5 U	0.5 U
TOLUENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRANS-1,2-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRANS-1,3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRICHLOROETHENE	2600	22.4	33.8	59.3	33.5	0.52 J
TRICHLOROFLUOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
VINYL CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
8270D (UG/L)						
1,4-DIOXANE	2.9	2.9	3	3.5	0.05 X	0.05 U
8260C-SIM (UG/L)						
1,4-DIOXANE	--	--	--	--	--	--
522 (UG/L)						
1,4-DIOXANE	--	--	--	--	--	--

December 2018 Validated Analytical Data
Navy OU2 Groundwater Sampling
Naval Weapons Industrial Reserve Plant Bethpage

LOCATION	RE120D1	RE120D2	RE120D3	RE120D3	RE122D1	RE122D2
NSAMPLE	RE120D1-20181205	RE120D2-20181205	RE120D3-20181205	DUP01-20181205	RE122D1-20181206	RE122D2-20181206
SAMPLE DATE	12/05/2018	12/05/2018	12/05/2018	12/05/2018	12/06/2018	12/06/2018
QC TYPE	NM	NM	NM	NM	NM	NM
DUP OF				RE120D3-20181205		
SDG	J6324	J6324	J6325	J6324	J6323	J6323
OV (UG/L)						
1,1,1-TRICHLOROETHANE	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2,2-TETRACHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-TRICHLOROETHANE	0.74 J	0.43 J	0.5 U	0.5 U	0.5 U	1.3 J
1,1,2-TRICHLOROTRIFLUOROETHANE	15.3	10	0.88 J	0.87 J	3.7 J	10.3
1,1-DICHLOROETHANE	1.4 J	0.78 J	0.5 U	0.5 U	0.5 U	0.5 U
1,1-DICHLOROETHENE	8.8	3.3 J	0.5 U	0.5 U	0.88 J	4.8 J
1,2-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-DICHLOROETHANE	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,2-DICHLOROPROPANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-BUTANONE	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
2-HEXANONE	3.8 U	3.8 U	3.8 U	3.8 U	3.8 U	3.8 U
4-METHYL-2-PENTANONE	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
ACETONE	2.5 U	2.5 U	2.5 U	2.5 UJ	2.5 U	2.5 U
BENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
BROMODICHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
BROMOFORM	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
BROMOMETHANE	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U
CARBON DISULFIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CARBON TETRACHLORIDE	0.46 J	0.44 J	0.5 U	0.5 U	0.5 U	1.5 J
CHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLORODIBROMOMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLOROFORM	0.54 J	0.53 J	0.5 U	0.5 U	0.5 U	1.4 J
CHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CIS-1,2-DICHLOROETHENE	2.9 J	2.2 J	0.5 U	0.5 U	2.4 J	3.5 J
CIS-1,3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
ETHYLBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
ISOPROPYLBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
M+P-XYLENES	1 U	1 U	1 U	1 U	1 U	1 U
METHYL CYCLOHEXANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
METHYL TERT-BUTYL ETHER	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
METHYLENE CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
O-XYLENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
STYRENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TETRACHLOROETHENE	3.1 J	2.7 J	0.5 U	0.5 U	1.8 J	3.1 J
TOLUENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRANS-1,2-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRANS-1,3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRICHLOROETHENE	810	520	29.5	28.1	470	3100
TRICHLOROFLUOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
VINYL CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
8270D (UG/L)						
1,4-DIOXANE	9.1	4.8	0.25	0.24	3.1	3.4
8260C-SIM (UG/L)						
1,4-DIOXANE	--	--	--	--	--	--
522 (UG/L)						
1,4-DIOXANE	--	--	--	--	--	--

December 2018 Validated Analytical Data
Navy OU2 Groundwater Sampling
Naval Weapons Industrial Reserve Plant Bethpage

LOCATION	RE122D3	RE123D1	RE123D2	RE123D3	RE125D1	RE125D2
NSAMPLE	RE122D3-20181206	RE123D1-20181207	RE123D2-20181207	RE123D3-20181207	RE125D1-20181204	RE125D2-20181204
SAMPLE DATE	12/06/2018	12/07/2018	12/07/2018	12/07/2018	12/04/2018	12/04/2018
QC TYPE	NM	NM	NM	NM	NM	NM
DUP OF						
SDG	J6323	J6321	J6323	J6321	J6325	J6325
OV (UG/L)						
1,1,1-TRICHLOROETHANE	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2,2-TETRACHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-TRICHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-TRICHLOROTRIFLUOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	9.3	18
1,1-DICHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	1.5 J	0.5 U
1,1-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	2.2 J	5.4
1,2-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-DICHLOROETHANE	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,2-DICHLOROPROPANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-BUTANONE	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
2-HEXANONE	3.8 U	3.8 U	3.8 U	3.8 U	3.8 U	3.8 U
4-METHYL-2-PENTANONE	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
ACETONE	2.5 U	2.5 U	2.5 U	2.5 U	4.9 J	2.5 U
BENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
BROMODICHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
BROMOFORM	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
BROMOMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CARBON DISULFIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CARBON TETRACHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLORODIBROMOMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLOROFORM	0.5 U	0.5 U	0.5 U	0.5 U	0.69 J	0.5 U
CHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CIS-1,2-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	4.2 J	4.3 J
CIS-1,3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
ETHYLBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
ISOPROPYLBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
M+P-XYLENES	1 U	1 U	1 U	1 U	1 U	1 U
METHYL CYCLOHEXANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
METHYL TERT-BUTYL ETHER	0.5 U	0.5 U	0.5 U	0.5 U	0.39 J	0.5 U
METHYLENE CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
O-XYLENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
STYRENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TETRACHLOROETHENE	0.5 U	0.5 U	1.5 J	0.3 J	7.4	4.5 J
TOLUENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRANS-1,2-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRANS-1,3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRICHLOROETHENE	4.4 J	9	1.8 J	0.5 U	170	220
TRICHLOROFLUOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
VINYL CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
8270D (UG/L)						
1,4-DIOXANE	0.05 U	0.05 U	0.38	0.05 U	7.2	7.8
8260C-SIM (UG/L)						
1,4-DIOXANE	--	--	--	--	--	--
522 (UG/L)						
1,4-DIOXANE	--	--	--	--	--	--

December 2018 Validated Analytical Data
Navy OU2 Groundwater Sampling
Naval Weapons Industrial Reserve Plant Bethpage

LOCATION	RE125D3	RE126D1	RE126D2	RE126D3	RE131D1	RE131D2
NSAMPLE	RE125D3-20181204	RE126D1-20181207	RE126D2-20181207	RE126D3-20181207	RE131D1-20181205	RE131D2-20181205
SAMPLE DATE	12/04/2018	12/07/2018	12/07/2018	12/07/2018	12/05/2018	12/05/2018
QC TYPE	NM	NM	NM	NM	NM	NM
DUP OF						
SDG	J6325	J6323	J6323	J6323	J6325	J6325
OV (UG/L)						
1,1,1-TRICHLOROETHANE	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2,2-TETRACHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-TRICHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-TRICHLOROTRIFLUOROETHANE	37.4	0.5 U	0.5 U	0.5 U	3.4 J	180
1,1-DICHLOROETHANE	0.5 U	0.5 U	1.3 J	0.5 U	0.5 U	0.5 U
1,1-DICHLOROETHENE	0.5 U	0.5 U	1.3 J	0.5 U	0.76 J	1.9 J
1,2-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-DICHLOROETHANE	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,2-DICHLOROPROPANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-BUTANONE	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
2-HEXANONE	3.8 U	3.8 U	3.8 U	3.8 U	3.8 U	3.8 U
4-METHYL-2-PENTANONE	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
ACETONE	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
BENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
BROMODICHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
BROMOFORM	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
BROMOMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CARBON DISULFIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CARBON TETRACHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLORODIBROMOMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLOROFORM	0.5 U	0.5 U	0.34 J	0.5 U	1.9 J	0.5 U
CHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CIS-1,2-DICHLOROETHENE	1.6 J	0.5 U	1.6 J	0.5 U	4.7 J	4.5 J
CIS-1,3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
ETHYLBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
ISOPROPYLBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
M+P-XYLENES	1 U	1 U	1 U	1 U	1 U	1 U
METHYL CYCLOHEXANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
METHYL TERT-BUTYL ETHER	0.5 U	0.5 U	0.5 U	0.5 U	0.51 J	0.5 U
METHYLENE CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
O-XYLENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
STYRENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TETRACHLOROETHENE	3.4 J	1.4 J	0.86 J	4.1 J	13.2	10.3
TOLUENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRANS-1,2-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRANS-1,3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRICHLOROETHENE	140	39.3	460	5.6	140	69.8
TRICHLOROFLUOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
VINYL CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
8270D (UG/L)						
1,4-DIOXANE	2.2	2.9	2.6	1	8.5	6.8
8260C-SIM (UG/L)						
1,4-DIOXANE	--	--	--	--	--	--
522 (UG/L)						
1,4-DIOXANE	--	--	--	--	--	--

December 2018 Validated Analytical Data
Navy OU2 Groundwater Sampling
Naval Weapons Industrial Reserve Plant Bethpage

LOCATION	RE131D3	TT101D	TT101D1	TT101D2
NSAMPLE	RE131D3-20181205	TT101D-20181212	TT101D1-20181212	TT101D2-20181212
SAMPLE DATE	12/05/2018	12/12/2018	12/12/2018	12/12/2018
QC TYPE	NM	NM	NM	NM
DUP OF				
SDG	J6325	J6407	J6407	J6407
OV (UG/L)				
1,1,1-TRICHLOROETHANE	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2,2-TETRACHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-TRICHLOROETHANE	0.5 U	0.5 U	0.53 J	0.62 J
1,1,2-TRICHLOROTRIFLUOROETHANE	190	11.7	14.7	18.6
1,1-DICHLOROETHANE	0.5 U	0.74 J	1.1 J	0.93 J
1,1-DICHLOROETHENE	1.6 J	2.5 J	5.5	4.9 J
1,2-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U
1,2-DICHLOROETHANE	0.75 U	0.75 U	0.75 U	0.75 U
1,2-DICHLOROPROPANE	0.5 U	0.5 U	0.5 U	0.5 U
1,3-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U
1,4-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U
2-BUTANONE	2.5 U	2.5 U	2.5 U	2.5 U
2-HEXANONE	3.8 U	3.8 U	3.8 U	3.8 U
4-METHYL-2-PENTANONE	2.5 U	2.5 U	2.5 U	2.5 U
ACETONE	2.5 U	2.5 U	2.5 U	2.5 U
BENZENE	0.5 U	0.5 U	0.5 U	0.5 U
BROMODICHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U
BROMOFORM	0.5 U	0.5 U	0.5 U	0.5 U
BROMOMETHANE	0.5 U	0.5 UJ	0.5 UJ	0.5 UJ
CARBON DISULFIDE	0.5 U	0.5 U	0.5 U	0.5 U
CARBON TETRACHLORIDE	0.5 U	0.5 U	1.1 J	0.85 J
CHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U
CHLORODIBROMOMETHANE	0.5 U	0.5 U	0.5 U	0.5 U
CHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U
CHLOROFORM	0.5 U	0.51 J	0.84 J	0.84 J
CHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U
CIS-1,2-DICHLOROETHENE	0.54 J	3.1 J	1.9 J	2.3 J
CIS-1,3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U
ETHYLBENZENE	0.5 U	0.5 U	0.5 U	0.5 U
ISOPROPYLBENZENE	0.5 U	0.5 U	0.5 U	0.5 U
M+P-XYLENES	1 U	1 U	1 U	1 U
METHYL CYCLOHEXANE	0.5 U	0.5 U	0.5 U	0.5 U
METHYL TERT-BUTYL ETHER	0.5 U	0.5 U	0.5 U	0.5 U
METHYLENE CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U
O-XYLENE	0.5 U	0.5 U	0.5 U	0.5 U
STYRENE	0.5 U	0.5 U	0.5 U	0.5 U
TETRACHLOROETHENE	4.6 J	0.5 U	0.32 J	1.5 J
TOLUENE	0.5 U	0.5 U	0.5 U	0.5 U
TRANS-1,2-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U
TRANS-1,3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U
TRICHLOROETHENE	13.2	64.7	190	830
TRICHLOROFLUOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U
VINYL CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U
8270D (UG/L)				
1,4-DIOXANE	1.3	4.5	4	1.4
8260C-SIM (UG/L)				
1,4-DIOXANE	--	15	17	5.3
522 (UG/L)				
1,4-DIOXANE	--	12 J	13 J	4.4 J+

December 2018 Validated Analytical Data
Navy OU2 Groundwater Sampling
Naval Weapons Industrial Reserve Plant Bethpage

UG/L - microgram per liter
U - The analyte was analyzed for, but was not detected at a level greater than or equal to the level of the adjusted detection limit.
J - The result is an estimated value with an unknown bias. The associated numerical value is the approximate concentration of the analyte in the sample.
J+ - The result is an estimated quantity, but the result may be biased high.
UJ - The analyte was analyzed for, but was not detected. The reported detection limit is approximate and may be inaccurate or imprecise.