September/October 2018 Validated Analytical Data
Navy OU2 Groundwater Sampling
Naval Weapons Industrial Reserve Plant Bethpage

LOCATION	RE103D1	RE103D1	RE103D2	RE103D3	RE104D1	RE104D2
NSAMPLE	RE103D1-20181003	TT-DUP02-20181003	RE103D2-20181003	RE103D3-20181003	RE104D1-20181003	RE104D2-20181003
SAMPLE DATE	10/03/2018	10/03/2018	10/03/2018	10/03/2018	10/03/2018	10/03/2018
QC TYPE	NM	NM	NM	NM	NM	NM
DUP OF		RE103D1-20181003				
SDG	J5284	J5284	J5284	J5284	J5284	J5284
OV (UG/L)						
1,1,1-TRICHLOROETHANE	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2,2-TETRACHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-TRICHLOROETHANE	0.91 J	0.87 J	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-TRICHLOROTRIFLUOROETHANE	6.5	6.4	2.5 J	2.4 J	1.3 J	0.5 U
1,1-DICHLOROETHANE	1.3 J	1.2 J	0.5 U	0.5 U	0.5 U	0.5 U
1,1-DICHLOROETHENE	4.8 J	4.8 J	0.5 U	0.5 U	0.5 U	0.5 U
1,2-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-DICHLOROETHANE	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.62 J
1,2-DICHLOROPROPANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-BUTANONE	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
2-HEXANONE	3.8 U	3.8 U	3.8 U	3.8 U	3.8 U	3.8 U
4-METHYL-2-PENTANONE	2.5 U	2.5 UJ	2.5 U	2.5 U	2.5 U	2.5 U
ACETONE	3.8 U	3 U	3.7 U	5.5 U	4.5 U	1.9 U
BENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
BROMODICHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
BROMOFORM	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
BROMOMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CARBON DISULFIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CARBON TETRACHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLORODIBROMOMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLOROFORM	0.94 J	0.95 J	0.82 J	0.57 J	0.5 U	1.7 J
CHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CIS-1,2-DICHLOROETHENE	2 J	2.1 J	0.65 J	0.81 J	0.63 J	12.7
CIS-1,3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
DICHLORODIFLUOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
ETHYLBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
ISOPROPYLBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
M+P-XYLENES	1 U	1 U	1 U	1 U	1 U	1 U
METHYL CYCLOHEXANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
METHYL TERT-BUTYL ETHER	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
METHYLENE CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
O-XYLENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
STYRENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TETRACHLOROETHENE	0.89 J	0.9 J	0.5 U	0.5 U	1.2 J	0.5 U
TOLUENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRANS-1,2-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRANS-1,3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRICHLOROETHENE	590	580	500	420	51.1	34
TRICHLOROFLUOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
VINYL CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
8270D (UG/L)						
1,4-DIOXANE	6.8	6.8	0.61	0.36	3.7	0.44

September/October 2018 Validated Analytical Data
Navy OU2 Groundwater Sampling
Naval Weapons Industrial Reserve Plant Bethpage

LOCATION	RE104D3	RE104D3	RE105D1	RE105D2	RE108D1	RE108D2
NSAMPLE	RE104D3-20181003	TT-DUP03-20181003	RE105D1-20180927	RE105D2-20180927	RE108D1-20181004	RE108D2-20181004
SAMPLE DATE	10/03/2018	10/03/2018	09/27/2018	09/27/2018	10/04/2018	10/04/2018
QC TYPE	NM	NM	NM	NM	NM	NM
DUP OF		RE104D3-20181003				
SDG	J5284	J5284	J5189	J5189	J5317	J5317
OV (UG/L)						
1,1,1-TRICHLOROETHANE	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	7.5 U
1,1,2,2-TETRACHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5 U
1,1,2-TRICHLOROETHANE	0.5 U	0.5 U	0.5 U	1.3 J	0.5 U	5 U
1,1,2-TRICHLOROTRIFLUOROETHANE	0.5 U	0.5 U	5.3	15.6	0.5 U	5 U
1,1-DICHLOROETHANE	0.5 U	0.5 U	0.5 U	2 J	0.5 U	5 U
1,1-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	6.2	0.5 U	5 U
1,2-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5 U
1,2-DICHLOROETHANE	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	7.5 U
1,2-DICHLOROPROPANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5 U
1,3-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5 U
1,4-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5 U
2-BUTANONE	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	25 U
2-HEXANONE	3.8 U	3.8 U	3.8 U	3.8 U	3.8 U	37.5 U
4-METHYL-2-PENTANONE	2.5 U	2.5 UJ	2.5 U	2.5 U	2.5 U	25 U
ACETONE	2.7 U	3.8 U	2.5 U	2.5 U	2.7 U	25 U
BENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5 U
BROMODICHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5 U
BROMOFORM	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5 U
BROMOMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5 U
CARBON DISULFIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5 U
CARBON TETRACHLORIDE	0.5 U	0.5 U	0.5 U	2.3 J	0.5 U	5 U
CHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5 U
CHLORODIBROMOMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5 U
CHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5 U
CHLOROFORM	0.5 U	0.5 U	0.5 U	1.7 J	0.5 U	5 U
CHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5 U
CIS-1,2-DICHLOROETHENE	0.5 U	0.5 U	1.6 J	4.2 J	0.5 U	5 U
CIS-1,3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5 U
DICHLORODIFLUOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5 U
ETHYLBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5 U
ISOPROPYLBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5 U
M+P-XYLENES	1 U	1 U	1 U	1 U	1 U	10 U
METHYL CYCLOHEXANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5 U
METHYL TERT-BUTYL ETHER	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5 U
METHYLENE CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5 U
O-XYLENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5 U
STYRENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5 U
TETRACHLOROETHENE	0.5 U	0.5 U	0.5 U	0.6 J	0.5 U	5 U
TOLUENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5 U
TRANS-1,2-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5 U
TRANS-1,3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5 U
TRICHLOROETHENE	1.1 U	0.82 U	94.4	1400	25.1	800
TRICHLOROFLUOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5 U
VINYL CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	5 U
8270D (UG/L)						
1,4-DIOXANE	0.05 U	0.05 U	2.7	5.8	3.6	3.6

September/October 2018 Validated Analytical Data
Navy OU2 Groundwater Sampling
Naval Weapons Industrial Reserve Plant Bethpage

LOCATION	RE108D2	RE109D1	RE109D2	RE109D3	RE117D1	RE117D2
NSAMPLE	TT-DUP04-20181004	RE109D1-20181005	RE109D2-20181005	RE109D3-20181005	RE117D1-20180926	RE117D2-20180926
SAMPLE DATE	10/04/2018	10/05/2018	10/05/2018	10/05/2018	09/26/2018	09/26/2018
QC TYPE	NM	NM	NM	NM	NM	NM
DUP OF	RE108D2-20181004					
SDG	J5317	J5317	J5317	J5317	J5189	J5189
OV (UG/L)						
1,1,1-TRICHLOROETHANE	0.72 J	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2,2-TETRACHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-TRICHLOROETHANE	1.6 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-TRICHLOROTRIFLUOROETHANE	2.3 J	0.76 J	0.92 J	2.7 J	0.5 U	0.5 U
1,1-DICHLOROETHANE	5	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-DICHLOROETHENE	3.9 J	0.5 U	0.5 U	0.64 J	0.5 U	0.5 U
1,2-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-DICHLOROETHANE	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,2-DICHLOROPROPANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-BUTANONE	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
2-HEXANONE	3.8 U	3.8 U	3.8 U	3.8 U	3.8 U	3.8 U
4-METHYL-2-PENTANONE	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
ACETONE	5.1 U	4.2 U	5.6 U	2.5 U	2.5 U	2.5 U
BENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
BROMODICHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
BROMOFORM	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
BROMOMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CARBON DISULFIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CARBON TETRACHLORIDE	0.71 J	0.5 U	0.5 U	0.8 J	0.5 U	0.5 U
CHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLORODIBROMOMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLOROFORM	3.1 J	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CIS-1,2-DICHLOROETHENE	2.4 J	0.5 U	0.5 U	1 J	0.5 U	0.5 U
CIS-1,3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
DICHLORODIFLUOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
ETHYLBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
ISOPROPYLBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
M+P-XYLENES	1 U	1 U	1 U	1 U	1 U	1 U
METHYL CYCLOHEXANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
METHYL TERT-BUTYL ETHER	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
METHYLENE CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
O-XYLENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
STYRENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TETRACHLOROETHENE	0.5 U	0.43 J	0.5 U	0.5 U	0.5 U	0.5 U
TOLUENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRANS-1,2-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRANS-1,3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRICHLOROETHENE	890	26.5	32.2	71.3	15.5	0.5 U
TRICHLOROFLUOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
VINYL CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
8270D (UG/L)						
1,4-DIOXANE	3.7	3	3	4.1	0.05 U	0.05 U

September/October 2018 Validated Analytical Data
Navy OU2 Groundwater Sampling
Naval Weapons Industrial Reserve Plant Bethpage

LOCATION	RE120D1	RE120D2	RE120D3	RE122D1	RE122D1	RE122D2
NSAMPLE	RE120D1-20181002	RE120D2-20181002	RE120D3-20181002	RE122D1-20181004	RE122D1-IMP-20181004	RE122D2-20181004
SAMPLE DATE	10/02/2018	10/02/2018	10/02/2018	10/04/2018	10/04/2018	10/04/2018
QC TYPE	NM	NM	NM	NM	NM	NM
DUP OF						
SDG	J5284	J5284	J5284	J5317	J5317	J5317
OV (UG/L)						
1,1,1-TRICHLOROETHANE	0.75 U	0.75 U	0.75 U	3.8 U	3.8 U	75 U
1,1,2,2-TETRACHLOROETHANE	0.5 U	0.5 U	0.5 U	2.5 U	2.5 U	50 U
1,1,2-TRICHLOROETHANE	1 J	0.56 J	0.5 U	2.5 U	2.5 U	50 U
1,1,2-TRICHLOROTRIFLUOROETHANE	18	12.6	1.1 J	3.7 J	5.6 J	50 U
1,1-DICHLOROETHANE	2.3 J	1 J	0.5 U	2.5 U	2.5 U	50 U
1,1-DICHLOROETHENE	12.1	4.1 J	0.5 U	2.5 U	2.5 U	50 U
1,2-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	2.5 U	2.5 U	50 U
1,2-DICHLOROETHANE	0.75 U	0.75 U	0.75 U	3.8 U	3.8 U	75 U
1,2-DICHLOROPROPANE	0.5 U	0.5 U	0.5 U	2.5 U	2.5 U	50 U
1,3-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	2.5 U	2.5 U	50 U
1,4-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	2.5 U	2.5 U	50 U
2-BUTANONE	2.5 U	2.5 U	2.5 U	12.5 U	12.5 U	250 U
2-HEXANONE	3.8 U	3.8 U	3.8 U	18.8 U	18.8 U	380 U
4-METHYL-2-PENTANONE	2.5 U	2.5 U	2.5 U	12.5 U	12.5 U	250 U
ACETONE	2.5 U	4.5 U	5 U	7.7 U	6.5 U	250 U
BENZENE	0.5 U	0.5 U	0.5 U	2.5 U	2.5 U	50 U
BROMODICHLOROMETHANE	0.5 U	0.5 U	0.5 U	2.5 U	2.5 U	50 U
BROMOFORM	0.5 U	0.5 U	0.5 U	2.5 U	2.5 U	50 U
BROMOMETHANE	0.5 U	0.5 U	0.5 U	2.5 U	2.5 U	50 U
CARBON DISULFIDE	0.5 U	0.5 U	0.5 U	2.5 U	2.5 U	50 U
CARBON TETRACHLORIDE	0.53 J	0.58 J	0.5 U	2.5 U	2.5 U	50 U
CHLOROBENZENE	0.5 U	0.5 U	0.5 U	2.5 U	2.5 U	50 U
CHLORODIBROMOMETHANE	0.5 U	0.5 U	0.5 U	2.5 U	2.5 U	50 U
CHLOROETHANE	0.5 U	0.5 U	0.5 U	2.5 U	2.5 U	50 U
CHLOROFORM	0.71 J	0.69 J	0.5 U	2.5 U	2.5 U	50 U
CHLOROMETHANE	0.5 U	0.5 U	0.5 U	2.5 U	2.5 U	50 U
CIS-1,2-DICHLOROETHENE	3.7 J	3 J	0.5 U	3 J	3.5 J	50 U
CIS-1,3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	2.5 U	2.5 U	50 U
DICHLORODIFLUOROMETHANE	0.5 U	0.5 U	0.5 U	2.5 U	2.5 U	50 U
ETHYLBENZENE	0.5 U	0.5 U	0.5 U	2.5 U	2.5 U	50 U
ISOPROPYLBENZENE	0.5 U	0.5 U	0.5 U	2.5 U	2.5 U	50 U
M+P-XYLENES	1 U	1 U	1 U	5 U	5 U	100 U
METHYL CYCLOHEXANE	0.5 U	0.5 U	0.5 U	2.5 U	2.5 U	50 U
METHYL TERT-BUTYL ETHER	0.5 U	0.5 U	0.5 U	2.5 U	2.5 U	50 U
METHYLENE CHLORIDE	0.5 U	0.5 U	0.5 U	2.5 U	2.5 U	50 U
O-XYLENE	0.5 U	0.5 U	0.5 U	2.5 U	2.5 U	50 U
STYRENE	0.5 U	0.5 U	0.5 U	2.5 U	2.5 U	50 U
TETRACHLOROETHENE	0.93 J	0.78 J	0.5 U	2.5 U	2.3 J	50 U
TOLUENE	0.5 U	0.5 U	0.5 U	2.5 U	2.5 U	50 U
TRANS-1,2-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	2.5 U	2.5 U	50 U
TRANS-1,3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	2.5 U	2.5 U	50 U
TRICHLOROETHENE	740	520	35	400	670	4700
TRICHLOROFLUOROMETHANE	0.5 U	0.5 U	0.5 U	2.5 U	2.5 U	50 U
VINYL CHLORIDE	0.5 U	0.5 U	0.5 U	2.5 U	2.5 U	50 U
8270D (UG/L)						
1,4-DIOXANE	7.3	5.1	0.3	3.9	3.5	5.1

September/October 2018 Validated Analytical Data
Navy OU2 Groundwater Sampling
Naval Weapons Industrial Reserve Plant Bethpage

LOCATION	RE122D2	RE122D3	RE122D3	RE123D1	RE123D2	RE123D3
NSAMPLE	RE122D2-IMP-20181004	RE122D3-20181004	RE122D3-IMP-20181004	RE123D1-20181009	RE123D2-20181008	RE123D3-20181008
SAMPLE DATE	10/04/2018	10/04/2018	10/04/2018	10/09/2018	10/08/2018	10/08/2018
QC TYPE	NM	NM	NM	NM	NM	NM
DUP OF						
SDG	J5317	J5317	J5317	J5393	J5393	J5393
OV (UG/L)						
1,1,1-TRICHLOROETHANE	30 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2,2-TETRACHLOROETHANE	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-TRICHLOROETHANE	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-TRICHLOROTRIFLUOROETHANE	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-DICHLOROETHANE	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1-DICHLOROETHENE	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-DICHLOROBENZENE	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-DICHLOROETHANE	30 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,2-DICHLOROPROPANE	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-DICHLOROBENZENE	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-DICHLOROBENZENE	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-BUTANONE	100 U	2.6 J	2.5 U	2.5 U	2.5 U	2.5 U
2-HEXANONE	150 U	3.8 U	3.8 U	3.8 U	3.8 U	3.8 U
4-METHYL-2-PENTANONE	100 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
ACETONE	100 U	2.5 U	2.5 U	2.5 U	5.7 U	1.5 U
BENZENE	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
BROMODICHLOROMETHANE	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
BROMOFORM	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
BROMOMETHANE	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CARBON DISULFIDE	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CARBON TETRACHLORIDE	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLOROBENZENE	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLORODIBROMOMETHANE	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLOROETHANE	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLOROFORM	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLOROMETHANE	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CIS-1,2-DICHLOROETHENE	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CIS-1,3-DICHLOROPROPENE	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
DICHLORODIFLUOROMETHANE	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
ETHYLBENZENE	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
ISOPROPYLBENZENE	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
M+P-XYLENES	40 U	1 U	1 U	1 U	1 U	1 U
METHYL CYCLOHEXANE	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
METHYL TERT-BUTYL ETHER	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
METHYLENE CHLORIDE	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
O-XYLENE	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
STYRENE	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TETRACHLOROETHENE	20 U	0.5 U	0.5 U	0.5 U	0.86 J	0.5 U
TOLUENE	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRANS-1,2-DICHLOROETHENE	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRANS-1,3-DICHLOROPROPENE	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRICHLOROETHENE	4400	4.1 U	1.4 J	7.9	2.6 U	0.48 U
TRICHLOROFLUOROMETHANE	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
VINYL CHLORIDE	20 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
8270D (UG/L)						
1,4-DIOXANE	5	0.05 U	0.05 U	1.9	0.41	0.27

September/October 2018 Validated Analytical Data
Navy OU2 Groundwater Sampling
Naval Weapons Industrial Reserve Plant Bethpage

LOCATION	RE125D1	RE125D2	RE125D3	RE126D1	RE126D2	RE126D2
NSAMPLE	RE125D1-20181001	RE125D2-20181001	RE125D3-20181001	RE126D1-20181008	RE126D2-20181008	TT-DUP05-20181008
SAMPLE DATE	10/01/2018	10/01/2018	10/01/2018	10/08/2018	10/08/2018	10/08/2018
QC TYPE	NM	NM	NM	NM	NM	NM
DUP OF						RE126D2-20181008
SDG	J5284	J5284	J5284	J5393	J5393	J5393
OV (UG/L)						
1,1,1-TRICHLOROETHANE	0.75 U	0.75 U	0.75 U	0.75 UJ	0.75 U	0.53 J
1,1,2,2-TETRACHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U
1,1,2-TRICHLOROETHANE	0.5 U	0.5 J	0.5 U	0.5 UJ	0.5 U	0.5 U
1,1,2-TRICHLOROTRIFLUOROETHANE	6	11.8	27.7	0.5 UJ	0.76 J	0.79 J
1,1-DICHLOROETHANE	1.6 J	0.9 J	0.5 U	0.5 UJ	1.7 J	1.7 J
1,1-DICHLOROETHENE	1.7 J	5.8	0.5 U	0.5 UJ	1.6 J	1.8 J
1,2-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U
1,2-DICHLOROETHANE	0.75 U	0.75 U	0.75 U	0.75 UJ	0.75 U	0.75 U
1,2-DICHLOROPROPANE	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U
1,3-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U
1,4-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U
2-BUTANONE	2.5 U	2.5 U	2.5 U	2.5 UJ	2.5 U	2.5 U
2-HEXANONE	3.8 U	3.8 U	3.8 U	3.8 UJ	3.8 U	3.8 U
4-METHYL-2-PENTANONE	2.5 U	2.5 U	2.5 U	2.5 UJ	2.5 U	2.5 U
ACETONE	2.5 U	4.4 U	4.1 U	2.5 UJ	2.5 U	2.5 U
BENZENE	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U
BROMODICHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U
BROMOFORM	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U
BROMOMETHANE	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U
CARBON DISULFIDE	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U
CARBON TETRACHLORIDE	0.5 U	0.5 U	0.5 U	0.5 UJ	0.78 J	0.84 J
CHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U
CHLORODIBROMOMETHANE	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U
CHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U
CHLOROFORM	0.88 J	0.53 J	0.5 U	0.5 UJ	0.57 J	0.54 J
CHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U
CIS-1,2-DICHLOROETHENE	4.3 J	4.7 J	2 J	0.5 UJ	1.8 J	1.7 J
CIS-1,3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U
DICHLORODIFLUOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U
ETHYLBENZENE	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U
ISOPROPYLBENZENE	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U
M+P-XYLENES	1 U	1 U	1 U	1 UJ	1 U	1 U
METHYL CYCLOHEXANE	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U
METHYL TERT-BUTYL ETHER	0.58 J	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U
METHYLENE CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U
O-XYLENE	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U
STYRENE	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U
TETRACHLOROETHENE	2.4 J	0.4 J	0.68 J	0.5 UJ	0.42 J	0.48 J
TOLUENE	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U
TRANS-1,2-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U
TRANS-1,3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U
TRICHLOROETHENE	130	160	130	36.2 J-	430	430
TRICHLOROFLUOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U
VINYL CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 UJ	0.5 U	0.5 U
8270D (UG/L)						
1,4-DIOXANE	7.8	7.3	1.9	3.2	2.8	3.1

September/October 2018 Validated Analytical Data
Navy OU2 Groundwater Sampling
Naval Weapons Industrial Reserve Plant Bethpage

LOCATION	RE126D3	RE131D1	RE131D2	RE131D3	RE137	RE137
NSAMPLE	RE126D3-20181008	RE131D1-20180927	RE131D2-20180927	RE131D3-20180927	RE137-640FT-20181009	RE137-700FT-20181009
SAMPLE DATE	10/08/2018	09/27/2018	09/27/2018	09/27/2018	10/09/2018	10/09/2018
QC TYPE	NM	NM	NM	NM	NM	NM
DUP OF						
SDG	J5393	J5189	J5189	J5189	J5393	J5393
OV (UG/L)						
1,1,1-TRICHLOROETHANE	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2,2-TETRACHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-TRICHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	1.8 J	2.3 J
1,1,2-TRICHLOROTRIFLUOROETHANE	0.75 J	4.1 J	170	160	33.7	51.7
1,1-DICHLOROETHANE	0.5 U	0.61 J	0.5 U	0.5 U	1.7 J	2.7 J
1,1-DICHLOROETHENE	0.6 J	0.98 J	0.5 U	0.5 U	9.4	13.5
1,2-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,2-DICHLOROETHANE	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U	0.75 U
1,2-DICHLOROPROPANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,3-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
1,4-DICHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
2-BUTANONE	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
2-HEXANONE	3.8 U	3.8 U	3.8 U	3.8 U	3.8 U	3.8 U
4-METHYL-2-PENTANONE	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
ACETONE	4 U	2.5 U	2.5 U	2.5 U	2.5 U	2.5 U
BENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
BROMODICHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
BROMOFORM	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
BROMOMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CARBON DISULFIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CARBON TETRACHLORIDE	0.5 U	0.5 U	0.39 J	0.5 U	5.2	6
CHLOROBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLORODIBROMOMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLOROETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CHLOROFORM	0.5 U	2.3 J	0.43 J	0.5 U	2.8 J	2.9 J
CHLOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
CIS-1,2-DICHLOROETHENE	0.5 U	5.5	5.1	0.69 J	6.5	6.9
CIS-1,3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
DICHLORODIFLUOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
ETHYLBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
ISOPROPYLBENZENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
M+P-XYLENES	1 U	1 U	1 U	1 U	1 U	1 U
METHYL CYCLOHEXANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
METHYL TERT-BUTYL ETHER	0.5 U	0.71 J	0.5 U	0.5 U	0.5 U	0.5 U
METHYLENE CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
O-XYLENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
STYRENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TETRACHLOROETHENE	2.4 J	6.3	2.9 J	1.5 J	2.3 J	4.3 J
TOLUENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRANS-1,2-DICHLOROETHENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRANS-1,3-DICHLOROPROPENE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
TRICHLOROETHENE	5.8	150	67.2	10.2	2100	3100
TRICHLOROFLUOROMETHANE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
VINYL CHLORIDE	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U	0.5 U
8270D (UG/L)						
1,4-DIOXANE	1.1	7.1	6.7	1.1	4.9	5.5

September/October 2018 Validated Analytical Data
Navy OU2 Groundwater Sampling
Naval Weapons Industrial Reserve Plant Bethpage

LOCATION	RE137	TT101D	TT101D	TT101D1	TT101D2
NSAMPLE	RE137-745FT-20181009	TT101D-20180928	TT-DUP01-20180928	TT101D1-20180928	TT101D2-20180928
SAMPLE DATE	10/09/2018	09/28/2018	09/28/2018	09/28/2018	09/28/2018
QC TYPE	NM	NM	NM	NM	NM
DUP OF			TT101D-20180928		
SDG	J5393	J5189	J5189	J5189	J5189
OV (UG/L)					
1,1,1-TRICHLOROETHANE	0.75 UJ	0.75 U	0.75 U	0.75 U	0.75 U
1,1,2,2-TETRACHLOROETHANE	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U
1,1,2-TRICHLOROETHANE	2.3 J-	0.57 J	0.5 U	0.5 U	0.8 J
1,1,2-TRICHLOROTRIFLUOROETHANE	54.6 J-	17.7	15.2	15	26.4
1,1-DICHLOROETHANE	2.8 J-	1.3 J	1 J	1 J	1.3 J
1,1-DICHLOROETHENE	16.4 J-	7.5	3.4 J	3.5 J	6.9
1,2-DICHLOROBENZENE	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U
1,2-DICHLOROETHANE	0.75 UJ	0.75 U	0.75 U	0.75 U	0.75 U
1,2-DICHLOROPROPANE	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U
1,3-DICHLOROBENZENE	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U
1,4-DICHLOROBENZENE	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U
2-BUTANONE	2.5 UJ	2.5 U	2.5 U	2.5 U	2.5 U
2-HEXANONE	3.8 UJ	3.8 U	3.8 U	3.8 U	3.8 U
4-METHYL-2-PENTANONE	2.5 UJ	2.5 U	2.5 U	2.5 U	2.5 U
ACETONE	2.5 UJ	2.5 U	5.8 U	4.2 U	2.5 U
BENZENE	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U
BROMODICHLOROMETHANE	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U
BROMOFORM	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U
BROMOMETHANE	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U
CARBON DISULFIDE	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U
CARBON TETRACHLORIDE	5.8 J-	1.6 J	0.5 U	0.5 U	1.5 J
CHLOROBENZENE	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U
CHLORODIBROMOMETHANE	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U
CHLOROETHANE	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U
CHLOROFORM	3.1 J-	1 J	0.55 J	0.57 J	1 J
CHLOROMETHANE	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U
CIS-1,2-DICHLOROETHENE	7.8 J-	2.4 J	3.5 J	3.5 J	2.5 J
CIS-1,3-DICHLOROPROPENE	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U
DICHLORODIFLUOROMETHANE	0.5 UJ	1.1 J	1.5 J	1.6 J	0.5 U
ETHYLBENZENE	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U
ISOPROPYLBENZENE	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U
M+P-XYLENES	1 UJ	1 U	1 U	1 U	1 U
METHYL CYCLOHEXANE	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U
METHYL TERT-BUTYL ETHER	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U
METHYLENE CHLORIDE	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U
O-XYLENE	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U
STYRENE	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U
TETRACHLOROETHENE	3.7 J-	0.5 U	0.5 U	0.5 U	1.4 J
TOLUENE	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U
TRANS-1,2-DICHLOROETHENE	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U
TRANS-1,3-DICHLOROPROPENE	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U
TRICHLOROETHENE	2900 J-	220 J	82.3 J	84.7	870
TRICHLOROFLUOROMETHANE	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U
VINYL CHLORIDE	0.5 UJ	0.5 U	0.5 U	0.5 U	0.5 U
8270D (UG/L)					
1,4-DIOXANE	4.3	4.5	5.2	6.2	1.6

September/October 2018 Validated Analytical Data
Navy OU2 Groundwater Sampling
Naval Weapons Industrial Reserve Plant Bethpage

U - The analyte was analyzed for, but was not detected at a level greater than or equal to the level of the adjusted detection limit.
J - The result is an estimated value with an unknown bias. The associated numerical value is the approximate concentration of the analyte in the sample.
UJ - The analyte was analyzed for, but was not detected. The reported detection limit is approximate and may be inaccurate or imprecise.