eurofins | Air Toxics

Client Sample ID: BVF-SUM-011-20181212-01

Lab ID#: 1812274-01A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	p121418	Date of Collection:	12/13/18 9:55:00 AM
Dil. Factor:	1.64	Date of Analysis:	12/14/18 09:35 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Freon 12	0.82	Not Detected	4.0	Not Detected
Freon 114	0.82	Not Detected	5.7	Not Detected
Chloromethane	8.2	Not Detected	17	Not Detected
Vinyl Chloride	0.82	Not Detected	2.1	Not Detected
1,3-Butadiene	0.82	Not Detected	1.8	Not Detected
Bromomethane	8.2	Not Detected	32	Not Detected
Chloroethane	3.3	Not Detected	8.6	Not Detected
Freon 11	0.82	Not Detected	4.6	Not Detected
Ethanol	3.3	Not Detected	6.2	Not Detected
Freon 113	0.82	Not Detected	6.3	Not Detected
1,1-Dichloroethene	0.82	Not Detected	3.2	Not Detected
Acetone	8.2	Not Detected	19	Not Detected
2-Propanol	3.3	Not Detected	8.1	Not Detected
Carbon Disulfide	3.3	Not Detected	10	Not Detected
3-Chloropropene	3.3	Not Detected	10	Not Detected
Methylene Chloride	8.2	Not Detected	28	Not Detected
Methyl tert-butyl ether	3.3	Not Detected	12	Not Detected
trans-1,2-Dichloroethene	0.82	Not Detected	3.2	Not Detected
Hexane	0.82	Not Detected	2.9	Not Detected
1,1-Dichloroethane	0.82	Not Detected	3.3	Not Detected
2-Butanone (Methyl Ethyl Ketone)	3.3	Not Detected	9.7	Not Detected
cis-1,2-Dichloroethene	0.82	Not Detected	3.2	Not Detected
Tetrahydrofuran	0.82	Not Detected	2.4	Not Detected
Chloroform	0.82	Not Detected	4.0	Not Detected
1,1,1-Trichloroethane	0.82	Not Detected	4.5	Not Detected
Cyclohexane	0.82	Not Detected	2.8	Not Detected
Carbon Tetrachloride	0.82	Not Detected	5.2	Not Detected
2,2,4-Trimethylpentane	0.82	Not Detected	3.8	Not Detected
Benzene	0.82	0.85	2.6	2.7
1,2-Dichloroethane	0.82	Not Detected	3.3	Not Detected
Heptane	0.82	Not Detected	3.4	Not Detected
Trichloroethene	0.82	Not Detected	4.4	Not Detected
1,2-Dichloropropane	0.82	Not Detected	3.8	Not Detected
1,4-Dioxane	3.3	Not Detected	12	Not Detected
Bromodichloromethane	0.82	Not Detected	5.5	Not Detected
cis-1,3-Dichloropropene	0.82	Not Detected	3.7	Not Detected
4-Methyl-2-pentanone	0.82	Not Detected	3.4	Not Detected
Toluene	0.82	Not Detected	3.1	Not Detected
trans-1,3-Dichloropropene	0.82	Not Detected	3.7	Not Detected
1,1,2-Trichloroethane	0.82	Not Detected	4.5	Not Detected
Tetrachloroethene	0.82	Not Detected	5.6	Not Detected
2-Hexanone	3.3	Not Detected	13	Not Detected

DFG 12/18/18

eurofins | Air Toxics

Client Sample ID: BVF-SUM-011-20181212-01

Lab ID#: 1812274-01A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	p121418	Date of Collection:	12/13/18 9:55:00 AM
Dil. Factor:	1.64	Date of Analysis:	12/14/18 09:35 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Dibromochloromethane	0.82	Not Detected	7.0	Not Detected
1,2-Dibromoethane (EDB)	0.82	Not Detected	6.3	Not Detected
Chlorobenzene	0.82	Not Detected	3.8	Not Detected
Ethyl Benzene	0.82	Not Detected	3.6	Not Detected
m,p-Xylene	0.82	Not Detected	3.6	Not Detected
o-Xylene	0.82	Not Detected	3.6	Not Detected
Styrene	0.82	Not Detected	3.5	Not Detected
Bromoform	0.82	Not Detected	8.5	Not Detected
Cumene	0.82	Not Detected	4.0	Not Detected
1,1,2,2-Tetrachloroethane	0.82	Not Detected	5.6	Not Detected
Propylbenzene	0.82	Not Detected	4.0	Not Detected
4-Ethyltoluene	0.82	Not Detected	4.0	Not Detected
1,3,5-Trimethylbenzene	0.82	Not Detected	4.0	Not Detected
1,2,4-Trimethylbenzene	0.82	Not Detected	4.0	Not Detected
1,3-Dichlorobenzene	0.82	Not Detected	4.9	Not Detected
1,4-Dichlorobenzene	0.82	Not Detected	4.9	Not Detected
alpha-Chlorotoluene	0.82	Not Detected	4.2	Not Detected
1,2-Dichlorobenzene	0.82	Not Detected	4.9	Not Detected
1,2,4-Trichlorobenzene	3.3	Not Detected	24	Not Detected
Hexachlorobutadiene	3.3	Not Detected	35	Not Detected
Methyl Acetate	8.2	Not Detected	25	Not Detected
Methylcyclohexane	3.3	Not Detected	13	Not Detected
Naphthalene	1.6	Not Detected	8.6	Not Detected

Container Type: 6 Liter Summa Canister (100% Cert Ambient)

Surrogates	%Recovery	Method Limits
Toluene-d8	99	70-130
1,2-Dichloroethane-d4	98	70-130
4-Bromofluorobenzene	93	70-130

DFB 12/18/18

eurofins | Air Toxics

Client Sample ID: BVF-SUM-012-20181212-01

Lab ID#: 1812274-02A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	p121419	Date of Collection:	12/13/18 10:26:00 A
Dil. Factor:	1.71	Date of Analysis:	12/14/18 10:01 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Freon 12	0.86	Not Detected	4.2	Not Detected
Freon 114	0.86	Not Detected	6.0	Not Detected
Chloromethane	8.6	Not Detected	18	Not Detected
Vinyl Chloride	0.86	Not Detected	2.2	Not Detected
1,3-Butadiene	0.86	Not Detected	1.9	Not Detected
Bromomethane	8.6	Not Detected	33	Not Detected
Chloroethane	3.4	Not Detected	9.0	Not Detected
Freon 11	0.86	Not Detected	4.8	Not Detected
Ethanol	3.4	Not Detected	6.4	Not Detected
Freon 113	0.86	Not Detected	6.6	Not Detected
1,1-Dichloroethene	0.86	Not Detected	3.4	Not Detected
Acetone	8.6	Not Detected	20	Not Detected
2-Propanol	3.4	Not Detected	8.4	Not Detected
Carbon Disulfide	3.4	Not Detected	11	Not Detected
3-Chloropropene	3.4	Not Detected	11	Not Detected
Methylene Chloride	8.6	Not Detected	30	Not Detected
Methyl tert-butyl ether	3.4	Not Detected	12	Not Detected
trans-1,2-Dichloroethene	0.86	Not Detected	3.4	Not Detected
Hexane	0.86	Not Detected	3.0	Not Detected
1,1-Dichloroethane	0.86	Not Detected	3.5	Not Detected
2-Butanone (Methyl Ethyl Ketone)	3.4	Not Detected	10	Not Detected
cis-1,2-Dichloroethene	0.86	Not Detected	3.4	Not Detected
Tetrahydrofuran	0.86	Not Detected	2.5	Not Detected
Chloroform	0.86	Not Detected	4.2	Not Detected
1,1,1-Trichloroethane	0.86	Not Detected	4.7	Not Detected
Cyclohexane	0.86	Not Detected	2.9	Not Detected
Carbon Tetrachloride	0.86	Not Detected	5.4	Not Detected
2,2,4-Trimethylpentane	0.86	Not Detected	4.0	Not Detected
Benzene	0.86	1.0	2.7	3.3
1,2-Dichloroethane	0.86	Not Detected	3.5	Not Detected
Heptane	0.86	Not Detected	3.5	Not Detected
Trichloroethene	0.86	Not Detected	4.6	Not Detected
1,2-Dichloropropane	0.86	Not Detected	4.0	Not Detected
1,4-Dioxane	3.4	Not Detected	12	Not Detected
Bromodichloromethane	0.86	Not Detected	5.7	Not Detected
cis-1,3-Dichloropropene	0.86	Not Detected	3.9	Not Detected
4-Methyl-2-pentanone	0.86	Not Detected	3.5	Not Detected
Toluene	0.86	Not Detected	3.2	Not Detected
trans-1,3-Dichloropropene	0.86	Not Detected	3.9	Not Detected
1,1,2-Trichloroethane	0.86	Not Detected	4.7	Not Detected
Tetrachloroethene	0.86	Not Detected	5.8	Not Detected
2-Hexanone	3.4	Not Detected	14	Not Detected

DRB 12/18/18

eurofins | Air Toxics

Client Sample ID: BVF-SUM-012-20181212-01

Lab ID#: 1812274-02A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	p121419	Date of Collection:	12/13/18 10:26:00 A
Dil. Factor:	1.71	Date of Analysis:	12/14/18 10:01 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Dibromochloromethane	0.86	Not Detected	7.3	Not Detected
1,2-Dibromoethane (EDB)	0.86	Not Detected	6.6	Not Detected
Chlorobenzene	0.86	Not Detected	3.9	Not Detected
Ethyl Benzene	0.86	Not Detected	3.7	Not Detected
m,p-Xylene	0.86	Not Detected	3.7	Not Detected
o-Xylene	0.86	Not Detected	3.7	Not Detected
Styrene	0.86	Not Detected	3.6	Not Detected
Bromoform	0.86	Not Detected	8.8	Not Detected
Cumene	0.86	Not Detected	4.2	Not Detected
1,1,2,2-Tetrachloroethane	0.86	Not Detected	5.9	Not Detected
Propylbenzene	0.86	Not Detected	4.2	Not Detected
4-Ethyltoluene	0.86	Not Detected	4.2	Not Detected
1,3,5-Trimethylbenzene	0.86	Not Detected	4.2	Not Detected
1,2,4-Trimethylbenzene	0.86	Not Detected	4.2	Not Detected
1,3-Dichlorobenzene	0.86	Not Detected	5.1	Not Detected
1,4-Dichlorobenzene	0.86	Not Detected	5.1	Not Detected
alpha-Chlorotoluene	0.86	Not Detected	4.4	Not Detected
1,2-Dichlorobenzene	0.86	Not Detected	5.1	Not Detected
1,2,4-Trichlorobenzene	3.4	Not Detected	25	Not Detected
Hexachlorobutadiene	3.4	Not Detected	36	Not Detected
Methyl Acetate	8.6	Not Detected	26	Not Detected
Methylcyclohexane	3.4	Not Detected	14	Not Detected
Naphthalene	1.7	Not Detected	9.0	Not Detected

Container Type: 6 Liter Summa Canister (100% Cert Ambient)

Surrogates	%Recovery	Method Limits
Toluene-d8	100	70-130
1,2-Dichloroethane-d4	100	70-130
4-Bromofluorobenzene	95	70-130

DFB 12/18/18

eurofins | Air Toxics

Client Sample ID: BVF-SUM-013-20181212-1

Lab ID#: 1812274-03A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	p121420	Date of Collection:	12/13/18 9:26:00 AM
Dil. Factor:	1.68	Date of Analysis:	12/14/18 10:27 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Freon 12	0.84	Not Detected	4.2	Not Detected
Freon 114	0.84	Not Detected	5.9	Not Detected
Chloromethane	8.4	Not Detected	17	Not Detected
Vinyl Chloride	0.84	Not Detected	2.1	Not Detected
1,3-Butadiene	0.84	Not Detected	1.8	Not Detected
Bromomethane	8.4	Not Detected	33	Not Detected
Chloroethane	3.4	Not Detected	8.9	Not Detected
Freon 11	0.84	Not Detected	4.7	Not Detected
Ethanol	3.4	Not Detected	6.3	Not Detected
Freon 113	0.84	Not Detected	6.4	Not Detected
1,1-Dichloroethene	0.84	Not Detected	3.3	Not Detected
Acetone	8.4	16	20	38
2-Propanol	3.4	Not Detected	8.2	Not Detected
Carbon Disulfide	3.4	Not Detected	10	Not Detected
3-Chloropropene	3.4	Not Detected	10	Not Detected
Methylene Chloride	8.4	Not Detected	29	Not Detected
Methyl tert-butyl ether	3.4	Not Detected	12	Not Detected
trans-1,2-Dichloroethene	0.84	Not Detected	3.3	Not Detected
Hexane	0.84	Not Detected	3.0	Not Detected
1,1-Dichloroethane	0.84	Not Detected	3.4	Not Detected
2-Butanone (Methyl Ethyl Ketone)	3.4	Not Detected	9.9	Not Detected
cis-1,2-Dichloroethene	0.84	Not Detected	3.3	Not Detected
Tetrahydrofuran	0.84	1.7	2.5	5.0
Chloroform	0.84	Not Detected	4.1	Not Detected
1,1,1-Trichloroethane	0.84	Not Detected	4.6	Not Detected
Cyclohexane	0.84	Not Detected	2.9	Not Detected
Carbon Tetrachloride	0.84	Not Detected	5.3	Not Detected
2,2,4-Trimethylpentane	0.84	Not Detected	3.9	Not Detected
Benzene	0.84	6.7	2.7	21
1,2-Dichloroethane	0.84	Not Detected	3.4	Not Detected
Heptane	0.84	Not Detected	3.4	Not Detected
Trichloroethene	0.84	Not Detected	4.5	Not Detected
1,2-Dichloropropane	0.84	Not Detected	3.9	Not Detected
1,4-Dioxane	3.4	Not Detected	12	Not Detected
Bromodichloromethane	0.84	Not Detected	5.6	Not Detected
cis-1,3-Dichloropropene	0.84	Not Detected	3.8	Not Detected
4-Methyl-2-pentanone	0.84	Not Detected	3.4	Not Detected
Toluene	0.84	3.4	3.2	13
trans-1,3-Dichloropropene	0.84	Not Detected	3.8	Not Detected
1,1,2-Trichloroethane	0.84	Not Detected	4.6	Not Detected
Tetrachloroethene	0.84	Not Detected	5.7	Not Detected
2-Hexanone	3.4	Not Detected	14	Not Detected

DFB 12/18/18

eurofins | Air Toxics

Client Sample ID: BVF-SUM-013-20181212-1

Lab ID#: 1812274-03A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	p121420	Date of Collection:	12/13/18 9:26:00 AM
Dil. Factor:	1.68	Date of Analysis:	12/14/18 10:27 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Dibromochloromethane	0.84	Not Detected	7.2	Not Detected
1,2-Dibromoethane (EDB)	0.84	Not Detected	6.4	Not Detected
Chlorobenzene	0.84	Not Detected	3.9	Not Detected
Ethyl Benzene	0.84	Not Detected	3.6	Not Detected
m,p-Xylene	0.84	1.0	3.6	4.4
o-Xylene	0.84	Not Detected	3.6	Not Detected
Styrene	0.84	Not Detected	3.6	Not Detected
Bromoform	0.84	Not Detected	8.7	Not Detected
Cumene	0.84	Not Detected	4.1	Not Detected
1,1,2,2-Tetrachloroethane	0.84	Not Detected	5.8	Not Detected
Propylbenzene	0.84	Not Detected	4.1	Not Detected
4-Ethyltoluene	0.84	Not Detected	4.1	Not Detected
1,3,5-Trimethylbenzene	0.84	Not Detected	4.1	Not Detected
1,2,4-Trimethylbenzene	0.84	Not Detected	4.1	Not Detected
1,3-Dichlorobenzene	0.84	Not Detected	5.0	Not Detected
1,4-Dichlorobenzene	0.84	Not Detected	5.0	Not Detected
alpha-Chlorotoluene	0.84	Not Detected	4.3	Not Detected
1,2-Dichlorobenzene	0.84	Not Detected	5.0	Not Detected
1,2,4-Trichlorobenzene	3.4	Not Detected	25	Not Detected
Hexachlorobutadiene	3.4	Not Detected	36	Not Detected
Methyl Acetate	8.4	Not Detected	25	Not Detected
Methylcyclohexane	3.4	Not Detected	13	Not Detected
Naphthalene	1.7	Not Detected	8.8	Not Detected

Container Type: 6 Liter Summa Canister (100% Cert Ambient)

Surrogates	%Recovery	Method Limits
Toluene-d8	98	70-130
1,2-Dichloroethane-d4	100	70-130
4-Bromofluorobenzene	94	70-130

DFG 12/18/18

eurofins | Air Toxics

Client Sample ID: BVF-SUM-014-20181212-1

Lab ID#: 1812274-04A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	p121422	Date of Collection:	12/13/18 10:15:00 A
Dil. Factor:	1.52	Date of Analysis:	12/14/18 11:20 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Freon 12	0.76	Not Detected	3.8	Not Detected
Freon 114	0.76	Not Detected	5.3	Not Detected
Chloromethane	7.6	Not Detected	16	Not Detected
Vinyl Chloride	0.76	Not Detected	1.9	Not Detected
1,3-Butadiene	0.76	Not Detected	1.7	Not Detected
Bromomethane	7.6	Not Detected	30	Not Detected
Chloroethane	3.0	Not Detected	8.0	Not Detected
Freon 11	0.76	Not Detected	4.3	Not Detected
Ethanol	3.0	Not Detected	5.7	Not Detected
Freon 113	0.76	Not Detected	5.8	Not Detected
1,1-Dichloroethene	0.76	Not Detected	3.0	Not Detected
Acetone	7.6	Not Detected	18	Not Detected
2-Propanol	3.0	Not Detected	7.5	Not Detected
Carbon Disulfide	3.0	Not Detected	9.5	Not Detected
3-Chloropropene	3.0	Not Detected	9.5	Not Detected
Methylene Chloride	7.6	Not Detected	26	Not Detected
Methyl tert-butyl ether	3.0	Not Detected	11	Not Detected
trans-1,2-Dichloroethene	0.76	Not Detected	3.0	Not Detected
Hexane	0.76	Not Detected	2.7	Not Detected
1,1-Dichloroethane	0.76	Not Detected	3.1	Not Detected
2-Butanone (Methyl Ethyl Ketone)	3.0	Not Detected	9.0	Not Detected
cis-1,2-Dichloroethene	0.76	Not Detected	3.0	Not Detected
Tetrahydrofuran	0.76	Not Detected	2.2	Not Detected
Chloroform	0.76	Not Detected	3.7	Not Detected
1,1,1-Trichloroethane	0.76	Not Detected	4.1	Not Detected
Cyclohexane	0.76	Not Detected	2.6	Not Detected
Carbon Tetrachloride	0.76	Not Detected	4.8	Not Detected
2,2,4-Trimethylpentane	0.76	Not Detected	3.6	Not Detected
Benzene	0.76	Not Detected	2.4	Not Detected
1,2-Dichloroethane	0.76	Not Detected	3.1	Not Detected
Heptane	0.76	Not Detected	3.1	Not Detected
Trichloroethene	0.76	Not Detected	4.1	Not Detected
1,2-Dichloropropane	0.76	Not Detected	3.5	Not Detected
1,4-Dioxane	3.0	Not Detected	11	Not Detected
Bromodichloromethane	0.76	Not Detected	5.1	Not Detected
cis-1,3-Dichloropropene	0.76	Not Detected	3.4	Not Detected
4-Methyl-2-pentanone	0.76	Not Detected	3.1	Not Detected
Toluene	0.76	Not Detected	2.9	Not Detected
trans-1,3-Dichloropropene	0.76	Not Detected	3.4	Not Detected
1,1,2-Trichloroethane	0.76	Not Detected	4.1	Not Detected
Tetrachloroethene	0.76	Not Detected	5.2	Not Detected
2-Hexanone	3.0	Not Detected	12	Not Detected

DFG 12/18/18

eurofins | Air Toxics

Client Sample ID: BVF-SUM-014-20181212-1

Lab ID#: 1812274-04A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	p121422	Date of Collection:	12/13/18 10:15:00 A
Dil. Factor:	1.52	Date of Analysis:	12/14/18 11:20 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Dibromochloromethane	0.76	Not Detected	6.5	Not Detected
1,2-Dibromoethane (EDB)	0.76	Not Detected	5.8	Not Detected
Chlorobenzene	0.76	Not Detected	3.5	Not Detected
Ethyl Benzene	0.76	Not Detected	3.3	Not Detected
m,p-Xylene	0.76	Not Detected	3.3	Not Detected
o-Xylene	0.76	Not Detected	3.3	Not Detected
Styrene	0.76	Not Detected	3.2	Not Detected
Bromoform	0.76	Not Detected	7.8	Not Detected
Cumene	0.76	Not Detected	3.7	Not Detected
1,1,2,2-Tetrachloroethane	0.76	Not Detected	5.2	Not Detected
Propylbenzene	0.76	Not Detected	3.7	Not Detected
4-Ethyltoluene	0.76	Not Detected	3.7	Not Detected
1,3,5-Trimethylbenzene	0.76	Not Detected	3.7	Not Detected
1,2,4-Trimethylbenzene	0.76	Not Detected	3.7	Not Detected
1,3-Dichlorobenzene	0.76	Not Detected	4.6	Not Detected
1,4-Dichlorobenzene	0.76	Not Detected	4.6	Not Detected
alpha-Chlorotoluene	0.76	Not Detected	3.9	Not Detected
1,2-Dichlorobenzene	0.76	Not Detected	4.6	Not Detected
1,2,4-Trichlorobenzene	3.0	Not Detected	22	Not Detected
Hexachlorobutadiene	3.0	Not Detected	32	Not Detected
Methyl Acetate	7.6	Not Detected	23	Not Detected
Methylcyclohexane	3.0	Not Detected	12	Not Detected
Naphthalene	1.5	Not Detected	8.0	Not Detected

Container Type: 6 Liter Summa Canister (100% Cert Ambient)

Surrogates	%Recovery	Method Limits
Toluene-d8	98	70-130
1,2-Dichloroethane-d4	103	70-130
4-Bromofluorobenzene	92	70-130

DFB 12/18/18

eurofins | Air Toxics

Client Sample ID: BVF-SUM-014-20181212-3

Lab ID#: 1812274-05A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	p121421	Date of Collection:	12/13/18 12:20:00 P
Dil. Factor:	1.00	Date of Analysis:	12/14/18 10:53 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Freon 12	0.50	Not Detected	2.5	Not Detected
Freon 114	0.50	Not Detected	3.5	Not Detected
Chloromethane	5.0	Not Detected	10	Not Detected
Vinyl Chloride	0.50	Not Detected	1.3	Not Detected
1,3-Butadiene	0.50	Not Detected	1.1	Not Detected
Bromomethane	5.0	Not Detected	19	Not Detected
Chloroethane	2.0	Not Detected	5.3	Not Detected
Freon 11	0.50	Not Detected	2.8	Not Detected
Ethanol	2.0	Not Detected	3.8	Not Detected
Freon 113	0.50	Not Detected	3.8	Not Detected
1,1-Dichloroethene	0.50	Not Detected	2.0	Not Detected
Acetone	5.0	Not Detected	12	Not Detected
2-Propanol	2.0	Not Detected	4.9	Not Detected
Carbon Disulfide	2.0	Not Detected	6.2	Not Detected
3-Chloropropene	2.0	Not Detected	6.3	Not Detected
Methylene Chloride	5.0	Not Detected	17	Not Detected
Methyl tert-butyl ether	2.0	Not Detected	7.2	Not Detected
trans-1,2-Dichloroethene	0.50	Not Detected	2.0	Not Detected
Hexane	0.50	Not Detected	1.8	Not Detected
1,1-Dichloroethane	0.50	Not Detected	2.0	Not Detected
2-Butanone (Methyl Ethyl Ketone)	2.0	Not Detected	5.9	Not Detected
cis-1,2-Dichloroethene	0.50	Not Detected	2.0	Not Detected
Tetrahydrofuran	0.50	Not Detected	1.5	Not Detected
Chloroform	0.50	Not Detected	2.4	Not Detected
1,1,1-Trichloroethane	0.50	Not Detected	2.7	Not Detected
Cyclohexane	0.50	Not Detected	1.7	Not Detected
Carbon Tetrachloride	0.50	Not Detected	3.1	Not Detected
2,2,4-Trimethylpentane	0.50	Not Detected	2.3	Not Detected
Benzene	0.50	Not Detected	1.6	Not Detected
1,2-Dichloroethane	0.50	Not Detected	2.0	Not Detected
Heptane	0.50	Not Detected	2.0	Not Detected
Trichloroethene	0.50	Not Detected	2.7	Not Detected
1,2-Dichloropropane	0.50	Not Detected	2.3	Not Detected
1,4-Dioxane	2.0	Not Detected	7.2	Not Detected
Bromodichloromethane	0.50	Not Detected	3.4	Not Detected
cis-1,3-Dichloropropene	0.50	Not Detected	2.3	Not Detected
4-Methyl-2-pentanone	0.50	Not Detected	2.0	Not Detected
Toluene	0.50	Not Detected	1.9	Not Detected
trans-1,3-Dichloropropene	0.50	Not Detected	2.3	Not Detected
1,1,2-Trichloroethane	0.50	Not Detected	2.7	Not Detected
Tetrachloroethene	0.50	Not Detected	3.4	Not Detected
2-Hexanone	2.0	Not Detected	8.2	Not Detected

DFG 12/18/18

eurofins | Air Toxics

Client Sample ID: BVF-SUM-014-20181212-3

Lab ID#: 1812274-05A

EPA METHOD TO-15 GC/MS FULL SCAN

File Name:	p121421	Date of Collection:	12/13/18 12:20:00 P
Dil. Factor:	1.00	Date of Analysis:	12/14/18 10:53 PM

Compound	Rpt. Limit (ppbv)	Amount (ppbv)	Rpt. Limit (ug/m3)	Amount (ug/m3)
Dibromochloromethane	0.50	Not Detected	4.2	Not Detected
1,2-Dibromoethane (EDB)	0.50	Not Detected	3.8	Not Detected
Chlorobenzene	0.50	Not Detected	2.3	Not Detected
Ethyl Benzene	0.50	Not Detected	2.2	Not Detected
m,p-Xylene	0.50	Not Detected	2.2	Not Detected
o-Xylene	0.50	Not Detected	2.2	Not Detected
Styrene	0.50	Not Detected	2.1	Not Detected
Bromoform	0.50	Not Detected	5.2	Not Detected
Cumene	0.50	Not Detected	2.4	Not Detected
1,1,2,2-Tetrachloroethane	0.50	Not Detected	3.4	Not Detected
Propylbenzene	0.50	Not Detected	2.4	Not Detected
4-Ethyltoluene	0.50	Not Detected	2.4	Not Detected
1,3,5-Trimethylbenzene	0.50	Not Detected	2.4	Not Detected
1,2,4-Trimethylbenzene	0.50	Not Detected	2.4	Not Detected
1,3-Dichlorobenzene	0.50	Not Detected	3.0	Not Detected
1,4-Dichlorobenzene	0.50	Not Detected	3.0	Not Detected
alpha-Chlorotoluene	0.50	Not Detected	2.6	Not Detected
1,2-Dichlorobenzene	0.50	Not Detected	3.0	Not Detected
1,2,4-Trichlorobenzene	2.0	Not Detected	15	Not Detected
Hexachlorobutadiene	2.0	Not Detected	21	Not Detected
Methyl Acetate	5.0	Not Detected	15	Not Detected
Methylcyclohexane	2.0	Not Detected	8.0	Not Detected
Naphthalene	1.0	Not Detected	5.2	Not Detected

Container Type: 6 Liter Summa Canister (100% Cert Ambient)

Surrogates	%Recovery	Method Limits
Toluene-d8	98	70-130
1,2-Dichloroethane-d4	104	70-130
4-Bromofluorobenzene	93	70-130

DFQ 12/18/18