Message

From: Bordelon, David [David.Bordelon@WestonSolutions.com]
Sent: 5/9/2019 4:06:17 PM
To: Fife, Greg [fife.greg@epa.gov]
Subject: RE: Lowerline
Attachments: ATT00001.txt

Do you need anything from us? We can put together our workplan that will outline the perimeter air sampling and day to day H&S requirements. Was going to have ARS provide if they were going to sub, he said they already had one drafted.

David Bordelon
Weston Solutions, Inc.
13702 Coursey Blvd, Bldg 7
Baton Rouge, LA 70817
(225) 297-5403 Direct
(225) 772-7921 Cell
David.Bordelon@westonsolutions.com

From: Fife, Greg [mailto:fife.greg@epa.gov]
Sent: Thursday, May 9, 2019 9:25 AM
To: Bordelon, David <David.Bordelon@WestonSolutions.com>
Subject: Re: Lowerline

**** External Email ****
Ok.

Did you get the message that the call is now 9:45?

Sent from my iPhone

On May 9, 2019, at 9:10 AM, Bordelon, David <David.Bordelon@WestonSolutions.com> wrote:

> FYI, Greg Lord with ARS just called and said they didn't have people for the proposed schedule, so we'll provide personnel.

David Bordelon
Weston Solutions, Inc.
13702 Coursey Blvd, Bldg 7
Baton Rouge, LA 70817
(225) 297-5403 Direct
(225) 772-7921 Cell
David.Bordelon@westonsolutions.com

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.

WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.
CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.