Message

From: Bordelon, David [David.Bordelon@WestonSolutions.com]
Sent: 3/15/2019 6:46:43 PM
To: Fife, Greg [fife.greg@epa.gov]; Brozowski, George [brozowski.george@epa.gov]; Poppell, Sam W. [Poppell.Sam@epa.gov]
Subject: FW: Lowerline Assessment Data
Attachments: ATT00001.txt; Lowerline St Assessment.pdf

With scale reflecting ARS's standards.

David Bordelon
Weston Solutions, Inc.
13702 Coursey Blvd, Bldg 7
Baton Rouge, LA 70817
(225) 297-5403 Direct
(225) 772-7921 Cell
David.Bordelon@westonsolutions.com

From: Cook, David
Sent: Friday, March 15, 2019 1:35 PM
To: Bordelon, David <David.Bordelon@WestonSolutions.com>; Schoenfelder, Robert P. <R.Schoenfelder@WestonSolutions.com>; Cheek, Sam <Sam.Cheek@WestonSolutions.com>
Subject: RE: Lowerline Assessment Data

Note that the highest CPM value in the dataset I was provided was 384595 which doesn't match the threshold maximum value shown below.

Updated map attached.

David Cook
START R6 IT/Data Management Lead
Weston Solutions, Inc.
(469) 666-5505 Direct
(512) 970-8836 Cell

From: Bordelon, David
Sent: Friday, March 15, 2019 12:24 PM
To: Schoenfelder, Robert P. <R.Schoenfelder@WestonSolutions.com>; Cheek, Sam <Sam.Cheek@WestonSolutions.com>; Cook, David <David.Cook@WestonSolutions.com>
Subject: FW: Lowerline Assessment Data

See below

David Bordelon
Weston Solutions, Inc.
13702 Coursey Blvd, Bldg 7
Baton Rouge, LA 70817
(225) 297-5403 Direct
(225) 772-7921 Cell
David.Bordelon@westonsolutions.com

From: Kelly Ausbrooks [mailto:kausbrooks@amrad.com]
Sent: Friday, March 15, 2019 12:22 PM
To: Bordelon, David <David.Bordelon@WestonSolutions.com>
Cc: Greg Lord <glord@aar-llc.com>
Subject: RE: Lowerline Assessment Data

**** External Email ****
Background was established using the GPS data, subtracting the obviously elevated results.

Mean was 1627 cpm with a median of 1564. Standard deviation was 362.

We considered 1627 as the background value. Note, this was a surface measurement. We would need to correct in the excavation due to geometry variation.

The detector was collimated and shielded. That's why the results are so low for a 2x2 NaI.

Bins for the graphic are as follows

0-2350 – green (mean + 2 sigma)

2351-2700 – blue (mean + 3 sigma)

2701-3050

3051 – 6550

6551-10050

10051-45050

45051-80050

80051-115050

115051-465050 – hot pink or magenta

From: Bordelon, David <David.Bordelon@WestonSolutions.com>
Sent: Friday, March 15, 2019 11:14 AM
To: Kelly Ausbrooks <kausbrooks@amrad.com>
Subject: RE: Lowerline Assessment Data

What was background in CPM?

David Bordelon
Weston Solutions, Inc.
13702 Coursey Blvd, Bldg 7
Baton Rouge, LA 70817
(225) 297-5403 Direct
(225) 772-7921 Cell
David.Bordelon@westonsolutions.com

From: Kelly Ausbrooks [mailto:kausbrooks@amrad.com]
Sent: Friday, March 15, 2019 11:02 AM
To: Bordelon, David <David.Bordelon@WestonSolutions.com>; Greg Lord <glord@aar-llc.com>
Subject: RE: Lowerline Assessment Data

**** External Email ****
The short answer is no. Because LDEQ asked that we use 2x background as their general rule of thumb for approximately 5 pCi/g, we did not run microshield or other computer models to determine a specific correlation factor. We couldn't do that reliably anyway given that we are measuring dose rate at the surface and the contamination is 24-30 inches BGS.

I'm working on responses to your other questions now.

K

From: Bordelon, David <David.Bordelon@WestonSolutions.com>
Sent: Friday, March 15, 2019 9:12 AM
To: Kelly Ausbrooks <kausbrooks@amrad.com>; Greg Lord <glord@aar-llc.com>
Subject: RE: Lowerline Assessment Data

Kelly,

Thanks again for the data. Do you have a CPM number correlated to 5 pCi/g.

David

David Bordelon
Weston Solutions, Inc.
13702 Coursey Blvd, Bldg 7
Baton Rouge, LA 70817
(225) 297-5403 Direct
(225) 772-7921 Cell
David.Bordelon@westonsolutions.com

From: Kelly Ausbrooks [mailto:kausbrooks@amrad.com]
Sent: Thursday, March 14, 2019 3:21 PM
To: Bordelon, David <David.Bordelon@WestonSolutions.com>; Greg Lord <glord@aar-llc.com>
Subject: RE: Lowerline Assessment Data

**** External Email ****
I was able to reformat into an Excel file that's small enough to transmit. I didn't embed the images. The file includes all the salient information. Coordinates are in LA state plane, NAD 83 datum, differentially corrected. CPM is from a Ludlum 44-10, gross counts, open window on the 2221 with 1 second export.

Let me know if there's any questions.

KA

Kelly Ausbrooks, MS, CHP
Corporate Radiation Safety Officer
KAusbrooks@aar-llc.com

ARS International, LLC.
2609 North River Road
Port Allen, LA 70767-3469

225.381.2991 Office
270.564.1800 Mobile
225.381.2996 FAX
www.amrad.com

From: Bordelon, David <David.Bordelon@WestonSolutions.com>
Sent: Thursday, March 14, 2019 11:07 AM

To: Kelly Ausbrooks <kausbrooks@amrad.com>; Greg Lord <glord@aar-llc.com>
Subject: Lowerline Assessment Data

Kelly or Greg,

Were you able to set up an FTP site to transfer the Lowerline data?

David Bordelon
Weston Solutions, Inc.
13702 Coursey Blvd, Bldg 7
Baton Rouge, LA 70817
(225) 297-5403 Direct
(225) 772-7921 Cell
David.Bordelon@westonsolutions.com

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.
WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.
CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.
WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.
CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.
WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.
CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.