Message

From: Brozowski, George [brozowski.george@epa.gov]
Sent: 3/15/2019 2:59:48 PM
To: Fife, Greg [fife.greg@epa.gov]
CC: Bordelon, David [David.Bordelon@WestonSolutions.com]; Poppell, Sam W. [Poppell.Sam@epa.gov]
Subject: Re: Lowerline Assessment Data

Good morning and 5 pCi/gram should be it. I'll let Sam Poppell chime in too.

Sent from my iPhone

On Mar 15, 2019, at 9:55 AM, Fife, Greg <fife.greg@epa.gov> wrote:

> I'm looking for advice from George. But the 5 pCi/g should be our cleanup level, its what we have used and its in the guidance documents. The twice background or 10 microCi/hr seems to be our action level. That is based on the 5 microCi/hr background for the area.
>
> **From:** Bordelon, David <David.Bordelon@WestonSolutions.com>
> **Sent:** Friday, March 15, 2019 9:49 AM
> **To:** Fife, Greg <fife.greg@epa.gov>; Brozowski, George <brozowski.george@epa.gov>; Poppell, Sam W. <Poppell.Sam@epa.gov>
> **Subject:** FW: Lowerline Assessment Data
>
> FYI. This really doesn't tell us much until we know their action level, either the 2x background CPM # or the correlation to 5 pCi/g #. Do you all have a preference on which to use? Don't know if they performed a correlation.
>
> ***David Bordelon***
> **Weston Solutions, Inc.**
> 13702 Coursey Blvd, Bldg 7
> Baton Rouge, LA 70817
> (225) 297-5403 Direct
> (225) 772-7921 Cell
> David.Bordelon@westonsolutions.com
>
> **From:** Cook, David
> **Sent:** Thursday, March 14, 2019 6:38 PM
> **To:** Bordelon, David <David.Bordelon@WestonSolutions.com>
> **Subject:** RE: Lowerline Assessment Data
>
> See attached map. This is just a quick and dirty map (need to add proper title block and source info, etc.) Let me know with CPM thresholds too.
>
> Thanks

David Cook
START R6 IT/Data Management Lead
Weston Solutions, Inc.
(469) 666-5505 Direct
(512) 970-8836 Cell

From: Bordelon, David
Sent: Thursday, March 14, 2019 4:20 PM
To: Cook, David <David.Cook@WestonSolutions.com>
Subject: FW: Lowerline Assessment Data

Could you create a GIS project with the attached data? WO 20600.012.001.1227.01



David Bordelon
Weston Solutions, Inc.
13702 Coursey Blvd, Bldg 7
Baton Rouge, LA 70817
(225) 297-5403 Direct
(225) 772-7921 Cell
David.Bordelon@westonsolutions.com

From: Kelly Ausbrooks [mailto:kausbrooks@amrad.com]
Sent: Thursday, March 14, 2019 3:21 PM
To: Bordelon, David <David.Bordelon@WestonSolutions.com>; Greg Lord <glord@aar-llc.com>
Subject: RE: Lowerline Assessment Data

**** External Email ****
I was able to reformat into an Excel file that's small enough to transmit. I didn't embed the images. The file includes all the salient information. Coordinates are in LA state plane, NAD 83 datum, differentially corrected. CPM is from a Ludlum 44-10, gross counts, open window on the 2221 with 1 second export.

Let me know if there's any questions.

KA

Kelly Ausbrooks, MS, CHP
Corporate Radiation Safety Officer
KAusbrooks@aar-llc.com

<image001.png>

ARS International, LLC.
2609 North River Road
Port Allen, LA 70767-3469

225.381.2991 Office
270.564.1800 Mobile
225.381.2996 FAX
www.amrad.com

From: Bordelon, David <David.Bordelon@WestonSolutions.com>
Sent: Thursday, March 14, 2019 11:07 AM
To: Kelly Ausbrooks <kausbrooks@amrad.com>; Greg Lord <glord@aar-llc.com>
Subject: Lowerline Assessment Data

Kelly or Greg,

Were you able to set up an FTP site to transfer the Lowerline data?

David Bordelon
Weston Solutions, Inc.
13702 Coursey Blvd, Bldg 7
Baton Rouge, LA 70817
(225) 297-5403 Direct
(225) 772-7921 Cell
David.Bordelon@westonsolutions.com

CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.
WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.
CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.