Message

**From**: Cullen, Raymond [cullen.raymond@epa.gov]
**Sent**: 8/22/2017 7:56:39 PM
**To**: Krueger, Thomas [krueger.thomas@epa.gov]; Mendez, Thomas [mendez.thomas@epa.gov]
**CC**: Bahr, Ryan [bahr.ryan@epa.gov]
**Subject**: RE: IDEM's Proposed Order for ArcelorMittal

Thanks for making yourselves available today, but it looks like this'll have to wait until next week. I haven't heard anything back from IDEM, and I'm out the rest of the week.

**From:** Krueger, Thomas
**Sent:** Tuesday, August 22, 2017 9:18 AM
**To:** Mendez, Thomas <mendez.thomas@epa.gov>; Cullen, Raymond <cullen.raymond@epa.gov>
**Cc:** Bahr, Ryan <bahr.ryan@epa.gov>
**Subject:** Re: IDEM's Proposed Order for ArcelorMittal

I'm working at home today, and can be available for a call any time.

**From:** Mendez, Thomas
**Sent:** Monday, August 21, 2017 10:10:19 AM
**To:** Cullen, Raymond; Krueger, Thomas
**Cc:** Bahr, Ryan
**Subject:** RE: IDEM's Proposed Order for ArcelorMittal

I'm in all day

**Thomas Mendez**
Emergency Response Branch
On Scene Coordinator
U.S. EPA Region 5
77 W Jackson Blvd (SE-5J)
Chicago, Illinois 60604
312-353-8242

Confidential: This transmission may contain deliberative, attorney-client, attorney work product or otherwise privileged material. Do not release under FOIA without appropriate review. If this message has been received by you in error, you are instructed to delete this message, together with any attachments, from your computer and all storage media, whether electronic or hard copy.

**From:** Cullen, Raymond
**Sent:** Monday, August 21, 2017 10:09 AM
**To:** Mendez, Thomas <mendez.thomas@epa.gov>; Krueger, Thomas <krueger.thomas@epa.gov>
**Cc:** Bahr, Ryan <bahr.ryan@epa.gov>
**Subject:** RE: IDEM's Proposed Order for ArcelorMittal

Hey guys. I haven't been able to sync something up with IDEM yet on this but am hoping that tomorrow will work for us. How does your schedule look? It appears all of you are free in the morning or late afternoon but just want to confirm.

**From:** Cullen, Raymond
**Sent:** Tuesday, August 08, 2017 10:25 AM
**To:** Beslow, Mike <beslow.mike@epa.gov>; Mendez, Thomas <mendez.thomas@epa.gov>; Dixit, Naeha

<dixit.naeha@epa.gov>; Krueger, Thomas <krueger.thomas@epa.gov>
**Subject:** IDEM's Proposed Order for ArcelorMittal

Hello, all.

Regarding IDEM's Order, Ryan and I think it would be beneficial (for the two of us, at least) to have a conference call with IDEM to discuss the particulars. Brian Wolff, Branch Chief of IDEM's Office of Water Quality/Surface Water, Operations & Enforcement offered to set it up. Please confirm that you'd want to be on the call, and I'll let Brian know.

Thanks.

Ray Cullen, Environmental Engineer
U.S. EPA Region 5
Water Enforcement and Compliance Assurance Branch
Phone: (312) 886-0538