Message

From: Cullen, Raymond [cullen.raymond@epa.gov]
Sent: 8/21/2017 3:08:32 PM
To: Mendez, Thomas [mendez.thomas@epa.gov]; Krueger, Thomas [krueger.thomas@epa.gov]
CC: Bahr, Ryan [bahr.ryan@epa.gov]
Subject: RE: IDEM's Proposed Order for ArcelorMittal

Hey guys. I haven't been able to sync something up with IDEM yet on this but am hoping that tomorrow will work for us. How does your schedule look? It appears all of you are free in the morning or late afternoon but just want to confirm.

From: Cullen, Raymond
Sent: Tuesday, August 08, 2017 10:25 AM
To: Beslow, Mike <beslow.mike@epa.gov>; Mendez, Thomas <mendez.thomas@epa.gov>; Dixit, Naeha <dixit.naeha@epa.gov>; Krueger, Thomas <krueger.thomas@epa.gov>
Subject: IDEM's Proposed Order for ArcelorMittal

Hello, all.

Regarding IDEM's Order, Ryan and I think it would be beneficial (for the two of us, at least) to have a conference call with IDEM to discuss the particulars. Brian Wolff, Branch Chief of IDEM's Office of Water Quality/Surface Water, Operations & Enforcement offered to set it up. Please confirm that you'd want to be on the call, and I'll let Brian know.

Thanks.

Ray Cullen, Environmental Engineer
U.S. EPA Region 5
Water Enforcement and Compliance Assurance Branch
Phone: (312) 886-0538