Message

From: Stroh, David E. [deStroh@nd.gov]
Sent: 3/21/2019 9:09:45 PM
To: Wauters, Patrick [wauters.patrick@epa.gov]
CC: Fallon, Gail [fallon.gail@epa.gov]; Semerad, Jim L. [jsemerad@nd.gov]
Subject: Revised ND Source Determination Memo for CS and CCMC - DRAFT
Attachments: Draft_SourceDetermination Memo.docx

Patrick,

I have attached a revised draft of North Dakota's source determination memorandum for Coyote Station (CS) and Coyote Creek Mine (CCM). This revised draft memo focuses on the LSA and Meadowbrook letter and not on response to comments provided by CS and CCM in their respective responses to comments (which is what the first draft memo highlighted).

Note: our legal hasn't reviewed this revised draft, but we would still appreciate your review and comments.

Once reviewed, please give me a call and we can discuss next steps. If I hear from our legal between now and then, I will contact you with any significant changes we are made aware of.

Thanks,

David Stroh
Environmental Engineer

701.328.5188 • destroh@nd.gov

NORTH Dakota | Health
the Legendary.

918 E. Divide Ave. • Bismarck, ND 58501

From: Stroh, David E.
Sent: Friday, February 15, 2019 10:54 AM
To: 'Wauters, Patrick' <wauters.patrick@epa.gov>; 'Fallon, Gail' <fallon.gail@epa.gov>
Cc: O'Clair, Terry L. <toclair@nd.gov>; Semerad, Jim L. <jsemerad@nd.gov>; Thorstenson, Craig D. <cthorstenson@nd.gov>; Schneider, Kyla K. <kkschneider@nd.gov>
Subject: North Dakota Source Determination Memo for CS and CCMC - DRAFT

Gail and Patrick,

As a follow-up to our call on February 14, 2019 and regarding the ongoing work with EPA in completing our stationary source determination for the Coyote Station and Coyote Creek Mining Company; please see the attached DRAFT source determination.

The Department has appreciated EPA's comments to date and requests EPA Region 8 review the attached. A follow-up with the Department would be appreciated to provide assurance that the direction taken satisfies the source determination criteria (or provide feedback on the Department's DRAFT determination). This will help ensure not only that the proper decision will be made, but the supporting documentation sufficiently supports this decision.

Please contact me upon review to discuss the next steps.

Thanks,

David Stroh
Environmental Engineer

701.328.5188 • destroh@nd.gov

NORTH Dakota | Health
the Legendary.

918 E. Divide Ave. • Bismarck, ND 58501