Message

From: Strynar, Mark [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=5A9910D5B38E471497BD875FD329A20A-STRYNAR, MARK]
Sent: 10/23/2018 2:42:12 PM
To: Sivertsen, Scott [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=56a8b664924a40e18766f1c843eec111-Sivertsen, Scott]
CC: McCord, James [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=McCord, James]
Subject: RE: Analytical Standards

Bad news on the TQS micro. Mine gets installed in a few weeks.

As far as the PEPA and PMPA I am unsure. We will have to run ours on the TOFMS or Orbitrap to see if we see a new peak.

Mark

From: Sivertsen, Scott
Sent: Tuesday, October 23, 2018 10:36 AM
To: Strynar, Mark <Strynar.Mark@epa.gov>
Subject: RE: Analytical Standards

The legacy + GenX analysis in water goes OK; routine work. Byproducts is in development, and we'll be reporting a limited set of data to Linda Culpepper soon, but the QA side bothers me. Lots of qualification…

Sediment/soil is a hot topic here as well. Trying to balance the method development with everything else that happens on a daily basis. One interesting delay was our 6-month old Xevo TQS-micro shredding a turbo pump, resulting in the MS and roughing pump being replaced. Just after instrument qualification was finished – three steps ahead, two steps back.

When I infused PEPA and PMPA on the new detector, I saw an increased mass shift (+3 Da) for the precursor. We saw the expected *m/z* when we originally infused, months ago. I have no idea what we have in that vial, but the compound has changed. I suspect oxygen/fluorine exchange. Have you seen any changes in those compounds?

Scott

From: Strynar, Mark
Sent: Tuesday, October 23, 2018 10:12 AM
To: Sivertsen, Scott <Sivertsen.Scott@epa.gov>
Subject: RE: Analytical Standards

How is the analysis going down in R4?

Mark

From: Sivertsen, Scott
Sent: Tuesday, October 23, 2018 10:08 AM
To: Strynar, Mark <Strynar.Mark@epa.gov>
Subject: RE: Analytical Standards

Thanks Mark. That's what I expected to hear.

Scott

From: Strynar, Mark
Sent: Tuesday, October 23, 2018 7:09 AM
To: Sivertsen, Scott <Sivertsen.Scott@epa.gov>
Subject: RE: Analytical Standards

Beyond PFMOAA no not yet. I am meeting with a professor at UNC Chapel Hill next Wednesday to discuss the synthesis of Nafion BP1 and BP2 in house. All other standards I have only gotten from Chemours.

Mark

From: Sivertsen, Scott
Sent: Monday, October 22, 2018 3:02 PM
To: Strynar, Mark <Strynar.Mark@epa.gov>
Subject: RE: Analytical Standards

Hi Mark,

I hope you're doing well.

Is there any update to standards availability (beyond PFMOAA)?

Thanks,

Scott

From: Strynar, Mark
Sent: Monday, June 11, 2018 8:05 AM
To: Sivertsen, Scott <Sivertsen.Scott@epa.gov>; Detlef R. U. Knappe <knappe@ncsu.edu>; Culpepper, Linda <linda.culpepper@ncdenr.gov>; Mead, Ralph N. <meadr@uncw.edu>; skrabals@uncw.edu; Nadine Kotlarz <nkotlar@ncsu.edu>; Zachary Hopkins <zrhopkin@ncsu.edu>
Subject: FW: Analytical Standards

FYI,

All I have been in touch with this company about synthesizing the PFAS we see/have seen in the Cape Fear river. They are working on others but now have this one made and available for purchase. This would be PFMOAA as a sodium salt. Ralph I know you had this made and shared it with me.

Please share with other who may want to get these standards.

Mark

From: David Offord [mailto:david@fluoryx.com]
Sent: Saturday, June 09, 2018 1:45 PM
To: Strynar, Mark <Strynar.Mark@epa.gov>

Cc: Paul Resnick Ex. 6 Personal Privacy (PP)
Subject: Re: Analytical Standards

Dear Dr. Stynar,

We now have one of the analytical standards you were interested in stock, sodium 2,2-difluoro-2-(trifluoromethoxy)acetate. The link to it is here:

https://fluoryx.com/collections/fluoroethers/products/sodium-2-2-difluoro-2-trifluoromethoxyacetate-catalog-no-fc23-02-cas-no-21837-98-9

Our partners will continue working on the syntheses of the other standards you mentioned and I'll let you know when they are available.

Best regards

David
--
David Offord, Ph.D.
President
Fluoryx Labs
3650 Research Way, #22
Carson City, NV 89706
United States of America
Phone 001-(510) 329-9149
Fax 001-(510) 686-8799
david@fluoryx.com
www.fluoryx.com

The information contained in this e-mail message is intended only for the personal and confidential use of the recipient(s) named above. This message may be an attorney-client communication and/or work product and as such is privileged and confidential. If the reader of this message is not the intended recipient or an agent responsible for delivering it to the intended recipient, you are hereby notified that you have received this document in error and that any review, dissemination, distribution, or copying of this message is strictly prohibited. If you have received this communication in error, please notify us immediately by e-mail, and delete the original message.