Message

From: Bordelon, David [David.Bordelon@WestonSolutions.com]
Sent: 4/26/2019 2:49:23 PM
To: Sherman, Robert [Robert.Sherman@WestonSolutions.com]; Fife, Greg [fife.greg@epa.gov]
Subject: FW: NOLA Lowerline Ra Source
Attachments: ATT00001.txt

See below. Will forward information as soon as I receive.

David Bordelon
Weston Solutions, Inc.
13702 Coursey Blvd, Bldg 7
Baton Rouge, LA 70817
(225) 297-5403 Direct
(225) 772-7921 Cell
David.Bordelon@westonsolutions.com

From: Greg Lord [mailto:glord@aar-llc.com]
Sent: Friday, April 26, 2019 9:48 AM
To: Bordelon, David <David.Bordelon@WestonSolutions.com>
Subject: RE: NOLA Lowerline Ra Source

**** External Email ****
We have been in discussions with US Ecology. After several rounds of discussion, we have repackaged one container and have taken new samples. We should have analytical back shortly, the finish the waste profile.

From: Bordelon, David <David.Bordelon@WestonSolutions.com>
Sent: Thursday, April 25, 2019 11:27 AM
To: Greg Lord <glord@aar-llc.com>
Subject: RE: NOLA Lowerline Ra Source

Greg,

EPA was asking if you all had developed a disposal profile based on the soil analysis. Trying to get the removal action memo passed through and the independent government estimate completed.

David Bordelon

Weston Solutions, Inc.
13702 Coursey Blvd, Bldg 7
Baton Rouge, LA 70817
(225) 297-5403 Direct
(225) 772-7921 Cell
David.Bordelon@westonsolutions.com

From: Greg Lord [mailto:glord@aar-llc.com]
Sent: Tuesday, April 23, 2019 11:36 AM
To: Bordelon, David <David.Bordelon@WestonSolutions.com>
Subject: RE: NOLA Lowerline Ra Source

**** External Email ****
David

Thank you.

Greg

From: Bordelon, David <David.Bordelon@WestonSolutions.com>
Sent: Tuesday, April 23, 2019 10:36 AM
To: Greg Lord <glord@aar-llc.com>
Subject: RE: NOLA Lowerline Ra Source

Nope. We went with your data and recommendations. We navigated to the hotspots using your maps and found a few that pegged the meter. EPA thinks that your approach is correct.

We're waiting for the EPA to get the removal approved then their removal contractor will have the option to select a sub to complete the work. I've already passed your information on to them. We just need the green light so that we can proceed with getting the removal lined up.

I'll keep you up to date on the process.

David

David Bordelon
Weston Solutions, Inc.
13702 Coursey Blvd, Bldg 7
Baton Rouge, LA 70817
(225) 297-5403 Direct
(225) 772-7921 Cell
David.Bordelon@westonsolutions.com

From: Greg Lord [mailto:glord@aar-llc.com]
Sent: Tuesday, April 23, 2019 11:30 AM
To: Bordelon, David <David.Bordelon@WestonSolutions.com>
Subject: RE: NOLA Lowerline Ra Source

**** External Email ****
David

My professional vanity requires that I ask.

So, did you see anything that was in conflict with the work we had performed or the work we had proposed?

Greg

From: Bordelon, David <David.Bordelon@WestonSolutions.com>
Sent: Tuesday, April 23, 2019 10:12 AM
To: Greg Lord <glord@aar-llc.com>
Subject: RE: NOLA Lowerline Ra Source

We had a site walk with the city and State reps. EPA has sent their information to headquarters to request funding and approval to proceed. I will check with them to see where that process is at.

David Bordelon
Weston Solutions, Inc.
13702 Coursey Blvd, Bldg 7
Baton Rouge, LA 70817
(225) 297-5403 Direct
(225) 772-7921 Cell
David.Bordelon@westonsolutions.com

From: Greg Lord [mailto:glord@aar-llc.com]
Sent: Tuesday, April 23, 2019 10:09 AM
To: Bordelon, David <David.Bordelon@WestonSolutions.com>
Subject: NOLA Lowerline Ra Source

**** External Email ****
David

I was just following up to see if there is anything that we can help with on the NOLA Lowerline Ra Source project. Thanks

G. Greg Lord
G. Greg Lord, PE, PMP
Senior Project Manager
ARS Aleut Remediation, LLC

glord@aar-llc.com
(303)653-5161

WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.
CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.
WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.
CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.
WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.
CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.
WARNING: External Email: This email originated outside of Weston Solutions. DO NOT CLICK on any links or attachments unless you recognize the sender and are expecting the email.
CONFIDENTIALITY: This email and attachments may contain information which is confidential and proprietary. Disclosure or use of any such confidential or proprietary information without the written permission of Weston Solutions, Inc. is strictly prohibited. If you received this email in error, please notify the sender by return e-mail and delete this email from your system. Thank you.