Notice of Intent for the Offshore Subcategory of the Oil and Gas Extraction Point Source Category for the Western Portion of the Outer Continental Shelf of the Gulf of Mexico (GMG290000)

U.S. EPA Region 6 Offshore General Permits Mail Code 6EN-WC1445 Ross Ave., Suite 1200 Dallas, TX 75202-2733

Submission of this completed Notice of Intent (NOI) constitutes notice that the entity in Section B intends to be authorized to discharge pollutants to Federal waters of the Gulf of Mexico seaward of the outer boundary of the territorial seas offshore of Louisiana and Texas (77 Fed. Reg. No. 196, p. 61605, October 10, 2012, http://www.epa.gov/region6/water/npdes/genpermit/gmg290000final/gmg290000finalpermit2012.pdf) www.epa.gov/region6/water/npdes/genpermit/ . Submission of the NOI also constitutes notice that the party identified in Section B of this form has read, understands, and meets the eligibility conditions in the Regulated Entities section of the Final General Permit for the above mentioned permit and agrees to comply with all applicable terms and conditions of this General Permit. In order to be granted coverage, all information required on this form must be completed unless designated as optional. Please read and make sure you comply with all permit requirements.

Enter NPDES ID *

GMG29 0541

Organization Formal Name *

Fieldwood Energy LLC

Organization Noted by Preparer

Fieldwood

Reason for Submission *

- ○ Change operator legal name and address
- ◉ Add structures
- ○ Change structure information
- ○ Delete structures
- ○ Add limit set(s) for an existing permitted feature
- ○ Delete limit set(s) from an existing permitted feature

Add Structures

Non-Sensitive Areas

Lease Block 1

Lease Area Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number *	
Main Pass	104	G13960	X

Structure 1

Type * Platform
Description MP-104A
Latitude (in decimal degrees) * + 29.567601
Longitude (in decimal degrees) * - 88.8346269
X
Water Depth (in feet) 46
Built after 07/17/2006? * No

- [x] Chem. Treated Misc. Discharge (CT)
- [ ] Cooling Water Intake Structure (CW)
- [ ] Drilling Fluids and Cuttings (DF)
- [x] Hydrate Control Fluid (HF)
- [x] Maintenance BMP (WM)
- [x] Misc Discharge (MD)
- [x] Produced Water (PR)
- [x] Sanitary & Domestic WW, Deck Drainage (WW)
- [ ] Stock Base Fluid Drill (SB)
- [x] Well Fluids (WF)

Add Structure

Structure 2

Type * Platform
Description MP-104B
Latitude (in decimal degrees) * + 29.555487
Longitude (in decimal degrees) * - 88.8489409
X
Water Depth (in feet) 46
Built after 07/17/2006? * No

- [x] Chem. Treated Misc. Discharge (CT)
- [ ] Cooling Water Intake Structure (CW)
- [ ] Drilling Fluids and Cuttings (DF)
- [x] Hydrate Control Fluid (HF)
- [x] Maintenance BMP (WM)
- [x] Misc Discharge (MD)
- [x] Produced Water (PR)
- [x] Sanitary & Domestic WW, Deck Drainage (WW)
- [ ] Stock Base Fluid Drill (SB)
- [x] Well Fluids (WF)

Add Structure

Lease Block 2

Lease Area Block Name * Main Pass
Lease Area Block Number * 140
Lease Area Block BOEM Number * G02193
X

Structure 1

Type * Platform
Description MP-140A
Latitude (in decimal degrees) * + 29.293869
Longitude (in decimal degrees) * - 88.861681
X
Water Depth (in feet) 165
Built after 07/17/2006? * No

- [x] Chem. Treated Misc. Discharge (CT)
- [ ] Cooling Water Intake Structure (CW)
- [ ] Drilling Fluids and Cuttings (DF)
- [x] Hydrate Control Fluid (HF)
- [x] Maintenance BMP (WM)
- [x] Misc Discharge (MD)
- [x] Produced Water (PR)
- [x] Sanitary & Domestic WW, Deck Drainage (WW)
- [ ] Stock Base Fluid Drill (SB)
- [x] Well Fluids (WF)

Add Structure

Structure 2

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	MP-140B	+ 29.295539	- 88.842289	X

Water Depth (in feet): 150
Built after 07/17/2006? *: No

- [x] Chem. Treated Misc. Discharge (CT)
- [ ] Cooling Water Intake Structure (CW)
- [ ] Drilling Fluids and Cuttings (DF)
- [x] Hydrate Control Fluid (HF)
- [x] Maintenance BMP (WM)
- [x] Misc Discharge (MD)
- [x] Produced Water (PR)
- [x] Sanitary & Domestic WW, Deck Drainage (WW)
- [ ] Stock Base Fluid Drill (SB)
- [x] Well Fluids (WF)

Add Structure

Lease Block 3

Lease Area Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number *	
Main Pass	153	G01967	X

Structure 1

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	MP-153B	+ 29.117396	- 88.844508	X

Water Depth (in feet): 300
Built after 07/17/2006? *: No

- [x] Chem. Treated Misc. Discharge (CT)
- [ ] Cooling Water Intake Structure (CW)
- [ ] Drilling Fluids and Cuttings (DF)
- [x] Hydrate Control Fluid (HF)
- [x] Maintenance BMP (WM)
- [x] Misc Discharge (MD)
- [x] Produced Water (PR)
- [x] Sanitary & Domestic WW, Deck Drainage (WW)
- [ ] Stock Base Fluid Drill (SB)
- [x] Well Fluids (WF)

Add Structure

Structure 2

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	MP-153C	+ 29.117361	- 88.848872	X

Water Depth (in feet): 275
Built after 07/17/2006? *: No

- [x] Chem. Treated Misc. Discharge (CT)
- [ ] Cooling Water Intake Structure (CW)
- [ ] Drilling Fluids and Cuttings (DF)
- [x] Hydrate Control Fluid (HF)
- [x] Maintenance BMP (WM)
- [x] Misc Discharge (MD)
- [x] Produced Water (PR)
- [x] Sanitary & Domestic WW, Deck Drainage (WW)
- [ ] Stock Base Fluid Drill (SB)
- [x] Well Fluids (WF)

Add Structure

Lease Block 4

Lease Area Block Name *: Main Pass South & East Addition
Lease Area Block Number *: 166
Lease Area Block BOEM Number *: G26152
X

Structure 1

Type *: Platform
Description: MP-166A
Latitude (in decimal degrees) *: + 29.640949
Longitude (in decimal degrees) *: - 88.4017726
Water Depth (in feet): 130
Built after 07/17/2006? *: No

- [x] Chem. Treated Misc. Discharge (CT)
- [ ] Cooling Water Intake Structure (CW)
- [ ] Drilling Fluids and Cuttings (DF)
- [x] Hydrate Control Fluid (HF)
- [x] Maintenance BMP (WM)
- [x] Misc Discharge (MD)
- [x] Produced Water (PR)
- [x] Sanitary & Domestic WW, Deck Drainage (WW)
- [ ] Stock Base Fluid Drill (SB)
- [x] Well Fluids (WF)

Add Structure

Lease Block 5

Lease Area Block Name *: Main Pass South & East Addition
Lease Area Block Number *: 255
Lease Area Block BOEM Number *: G30050
X

Structure 1

Type *: Platform
Description: MP-255A
Latitude (in decimal degrees) *: + 29.320350
Longitude (in decimal degrees) *: - 87.8125367
Water Depth (in feet): 332
Built after 07/17/2006? *: No

- [x] Chem. Treated Misc. Discharge (CT)
- [ ] Cooling Water Intake Structure (CW)
- [ ] Drilling Fluids and Cuttings (DF)
- [x] Hydrate Control Fluid (HF)
- [x] Maintenance BMP (WM)
- [x] Misc Discharge (MD)
- [x] Produced Water (PR)
- [x] Sanitary & Domestic WW, Deck Drainage (WW)
- [ ] Stock Base Fluid Drill (SB)
- [x] Well Fluids (WF)

Add Structure

Lease Block 6

Lease Area Block Name *: Main Pass South & East Addition
Lease Area Block Number *: 259
Lease Area Block BOEM Number *: G07827
X

Structure 1

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *
Platform	MP-259A	+ 29.325738	- 88.0201234

Water Depth (in feet)	Built after 07/17/2006? *
390	No

- [x] Chem. Treated Misc. Discharge (CT)
- [ ] Cooling Water Intake Structure (CW)
- [ ] Drilling Fluids and Cuttings (DF)
- [x] Hydrate Control Fluid (HF)
- [x] Maintenance BMP (WM)
- [x] Misc Discharge (MD)
- [x] Produced Water (PR)
- [x] Sanitary & Domestic WW, Deck Drainage (WW)
- [ ] Stock Base Fluid Drill (SB)
- [x] Well Fluids (WF)

Add Structure

Lease Block 7

Lease Area Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number *	
Main Pass South & East Addition	275	G15395	X

Structure 1

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *
Platform	MP-275A	+ 29.284828	- 88.4433449

Water Depth (in feet)	Built after 07/17/2006? *
231	No

- [x] Chem. Treated Misc. Discharge (CT)
- [ ] Cooling Water Intake Structure (CW)
- [ ] Drilling Fluids and Cuttings (DF)
- [x] Hydrate Control Fluid (HF)
- [x] Maintenance BMP (WM)
- [x] Misc Discharge (MD)
- [x] Produced Water (PR)
- [x] Sanitary & Domestic WW, Deck Drainage (WW)
- [ ] Stock Base Fluid Drill (SB)
- [x] Well Fluids (WF)

Add Structure

Lease Block 8

Lease Area Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number *	
Main Pass South & East Addition	289	G01666	X

Structure 1

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	MP-289B	+ 29.25817	- 88.441536	X

Water Depth (in feet): 320
Built after 07/17/2006? *: No

- [x] Chem. Treated Misc. Discharge (CT)
- [ ] Cooling Water Intake Structure (CW)
- [ ] Drilling Fluids and Cuttings (DF)
- [x] Hydrate Control Fluid (HF)
- [x] Maintenance BMP (WM)
- [x] Misc Discharge (MD)
- [x] Produced Water (PR)
- [x] Sanitary & Domestic WW, Deck Drainage (WW)
- [ ] Stock Base Fluid Drill (SB)
- [x] Well Fluids (WF)

Add Structure

Structure 2

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	MP-289C	+ 29.248498	- 88.441404	X

Water Depth (in feet): 338
Built after 07/17/2006? *: No

- [x] Chem. Treated Misc. Discharge (CT)
- [ ] Cooling Water Intake Structure (CW)
- [ ] Drilling Fluids and Cuttings (DF)
- [x] Hydrate Control Fluid (HF)
- [x] Maintenance BMP (WM)
- [x] Misc Discharge (MD)
- [x] Produced Water (PR)
- [x] Sanitary & Domestic WW, Deck Drainage (WW)
- [ ] Stock Base Fluid Drill (SB)
- [x] Well Fluids (WF)

Add Structure

Lease Block 9

Lease Area Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number *	
Main Pass South & East Addition	308	G32265	X

Structure 1

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *
Platform	MP-308A	+ 29.171616	- 88.6030568

Water Depth (in feet)	Built after 07/17/2006? *	Design Intake Capacity (million gallons per day) *	Design Intake Velocity (in feet per second) *	Percentage of Intake Water for Cooling *
287	Yes	0	0	0

- [x] Chem. Treated Misc. Discharge (CT)
- [ ] Cooling Water Intake Structure (CW)
- [ ] Drilling Fluids and Cuttings (DF)
- [x] Hydrate Control Fluid (HF)
- [x] Maintenance BMP (WM)
- [x] Misc Discharge (MD)
- [x] Produced Water (PR)
- [x] Sanitary & Domestic WW, Deck Drainage (WW)
- [ ] Stock Base Fluid Drill (SB)
- [x] Well Fluids (WF)

Add Structure

Lease Block 10

Lease Area Block Name *: Main Pass South & East Addition
Lease Area Block Number *: 310
Lease Area Block BOEM Number *: G04126
X

Structure 1

Type *: Platform
Description: MP-310A
Latitude (in decimal degrees) *: + 29.187455
Longitude (in decimal degrees) *: - 88.683422
X

Water Depth (in feet): 248
Built after 07/17/2006? *: No

- [x] Chem. Treated Misc. Discharge (CT)
- [ ] Cooling Water Intake Structure (CW)
- [ ] Drilling Fluids and Cuttings (DF)
- [x] Hydrate Control Fluid (HF)
- [x] Maintenance BMP (WM)
- [x] Misc Discharge (MD)
- [x] Produced Water (PR)
- [x] Sanitary & Domestic WW, Deck Drainage (WW)
- [ ] Stock Base Fluid Drill (SB)
- [x] Well Fluids (WF)

Add Structure

Structure 2

Type *: Platform
Description: MP-310JA
Latitude (in decimal degrees) *: + 29.16396
Longitude (in decimal degrees) *: - 88.665395
X

Water Depth (in feet): 263
Built after 07/17/2006? *: No

- [x] Chem. Treated Misc. Discharge (CT)
- [ ] Cooling Water Intake Structure (CW)
- [ ] Drilling Fluids and Cuttings (DF)
- [x] Hydrate Control Fluid (HF)
- [x] Maintenance BMP (WM)
- [x] Misc Discharge (MD)
- [x] Produced Water (PR)
- [x] Sanitary & Domestic WW, Deck Drainage (WW)
- [ ] Stock Base Fluid Drill (SB)
- [x] Well Fluids (WF)

Add Structure

Lease Block 11

Lease Area Block Name *: Main Pass
Lease Area Block Number *: 7
Lease Area Block BOEM Number *: G21700
X

Structure 1

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	MP-7#2	+ 29.618710	- 88.9000642	X

Water Depth (in feet): 35
Built after 07/17/2006? *: No

- [x] Chem. Treated Misc. Discharge (CT)
- [ ] Cooling Water Intake Structure (CW)
- [ ] Drilling Fluids and Cuttings (DF)
- [x] Hydrate Control Fluid (HF)
- [x] Maintenance BMP (WM)
- [x] Misc Discharge (MD)
- [x] Produced Water (PR)
- [x] Sanitary & Domestic WW, Deck Drainage (WW)
- [ ] Stock Base Fluid Drill (SB)
- [x] Well Fluids (WF)

Add Structure

Structure 2

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	MP-7A	+ 29.641653	- 88.8817453	X

Water Depth (in feet): 40
Built after 07/17/2006? *: No

- [x] Chem. Treated Misc. Discharge (CT)
- [ ] Cooling Water Intake Structure (CW)
- [ ] Drilling Fluids and Cuttings (DF)
- [x] Hydrate Control Fluid (HF)
- [x] Maintenance BMP (WM)
- [x] Misc Discharge (MD)
- [x] Produced Water (PR)
- [x] Sanitary & Domestic WW, Deck Drainage (WW)
- [ ] Stock Base Fluid Drill (SB)
- [x] Well Fluids (WF)

Add Structure

Structure 3

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
Platform	MP-7B	+ 29.613636	- 88.8714006	X

Water Depth (in feet): 39
Built after 07/17/2006? *: No

- [x] Chem. Treated Misc. Discharge (CT)
- [ ] Cooling Water Intake Structure (CW)
- [ ] Drilling Fluids and Cuttings (DF)
- [x] Hydrate Control Fluid (HF)
- [x] Maintenance BMP (WM)
- [x] Misc Discharge (MD)
- [x] Produced Water (PR)
- [x] Sanitary & Domestic WW, Deck Drainage (WW)
- [ ] Stock Base Fluid Drill (SB)
- [x] Well Fluids (WF)

Add Structure

Lease Block 12

Lease Area Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number *	
Main Pass	90	G19853	X

Structure 1

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *
Platform	MP-90#1	+ 29.652873	- 88.7778693

Water Depth (in feet)	Built after 07/17/2006? *
49	No

- [x] Chem. Treated Misc. Discharge (CT)
- [ ] Cooling Water Intake Structure (CW)
- [ ] Drilling Fluids and Cuttings (DF)
- [x] Hydrate Control Fluid (HF)
- [x] Maintenance BMP (WM)
- [x] Misc. Discharge (MD)
- [x] Produced Water (PR)
- [x] Sanitary & Domestic WW; Deck Drainage (WW)
- [ ] Stock Base Fluid Drill (SB)
- [x] Well Fluids (WF)

Add Structure

Add Lease Block

Sensitive Areas

Add Lease Block

Certification Information

Ex. 6 Personal Privacy (PP)

Form Action *

Approve

Digital Signature Acknowledgement

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those person directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.