Notice of Intent for the Offshore Subcategory of the Oil and Gas Extraction Point Source Category for the Western Portion of the Outer Continental Shelf of the Gulf of Mexico (GMG290000)

U.S. EPA Region 6 Offshore General Permits Mail Code 6EN-WC1445 Ross Ave., Suite 1200 Dallas, TX 75202-2733

Submission of this completed Notice of Intent (NOI) constitutes notice that the entity in Section B intends to be authorized to discharge pollutants to Federal waters of the Gulf of Mexico seaward of the outer boundary of the territorial seas offshore of Louisiana and Texas (77 Fed. Reg. No. 196, p. 61605, October 10, 2012, http://www.epa.gov/region6/water/npdes/genpermit/gmg290000final/gmg290000finalpermit2012.pdf) www.epa.gov/region6/water/npdes/genpermit/ . Submission of the NOI also constitutes notice that the party identified in Section B of this form has read, understands, and meets the eligibility conditions in the Regulated Entities section of the Final General Permit for the above mentioned permit and agrees to comply with all applicable terms and conditions of this General Permit. In order to be granted coverage, all information required on this form must be completed unless designated as optional. Please read and make sure you comply with all permit requirements.

You must look up your NPDES ID and confirm the Permit Name before proceeding with this form.

	NPDES ID *	Organization Formal Name *
GMG29	0403	DIAMOND OFFSHORE DRILLING

☒ Confirm NPDES ID: GMG290403 / Permit Name: DIAMOND OFFSHORE DRILLING LIMITED

Reason for Submission *

- ○ Change operator legal name and address
- ◉ Add structures
- ○ Change structure information
- ○ Delete structures
- ○ Add limit set(s) for an existing permitted feature
- ○ Delete limit set(s) from an existing permitted feature

Add Structures

Non-Sensitive Areas

Lease Block 1

Lease Area Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number *	
Green Canyon	468	G26313	X

Structure 1

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Ocean BlackLion GC 468 SA001	+ 27.476425	- 90.558969	X

Water Depth (in feet)	Built after 07/17/2006? *	Design Intake Capacity (million gallons per day) *	Design Intake Velocity (in feet per second) *	Percentage of Intake Water for Cooling *
3538	Yes	85.7	0.45	59

- [x] Chem. Treated Misc. Discharge (CT)
- [x] Cooling Water Intake Structure (CW)
- [ ] Drilling Fluids and Cuttings (DF)
- [ ] Hydrate Control Fluid (HF)
- [x] Maintenance BMP (WM)
- [x] Misc Discharge (MD)
- [ ] Produced Water (PR)
- [x] Sanitary & Domestic WW, Deck Drainage (WW)
- [ ] Stock Base Fluid Drill (SB)
- [ ] Well Fluids (WF)

Add Structure

Structure 2

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Ocean BlackLion GC 468 SA003	+ 27.476936	- 90.558514	X

Water Depth (in feet)	Built after 07/17/2006? *	Design Intake Capacity (million gallons per day) *	Design Intake Velocity (in feet per second) *	Percentage of Intake Water for Cooling *
3531	Yes	85.7	0.45	59

- [x] Chem. Treated Misc. Discharge (CT)
- [x] Cooling Water Intake Structure (CW)
- [ ] Drilling Fluids and Cuttings (DF)
- [ ] Hydrate Control Fluid (HF)
- [x] Maintenance BMP (WM)
- [x] Misc Discharge (MD)
- [ ] Produced Water (PR)
- [x] Sanitary & Domestic WW, Deck Drainage (WW)
- [ ] Stock Base Fluid Drill (SB)
- [ ] Well Fluids (WF)

Add Structure

Structure 3

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Ocean BlackLion GC 468 WI002	+ 27.497719	- 90.550172	X

Water Depth (in feet)	Built after 07/17/2006? *	Design Intake Capacity (million gallons per day) *	Design Intake Velocity (in feet per second) *	Percentage of Intake Water for Cooling *
3441	Yes	85.7	0.45	59

- [x] Chem. Treated Misc. Discharge (CT)
- [x] Cooling Water Intake Structure (CW)
- [ ] Drilling Fluids and Cuttings (DF)
- [ ] Hydrate Control Fluid (HF)
- [x] Maintenance BMP (WM)
- [x] Misc Discharge (MD)
- [ ] Produced Water (PR)
- [x] Sanitary & Domestic WW, Deck Drainage (WW)
- [ ] Stock Base Fluid Drill (SB)
- [ ] Well Fluids (WF)

Add Structure

Lease Block 2

Lease Area Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number *	
Green Canyon	512	G26315	X

Structure 1

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Ocean BlackLion GC 512 SA002	+ 27.476433	- 90.558519	X

Water Depth (in feet)	Built after 07/17/2006? *	Design Intake Capacity (million gallons per day) *	Design Intake Velocity (in feet per second) *	Percentage of Intake Water for Cooling *
3532	Yes	85.7	0.45	59

- [x] Chem. Treated Misc. Discharge (CT)
- [x] Cooling Water Intake Structure (CW)
- [ ] Drilling Fluids and Cuttings (DF)
- [ ] Hydrate Control Fluid (HF)
- [x] Maintenance BMP (WM)
- [x] Misc Discharge (MD)
- [ ] Produced Water (PR)
- [x] Sanitary & Domestic WW, Deck Drainage (WW)
- [ ] Stock Base Fluid Drill (SB)
- [ ] Well Fluids (WF)

Add Structure

Structure 2

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Ocean BlackRhino GC 512 SB001	+ 27.465792	- 90.565806	X

Water Depth (in feet)	Built after 07/17/2006? *	Design Intake Capacity (million gallons per day) *	Design Intake Velocity (in feet per second) *	Percentage of Intake Water for Cooling *
3573	Yes	85.7	0.45	59

- [x] Chem. Treated Misc. Discharge (CT)
- [x] Cooling Water Intake Structure (CW)
- [ ] Drilling Fluids and Cuttings (DF)
- [ ] Hydrate Control Fluid (HF)
- [x] Maintenance BMP (WM)
- [x] Misc Discharge (MD)
- [ ] Produced Water (PR)
- [x] Sanitary & Domestic WW, Deck Drainage (WW)
- [ ] Stock Base Fluid Drill (SB)
- [ ] Well Fluids (WF)

Add Structure

Structure 3

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Ocean BlackLion GC 512 SB002	+ 27.465292	- 90.566281	X

Water Depth (in feet)	Built after 07/17/2006? *	Design Intake Capacity (million gallons per day) *	Design Intake Velocity (in feet per second) *	Percentage of Intake Water for Cooling *
3577	Yes	85.7	0.45	59

- [x] Chem. Treated Misc. Discharge (CT)
- [x] Cooling Water Intake Structure (CW)
- [ ] Drilling Fluids and Cuttings (DF)
- [ ] Hydrate Control Fluid (HF)
- [x] Maintenance BMP (WM)
- [x] Misc Discharge (MD)
- [ ] Produced Water (PR)
- [x] Sanitary & Domestic WW, Deck Drainage (WW)
- [ ] Stock Base Fluid Drill (SB)
- [ ] Well Fluids (WF)

Add Structure

Structure 4

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Ocean BlackRhino GC 512 SB003	+ 27.465386	- 90.565733	X

Water Depth (in feet)	Built after 07/17/2006? *	Design Intake Capacity (million gallons per day) *	Design Intake Velocity (in feet per second) *	Percentage of Intake Water for Cooling *
3574	Yes	85.7	0.45	59

- [x] Chem. Treated Misc. Discharge (CT)
- [x] Cooling Water Intake Structure (CW)
- [ ] Drilling Fluids and Cuttings (DF)
- [ ] Hydrate Control Fluid (HF)
- [x] Maintenance BMP (WM)
- [x] Misc Discharge (MD)
- [ ] Produced Water (PR)
- [x] Sanitary & Domestic WW, Deck Drainage (WW)
- [ ] Stock Base Fluid Drill (SB)
- [ ] Well Fluids (WF)

Add Structure

Structure 5

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Ocean BlackRhino GC 512 WI001	+ 27.458925	- 90.577172	X

Water Depth (in feet)	Built after 07/17/2006? *	Design Intake Capacity (million gallons per day) *	Design Intake Velocity (in feet per second) *	Percentage of Intake Water for Cooling *
3599	Yes	85.7	0.45	59

- [x] Chem. Treated Misc. Discharge (CT)
- [x] Cooling Water Intake Structure (CW)
- [ ] Drilling Fluids and Cuttings (DF)
- [ ] Hydrate Control Fluid (HF)
- [x] Maintenance BMP (WM)
- [x] Misc Discharge (MD)
- [ ] Produced Water (PR)
- [x] Sanitary & Domestic WW, Deck Drainage (WW)
- [ ] Stock Base Fluid Drill (SB)
- [ ] Well Fluids (WF)

Add Structure

Structure 6

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *	
MODU	Ocean BlackRhino GC 512 WI004	+ 27.445106	- 90.580703	X

Water Depth (in feet)	Built after 07/17/2006? *	Design Intake Capacity (million gallons per day) *	Design Intake Velocity (in feet per second) *	Percentage of Intake Water for Cooling *
3579	Yes	85.7	0.45	59

- [x] Chem. Treated Misc. Discharge (CT)
- [x] Cooling Water Intake Structure (CW)
- [ ] Drilling Fluids and Cuttings (DF)
- [ ] Hydrate Control Fluid (HF)
- [x] Maintenance BMP (WM)
- [x] Misc Discharge (MD)
- [ ] Produced Water (PR)
- [x] Sanitary & Domestic WW, Deck Drainage (WW)
- [ ] Stock Base Fluid Drill (SB)
- [ ] Well Fluids (WF)

Add Structure

Lease Block 3

Lease Area Block Name *	Lease Area Block Number *	Lease Area Block BOEM Number *	
Green Canyon	511	G34551	X

Structure 1

Type *	Description	Latitude (in decimal degrees) *	Longitude (in decimal degrees) *
MODU	Ocean BlackLion GC 511 WI003	+ 27.456828	- 90.579561

Water Depth (in feet)	Built after 07/17/2006? *	Design Intake Capacity (million gallons per day) *	Design Intake Velocity (in feet per second) *	Percentage of Intake Water for Cooling *
3599	Yes	85.7	0.45	59

- [x] Chem. Treated Misc. Discharge (CT)
- [x] Cooling Water Intake Structure (CW)
- [ ] Drilling Fluids and Cuttings (DF)
- [ ] Hydrate Control Fluid (HF)
- [x] Maintenance BMP (WM)
- [x] Misc Discharge (MD)
- [ ] Produced Water (PR)
- [x] Sanitary & Domestic WW, Deck Drainage (WW)
- [ ] Stock Base Fluid Drill (SB)
- [ ] Well Fluids (WF)

Add Structure

Add Lease Block

Sensitive Areas

Add Lease Block

Certification Information

Certifier E-Mail *

Redacted

Form Action *

Approve

Digital Signature Acknowledgement

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based on my inquiry of the person or persons who manage the system, or those person directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.