Message

From: Blake, Ellen [Blake.Ellen@epa.gov]
Sent: 12/18/2017 5:44:04 PM
To: Miller, Amy [Miller.Amy@epa.gov]
Subject: RE: Meeting with DOH concerning ADC drainage system

Do you need me for this? I'm out after tomorrow.

Ellen Blake
Office of Regional Counsel
U.S. EPA Region 9
75 Hawthorne Street
San Francisco, CA 94105
Tel: (415) 972-3496
Fax: (415) 947-3571
blake.ellen@epa.gov

The information contained in this message, including any attachments hereto, may be privileged, confidential and/or exempt from disclosure under applicable laws. It is intended for the recipient only. If you are an agency employee or consultant, please consult with the sender prior to disclosing the contents of this message to third parties. If you have received this transmission in error, please notify the sender by reply email and delete the message and any attachments.

From: Miller, Amy
Sent: Friday, December 15, 2017 7:58 AM
To: Smith, DavidW <Smith.DavidW@epa.gov>; Blake, Ellen <Blake.Ellen@epa.gov>; Garnett, Desean <Garnett.Desean@epa.gov>
Cc: Grow, Richard <Grow.Richard@epa.gov>; Reyes, Deldi <Reyes.Deldi@epa.gov>; Grisier, Mary <Grisier.Mary@epa.gov>; TenBrook, Patti <TenBrook.Patti@epa.gov>
Subject: Meeting with DOH concerning ADC drainage system

David and Ellen:

Ex. 5 AC/DP

Many thanks!

Amy C. Miller
Chief of Staff and Ag Liaison
Office of Regional Administrator
U.S. Environmental Protection Agency, Region IX
(415) 947-4198
miller.amy@epa.gov