Message

From: Curtis, Jennifer [Curtis.Jennifer@epa.gov]
Sent: 9/24/2018 3:06:59 PM
To: Pavitt, John [Pavitt.John@epa.gov]
CC: McAlpine, Jerrold [McAlpine.Jay@epa.gov]; Pepple, Karl [Pepple.Karl@epa.gov]
Subject: RE: Quick turnaround-request from BLM for EPA input on GMT2 mitigation measures

Thank you John!

From: Pavitt, John
Sent: Friday, September 21, 2018 10:49 AM
To: Curtis, Jennifer <Curtis.Jennifer@epa.gov>; Pepple, Karl <Pepple.Karl@epa.gov>; McAlpine, Jerrold <McAlpine.Jay@epa.gov>
Subject: RE: Quick turnaround-request from BLM for EPA input on GMT2 mitigation measures

I have feedback on proposed mitigation for air quality.

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Sincerely,

John Pavitt, Air Compliance Inspector
Air Enforcement and Data Management Unit
U.S. EPA Region 10
Alaska Operations Office
Anchorage, AK
Phone: (907) 271-3688

From: Curtis, Jennifer
Sent: Monday, September 10, 2018 4:45 PM
To: Pepple, Karl <Pepple.Karl@epa.gov>; Pavitt, John <Pavitt.John@epa.gov>; McAlpine, Jerrold <McAlpine.Jay@epa.gov>
Subject: RE: Quick turnaround-request from BLM for EPA input on GMT2 mitigation measures

Thanks Karl! I know John is in the field and then has annual leave; I'm not sure if he's got access to email or not. We'll go with what we got by Thursday.

From: Pepple, Karl
Sent: Monday, September 10, 2018 4:34 PM
To: Curtis, Jennifer <Curtis.Jennifer@epa.gov>; Pavitt, John <Pavitt.John@epa.gov>; McAlpine, Jerrold <McAlpine.Jay@epa.gov>
Subject: RE: Quick turnaround-request from BLM for EPA input on GMT2 mitigation measures

JC!

Quick feedback:

Ex. 5 Deliberative Process (DP)

Sorry this wasw not more helpful!

KP

From: Curtis, Jennifer
Sent: Monday, September 10, 2018 2:10 PM
To: Pavitt, John <Pavitt.John@epa.gov>; McAlpine, Jerrold <McAlpine.Jay@epa.gov>
Cc: Pepple, Karl <Pepple.Karl@epa.gov>
Subject: Quick turnaround-request from BLM for EPA input on GMT2 mitigation measures
Importance: High

Good afternoon,

BLM has asked us to review the attached proposed mitigation measures (specifically Mitigation Measures 2, 8, 10, and 11) and let them know if they duplicate EPA's requirements/are under EPA's purview. In some cases, Stephanie Rice has asked specific questions that we need to respond to. They have asked for feedback by Friday, which means I would need any input you might have by Thursday midmorning. Any response you can provide is appreciated!

Jennifer Curtis, Alaska Oil, Gas and Energy Sector Manager
USEPA-Alaska Operations Office
222 West 7th Avenue, #19
Anchorage, Alaska 99513
907-271-6324