Message

From: McAteer, Mike [mcateer.mike@epa.gov]
Sent: 8/30/2017 12:10:52 AM
To: Bernier, Roberto [bernier.roberto@epa.gov]; Delgado, Eric [Delgado.Eric@epa.gov]
Subject: RE: Updated IMAAC Product

I was just to thank both of you for your super-expedited help today with the Arkema thing! I was really under rapid fire from FEMA and TCEQ.... You saved me!

Thank you!!!

Mike McAteer
Federal On-Scene Coordinator
U.S. EPA
1445 Ross Ave
Suite 1200 (6SF-ER)
Dallas, Texas 75202
(214) 354 9371 (mobile)
(214) 665 7157 (office)
mcateer.mike@epa.gov

From: Bernier, Roberto
Sent: Tuesday, August 29, 2017 4:18 PM
To: McAteer, Mike <mcateer.mike@epa.gov>
Cc: Mason, Steve <mason.steve@epa.gov>
Subject: FW: Updated IMAAC Product

Both, SO2 and Cl, Peroxides

From: Leonova, Larisa
Sent: Tuesday, August 29, 2017 4:09 PM
To: Rauscher, Jon <Rauscher.Jon@epa.gov>; Delgado, Eric <Delgado.Eric@epa.gov>; Bernier, Roberto <bernier.roberto@epa.gov>
Cc: R6HarveyENVL <R6HarveyENVL@epa.gov>
Subject: FW: Updated IMAAC Product

From: Miller, Timothy J CTR DTRA J9 (US) [mailto:timothy.j.miller270.ctr@mail.mil]
Sent: Tuesday, August 29, 2017 3:53 PM
To: Leonard.willittsjr@fema.dhs.gov; fema-nwc@fema.dhs.gov; DTRA Ft Belvoir J3-7 Mailbox Joint Ops Center <dtra.belvoir.J3-7.mbx.joint-ops-center@mail.mil>; Poland, Ronald E Jr SSG USARMY (US) <ronald.e.poland.mil@mail.mil>; Leonova, Larisa <leonova.larisa@epa.gov>; s&tcsacreachback@st.dhs.gov
Cc: DTRA Ft Belvoir J9 Mailbox Reachback <dtra.belvoir.J9.mbx.reachback@mail.mil>
Subject: Updated IMAAC Product

IMAAC Technical Operations has been asked to update a modeling product for the EPA for a hypothetical chemical release in Crosby, TX at 1800Z. This is a request is for a single agency and only involves a hypothetical incident at this time. The updated products are posted to the IMAAC HSIN portal and attached here. Should the situation change, a

notification informing IMAAC participants of this change (and any additional details) will be sent out. Please inform us if another IMAAC agency has been asked to respond to the same incident.