Message

From: Guzzo, Lindsay [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=8643D3D6703A4886B13C5548D22307A0-GUZZO, LINDSAY]
Sent: 11/22/2019 12:42:54 AM
To: BOROK Aron [Aron.BOROK@state.or.us]; STURDEVANT Debra [Debra.STURDEVANT@state.or.us]; DOU Connie [Connie.Dou@state.or.us]
CC: Shaw, Hanh [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=60509321022b49a39f6f6f8df62858de-Shaw, Hanh]; Labiosa, Rochelle [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=ded3654216c9461d95cd5a3ceec507ef-Labiosa, Rochelle]
Subject: RE: OR / EPA MDV discussion

Hi Aron,
We would like to discuss the comments you received during your public comment period. Specifically the comments around the following topics:

- How sources of mercury other than the point-source dischargers are addressed
- The specificity of OR's PMPs
- Justification for HAC3
- MDV vs waterbody variance

Thanks.

Lindsay Guzzo

Lindsay Guzzo
US EPA Region 10
Water Division
Standards and Assessment Section
1200 Sixth Avenue, Suite 155 (WD 19-H16)
Seattle, WA 98101

phone: 206-553-0268
guzzo.lindsay@epa.gov

From: BOROK Aron <Aron.BOROK@state.or.us>
Sent: Monday, November 18, 2019 12:04 PM
To: Guzzo, Lindsay <Guzzo.Lindsay@epa.gov>
Cc: DOU Connie <Connie.Dou@state.or.us>; STURDEVANT Debra <Debra.STURDEVANT@state.or.us>; mercury2019 <mercury2019@deq.state.or.us>; Shaw, Hanh <Shaw.Hanh@epa.gov>
Subject: RE: OR / EPA MDV discussion

Hi Lindsay,

OK. To the extent that you are able before Thursday, can you provide a list of discussion topics or comments that EPA wishes to talk about before Monday? That would help us to prepare for the meeting.

Thanks,

Aron Borok
Water Quality Standards Specialist
Oregon Department of Environmental Quality

503-229-5050
borok.aron@deq.state.or.us
Water Quality Standards website

From: Guzzo, Lindsay <Guzzo.Lindsay@epa.gov>
Sent: Monday, November 18, 2019 8:45 AM
To: BOROK Aron <Aron.BOROK@state.or.us>
Cc: DOU Connie <Connie.Dou@state.or.us>; STURDEVANT Debra <Debra.STURDEVANT@state.or.us>; mercury2019 <mercury2019@deq.state.or.us>; Shaw, Hanh <Shaw.Hanh@epa.gov>
Subject: RE: OR / EPA MDV discussion

Hi Aron,
Unfortunately most folks didn't see your email until today (with many having Friday off) and have not had a chance to discuss and put together a concise answer. I think it would be better to wait until next week when we can give you greater clarity.

Lindsay Guzzo

Lindsay Guzzo
US EPA Region 10
Water Division
Standards and Assessment Section
1200 Sixth Avenue, Suite 155 (WD 19-H16)
Seattle, WA 98101

phone: 206-553-0268
guzzo.lindsay@epa.gov

From: BOROK Aron <Aron.BOROK@state.or.us>
Sent: Monday, November 18, 2019 8:30 AM
To: Guzzo, Lindsay <Guzzo.Lindsay@epa.gov>
Cc: DOU Connie <Connie.Dou@state.or.us>; STURDEVANT Debra <Debra.STURDEVANT@state.or.us>; mercury2019 <mercury2019@deq.state.or.us>
Subject: RE: OR / EPA MDV discussion

Is there any way to have a shorter call this morning focusing on the questions that I sent last week?

Aron Borok
Water Quality Standards Specialist
Oregon Department of Environmental Quality
503-229-5050
borok.aron@deq.state.or.us
Water Quality Standards website

-----Original Appointment-----
From: Guzzo, Lindsay <Guzzo.Lindsay@epa.gov>
Sent: Monday, November 18, 2019 8:10 AM
To: Fleisig, Erica; Barash, Shari; Vlcan, Manjali; Dreyfus, Melissa G.; Pettit, Elizabeth (Libby); Shaw, Hanh; Labiosa, Rochelle; BOROK Aron; STURDEVANT Debra; DOU Connie
Cc: Keating, Jim; Buffo, Corey; Martinez, Menchu
Subject: OR / EPA MDV discussion

When: Monday, November 25, 2019 10:30 AM-12:00 PM (UTC-08:00) Pacific Time (US & Canada).
Where:

Do to the volume of comments received, we would like to push back this conversation until next week, so we can ensure a more informed discussion.

Call in number: Ex. 6 Personal Privacy (PP)
Code: Ex. 6 Personal Privacy (PP)