Message

From: Guzzo, Lindsay [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=8643D3D6703A4886B13C5548D22307A0-GUZZO, LINDSAY]
Sent: 9/26/2019 2:31:28 PM
To: BOROK Aron [Aron.BOROK@state.or.us]
CC: Labiosa, Rochelle [/o=ExchangeLabs/ou=Exchange Administrative Group (FYDIBOHF23SPDLT)/cn=Recipients/cn=ded3654216c9461d95cd5a3ceec507ef-Labiosa, Rochelle]
Subject: RE: Available tomorrow for a phone call?

Hi Aron,
I am actually off today through next Tuesday. It would be great to chat when I get back. Rochelle might be able to pass along any ideas to Erica if you need more immediate feedback?

Lindsay Guzzo

Lindsay Guzzo
US EPA Region 10
Water Division
Standards and Assessment Section
1200 Sixth Avenue, Suite 155 (WD 19-H16)
Seattle, WA 98101

phone: 206-553-0268
guzzo.lindsay@epa.gov

From: BOROK Aron <Aron.BOROK@state.or.us>
Sent: Wednesday, September 25, 2019 2:35 PM
To: Guzzo, Lindsay <Guzzo.Lindsay@epa.gov>
Cc: mercury2019 <mercury2019@deq.state.or.us>
Subject: Available tomorrow for a phone call?

Hi Lindsay,

Do you have 15-30 minutes tomorrow for a quick phone call? We've been batting an idea around on the MDV that I wanted to run by you. I'm busy from 11-noon and 1-1:30, but otherwise available.

Thanks,

Aron Borok
Water Quality Standards Specialist
Oregon Department of Environmental Quality
503-229-5050
borok.aron@deq.state.or.us
Water Quality Standards website