Message

From: Smith, Brian [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=B10F3FEDD3A243ADAEC5CB78C14C9F18-SMITH, BRIAN]
Sent: 1/30/2020 10:29:32 PM
To: Hays, Lewis [Lewis.Hays@dnr.ga.gov]
CC: Capp, James [James.Capp@dnr.ga.gov]; Gettle, Jeaneanne [Gettle.Jeaneanne@epa.gov]; Allenbach, Becky [Allenbach.Becky@epa.gov]; Campbell-Dunbar, Shawneille [Campbell-Dunbar.Shawneille@epa.gov]; Deatrick, John [Deatrick.John@epa.gov]; Box, Stacey [Box.Stacey@epa.gov]; Hall, Renea [Hall.Renea@epa.gov]
Subject: FW: R4 LIMS Results: Project 20-0169, E200403 SVOA 01 30 20 1448
Attachments: E200403 SVOA FINAL 01 30 20 1448.PDF; ATT00001.htm; E200403 SVOA FINAL 01 30 20 1448 - 20-0169 - 01-30-2020..Dat; ATT00002.htm

Lewis,

EPA LSASD completed the analysis of the sampling conducted at Summerville on January 23rd and the final results are attached. As we just discussed, the finished water at the Racoon Creek was quite similar to that of the raw water and is elevated above the recommended LHA for PFOA/PFOS. The spring source was non-detect for PFAS. As you share this with Summerville, please let us know if there is anything EPA can do to further assist.

Brian Smith, P.E.
Chief, Safe Drinking Water Branch | Water Division | U.S. EPA, Region 4 | 404-562-9845

Subject: R4 LIMS Results: Project 20-0169, E200403 SVOA 01 30 20 1448

On Thursday, January 30, 2020, results for the following were released by the Region 4 Laboratory:

Analyses:
Semi Volatile Organics (SVOA)

Project Number: 20-0169
Project Name: GAEPD Summerville PFAS Screening

These results were reported by:
Diana Burdette (E-mail: Burdette.Diana@epa.gov)
If you have questions concerning the laboratory results, please feel free to contact the laboratory personnel shown above as having reported the data. We also encourage you to provide feedback to the Region 4 laboratory by filling out our online (*EPA internal network only*) Customer Survey Form.

These results are for the following Sample Type(s):
Water (Field Blank)
Water (Municipal Water Supply)
Water (Potable Water)
Water (Trip Blank - Water)

PDF DATA RESULTS REPORT FILE ATTACHMENT:
An Adobe Acrobat PDF file is attached to this message that contains final results for the analyses as indicated in the data report.

DATA EXPORT FILE ATTACHMENT:
If attached, data export files will be tab delimited ASCII text files contained in a file that has been formatted using the ZIP archiving format (.Dat extension). Please consult your local computer support personnel if you have problems extracting these files. If you have questions about the data file formats and the information contained in these files, or if you would like to request export files for previously reported data, use the contact information shown below to contact the appropriate person with your concerns. To generate export files for previously reported data we'll need the name of the PDF report file that was attached to the original transmittal message.

For questions concerning this message and attachments, or any other LIMS or data reporting issues, please call the LSASD PC Hotline at 706-355-8825 or send an email to r4lims@epa.gov.

SAMPLE DISPOSAL POLICY:
Due to limited space for long term sample storage, LSB's policy is to dispose of samples on a periodic schedule. Air samples collected in summa canisters will be disposed of 30 days following the issuance of this report. All other sample media including original samples, sample extracts and or digestates will be disposed of, in accordance with applicable regulations, 60 days from the date of this report.

This sample disposal policy does not apply to criminal samples which are held until the laboratory is notified by the criminal investigators that case development and litigation are complete.

These samples may be held in the laboratory's custody for a longer period of time. If samples require storage beyond the 60-day period, please contact the Sample Control Coordinator by e-mail at R4SampleCustody@epa.gov.

****CONFIDENTIALITY NOTICE****
This e-mail is intended only for the use of the specific individual(s) to whom it is addressed. If you are not an intended recipient of this e-mail, you are hereby notified that any use, dissemination or copying of this e-mail or the information contained in it or attached to it is unauthorized. If you have received this e-mail in error, please immediately notify us by reply e-mail to R4LIMS@epa.gov and then delete this message.