Passive Sampler: ST13

Start:	1/30/2018	2/13/2018	2/27/2018
	1/30/18 8:00	2/13/18 8:00	2/27/18 8:00
End:	2/13/18 8:00	2/27/18 8:00	3/13/18 8:00

Wind Vector Segment ° - °	Avg. NFS Contribution to Modeled Concentrations (%)	Total Wind Direction Hours (hrs)	Total Wind Direction Hours (hrs)	Total Wind Direction Hours (hrs)
0-10	0.64%	7.00	13.00	0.00
10-20	0.74%	3.00	3.00	4.00
20-30	0.66%	3.00	4.00	2.00
30-40	0.72%	3.00	5.00	10.00
40-50	0.76%	6.00	12.00	16.00
50-60	3.37%	4.00	20.00	8.00
60-70	6.34%	4.00	13.00	3.00
70-80	5.88%	8.00	17.00	7.00
80-90	6.26%	7.00	6.00	2.00
90-100	6.35%	5.00	1.00	3.00
100-110	8.67%	3.00	6.00	2.00
110-120	10.53%	3.00	1.00	2.00
120-130	11.88%	5.00	4.00	0.00
130-140	13.19%	5.00	2.00	2.00
140-150	12.51%	2.00	5.00	0.00
150-160	9.95%	6.00	5.00	1.00
160-170	9.21%	4.00	5.00	2.00
170-180	10.51%	6.00	10.00	0.00
180-190	10.27%	23.00	6.00	7.00
190-200	9.89%	20.00	11.00	7.00
200-210	5.91%	13.00	17.00	12.00
210-220	1.13%	9.00	15.00	5.00
220-230	0.81%	12.00	27.00	11.00
230-240	0.94%	7.00	30.00	7.00
240-250	1.16%	11.00	17.00	4.00
250-260	1.45%	11.00	7.00	13.00
260-270	1.42%	6.00	9.00	18.00
270-280	1.30%	5.00	5.00	14.00
280-290	1.22%	13.00	8.00	16.00
290-300	1.08%	10.00	8.00	15.00
300-310	0.99%	28.00	10.00	7.00
310-320	0.92%	24.00	10.00	20.00
320-330	0.86%	15.00	6.00	18.00
330-340	0.93%	19.00	5.00	40.00
340-350	0.82%	14.00	9.00	43.00
350-360	0.89%	12.00	4.00	15.00
	ΣHours	**336.00**	**336.00**	**336.00**
	ΣMET Data Hours (check)	**336.00**	**336.00**	**336.00**
Time Weighted Avg NFS Contribution (NFSactual = ∑Segment (NFS % Contribution * Segment Time) / ∑Segment Time) (%):		3.73%	3.47%	2.08%
Measured Fenceline Concentration (MFC) (μg/m^3):		2.90	2.50	1.50
Upper 95% Conf. Limit (MFCavg + 2 * σ):		4.56	4.56	4.56
Transient Non-routine Event?:		No	No	No
NFStransient = Concentration attributed to a transient event from a NFS (if applicable):		--	--	--
NFSactual.conc (μg/m^3):		0.11	0.09	0.03
Uniform Background (UB) (μg/m^3):		1.20	1.00	0.70
Uniform Background Source:		ST22	ST25	ST22
Corrected Fenceline Concentration (ΔC = MFC - NFSactual.conc - UB)(μg/m^3):		**1.59**	**1.41**	**0.77**

Passive Sampler: ST13

Start:	3/13/2018	3/27/2018	4/10/2018	4/24/2018	5/8/2018	5/22/2018	6/5/2018
	3/13/18 8:00	3/27/18 8:00	4/10/18 8:00	4/24/18 8:00	5/8/18 8:00	5/22/18 8:00	6/5/18 8:00
End:	3/27/18 8:00	4/10/18 8:00	4/24/18 8:00	5/8/18 8:00	5/22/18 8:00	6/5/18 8:00	6/19/18 8:00

Wind Vector Segment ° - °	Avg. NFS Contribution to Modeled Concentrations (%)	Total Wind Direction Hours (hrs)	Total Wind Direction Hours (hrs)	Total Wind Direction Hours (hrs)	Total Wind Direction Hours (hrs)	Total Wind Direction Hours (hrs)	Total Wind Direction Hours (hrs)	Total Wind Direction Hours (hrs)
0-10	0.64%	18.00	10.00	6.00	5.00	12.00	7.00	1.00
10-20	0.74%	2.00	10.00	2.00	2.00	6.00	0.00	2.00
20-30	0.66%	4.00	3.00	2.00	2.00	5.00	2.00	6.00
30-40	0.72%	21.00	5.00	0.00	4.00	3.00	2.00	4.00
40-50	0.76%	15.00	7.00	3.00	5.00	17.00	6.00	3.00
50-60	3.37%	12.00	4.00	10.00	5.00	33.00	11.00	21.00
60-70	6.34%	8.00	9.00	19.00	16.00	34.00	28.00	11.00
70-80	5.88%	8.00	8.00	19.00	14.00	32.00	29.00	13.00
80-90	6.26%	12.00	4.00	8.00	14.00	16.00	14.00	9.00
90-100	6.35%	1.00	9.00	3.00	11.00	13.00	3.00	5.00
100-110	8.67%	2.00	4.00	3.00	2.00	10.00	9.00	4.00
110-120	10.53%	1.00	4.00	2.00	7.00	12.00	13.00	6.00
120-130	11.88%	4.00	4.00	7.00	3.00	11.00	9.00	3.00
130-140	13.19%	2.00	8.00	1.00	5.00	4.00	7.00	7.00
140-150	12.51%	1.00	5.00	1.00	5.00	7.00	5.00	8.00
150-160	9.95%	0.00	5.00	3.00	1.00	4.00	5.00	8.00
160-170	9.21%	0.00	8.00	7.00	0.00	7.00	4.00	9.00
170-180	10.51%	0.00	12.00	6.00	7.00	5.00	3.00	15.00
180-190	10.27%	1.00	14.00	13.00	8.00	8.00	11.00	22.00
190-200	9.89%	3.00	20.00	12.00	4.00	9.00	10.00	21.00
200-210	5.91%	0.00	23.00	20.00	15.00	14.00	16.00	10.00
210-220	1.13%	0.00	13.00	17.00	15.00	7.00	26.00	20.00
220-230	0.81%	2.00	7.00	22.00	29.00	12.00	30.00	26.00
230-240	0.94%	9.00	8.00	14.00	29.00	16.00	17.00	18.00
240-250	1.16%	7.00	8.00	12.00	8.00	5.00	11.00	10.00
250-260	1.45%	15.00	3.00	9.00	5.00	2.00	4.00	3.00
260-270	1.42%	21.00	6.00	16.00	12.00	2.00	2.00	6.00
270-280	1.30%	22.00	7.00	20.00	12.00	0.00	4.00	5.00
280-290	1.22%	18.00	20.00	14.00	17.00	1.00	6.00	7.00
290-300	1.08%	16.00	8.00	3.00	18.00	6.00	3.00	13.00
300-310	0.99%	21.00	8.00	12.00	15.00	5.00	5.00	5.00
310-320	0.92%	27.00	18.00	19.00	5.00	2.00	6.00	8.00
320-330	0.86%	31.00	18.00	13.00	6.00	5.00	5.00	8.00
330-340	0.93%	16.00	23.00	10.00	8.00	1.00	13.00	7.00
340-350	0.82%	9.00	6.00	6.00	7.00	3.00	1.00	6.00
350-360	0.89%	7.00	7.00	2.00	15.00	7.00	9.00	6.00
	ΣHours	**336.00**	**336.00**	**336.00**	**336.00**	**336.00**	**336.00**	**336.00**
	ΣMET Data Hours (check)	**336.00**	**336.00**	**336.00**	**336.00**	**336.00**	**336.00**	**336.00**
Time Weighted Avg NFS Contribution (NFSactual = ∑Segment (NFS % Contribution * Segment Time) / ∑Segment Time) (%):		1.95%	4.19%	3.66%	3.36%	5.05%	4.61%	4.78%
Measured Fenceline Concentration (MFC) ($\mu g/m^3$):		2.30	3.30	4.10	1.60	2.10	1.90	2.30
Upper 95% Conf. Limit (MFCavg + 2 * σ_i):		4.56	4.56	4.56	4.56	4.56	4.56	4.56
Transient Non-routine Event?:		No	No	No	No	No	No	No
NFStransient, = Concentration attributed to a transient event from a NFS (if applicable):		--	--	--	--	--	--	--
NFSactual.conc ($\mu g/m^3$):		0.04	0.14	0.15	0.05	0.11	0.09	0.11
Uniform Background (UB) ($\mu g/m^3$):		0.66	0.88	0.71	0.52	0.59	0.56	0.61
Uniform Background Source:		ST21	ST22	ST22	ST22	ST11	ST22	ST11
Corrected Fenceline Concentration (ΔC = MFC - NFSactual.conc - UB)($\mu g/m^3$):		**1.60**	**2.28**	**3.24**	**1.03**	**1.40**	**1.25**	**1.58**

Passive Sampler: ST13

Start:	6/19/2018	7/3/2018	7/17/2018	7/31/2018	8/14/2018	8/28/2018	9/11/2018
	6/19/18 8:00	7/3/18 8:00	7/17/18 8:00	7/31/18 8:00	8/14/18 8:00	8/28/18 8:00	9/11/18 8:00
End:	7/3/18 8:00	7/17/18 8:00	7/31/18 8:00	8/14/18 8:00	8/28/18 8:00	9/11/18 8:00	9/25/18 8:00

Wind Vector Segment ° - °	Avg. NFS Contribution to Modeled Concentrations (%)	Total Wind Direction Hours (hrs)	Total Wind Direction Hours (hrs)	Total Wind Direction Hours (hrs)	Total Wind Direction Hours (hrs)	Total Wind Direction Hours (hrs)	Total Wind Direction Hours (hrs)	Total Wind Direction Hours (hrs)
0-10	0.64%	7.00	6.00	12.00	3.00	2.00	5.00	12.00
10-20	0.74%	7.00	5.00	5.00	0.00	0.00	3.00	5.00
20-30	0.66%	2.00	3.00	3.00	4.00	0.00	4.00	5.00
30-40	0.72%	1.00	5.00	2.00	4.00	3.00	27.00	11.00
40-50	0.76%	14.00	6.00	7.00	4.00	12.00	25.00	34.00
50-60	3.37%	10.00	2.00	6.00	11.00	10.00	28.00	43.00
60-70	6.34%	8.00	3.00	9.00	5.00	8.00	21.00	31.00
70-80	5.88%	6.00	6.00	10.00	3.00	9.00	20.00	47.00
80-90	6.26%	13.00	12.00	11.00	4.00	11.00	24.00	15.00
90-100	6.35%	10.00	21.00	7.00	5.00	10.00	17.00	7.00
100-110	8.67%	4.00	10.00	14.00	16.00	6.00	10.00	18.00
110-120	10.53%	3.00	9.00	11.00	4.00	5.00	3.00	8.00
120-130	11.88%	5.00	13.00	16.00	8.00	7.00	3.00	8.00
130-140	13.19%	6.00	6.00	22.00	11.00	4.00	0.00	4.00
140-150	12.51%	5.00	6.00	36.00	2.00	4.00	1.00	11.00
150-160	9.95%	9.00	10.00	20.00	10.00	6.00	7.00	7.00
160-170	9.21%	18.00	4.00	13.00	6.00	2.00	7.00	2.00
170-180	10.51%	16.00	8.00	6.00	9.00	4.00	6.00	4.00
180-190	10.27%	18.00	11.00	8.00	10.00	10.00	6.00	11.00
190-200	9.89%	10.00	26.00	14.00	31.00	21.00	9.00	4.00
200-210	5.91%	12.00	18.00	11.00	30.00	21.00	10.00	7.00
210-220	1.13%	13.00	20.00	7.00	30.00	23.00	15.00	2.00
220-230	0.81%	13.00	35.00	7.00	28.00	28.00	23.00	2.00
230-240	0.94%	22.00	25.00	11.00	28.00	29.00	22.00	3.00
240-250	1.16%	20.00	12.00	5.00	8.00	21.00	10.00	2.00
250-260	1.45%	4.00	4.00	2.00	9.00	12.00	0.00	2.00
260-270	1.42%	3.00	0.00	1.00	5.00	10.00	1.00	0.00
270-280	1.30%	6.00	2.00	3.00	7.00	8.00	1.00	0.00
280-290	1.22%	6.00	7.00	12.00	8.00	14.00	0.00	2.00
290-300	1.08%	5.00	5.00	6.00	7.00	3.00	2.00	0.00
300-310	0.99%	5.00	6.00	3.00	7.00	3.00	3.00	2.00
310-320	0.92%	9.00	2.00	2.00	6.00	9.00	2.00	1.00
320-330	0.86%	10.00	1.00	3.00	6.00	5.00	5.00	6.00
330-340	0.93%	15.00	6.00	8.00	3.00	7.00	4.00	4.00
340-350	0.82%	11.00	7.00	10.00	0.00	6.00	6.00	10.00
350-360	0.89%	10.00	14.00	13.00	4.00	3.00	6.00	6.00
	ΣHours	**336.00**	**336.00**	**336.00**	**336.00**	**336.00**	**336.00**	**336.00**
	ΣMET Data Hours (check)	**336.00**	**336.00**	**336.00**	**336.00**	**336.00**	**336.00**	**336.00**
Time Weighted Avg NFS Contribution (NFSactual = ∑Segment (NFS % Contribution * Segment Time) / ∑Segment Time) (%):		4.42%	4.81%	6.54%	4.76%	3.93%	3.93%	5.04%
Measured Fenceline Concentration (MFC) (μg/m^3):		2.20	2.10	6.60	2.10	2.20	2.30	2.30
Upper 95% Conf. Limit (MFCavg + 2 * σ_i):		4.56	4.56	4.56	4.56	4.56	4.56	4.56
Transient Non-routine Event?:		No	No	**Yes**	No	No	No	No
NFStransient, = Concentration attributed to a transient event from a NFS (if applicable):		--	--	0.60	--	--	--	--
NFSactual.conc (μg/m^3):		0.10	0.10	0.30	0.10	0.09	0.09	0.12
Uniform Background (UB) (μg/m^3):		0.63	0.69	0.75	0.83	0.55	0.64	0.62
Uniform Background Source:		ST8	ST22	ST33	ST22	ST22	ST36	ST36
Corrected Fenceline Concentration (ΔC = MFC - NFSactual.conc - UB)(μg/m^3):		**1.47**	**1.31**	**5.55**	**1.17**	**1.56**	**1.57**	**1.56**

Passive Sampler: ST13

Start:	9/25/2018	10/9/2018	10/23/2018	11/6/2018	11/20/2018	12/4/2018	12/18/2018
	9/25/18 8:00	10/9/18 8:00	10/23/18 8:00	11/6/18 8:00	11/20/18 8:00	12/4/18 8:00	12/18/18 8:00
End:	10/9/18 8:00	10/23/18 8:00	11/6/18 8:00	11/20/18 8:00	12/4/18 8:00	12/18/18 8:00	1/2/19 8:00

Wind Vector Segment ° - °	Avg. NFS Contribution to Modeled Concentrations (%)	Total Wind Direction Hours (hrs)	Total Wind Direction Hours (hrs)	Total Wind Direction Hours (hrs)	Total Wind Direction Hours (hrs)	Total Wind Direction Hours (hrs)	Total Wind Direction Hours (hrs)	Total Wind Direction Hours (hrs)
0-10	0.64%	19.00	3.00	3.00	3.00	8.00	11.00	5.00
10-20	0.74%	8.00	5.00	2.00	4.00	0.00	8.00	1.00
20-30	0.66%	3.00	0.00	3.00	4.00	2.00	3.00	2.00
30-40	0.72%	4.00	1.00	9.00	11.00	7.00	6.00	1.00
40-50	0.76%	6.00	1.00	11.00	24.00	12.00	26.00	5.00
50-60	3.37%	8.00	1.00	11.00	16.00	9.00	23.00	6.00
60-70	6.34%	12.00	0.00	20.00	14.00	9.00	14.00	4.00
70-80	5.88%	17.00	0.00	13.00	7.00	10.00	12.00	8.00
80-90	6.26%	14.00	4.00	5.00	7.00	3.00	12.00	16.00
90-100	6.35%	9.00	0.00	5.00	8.00	7.00	3.00	4.72
100-110	8.67%	6.00	1.00	5.00	6.00	4.00	0.00	11.23
110-120	10.53%	6.00	1.00	2.00	3.00	4.00	1.00	12.80
120-130	11.88%	5.00	3.00	2.00	1.00	8.00	2.00	5.35
130-140	13.19%	4.00	5.00	2.00	3.00	1.00	6.00	7.00
140-150	12.51%	8.00	3.00	5.00	3.00	1.00	0.00	10.00
150-160	9.95%	5.00	6.00	2.00	4.00	1.00	1.00	5.00
160-170	9.21%	13.00	16.00	2.00	2.00	0.00	0.00	2.00
170-180	10.51%	17.00	9.00	6.00	2.00	2.00	0.00	8.28
180-190	10.27%	10.00	14.00	7.00	4.00	2.00	0.00	4.00
190-200	9.89%	28.00	20.00	18.00	6.00	2.00	2.00	9.20
200-210	5.91%	21.00	17.00	16.00	3.00	1.00	2.00	9.00
210-220	1.13%	14.00	8.00	10.00	2.00	3.00	3.00	6.00
220-230	0.81%	14.00	16.00	12.00	13.00	7.00	7.00	11.95
230-240	0.94%	13.00	25.00	19.00	19.00	11.00	5.00	18.40
240-250	1.16%	5.00	18.00	14.00	18.00	16.00	4.00	19.73
250-260	1.45%	7.00	12.00	18.00	24.00	18.00	10.00	11.92
260-270	1.42%	3.00	17.00	9.00	11.00	8.00	11.00	7.00
270-280	1.30%	1.00	10.00	19.00	20.00	28.00	14.00	15.00
280-290	1.22%	2.00	21.00	18.00	16.00	44.00	15.00	30.00
290-300	1.08%	1.00	19.00	11.00	22.00	20.00	19.00	32.00
300-310	0.99%	7.00	23.00	14.00	10.00	16.00	25.00	21.00
310-320	0.92%	3.00	28.00	14.00	8.00	16.00	14.00	24.00
320-330	0.86%	14.00	14.00	12.00	9.00	18.00	14.00	17.00
330-340	0.93%	10.00	6.00	10.00	13.00	12.00	21.00	5.32
340-350	0.82%	6.00	6.00	4.00	11.00	11.00	19.00	4.00
350-360	0.89%	13.00	3.00	3.00	5.00	15.00	23.00	0.00
	ΣHours	**336.00**	**336.00**	**336.00**	**336.00**	**336.00**	**336.00**	**359.90**
	ΣMET Data Hours (check)	**336.00**	**336.00**	**336.00**	**336.00**	**336.00**	**336.00**	**359.90**
Time Weighted Avg NFS Contribution (NFSactual = ∑Segment (NFS % Contribution * Segment Time) / ∑Segment Time) (%):		4.96%	3.51%	3.43%	2.69%	2.30%	2.19%	3.69%
Measured Fenceline Concentration (MFC) (μg/m^3):		4.10	2.40	2.60	2.90	9.30	11.00	22.00
Upper 95% Conf. Limit (MFCavg + 2 * σ_i):		3.25	3.59	3.59	3.55	3.57	3.77	3.97
Transient Non-routine Event?:		**Yes**	No	No	No	**Yes**	**Yes**	**Yes**
NFStransient, = Concentration attributed to a transient event from a NFS (if applicable):		0.00	--	--	--	5.49	7.04	17.86
NFSactual.conc (μg/m^3):		0.16	0.08	0.07	0.08	5.58	7.12	18.01
Uniform Background (UB) (μg/m^3):		0.98	0.67	0.58	0.92	0.93	1.10	1.10
Uniform Background Source:		ST11	ST11	ST22	ST11	ST36	ST11	ST22
Corrected Fenceline Concentration (ΔC = MFC - NFSactual.conc - UB)(μg/m^3):		**2.96**	**1.65**	**1.35**	**1.90**	**2.79**	**2.78**	**2.89**

Passive Sampler: ST13

Start:	1/2/2019	1/16/2019	1/30/2019	2/13/2019	2/27/2019	3/13/2019
	1/2/19 8:00	1/16/19 8:00	1/30/19 8:00	2/13/19 8:00	2/27/19 8:00	3/13/19 8:00
End:	1/16/19 8:00	1/30/19 8:00	2/13/19 8:00	2/27/19 8:00	3/13/19 8:00	3/27/19 8:00

Wind Vector Segment ° - °	Avg. NFS Contribution to Modeled Concentrations (%)	Total Wind Direction Hours (hrs)	Total Wind Direction Hours (hrs)	Total Wind Direction Hours (hrs)	Total Wind Direction Hours (hrs)	Total Wind Direction Hours (hrs)	Total Wind Direction Hours (hrs)
0-10	0.64%	0.00	0.00	0.00	0.00	0.00	0.00
10-20	0.74%	4.00	5.80	8.87	6.53	7.93	12.53
20-30	0.66%	4.63	1.82	4.20	6.43	4.07	2.28
30-40	0.72%	6.75	1.10	4.58	5.45	10.25	3.53
40-50	0.76%	10.80	9.95	6.43	9.67	5.70	5.87
50-60	3.37%	18.90	13.27	10.22	17.32	21.43	8.27
60-70	6.34%	5.57	5.65	10.65	7.32	12.00	3.38
70-80	5.88%	5.98	11.58	16.43	12.58	4.83	11.60
80-90	6.26%	6.88	7.92	13.45	7.68	6.72	6.68
90-100	6.35%	5.48	11.47	4.93	3.45	10.18	3.90
100-110	8.67%	3.58	18.23	9.32	3.53	3.40	5.87
110-120	10.53%	0.00	4.00	11.17	0.53	4.72	7.90
120-130	11.88%	9.38	6.77	3.63	1.58	8.43	2.00
130-140	13.19%	8.00	2.00	5.00	2.13	6.43	0.00
140-150	12.51%	7.83	7.00	1.00	1.32	2.73	5.00
150-160	9.95%	4.00	1.92	2.00	5.08	8.07	2.00
160-170	9.21%	5.45	2.00	0.00	2.00	0.28	7.50
170-180	10.51%	3.73	8.83	4.00	3.33	2.08	6.00
180-190	10.27%	1.10	15.20	1.00	2.00	2.00	21.00
190-200	9.89%	1.15	17.27	3.00	3.00	3.65	12.00
200-210	5.91%	3.47	10.45	17.88	8.08	1.28	11.90
210-220	1.13%	1.00	5.17	9.02	10.30	3.47	13.60
220-230	0.81%	4.80	9.20	7.20	1.00	2.35	14.33
230-240	0.94%	6.00	15.63	21.07	6.58	2.85	9.00
240-250	1.16%	13.65	4.53	6.80	9.15	9.38	6.00
250-260	1.45%	12.08	8.87	17.23	15.42	9.00	11.00
260-270	1.42%	13.00	11.67	9.38	25.07	13.05	8.07
270-280	1.30%	13.42	7.27	11.93	12.20	16.83	8.30
280-290	1.22%	14.42	15.27	12.00	21.83	25.98	19.80
290-300	1.08%	28.65	15.37	14.20	15.88	22.08	25.30
300-310	0.99%	17.07	26.47	20.95	19.68	15.00	25.68
310-320	0.92%	21.10	15.87	17.30	13.45	17.48	12.22
320-330	0.86%	26.12	13.07	6.33	15.37	23.93	4.62
330-340	0.93%	16.00	5.60	15.58	17.98	11.22	3.00
340-350	0.82%	6.03	11.47	10.02	15.02	9.93	4.50
350-360	0.89%	25.97	8.35	19.22	28.03	27.23	31.37
	ΣHours	**336.00**	**336.00**	**336.00**	**336.00**	**336.00**	**336.00**
	ΣMET Data Hours (check)	**336.00**	**336.00**	**336.00**	**336.00**	**336.00**	**336.00**
Time Weighted Avg NFS Contribution (NFSactual = ∑Segment (NFS % Contribution * Segment Time) / ∑Segment Time) (%):		2.92%	4.11%	3.18%	2.43%	2.96%	3.53%
Measured Fenceline Concentration (MFC) (µg/m^3):		53.00	110.00	100.00	48.00	26.00	31.00
Upper 95% Conf. Limit (MFCavg + 2 * σ)[1]		4.16	4.35	4.56	4.79	5.06	5.30
Transient Non-routine Event?:		**Yes**	**Yes**	**Yes**	**Yes**	**Yes**	**Yes**
NFStransient, = Concentration attributed to a transient event from a NFS (if applicable):		48.70	105.53	95.34	43.13	20.89	25.67
NFSactual.conc (µg/m^3):		**48.82**	**105.71**	**95.49**	**43.25**	**21.04**	**25.85**
Uniform Background (UB) (µg/m^3):		1.10	1.30	1.90	1.20	1.00	0.96
Uniform Background Source:		ST22	ST36	ST22	ST21	ST11	ST11
Corrected Fenceline Concentration (ΔC = MFC - NFSactual.conc - UB)(µg/m^3):		**3.08**	**2.99**	**2.61**	**3.55**	**3.96**	**4.19**