Message

From: Ramanauskas, Peter [ramanauskas.peter@epa.gov]
Sent: 12/2/2016 5:20:23 PM
To: Mullin, Michelle [Mullin.Michelle@epa.gov]; Moore, Kendall [moore.kendall@epa.gov]; Peachey, Robert [peachey.robert@epa.gov]
Subject: RE: Sky Valley Remedial Completion Report Status
Attachments: POD Building Window Panels.JPG

Hi all,

I read over the report and have the following comments:

Ex. 5 Deliberative Process (DP)

Kendall, do you think we should have someone in Tony's group review the Asbestos information? Also, I will ask one of our folks to look over the lab data packages & QA info.

Let me know if you have any other questions or comments on their submittal.

Thanks,
Peter

From: Mannix, John [mailto:mannixj@monroe.wednet.edu]
Sent: Thursday, December 01, 2016 6:57 PM
To: Mullin, Michelle <Mullin.Michelle@epa.gov>; Moore, Kendall <moore.kendall@epa.gov>
Cc: Ramanauskas, Peter <ramanauskas.peter@epa.gov>; Peachey, Robert <peachey.robert@epa.gov>; Deka Smith <smithf@monroe.wednet.edu>; piplicd@monroe.wednet.edu
Subject: Re: Sky Valley Remedial Completion Report Status

Michelle, Kendall, Robert, and Peter,

Attached is a cover memo and the Final Closeout Report for the PCB Remediation project at Sky Valley Education Center. The report is just barely under 20 MB, so if it as not passed along by your email server please let me know and I can share it as a Google Doc.

Respectfully,

John Mannix
Assistant Superintendent, Operations

D 360.804.2579 | T 360.804.2570
200 E. Fremont St. Monroe, WA 98272

On Wed, Nov 30, 2016 at 11:07 AM, Mannix, John <mannixj@monroe.wednet.edu> wrote:

Peter, et al.,

Devlin, Gregg Middaugh (of PBS Environmental) and I were working on the draft close out report yesterday. We had finally received the certified waste handling documentation from NorthStar (our abatement contractor, who had been waiting to receive it from Clean Harbors, their hazardous materials disposal subcontractor) to include in the report.

I have a final version of the closeout report in hand and am working on the cover memo which will cover a couple of the items you had requested during our most recent telephone conference. I will hopefully have it to you later today, but given how busy things are these days, and how my workload is greatly impacted by my need to react to issues as they arise, it may take me another couple days if there are significant interruptions.

Regards,
John

John Mannix
Assistant Superintendent, Operations

D 360.804.2579 | T 360.804.2570
200 E. Fremont St. Monroe, WA 98272

On Wed, Nov 30, 2016 at 6:19 AM, Ramanauskas, Peter <ramanauskas.peter@epa.gov> wrote:

Hello John/Devlin,

Writing in to check on the status of the remedial completion report we discussed earlier this month. Please let us know when we can expect to receive that.

Thank you,

Peter

Any dissemination or use of this information by a person other than the intended recipient is unauthorized and may be illegal. If you have received this e-mail in error, please immediately notify us by return e-mail. All email to and from this domain is archived as a public record in compliance with federal and state requirements. As such they may be both discoverable in a legal action and available through a public records request.