CLIENT	PROJECT	PROJECTNUM	LabName
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory

SAMPLENAME	LABSAMPID	MATRIX	RPTMATRIX	SAMPDATE	PREPDATE
A1a	1805005-01	Water	Water	04/30/2018 07:19:00	05/22/2018 00:00:00
A1b	1805005-02	Water	Water	04/30/2018 07:32:00	05/22/2018 00:00:00
A2a	1805005-03	Water	Water	04/30/2018 08:15:00	05/22/2018 00:00:00
A2b	1805005-04	Water	Water	04/30/2018 08:24:00	05/22/2018 00:00:00
A3a	1805005-05	Water	Water	04/30/2018 09:06:00	05/22/2018 00:00:00
A3b	1805005-06	Water	Water	04/30/2018 09:14:00	05/22/2018 00:00:00
A4 Equip	1805005-07	Water	Water	04/30/2018 09:38:00	05/22/2018 00:00:00
A3a (Dup)	1805005-08	Water	Water	04/30/2018 09:06:00	05/22/2018 00:00:00
FB1	1805005-09	Water	Water	04/30/2018 09:49:00	05/22/2018 00:00:00
A4a	1805005-10	Water	Water	04/30/2018 09:58:00	05/22/2018 00:00:00
A4b	1805005-11	Water	Water	04/30/2018 10:09:00	05/22/2018 00:00:00
B1a	1805005-12	Water	Water	04/30/2018 10:51:00	05/22/2018 00:00:00
B1b	1805005-13	Water	Water	04/30/2018 10:58:00	05/22/2018 00:00:00
B2a	1805005-14	Water	Water	04/30/2018 11:40:00	05/22/2018 00:00:00
B2b	1805005-15	Water	Water	04/30/2018 11:48:00	05/22/2018 00:00:00
B3a	1805005-16	Water	Water	04/30/2018 12:29:00	05/22/2018 00:00:00
B3b	1805005-17	Water	Water	04/30/2018 12:36:00	05/22/2018 00:00:00
B4a	1805005-18	Water	Water	04/30/2018 13:10:00	05/22/2018 00:00:00
B4b	1805005-19	Water	Water	04/30/2018 13:41:00	05/22/2018 00:00:00
C1a	1805005-20	Water	Water	04/30/2018 15:02:00	05/22/2018 00:00:00
C1b	1805005-21	Water	Water	04/30/2018 15:27:00	05/22/2018 00:00:00
C2a	1805005-22	Water	Water	04/30/2018 16:06:00	05/22/2018 00:00:00
C2b	1805005-23	Water	Water	04/30/2018 16:14:00	05/22/2018 00:00:00
C3a	1805005-24	Water	Water	04/30/2018 14:16:00	05/22/2018 00:00:00
C3b	1805005-25	Water	Water	04/30/2018 14:26:00	05/22/2018 00:00:00
C5Aa	1805005-26	Water	Water	05/01/2018 06:29:00	05/22/2018 00:00:00
C5Ab	1805005-27	Water	Water	05/01/2018 06:43:00	05/22/2018 00:00:00
C6a	1805005-28	Water	Water	05/01/2018 07:06:00	05/22/2018 00:00:00
C6b	1805005-29	Water	Water	05/01/2018 07:15:00	05/22/2018 00:00:00
C7a	1805005-30	Water	Water	05/01/2018 07:48:00	05/22/2018 00:00:00
C7b	1805005-31	Water	Water	05/01/2018 08:02:00	05/23/2018 00:00:00
FB2	1805005-32	Water	Water	05/01/2018 07:39:00	05/23/2018 00:00:00
C7 equip	1805005-33	Water	Water	05/01/2018 07:38:00	05/23/2018 00:00:00
C7b Dup	1805005-34	Water	Water	05/01/2018 08:02:00	05/23/2018 00:00:00
C8a	1805005-35	Water	Water	05/01/2018 08:35:00	05/23/2018 00:00:00
C8b	1805005-36	Water	Water	05/01/2018 08:42:00	05/23/2018 00:00:00
C9a	1805005-37	Water	Water	05/01/2018 10:00:00	05/23/2018 00:00:00
C9b	1805005-38	Water	Water	05/01/2018 10:21:00	05/23/2018 00:00:00
C10a	1805005-39	Water	Water	05/01/2018 11:05:00	05/23/2018 00:00:00
C10b	1805005-40	Water	Water	05/01/2018 11:12:00	05/23/2018 00:00:00
C11a	1805005-41	Water	Water	05/01/2018 11:46:00	05/23/2018 00:00:00
C11b	1805005-42	Water	Water	05/01/2018 11:52:00	05/23/2018 00:00:00
C12a	1805005-43	Water	Water	05/01/2018 12:41:00	05/23/2018 00:00:00
C12b	1805005-44	Water	Water	05/01/2018 12:47:00	05/23/2018 00:00:00
C13a	1805005-45	Water	Water	05/01/2018 13:30:00	05/23/2018 00:00:00
C13b	1805005-46	Water	Water	05/01/2018 13:39:00	05/23/2018 00:00:00

ANADATE	BATCH	METHODCODE	METHODNAME	PREPNAME	ANALYTE
05/24/2018 08:36:42	B18E052	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 08:37:45	B18E052	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 08:38:30	B18E052	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 08:39:15	B18E052	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 08:40:45	B18E052	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 08:45:32	B18E052	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 08:46:18	B18E052	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 08:47:03	B18E052	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 08:48:33	B18E052	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 08:49:27	B18E052	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 08:50:12	B18E052	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 08:50:57	B18E052	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 08:52:27	B18E052	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 08:53:20	B18E052	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 08:54:06	B18E052	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:00:14	B18E053	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:01:09	B18E053	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:01:54	B18E053	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:02:39	B18E053	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:04:09	B18E053	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:05:03	B18E053	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:09:41	B18E053	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:10:27	B18E053	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:11:56	B18E053	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:12:51	B18E053	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:13:36	B18E053	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:14:21	B18E053	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:15:51	B18E053	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:35:39	B18E053	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:17:30	B18E053	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:23:38	B18E055	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:24:32	B18E055	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:25:17	B18E055	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:26:02	B18E055	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:27:32	B18E055	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:28:27	B18E055	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:29:11	B18E055	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:32:21	B18E055	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:33:05	B18E055	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:33:50	B18E055	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:37:09	B18E055	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:39:33	B18E055	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:41:02	B18E055	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:41:57	B18E055	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:44:57	B18E055	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:48:51	B18E056	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N

CASNUMBER	SURROGATE	TIC	Result	DL	RL	UNITS	RPToMDL	BASIS	DILUTION	SPIKELEVEL	RECOVERY
NA	FALSE	FALSE	0.25	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	0.36	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	0.31	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	0.29	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	U	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	U	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	U	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	U	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	U	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	U	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	0.25	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	0.25	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	0.21	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	U	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	U	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	0.62	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	0.37	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	0.61	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	3.56	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	U	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	U	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	0.25	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	0.81	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	1.19	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	0.24	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	0.6	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	2.13	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	0.71	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	3.96	1.8	2	mg/L	TRUE	NA	10		
NA	FALSE	FALSE	U	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	0.27	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	U	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	U	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	0.48	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	0.25	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	0.26	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	0.2	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	0.2	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	0.76	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	3.91	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	0.41	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	1.08	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	1.22	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	1.51	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	0.26	0.18	0.2	mg/L	TRUE	NA	1		
NA	FALSE	FALSE	1.32	0.18	0.2	mg/L	TRUE	NA	1		

UPPERCL	LOWERCL	ANALYST	PSOLIDS	LNOTE	ANOTE	LATITUDE	LONGITUDE	sComment	SNOTE1	SNOTE2
		AK			J					
		AK								
		AK								
		AK			J					
		AK						MS/MSD		
		AK								
		AK								
		AK								
		AK								
		AK								
		AK								
		AK			J					
		AK								
		AK			J					
		AK								
		AK								
		AK			J					
		AK								
		AK			J					
		AK								
		AK								
		AK								
		AK								
		AK			J					
		AK								
		AK								
		AK								
		AK								
		AK			J					
		AK								
		AK								
		AK								
		AK								
		AK								
		AK								
		AK								
		AK								
		AK								
		AK								
		AK								
		AK			J					
		AK								
		AK								
		AK								
		AK			J					
		AK								

SNOTE3	SNOTE4	SNOTE5	SNOTE6	SNOTE7	SNOTE8	SNOTE9	SNOTE10	ANALYTEORDER
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1
								1

Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory

D1a	1805005-47	Water	Water	05/01/2018 14:19:00	05/23/2018 00:00:00
D1b	1805005-48	Water	Water	05/01/2018 14:26:00	05/23/2018 00:00:00
D2a	1805005-49	Water	Water	05/01/2018 15:00:00	05/23/2018 00:00:00
D2b	1805005-50	Water	Water	05/01/2018 15:06:00	05/23/2018 00:00:00
D3a	1805005-51	Water	Water	05/01/2018 15:41:00	05/23/2018 00:00:00
D3b	1805005-52	Water	Water	05/01/2018 15:48:00	05/23/2018 00:00:00
D4a	1805005-53	Water	Water	05/01/2018 16:19:00	05/23/2018 00:00:00
D4b	1805005-54	Water	Water	05/01/2018 16:26:00	05/23/2018 00:00:00
D5a	1805007-01	Water	Water	05/02/2018 06:38:00	05/23/2018 00:00:00
D5b	1805007-02	Water	Water	05/02/2018 06:46:00	05/23/2018 00:00:00
D6a	1805007-03	Water	Water	05/02/2018 07:17:00	05/23/2018 00:00:00
D6b	1805007-04	Water	Water	05/02/2018 07:29:00	05/23/2018 00:00:00
D7 equip	1805007-05	Water	Water	05/02/2018 08:01:00	05/23/2018 00:00:00
FB3	1805007-06	Water	Water	05/02/2018 08:03:00	05/23/2018 00:00:00
D7a Dup	1805007-07	Water	Water	05/02/2018 08:12:00	05/23/2018 00:00:00
D7a	1805007-08	Water	Water	05/02/2018 08:12:00	05/23/2018 00:00:00
D7b	1805007-09	Water	Water	05/02/2018 08:19:00	05/23/2018 00:00:00
D8a	1805007-10	Water	Water	05/02/2018 08:55:00	05/23/2018 00:00:00
D8b	1805007-11	Water	Water	05/02/2018 09:11:00	05/23/2018 00:00:00
D9a	1805007-12	Water	Water	05/02/2018 09:45:00	05/23/2018 00:00:00
D9b	1805007-13	Water	Water	05/02/2018 09:54:00	05/23/2018 00:00:00
D10a	1805007-14	Water	Water	05/02/2018 10:29:00	05/23/2018 00:00:00
D10a Dup	1805007-15	Water	Water	05/02/2018 10:29:00	05/23/2018 00:00:00
D10b	1805007-16	Water	Water	05/02/2018 10:41:00	05/23/2018 00:00:00
D10b Dup	1805007-17	Water	Water	05/02/2018 10:41:00	05/23/2018 00:00:00
D11a	1805007-18	Water	Water	05/02/2018 11:19:00	05/23/2018 00:00:00
D11b	1805007-19	Water	Water	05/02/2018 11:42:00	05/23/2018 00:00:00
E1a	1805007-20	Water	Water	05/02/2018 12:41:00	05/23/2018 00:00:00
E1b	1805007-21	Water	Water	05/02/2018 12:58:00	05/23/2018 00:00:00
E2a	1805007-22	Water	Water	05/02/2018 13:28:00	05/29/2018 00:00:00
E2b	1805007-23	Water	Water	05/02/2018 13:37:00	05/29/2018 00:00:00
E2a Dup	1805007-24	Water	Water	05/02/2018 13:28:00	05/29/2018 00:00:00
E2b Dup	1805007-25	Water	Water	05/02/2018 13:37:00	05/29/2018 00:00:00
E3a	1805007-26	Water	Water	05/02/2018 14:03:00	05/29/2018 00:00:00
E3b	1805007-27	Water	Water	05/02/2018 14:09:00	05/29/2018 00:00:00
E4a	1805007-28	Water	Water	05/02/2018 14:37:00	05/29/2018 00:00:00
E4b	1805007-29	Water	Water	05/02/2018 14:43:00	05/29/2018 00:00:00
E5a	1805007-30	Water	Water	05/02/2018 15:08:00	05/29/2018 00:00:00
E5b	1805007-31	Water	Water	05/02/2018 15:13:00	05/29/2018 00:00:00
E6a	1805007-32	Water	Water	05/02/2018 15:38:00	05/29/2018 00:00:00
E6b	1805007-33	Water	Water	05/02/2018 15:44:00	05/29/2018 00:00:00
E7a	1805007-34	Water	Water	05/02/2018 16:09:00	05/29/2018 00:00:00
E7b	1805007-35	Water	Water	05/02/2018 16:35:00	05/29/2018 00:00:00
E8a	1805007-36	Water	Water	05/03/2018 08:40:00	05/29/2018 00:00:00
E8b	1805007-37	Water	Water	05/03/2018 08:48:00	05/29/2018 00:00:00
E10a	1805007-38	Water	Water	05/03/2018 07:15:00	05/29/2018 00:00:00
E10a Dup	1805007-39	Water	Water	05/03/2018 07:15:00	05/29/2018 00:00:00

05/24/2018 09:49:44	B18E056	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:50:30	B18E056	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:51:14	B18E056	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:52:44	B18E056	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:53:39	B18E056	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:56:39	B18E056	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:57:33	B18E056	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 09:58:18	B18E056	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 10:01:27	B18E056	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 10:02:12	B18E056	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 10:02:56	B18E056	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 10:04:26	B18E056	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 10:05:21	B18E056	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 10:57:24	B18E056	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 11:00:59	B18E057	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 11:02:02	B18E057	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/30/2018 08:22:39	B18E057	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 11:05:03	B18E057	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 11:07:26	B18E057	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 11:08:56	B18E057	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 11:09:51	B18E057	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 11:10:35	B18E057	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 11:11:21	B18E057	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 11:12:51	B18E057	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 11:13:45	B18E057	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 11:20:02	B18E057	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 11:20:47	B18E057	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 11:34:54	B18E057	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/24/2018 11:35:47	B18E057	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/30/2018 08:26:33	B18E058	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/30/2018 08:29:33	B18E058	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/30/2018 08:30:27	B18E058	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/30/2018 08:31:12	B18E058	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/30/2018 08:34:21	B18E058	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/30/2018 08:35:06	B18E058	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/30/2018 08:35:51	B18E058	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/30/2018 08:37:21	B18E058	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/30/2018 08:38:15	B18E058	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/30/2018 08:39:00	B18E058	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/30/2018 08:39:45	B18E058	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/30/2018 08:41:15	B18E058	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/30/2018 08:42:09	B18E058	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/30/2018 08:42:54	B18E058	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/30/2018 08:46:03	B18E058	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/30/2018 08:49:57	B18E059	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/30/2018 08:50:42	B18E059	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/30/2018 08:51:27	B18E059	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N

NA	FALSE	FALSE	0.26	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	0.68	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	U	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	1.33	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	0.85	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	1.12	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	0.41	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	2.82	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	0.5	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	0.23	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	0.49	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	0.67	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	U	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	U	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	U	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	U	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	0.49	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	0.77	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	0.68	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	0.21	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	0.34	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	0.22	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	0.21	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	0.31	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	0.42	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	U	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	U	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	U	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	1.02	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	U	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	0.73	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	U	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	0.69	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	0.21	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	0.35	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	0.87	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	1.37	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	0.22	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	0.73	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	0.26	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	0.39	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	U	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	U	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	U	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	0.46	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	U	0.18	0.2 mg/L	TRUE	NA	1
NA	FALSE	FALSE	U	0.18	0.2 mg/L	TRUE	NA	1

AK		
AK	J	
AK	J	
AK		
AK		
AK		
AK		
AK	J	
AK		
AK		
AK		
AK		
AK		
AK		
AK		
AK		MS/MSD
AK		
AK		
AK		
AK		
AK		
AK		
AK		
AK		
AK		
AK		
AK		
AK		
AK		
AK		
AK		
AK		
AK		
AK		
AK		
AK		
AK		
AK		
AK		
AK		
AK		
AK		
AK		
AK		
AK		
AK		
AK		

1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1

Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory

E10b	1805007-40	Water	Water	05/03/2018 07:27:00	05/29/2018 00:00:00
FB4	1805007-41	Water	Water	05/03/2018 07:36:00	05/29/2018 00:00:00
E10 Equip	1805007-42	Water	Water	05/03/2018 07:13:00	05/29/2018 00:00:00
E9a	1805007-43	Water	Water	05/03/2018 09:53:00	05/29/2018 00:00:00
E9b	1805007-44	Water	Water	05/03/2018 10:02:00	05/29/2018 00:00:00

05/30/2018 08:52:57	B18E059	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/30/2018 08:53:51	B18E059	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/30/2018 08:58:30	B18E059	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/30/2018 08:59:15	B18E059	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
05/30/2018 09:00:45	B18E059	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N

NA	FALSE	FALSE	U		0.18	0.2	mg/L	TRUE	NA	1
NA	FALSE	FALSE	U		0.18	0.2	mg/L	TRUE	NA	1
NA	FALSE	FALSE	U		0.18	0.2	mg/L	TRUE	NA	1
NA	FALSE	FALSE	U		0.18	0.2	mg/L	TRUE	NA	1
NA	FALSE	FALSE		0.34	0.18	0.2	mg/L	TRUE	NA	1

AK
AK
AK
AK
AK

1
1
1
1
1

LABNAME	LABSAMPID	QCTYPE	MATRIX	PREPDATE
US EPA Region 5 Chicago Regional Laboratory	B18E052-BLK1	Blank	Water	5/22/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E052-BS1	LCS	Water	5/22/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E052-DUP1	Duplicate	Water	5/22/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E052-MRL1	MRL Check	Water	5/22/2018 7:38
US EPA Region 5 Chicago Regional Laboratory	B18E052-MS1	Matrix Spike	Water	5/22/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E053-BLK1	Blank	Water	5/22/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E053-BS1	LCS	Water	5/22/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E053-DUP1	Duplicate	Water	5/22/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E053-MRL1	MRL Check	Water	5/22/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E053-MS1	Matrix Spike	Water	5/22/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E055-BLK1	Blank	Water	5/23/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E055-BS1	LCS	Water	5/23/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E055-DUP1	Duplicate	Water	5/23/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E055-MRL1	MRL Check	Water	5/23/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E055-MS1	Matrix Spike	Water	5/23/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E056-BLK1	Blank	Water	5/23/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E056-BS1	LCS	Water	5/23/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E056-DUP1	Duplicate	Water	5/23/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E056-MRL1	MRL Check	Water	5/23/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E056-MS1	Matrix Spike	Water	5/23/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E057-BLK1	Blank	Water	5/23/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E057-BS1	LCS	Water	5/23/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E057-DUP1	Duplicate	Water	5/23/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E057-MRL1	MRL Check	Water	5/23/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E057-MS1	Matrix Spike	Water	5/23/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E058-BLK1	Blank	Water	5/29/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E058-BS1	LCS	Water	5/29/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E058-DUP1	Duplicate	Water	5/29/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E058-MRL1	MRL Check	Water	5/29/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E058-MS1	Matrix Spike	Water	5/29/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E059-BLK1	Blank	Water	5/29/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E059-BS1	LCS	Water	5/29/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E059-DUP1	Duplicate	Water	5/29/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E059-MRL1	MRL Check	Water	5/29/2018 0:00
US EPA Region 5 Chicago Regional Laboratory	B18E059-MS1	Matrix Spike	Water	5/29/2018 0:00

ANADATE	BATCH	METHODCODE	METHODNAME	PREPNAME	ANALYTE
5/24/2018 8:34	B18E052	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/24/2018 8:35	B18E052	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/24/2018 8:41	B18E052	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/24/2018 8:33	B18E052	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/24/2018 8:42	B18E052	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/24/2018 8:58	B18E053	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/24/2018 8:58	B18E053	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/24/2018 9:05	B18E053	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/24/2018 8:57	B18E053	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/24/2018 9:08	B18E053	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/24/2018 9:21	B18E055	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/24/2018 9:22	B18E055	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/24/2018 9:38	B18E055	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/24/2018 9:20	B18E055	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/24/2018 9:38	B18E055	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/24/2018 9:46	B18E056	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/24/2018 9:47	B18E056	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/24/2018 9:59	B18E056	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/24/2018 9:45	B18E056	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/24/2018 10:56	B18E056	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/24/2018 10:59	B18E057	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/24/2018 10:59	B18E057	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/24/2018 11:02	B18E057	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/24/2018 10:58	B18E057	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/24/2018 11:03	B18E057	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/30/2018 8:24	B18E058	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/30/2018 8:25	B18E058	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/30/2018 8:27	B18E058	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/30/2018 8:23	B18E058	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/30/2018 8:28	B18E058	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/30/2018 8:47	B18E059	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/30/2018 8:49	B18E059	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/30/2018 8:54	B18E059	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/30/2018 8:46	B18E059	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N
5/30/2018 8:57	B18E059	Ammonia N DA, Distilled	SM 4500 - H- B	Distillation, Midi	Ammonia as N

CASNUMBER	SURROGATE	TIC	RESULT	DL	RL	UNITS	RPToMDL	BASIS	DILUTION	SOURCEID
NA	FALSE	FALSE	U	0.18	0.2	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	1.94	0.18	0.2	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	0.18	0.18	0.2	mg/L	TRUE	NA	1	1805005-05
NA	FALSE	FALSE	U	0.18	0.2	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	2.17	0.18	0.2	mg/L	TRUE	NA	1	1805005-05
NA	FALSE	FALSE	U	0.18	0.2	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	2.06	0.18	0.2	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	U	0.18	0.2	mg/L	TRUE	NA	1	1805005-21
NA	FALSE	FALSE	U	0.18	0.2	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	2.11	0.18	0.2	mg/L	TRUE	NA	1	1805005-21
NA	FALSE	FALSE	U	0.18	0.2	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	2.08	0.18	0.2	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	0.44	0.18	0.2	mg/L	TRUE	NA	1	1805005-41
NA	FALSE	FALSE	0.18	0.18	0.2	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	2.44	0.18	0.2	mg/L	TRUE	NA	1	1805005-41
NA	FALSE	FALSE	U	0.18	0.2	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	1.9	0.18	0.2	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	2.93	0.18	0.2	mg/L	TRUE	NA	1	1805005-54
NA	FALSE	FALSE	0.18	0.18	0.2	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	4.62	1.8	2	mg/L	TRUE	NA	10	1805005-54
NA	FALSE	FALSE	U	0.18	0.2	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	1.89	0.18	0.2	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	U	0.18	0.2	mg/L	TRUE	NA	1	1805007-08
NA	FALSE	FALSE	0.18	0.18	0.2	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	2.09	0.18	0.2	mg/L	TRUE	NA	1	1805007-08
NA	FALSE	FALSE	U	0.18	0.2	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	2.03	0.18	0.2	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	U	0.18	0.2	mg/L	TRUE	NA	1	1805007-22
NA	FALSE	FALSE	0.19	0.18	0.2	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	2.15	0.18	0.2	mg/L	TRUE	NA	1	1805007-22
NA	FALSE	FALSE	U	0.18	0.2	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	1.91	0.18	0.2	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	U	0.18	0.2	mg/L	TRUE	NA	1	1805007-41
NA	FALSE	FALSE	U	0.18	0.2	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	2.04	0.18	0.2	mg/L	TRUE	NA	1	1805007-41

SOURCERES	SPIKELEVEL	RECOVERY	RPD	UPPERCL	LOWERCL	RPDCL	ANALYST	PSOLIDS	LNOTE	ANOTE
							AK			
	2	97		128	79		AK			
0.18			1			13	AK			J
	0.2			137	67		AK			*
0.18	2	99		138	71		AK			
							AK			
	2	103		128	79		AK			
U						13	AK			
	0.2			137	67		AK			*
U	2	105		138	71		AK			
							AK			
	2	104		128	79		AK			
0.41			7			13	AK			
	0.2			137	67		AK			*, J
0.41	2	102		138	71		AK			
							AK			
	2	95		128	79		AK			
2.82			4			13	AK			
	0.2			137	67		AK			*, J
2.82	2	90		138	71		AK			
							AK			
	2	94		128	79		AK			
U						13	AK			
	0.2			137	67		AK			*, J
U	2	104		138	71		AK			
							AK			
	2	102		128	79		AK			
U						13	AK			
	0.2	96		137	67		AK			*, J
U	2	107		138	71		AK			
							AK			
	2	95		128	79		AK			
U						13	AK			
	0.2			137	67		AK			*
U	2	102		138	71		AK			

ANALYTEORDER
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1
1

QUALIFIER	DESCRIPTION
*	This Quality Control measure meets the requirements of the CRL SOP for this analyte.
J	The identification of the analyte is acceptable; the reported value is an estimate.