CLIENT	PROJECT	PROJECTNUM	LabName
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory

SAMPDATA

SAMPLENAME	LABSAMPID	MATRIX	RPTMATRIX	SAMPDATE	PREPDATE	ANADATE
A1a	1805005-01	Water	Water	04/30/2018 07:19:00	05/07/2018 13:40:00	05/15/2018 13:40:00
A1b	1805005-02	Water	Water	04/30/2018 07:32:00	05/07/2018 13:44:00	05/08/2018 13:44:00
A2a	1805005-03	Water	Water	04/30/2018 08:15:00	05/07/2018 00:00:00	05/08/2018 00:00:00
A2b	1805005-04	Water	Water	04/30/2018 08:24:00	05/07/2018 00:00:00	05/08/2018 00:00:00
A3a	1805005-05	Water	Water	04/30/2018 09:06:00	05/07/2018 00:00:00	05/08/2018 00:00:00
A3b	1805005-06	Water	Water	04/30/2018 09:14:00	05/07/2018 00:00:00	05/08/2018 00:00:00
A4 Equip	1805005-07	Water	Water	04/30/2018 09:38:00	05/07/2018 00:00:00	05/08/2018 00:00:00
A3a (Dup)	1805005-08	Water	Water	04/30/2018 09:06:00	05/07/2018 00:00:00	05/08/2018 00:00:00
FB1	1805005-09	Water	Water	04/30/2018 09:49:00	05/07/2018 00:00:00	05/08/2018 00:00:00
A4a	1805005-10	Water	Water	04/30/2018 09:58:00	05/07/2018 00:00:00	05/08/2018 00:00:00
A4b	1805005-11	Water	Water	04/30/2018 10:09:00	05/07/2018 00:00:00	05/08/2018 00:00:00
B1a	1805005-12	Water	Water	04/30/2018 10:51:00	05/07/2018 00:00:00	05/08/2018 00:00:00
B1b	1805005-13	Water	Water	04/30/2018 10:58:00	05/07/2018 00:00:00	05/08/2018 00:00:00
B2a	1805005-14	Water	Water	04/30/2018 11:40:00	05/07/2018 00:00:00	05/08/2018 00:00:00
B2b	1805005-15	Water	Water	04/30/2018 11:48:00	05/07/2018 00:00:00	05/08/2018 00:00:00
B3a	1805005-16	Water	Water	04/30/2018 12:29:00	05/07/2018 00:00:00	05/08/2018 00:00:00
B3b	1805005-17	Water	Water	04/30/2018 12:36:00	05/07/2018 00:00:00	05/08/2018 00:00:00
B4a	1805005-18	Water	Water	04/30/2018 13:10:00	05/07/2018 00:00:00	05/08/2018 00:00:00
B4b	1805005-19	Water	Water	04/30/2018 13:41:00	05/07/2018 00:00:00	05/08/2018 00:00:00
C1a	1805005-20	Water	Water	04/30/2018 15:02:00	05/07/2018 00:00:00	05/08/2018 00:00:00
C1b	1805005-21	Water	Water	04/30/2018 15:27:00	05/07/2018 00:00:00	05/08/2018 00:00:00
C2a	1805005-22	Water	Water	04/30/2018 16:06:00	05/07/2018 00:00:00	05/08/2018 00:00:00
C2b	1805005-23	Water	Water	04/30/2018 16:14:00	05/07/2018 00:00:00	05/08/2018 00:00:00
C3a	1805005-24	Water	Water	04/30/2018 14:16:00	05/07/2018 00:00:00	05/08/2018 00:00:00
C3b	1805005-25	Water	Water	04/30/2018 14:26:00	05/07/2018 00:00:00	05/08/2018 00:00:00
C5Aa	1805005-26	Water	Water	05/01/2018 06:29:00	05/07/2018 00:00:00	05/09/2018 00:00:00
C5Ab	1805005-27	Water	Water	05/01/2018 06:43:00	05/07/2018 00:00:00	05/09/2018 00:00:00
C6a	1805005-28	Water	Water	05/01/2018 07:06:00	05/07/2018 00:00:00	05/09/2018 00:00:00
C6b	1805005-29	Water	Water	05/01/2018 07:15:00	05/07/2018 00:00:00	05/09/2018 00:00:00
C7a	1805005-30	Water	Water	05/01/2018 07:48:00	05/07/2018 00:00:00	05/09/2018 00:00:00
C7b	1805005-31	Water	Water	05/01/2018 08:02:00	05/07/2018 00:00:00	05/09/2018 00:00:00
FB2	1805005-32	Water	Water	05/01/2018 07:39:00	05/07/2018 00:00:00	05/09/2018 00:00:00
C7 equip	1805005-33	Water	Water	05/01/2018 07:38:00	05/07/2018 00:00:00	05/09/2018 00:00:00
C7b Dup	1805005-34	Water	Water	05/01/2018 08:02:00	05/07/2018 00:00:00	05/09/2018 00:00:00
C8a	1805005-35	Water	Water	05/01/2018 08:35:00	05/07/2018 00:00:00	05/09/2018 00:00:00
C8b	1805005-36	Water	Water	05/01/2018 08:42:00	05/07/2018 00:00:00	05/09/2018 00:00:00
C9a	1805005-37	Water	Water	05/01/2018 10:00:00	05/08/2018 00:00:00	05/09/2018 00:00:00
C9b	1805005-38	Water	Water	05/01/2018 10:21:00	05/08/2018 00:00:00	05/09/2018 00:00:00
C10a	1805005-39	Water	Water	05/01/2018 11:05:00	05/08/2018 00:00:00	05/09/2018 00:00:00
C10b	1805005-40	Water	Water	05/01/2018 11:12:00	05/08/2018 00:00:00	05/09/2018 00:00:00
C11a	1805005-41	Water	Water	05/01/2018 11:46:00	05/08/2018 00:00:00	05/09/2018 00:00:00
C11b	1805005-42	Water	Water	05/01/2018 11:52:00	05/08/2018 00:00:00	05/09/2018 00:00:00
C12a	1805005-43	Water	Water	05/01/2018 12:41:00	05/08/2018 00:00:00	05/09/2018 00:00:00
C12b	1805005-44	Water	Water	05/01/2018 12:47:00	05/08/2018 00:00:00	05/09/2018 00:00:00
C13a	1805005-45	Water	Water	05/01/2018 13:30:00	05/08/2018 00:00:00	05/09/2018 00:00:00
C13b	1805005-46	Water	Water	05/01/2018 13:39:00	05/08/2018 00:00:00	05/09/2018 00:00:00
D1a	1805005-47	Water	Water	05/01/2018 14:19:00	05/08/2018 00:00:00	05/09/2018 00:00:00
D1b	1805005-48	Water	Water	05/01/2018 14:26:00	05/08/2018 00:00:00	05/09/2018 00:00:00
D2a	1805005-49	Water	Water	05/01/2018 15:00:00	05/08/2018 00:00:00	05/09/2018 00:00:00
D2b	1805005-50	Water	Water	05/01/2018 15:06:00	05/08/2018 00:00:00	05/09/2018 00:00:00
D3a	1805005-51	Water	Water	05/01/2018 15:41:00	05/08/2018 00:00:00	05/09/2018 00:00:00

BATCH	METHODCODE	METHODNAME	PREPNAME	ANALYTE	CASNUMBER	SURROGATE
B18E010	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E010	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E010	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E010	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E010	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E010	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E010	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E010	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E010	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E010	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E010	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E010	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E010	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E010	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E010	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E010	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E010	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E010	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E010	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E010	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E010	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E010	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E010	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E010	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E010	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E010	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE

TIC	Result	DL	RL	UNITS	RPToMDL	BASIS	DILUTION	SPIKELEVEL	RECOVERY	UPPERCL	LOWERCL
FALSE	122	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	74.0	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	124	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	164	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	96.0	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	76.0	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	36.0	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	92.0	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	U	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	104	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	108	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	102	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	84.0	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	124	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	44.0	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	176	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	56.0	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	418	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	396	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	46.0	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	64.0	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	448	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	70.0	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	322	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	62.0	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	492	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	644	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	416	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	386	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	378	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	450	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	U	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	U	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	444	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	216	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	84.0	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	90.0	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	46.0	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	128	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	196	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	96.0	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	56.0	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	120	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	126	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	100	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	74.0	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	108	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	62.0	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	246	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	444	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	352	20.0	20.0	mg/L	FALSE	NA	1				

ANALYST	PSOLIDS	LNOTE	ANOTE	LATITUDE	LONGITUDE	sComment	SNOTE1	SNOTE2	SNOTE3	SNOTE4
FA			J							
FA			J							
FA										
FA										
FA						MS/MSD				
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										

SNOTE5	SNOTE6	SNOTE7	SNOTE8	SNOTE9	SNOTE10	ANALYTEORDER
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1
						1

Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory

D3b	1805005-52	Water	Water	05/01/2018 15:48:00	05/08/2018 00:00:00	05/09/2018 00:00:00
D4a	1805005-53	Water	Water	05/01/2018 16:19:00	05/08/2018 00:00:00	05/09/2018 00:00:00
D4b	1805005-54	Water	Water	05/01/2018 16:26:00	05/08/2018 00:00:00	05/09/2018 00:00:00
D5a	1805007-01	Water	Water	05/02/2018 06:38:00	05/09/2018 14:19:00	05/11/2018 14:19:00
D5b	1805007-02	Water	Water	05/02/2018 06:46:00	05/09/2018 14:29:00	05/09/2018 14:29:00
D6a	1805007-03	Water	Water	05/02/2018 07:17:00	05/09/2018 14:34:00	05/09/2018 14:34:00
D6b	1805007-04	Water	Water	05/02/2018 07:29:00	05/09/2018 14:42:00	05/09/2018 14:42:00
D7 equip	1805007-05	Water	Water	05/02/2018 08:01:00	05/09/2018 14:48:00	05/09/2018 14:48:00
FB3	1805007-06	Water	Water	05/02/2018 08:03:00	05/09/2018 15:03:00	05/09/2018 15:03:00
D7a Dup	1805007-07	Water	Water	05/02/2018 08:12:00	05/09/2018 15:15:00	05/09/2018 15:15:00
D7a	1805007-08	Water	Water	05/02/2018 08:12:00	05/09/2018 15:27:00	05/09/2018 15:27:00
D7b	1805007-09	Water	Water	05/02/2018 08:19:00	05/09/2018 15:36:00	05/09/2018 15:36:00
D8a	1805007-10	Water	Water	05/02/2018 08:55:00	05/09/2018 15:44:00	05/09/2018 15:44:00
D8b	1805007-11	Water	Water	05/02/2018 09:11:00	05/09/2018 00:00:00	05/09/2018 00:00:00
D9a	1805007-12	Water	Water	05/02/2018 09:45:00	05/09/2018 00:00:00	05/09/2018 00:00:00
D9b	1805007-13	Water	Water	05/02/2018 09:54:00	05/09/2018 00:00:00	05/09/2018 00:00:00
D10a	1805007-14	Water	Water	05/02/2018 10:29:00	05/09/2018 00:00:00	05/09/2018 00:00:00
D10a Dup	1805007-15	Water	Water	05/02/2018 10:29:00	05/09/2018 00:00:00	05/09/2018 00:00:00
D10b	1805007-16	Water	Water	05/02/2018 10:41:00	05/09/2018 00:00:00	05/09/2018 00:00:00
D10b Dup	1805007-17	Water	Water	05/02/2018 10:41:00	05/09/2018 00:00:00	05/09/2018 00:00:00
D11a	1805007-18	Water	Water	05/02/2018 11:19:00	05/09/2018 00:00:00	05/09/2018 00:00:00
D11b	1805007-19	Water	Water	05/02/2018 11:42:00	05/09/2018 00:00:00	05/09/2018 00:00:00
E1a	1805007-20	Water	Water	05/02/2018 12:41:00	05/09/2018 00:00:00	05/09/2018 00:00:00
E1b	1805007-21	Water	Water	05/02/2018 12:58:00	05/09/2018 00:00:00	05/09/2018 00:00:00
E2a	1805007-22	Water	Water	05/02/2018 13:28:00	05/09/2018 00:00:00	05/09/2018 00:00:00
E2b	1805007-23	Water	Water	05/02/2018 13:37:00	05/09/2018 00:00:00	05/09/2018 00:00:00
E2a Dup	1805007-24	Water	Water	05/02/2018 13:28:00	05/09/2018 00:00:00	05/09/2018 00:00:00
E2b Dup	1805007-25	Water	Water	05/02/2018 13:37:00	05/09/2018 00:00:00	05/09/2018 00:00:00
E3a	1805007-26	Water	Water	05/02/2018 14:03:00	05/09/2018 00:00:00	05/09/2018 00:00:00
E3b	1805007-27	Water	Water	05/02/2018 14:09:00	05/09/2018 00:00:00	05/09/2018 00:00:00
E4a	1805007-28	Water	Water	05/02/2018 14:37:00	05/09/2018 00:00:00	05/09/2018 00:00:00
E4b	1805007-29	Water	Water	05/02/2018 14:43:00	05/09/2018 00:00:00	05/09/2018 00:00:00
E5a	1805007-30	Water	Water	05/02/2018 15:08:00	05/09/2018 00:00:00	05/09/2018 00:00:00
E5b	1805007-31	Water	Water	05/02/2018 15:13:00	05/09/2018 00:00:00	05/09/2018 00:00:00
E6a	1805007-32	Water	Water	05/02/2018 15:38:00	05/09/2018 00:00:00	05/09/2018 00:00:00
E6b	1805007-33	Water	Water	05/02/2018 15:44:00	05/09/2018 00:00:00	05/09/2018 00:00:00
E7a	1805007-34	Water	Water	05/02/2018 16:09:00	05/09/2018 00:00:00	05/09/2018 00:00:00
E7b	1805007-35	Water	Water	05/02/2018 16:35:00	05/09/2018 00:00:00	05/09/2018 00:00:00
E8a	1805007-36	Water	Water	05/03/2018 08:40:00	05/09/2018 00:00:00	05/09/2018 00:00:00
E8b	1805007-37	Water	Water	05/03/2018 08:48:00	05/10/2018 00:00:00	05/11/2018 00:00:00
E10a	1805007-38	Water	Water	05/03/2018 07:15:00	05/10/2018 00:00:00	05/11/2018 00:00:00
E10a Dup	1805007-39	Water	Water	05/03/2018 07:15:00	05/10/2018 00:00:00	05/11/2018 00:00:00
E10b	1805007-40	Water	Water	05/03/2018 07:27:00	05/10/2018 00:00:00	05/11/2018 00:00:00
FB4	1805007-41	Water	Water	05/03/2018 07:36:00	05/10/2018 00:00:00	05/11/2018 00:00:00
E10 Equip	1805007-42	Water	Water	05/03/2018 07:13:00	05/10/2018 00:00:00	05/11/2018 00:00:00
E9a	1805007-43	Water	Water	05/03/2018 09:53:00	05/10/2018 00:00:00	05/11/2018 00:00:00
E9b	1805007-44	Water	Water	05/03/2018 10:02:00	05/10/2018 00:00:00	05/11/2018 00:00:00

B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E021	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E021	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E021	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E021	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E021	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E021	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E021	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE
B18E021	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids	NA	FALSE

FALSE	232	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	288	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	648	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	98.0	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	58.0	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	526	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	380	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	52.0	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	30.0	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	468	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	428	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	548	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	568	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	536	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	384	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	82.0	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	214	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	212	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	218	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	220	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	314	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	352	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	392	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	377	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	166	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	104	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	162	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	82.0	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	180	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	144	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	340	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	324	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	416	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	338	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	86.0	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	56.0	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	282	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	288	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	332	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	352	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	94.0	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	76.0	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	82.0	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	U	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	U	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	308	20.0	20.0	mg/L	FALSE	NA	1				
FALSE	282	20.0	20.0	mg/L	FALSE	NA	1				

FA										
FA										
FA										
FA			J							
FA			J							
FA			J							
FA			J							
FA			J							
FA			J							
FA			J							
FA			J			MS/MSD				
FA			J							
FA			J							
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										

						1
						1
						1

LABNAME	LABSAMPID	QCTYPE	MATRIX	PREPDATE
US EPA Region 5 Chicago Regional Laboratory	B18E010-BLK1	Blank	Water	05/07/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E010-DUP1	Duplicate	Water	05/07/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E010-DUP2	Duplicate	Water	05/07/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E010-DUP3	Duplicate	Water	05/07/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E010-SRM1	Reference	Water	05/07/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E011-BLK1	Blank	Water	05/07/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E011-BLK2	Blank	Water	05/08/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E011-DUP1	Duplicate	Water	05/07/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E011-DUP2	Duplicate	Water	05/07/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E011-DUP3	Duplicate	Water	05/08/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E011-DUP4	Duplicate	Water	05/08/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E011-SRM1	Reference	Water	05/07/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E011-SRM2	Reference	Water	05/08/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E020-BLK1	Blank	Water	05/09/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E020-DUP1	Duplicate	Water	05/09/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E020-DUP2	Duplicate	Water	05/09/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E020-DUP3	Duplicate	Water	05/09/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E020-DUP4	Duplicate	Water	05/09/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E020-SRM1	Reference	Water	05/09/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E021-BLK1	Blank	Water	05/10/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E021-DUP1	Duplicate	Water	05/10/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E021-SRM1	Reference	Water	05/10/2018 00:00:00

ANADATE	BATCH	METHODCODE	METHODNAME	PREPNAME	ANALYTE
05/08/2018 00:00:00	B18E010	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids
05/08/2018 00:00:00	B18E010	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids
05/08/2018 00:00:00	B18E010	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids
05/08/2018 00:00:00	B18E010	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids
05/08/2018 00:00:00	B18E010	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids
05/09/2018 00:00:00	B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids
05/09/2018 00:00:00	B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids
05/09/2018 00:00:00	B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids
05/09/2018 00:00:00	B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids
05/09/2018 00:00:00	B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids
05/09/2018 00:00:00	B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids
05/09/2018 00:00:00	B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids
05/09/2018 00:00:00	B18E011	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids
05/09/2018 00:00:00	B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids
05/09/2018 00:00:00	B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids
05/09/2018 00:00:00	B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids
05/09/2018 00:00:00	B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids
05/09/2018 00:00:00	B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids
05/09/2018 00:00:00	B18E020	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids
05/11/2018 00:00:00	B18E021	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids
05/11/2018 00:00:00	B18E021	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids
05/11/2018 00:00:00	B18E021	Solids, TDS	SM 2540 C	General Preparation	Total Dissolved Solids

CASNUMBER	SURROGATE	TIC	RESULT	DL	RL	UNITS	RPToMDL	BASIS	DILUTION	SOURCEID
NA	FALSE	FALSE	U	20.0	20.0	mg/L	FALSE	NA	1	
NA	FALSE	FALSE	96.0	20.0	20.0	mg/L	FALSE	NA	1	1805005-05
NA	FALSE	FALSE	50.0	20.0	20.0	mg/L	FALSE	NA	1	1805005-15
NA	FALSE	FALSE	74.0	20.0	20.0	mg/L	FALSE	NA	1	1805005-21
NA	FALSE	FALSE	234	20.0	20.0	mg/L	FALSE	NA	1	
NA	FALSE	FALSE	U	20.0	20.0	mg/L	FALSE	NA	1	
NA	FALSE	FALSE	U	20.0	20.0	mg/L	FALSE	NA	1	
NA	FALSE	FALSE	494	20.0	20.0	mg/L	FALSE	NA	1	1805005-26
NA	FALSE	FALSE	76.0	20.0	20.0	mg/L	FALSE	NA	1	1805005-36
NA	FALSE	FALSE	72.0	20.0	20.0	mg/L	FALSE	NA	1	1805005-46
NA	FALSE	FALSE	368	20.0	20.0	mg/L	FALSE	NA	1	1805005-51
NA	FALSE	FALSE	242			mg/L	FALSE	NA	1	
NA	FALSE	FALSE	246			mg/L	FALSE	NA	1	
NA	FALSE	FALSE	U	20.0	20.0	mg/L	FALSE	NA	1	
NA	FALSE	FALSE	438	20.0	20.0	mg/L	FALSE	NA	1	1805007-08
NA	FALSE	FALSE	212	20.0	20.0	mg/L	FALSE	NA	1	1805007-16
NA	FALSE	FALSE	146	20.0	20.0	mg/L	FALSE	NA	1	1805007-24
NA	FALSE	FALSE	80.0	20.0	20.0	mg/L	FALSE	NA	1	1805007-32
NA	FALSE	FALSE	228			mg/L	FALSE	NA	1	
NA	FALSE	FALSE	U	20.0	20.0	mg/L	FALSE	NA	1	
NA	FALSE	FALSE	336	20.0	20.0	mg/L	FALSE	NA	1	1805007-37
NA	FALSE	FALSE	234			mg/L	FALSE	NA	1	

SOURCERES	SPIKELEVEL	RECOVERY	RPD	UPPERCL	LOWERCL	RPDCL	ANALYST	PSOLIDS	LNOTE
							FA		
96.0			0			10	FA		
44.0			13			10	FA		
64.0			14			10	FA		
				110	84.5		FA		
							FA		
							FA		
492			0.4			10	FA		
84.0			10			10	FA		
74.0			3			10	FA		
352			4			10	FA		
	225.0	108		110	84.5		FA		
	225.0	109		110	84.5		FA		
							FA		
428			2			10	FA		
218			3			10	FA		
162			10			10	FA		
86.0			7			10	FA		
	225.0	101		110	84.5		FA		
							FA		
352			5			10	FA		
	225.0	104		110	84.5		FA		

ANOTE	ANALYTEORDER
	1
	1
*	1
*	1
	1
	1
	1
	1
	1
	1
	1
	1
	1
	1
	1
	1
	1
	1
	1
	1
	1
	1
	1

QUALIFIER	DESCRIPTION
*	This Quality Control measure meets the requirements of the CRL SOP for this analyte
J	The identification of the analyte is acceptable; the reported value is an estimate.