CLIENT	PROJECT	PROJECTNUM	LabName
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory

SAMPLENAME	LABSAMPID	MATRIX	RPTMATRIX	SAMPDATE	PREPDATE	ANADATE
A1a	1805005-01	Water	Water	04/30/2018 07:19:00	05/14/2018 00:00:00	05/15/2018 15:40:33
A1b	1805005-02	Water	Water	04/30/2018 07:32:00	05/14/2018 00:00:00	05/15/2018 16:13:16
A2a	1805005-03	Water	Water	04/30/2018 08:15:00	05/14/2018 00:00:00	05/15/2018 16:46:04
A2b	1805005-04	Water	Water	04/30/2018 08:24:00	05/14/2018 00:00:00	05/15/2018 17:18:50
A3a	1805005-05	Water	Water	04/30/2018 09:06:00	05/14/2018 00:00:00	05/15/2018 17:51:38
A3b	1805005-06	Water	Water	04/30/2018 09:14:00	05/14/2018 00:00:00	05/15/2018 19:29:58
A4 Equip	1805005-07	Water	Water	04/30/2018 09:38:00	05/14/2018 00:00:00	05/15/2018 20:02:45
A3a (Dup)	1805005-08	Water	Water	04/30/2018 09:06:00	05/14/2018 00:00:00	05/15/2018 20:35:35
FB1	1805005-09	Water	Water	04/30/2018 09:49:00	05/14/2018 00:00:00	05/15/2018 21:08:29
A4a	1805005-10	Water	Water	04/30/2018 09:58:00	05/14/2018 00:00:00	05/15/2018 21:42:05
A4b	1805005-11	Water	Water	04/30/2018 10:09:00	05/14/2018 00:00:00	05/15/2018 23:20:58
B1a	1805005-12	Water	Water	04/30/2018 10:51:00	05/14/2018 00:00:00	05/15/2018 23:53:45
B1b	1805005-13	Water	Water	04/30/2018 10:58:00	05/14/2018 00:00:00	05/16/2018 00:26:34
B2a	1805005-14	Water	Water	04/30/2018 11:40:00	05/14/2018 00:00:00	05/16/2018 01:00:00
B2b	1805005-15	Water	Water	04/30/2018 11:48:00	05/14/2018 00:00:00	05/16/2018 01:33:32
B3a	1805005-16	Water	Water	04/30/2018 12:29:00	05/14/2018 00:00:00	05/16/2018 02:06:26
B3b	1805005-17	Water	Water	04/30/2018 12:36:00	05/14/2018 00:00:00	05/16/2018 02:39:17
B4a	1805005-18	Water	Water	04/30/2018 13:10:00	05/14/2018 00:00:00	05/16/2018 03:12:07
B4b	1805005-19	Water	Water	04/30/2018 13:41:00	05/14/2018 00:00:00	05/16/2018 03:44:54
C1a	1805005-20	Water	Water	04/30/2018 15:02:00	05/14/2018 00:00:00	05/16/2018 04:18:01
C1b	1805005-21	Water	Water	04/30/2018 15:27:00	05/14/2018 00:00:00	05/16/2018 05:57:03
C2a	1805005-22	Water	Water	04/30/2018 16:06:00	05/14/2018 00:00:00	05/16/2018 07:35:38
C2b	1805005-23	Water	Water	04/30/2018 16:14:00	05/14/2018 00:00:00	05/16/2018 08:08:24
C3a	1805005-24	Water	Water	04/30/2018 14:16:00	05/14/2018 00:00:00	05/16/2018 08:41:15
C3b	1805005-25	Water	Water	04/30/2018 14:26:00	05/14/2018 00:00:00	05/16/2018 09:14:02
C5Aa	1805005-26	Water	Water	05/01/2018 06:29:00	05/14/2018 00:00:00	05/16/2018 09:46:51
C5Ab	1805005-27	Water	Water	05/01/2018 06:43:00	05/14/2018 00:00:00	05/16/2018 10:19:43
C6a	1805005-28	Water	Water	05/01/2018 07:06:00	05/14/2018 00:00:00	05/16/2018 10:52:35
C6b	1805005-29	Water	Water	05/01/2018 07:15:00	05/14/2018 00:00:00	05/16/2018 11:25:24
C7a	1805005-30	Water	Water	05/01/2018 07:48:00	05/14/2018 00:00:00	05/16/2018 11:58:19
C7b	1805005-31	Water	Water	05/01/2018 08:02:00	05/14/2018 00:00:00	05/16/2018 13:37:04
FB2	1805005-32	Water	Water	05/01/2018 07:39:00	05/14/2018 00:00:00	05/16/2018 14:09:58
C7 equip	1805005-33	Water	Water	05/01/2018 07:38:00	05/14/2018 00:00:00	05/16/2018 14:42:48
C7b Dup	1805005-34	Water	Water	05/01/2018 08:02:00	05/14/2018 00:00:00	05/16/2018 15:15:42
C8a	1805005-35	Water	Water	05/01/2018 08:35:00	05/14/2018 00:00:00	05/16/2018 15:48:32
C8b	1805005-36	Water	Water	05/01/2018 08:42:00	05/14/2018 00:00:00	05/16/2018 16:21:19
C9a	1805005-37	Water	Water	05/01/2018 10:00:00	05/14/2018 00:00:00	05/16/2018 16:54:10
C9b	1805005-38	Water	Water	05/01/2018 10:21:00	05/14/2018 00:00:00	05/16/2018 17:26:59
C10a	1805005-39	Water	Water	05/01/2018 11:05:00	05/14/2018 00:00:00	05/16/2018 17:59:50
C10b	1805005-40	Water	Water	05/01/2018 11:12:00	05/14/2018 00:00:00	05/21/2018 09:32:49
C11a	1805005-41	Water	Water	05/01/2018 11:46:00	05/14/2018 00:00:00	05/21/2018 10:05:32
C11b	1805005-42	Water	Water	05/01/2018 11:52:00	05/14/2018 00:00:00	05/16/2018 19:05:47
C12a	1805005-43	Water	Water	05/01/2018 12:41:00	05/14/2018 00:00:00	05/16/2018 19:38:31
C12b	1805005-44	Water	Water	05/01/2018 12:47:00	05/14/2018 00:00:00	05/16/2018 20:11:18
C13a	1805005-45	Water	Water	05/01/2018 13:30:00	05/14/2018 00:00:00	05/16/2018 20:44:12
C13b	1805005-46	Water	Water	05/01/2018 13:39:00	05/14/2018 00:00:00	05/16/2018 21:17:35
D1a	1805005-47	Water	Water	05/01/2018 14:19:00	05/14/2018 00:00:00	05/16/2018 21:50:21
D1b	1805005-48	Water	Water	05/01/2018 14:26:00	05/14/2018 00:00:00	05/16/2018 22:23:07
D2a	1805005-49	Water	Water	05/01/2018 15:00:00	05/14/2018 00:00:00	05/16/2018 22:56:10
D2b	1805005-50	Water	Water	05/01/2018 15:06:00	05/14/2018 00:00:00	05/16/2018 23:28:55
D3a	1805005-51	Water	Water	05/01/2018 15:41:00	05/14/2018 00:00:00	05/17/2018 01:07:43

BATCH	METHODCODE	METHODNAME	PREPNAME	ANALYTE	CASNUMBER	SURROGATE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE

TIC	Result	DL	RL	UNITS	RPToMDL	BASIS	DILUTION	SPIKELEVEL	RECOVERY	UPPERCL	LOWERCL
FALSE	3	1	2	mg/L	TRUE	NA	1				
FALSE	2	1	2	mg/L	TRUE	NA	1				
FALSE	5	1	2	mg/L	TRUE	NA	1				
FALSE	4	1	2	mg/L	TRUE	NA	1				
FALSE	2	1	2	mg/L	TRUE	NA	1				
FALSE	4	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	2	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	4	1	2	mg/L	TRUE	NA	1				
FALSE	2	1	2	mg/L	TRUE	NA	1				
FALSE	2	1	2	mg/L	TRUE	NA	1				
FALSE	2	1	2	mg/L	TRUE	NA	1				
FALSE	3	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	5	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	5	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	3	1	2	mg/L	TRUE	NA	1				
FALSE	2	1	2	mg/L	TRUE	NA	1				
FALSE	3	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	2	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	2	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	2	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	2	1	2	mg/L	TRUE	NA	1				
FALSE	2	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	3	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	9	1	2	mg/L	TRUE	NA	1				
FALSE	11	1	2	mg/L	TRUE	NA	1				
FALSE	5	1	2	mg/L	TRUE	NA	1				
FALSE	3	1	2	mg/L	TRUE	NA	1				
FALSE	6	1	2	mg/L	TRUE	NA	1				
FALSE	3	1	2	mg/L	TRUE	NA	1				
FALSE	2	1	2	mg/L	TRUE	NA	1				
FALSE	2	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				

ANALYST	PSOLIDS	LNOTE	ANOTE	LATITUDE	LONGITUDE	sComment	SNOTE1	SNOTE2	SNOTE3	SNOTE4
FA										
FA										
FA										
FA										
FA						MS/MSD				
FA										
FA										
FA										
FA										
FA										
FA										
FA			J							
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA			J							
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA			J							
FA										
FA										
FA										
FA			J							
FA										
FA										
FA			J							
FA			J							
FA										
FA										

SNOTE5	SNOTE6	SNOTE7	SNOTE8	SNOTE9	SNOTE10	ANALYTEORDER
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2

Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory

D3b	1805005-52	Water	Water	05/01/2018 15:48:00	05/14/2018 00:00:00	05/17/2018 01:40:48
D4a	1805005-53	Water	Water	05/01/2018 16:19:00	05/14/2018 00:00:00	05/17/2018 02:13:48
D4b	1805005-54	Water	Water	05/01/2018 16:26:00	05/14/2018 00:00:00	05/17/2018 02:46:35
D5a	1805007-01	Water	Water	05/02/2018 06:38:00	05/16/2018 00:00:00	05/17/2018 06:37:00
D5b	1805007-02	Water	Water	05/02/2018 06:46:00	05/16/2018 00:00:00	05/17/2018 07:09:51
D6a	1805007-03	Water	Water	05/02/2018 07:17:00	05/16/2018 00:00:00	05/17/2018 07:42:39
D6b	1805007-04	Water	Water	05/02/2018 07:29:00	05/16/2018 00:00:00	05/17/2018 08:15:30
D7 equip	1805007-05	Water	Water	05/02/2018 08:01:00	05/16/2018 00:00:00	05/17/2018 08:48:13
FB3	1805007-06	Water	Water	05/02/2018 08:03:00	05/16/2018 00:00:00	05/17/2018 09:21:09
D7a Dup	1805007-07	Water	Water	05/02/2018 08:12:00	05/16/2018 00:00:00	05/17/2018 09:54:03
D7a	1805007-08	Water	Water	05/02/2018 08:12:00	05/16/2018 00:00:00	05/17/2018 10:26:55
D7b	1805007-09	Water	Water	05/02/2018 08:19:00	05/16/2018 00:00:00	05/17/2018 12:05:12
D8a	1805007-10	Water	Water	05/02/2018 08:55:00	05/16/2018 00:00:00	05/17/2018 12:37:53
D8b	1805007-11	Water	Water	05/02/2018 09:11:00	05/16/2018 00:00:00	05/17/2018 14:16:43
D9a	1805007-12	Water	Water	05/02/2018 09:45:00	05/16/2018 00:00:00	05/17/2018 14:49:39
D9b	1805007-13	Water	Water	05/02/2018 09:54:00	05/16/2018 00:00:00	05/17/2018 15:22:24
D10a	1805007-14	Water	Water	05/02/2018 10:29:00	05/16/2018 00:00:00	05/17/2018 15:55:10
D10a Dup	1805007-15	Water	Water	05/02/2018 10:29:00	05/16/2018 00:00:00	05/17/2018 16:27:53
D10b	1805007-16	Water	Water	05/02/2018 10:41:00	05/16/2018 00:00:00	05/17/2018 17:00:44
D10b Dup	1805007-17	Water	Water	05/02/2018 10:41:00	05/16/2018 00:00:00	05/17/2018 17:34:00
D11a	1805007-18	Water	Water	05/02/2018 11:19:00	05/16/2018 00:00:00	05/17/2018 18:06:42
D11b	1805007-19	Water	Water	05/02/2018 11:42:00	05/16/2018 00:00:00	05/17/2018 18:39:26
E1a	1805007-20	Water	Water	05/02/2018 12:41:00	05/16/2018 00:00:00	05/17/2018 19:12:13
E1b	1805007-21	Water	Water	05/02/2018 12:58:00	05/16/2018 00:00:00	05/17/2018 20:51:05
E2a	1805007-22	Water	Water	05/02/2018 13:28:00	05/16/2018 00:00:00	05/17/2018 22:29:34
E2b	1805007-23	Water	Water	05/02/2018 13:37:00	05/16/2018 00:00:00	05/17/2018 23:02:20
E2a Dup	1805007-24	Water	Water	05/02/2018 13:28:00	05/16/2018 00:00:00	05/17/2018 23:35:01
E2b Dup	1805007-25	Water	Water	05/02/2018 13:37:00	05/16/2018 00:00:00	05/18/2018 00:07:50
E3a	1805007-26	Water	Water	05/02/2018 14:03:00	05/16/2018 00:00:00	05/18/2018 00:41:20
E3b	1805007-27	Water	Water	05/02/2018 14:09:00	05/16/2018 00:00:00	05/18/2018 01:14:03
E4a	1805007-28	Water	Water	05/02/2018 14:37:00	05/16/2018 00:00:00	05/18/2018 01:46:49
E4b	1805007-29	Water	Water	05/02/2018 14:43:00	05/16/2018 00:00:00	05/18/2018 02:19:39
E5a	1805007-30	Water	Water	05/02/2018 15:08:00	05/16/2018 00:00:00	05/18/2018 02:52:29
E5b	1805007-31	Water	Water	05/02/2018 15:13:00	05/16/2018 00:00:00	05/18/2018 04:31:09
E6a	1805007-32	Water	Water	05/02/2018 15:38:00	05/16/2018 00:00:00	05/18/2018 05:04:08
E6b	1805007-33	Water	Water	05/02/2018 15:44:00	05/16/2018 00:00:00	05/18/2018 05:36:52
E7a	1805007-34	Water	Water	05/02/2018 16:09:00	05/16/2018 00:00:00	05/18/2018 06:09:34
E7b	1805007-35	Water	Water	05/02/2018 16:35:00	05/16/2018 00:00:00	05/18/2018 06:42:19
E8a	1805007-36	Water	Water	05/03/2018 08:40:00	05/16/2018 00:00:00	05/18/2018 07:15:05
E8b	1805007-37	Water	Water	05/03/2018 08:48:00	05/16/2018 00:00:00	05/18/2018 07:47:48
E10a	1805007-38	Water	Water	05/03/2018 07:15:00	05/16/2018 00:00:00	05/18/2018 08:20:28
E10a Dup	1805007-39	Water	Water	05/03/2018 07:15:00	05/16/2018 00:00:00	05/18/2018 08:53:15
E10b	1805007-40	Water	Water	05/03/2018 07:27:00	05/16/2018 00:00:00	05/18/2018 09:25:58
FB4	1805007-41	Water	Water	05/03/2018 07:36:00	05/16/2018 00:00:00	05/18/2018 11:04:48
E10 Equip	1805007-42	Water	Water	05/03/2018 07:13:00	05/16/2018 00:00:00	05/18/2018 11:37:59
E9a	1805007-43	Water	Water	05/03/2018 09:53:00	05/16/2018 00:00:00	05/18/2018 12:10:51
E9b	1805007-44	Water	Water	05/03/2018 10:02:00	05/16/2018 00:00:00	05/18/2018 13:49:05

B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE
B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon	NA	FALSE

FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	3	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	2	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	2	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	2	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	2	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	2	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	3	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	7	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	U	1	2	mg/L	TRUE	NA	1				
FALSE	4	1	2	mg/L	TRUE	NA	1				

FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA						MS/MSD				
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										
FA										

						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2
						2

ED_004625A_00002446-00012

LABNAME	LABSAMPID	QCTYPE	MATRIX	PREPDATE
US EPA Region 5 Chicago Regional Laboratory	B18E033-BLK1	Blank	Water	05/14/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E033-BS1	LCS	Water	05/14/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E033-DUP1	Duplicate	Water	05/14/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E033-DUP2	Duplicate	Water	05/14/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E033-DUP3	Duplicate	Water	05/14/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E033-MRL1	MRL Check	Water	05/14/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E033-MS1	Matrix Spike	Water	05/14/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E033-MS2	Matrix Spike	Water	05/14/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E033-MS3	Matrix Spike	Water	05/14/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E047-BLK1	Blank	Water	05/16/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E047-BS1	LCS	Water	05/16/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E047-DUP1	Duplicate	Water	05/16/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E047-DUP2	Duplicate	Water	05/16/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E047-DUP3	Duplicate	Water	05/16/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E047-MRL1	MRL Check	Water	05/16/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E047-MS1	Matrix Spike	Water	05/16/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E047-MS2	Matrix Spike	Water	05/16/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E047-MS3	Matrix Spike	Water	05/16/2018 00:00:00

ANADATE	BATCH	METHODCODE	METHODNAME	PREPNAME	ANALYTE
05/15/2018 14:02:04	B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon
05/15/2018 14:34:54	B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon
05/15/2018 18:24:24	B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon
05/16/2018 06:29:59	B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon
05/21/2018 10:38:16	B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon
05/15/2018 15:07:46	B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon
05/15/2018 18:57:11	B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon
05/16/2018 07:02:50	B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon
05/16/2018 18:32:56	B18E033	TOC	SM 5310 B	General Preparation	Total Organic Carbon
05/17/2018 04:58:21	B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon
05/17/2018 06:04:00	B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon
05/17/2018 10:59:41	B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon
05/17/2018 21:23:55	B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon
05/18/2018 12:43:37	B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon
05/17/2018 05:31:00	B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon
05/17/2018 11:32:27	B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon
05/17/2018 21:56:47	B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon
05/18/2018 13:16:21	B18E047	TOC	SM 5310 B	General Preparation	Total Organic Carbon

CASNUMBER	SURROGATE	TIC	RESULT	DL	RL	UNITS	RPToMDL	BASIS	DILUTION	SOURCEID
NA	FALSE	FALSE	U	1	2	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	4.98	1	2	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	2.04	1	2	mg/L	TRUE	NA	1	1805005-05
NA	FALSE	FALSE	U	1	2	mg/L	TRUE	NA	1	1805005-21
NA	FALSE	FALSE	3.58	1	2	mg/L	TRUE	NA	1	1805005-41
NA	FALSE	FALSE	2.12			mg/L	TRUE	NA	1	
NA	FALSE	FALSE	6.00	1	2	mg/L	TRUE	NA	1	1805005-05
NA	FALSE	FALSE	6.01	1	2	mg/L	TRUE	NA	1	1805005-21
NA	FALSE	FALSE	5.15	1	2	mg/L	TRUE	NA	1	1805005-41
NA	FALSE	FALSE	U	1	2	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	4.81	1	2	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	U	1	2	mg/L	TRUE	NA	1	1805007-08
NA	FALSE	FALSE	1.65	1	2	mg/L	TRUE	NA	1	1805007-21
NA	FALSE	FALSE	1.20	1	2	mg/L	TRUE	NA	1	1805007-43
NA	FALSE	FALSE	1.93			mg/L	TRUE	NA	1	
NA	FALSE	FALSE	5.14	1	2	mg/L	TRUE	NA	1	1805007-08
NA	FALSE	FALSE	6.35	1	2	mg/L	TRUE	NA	1	1805007-21
NA	FALSE	FALSE	5.70	1	2	mg/L	TRUE	NA	1	1805007-43

SOURCERES	SPIKELEVEL	RECOVERY	RPD	UPPERCL	LOWERCL	RPDCL	ANALYST	PSOLIDS	LNOTE
							FA		
	5.000	99.6		123	80.7		FA		
2.10			3.07			15	FA		
U						15	FA		
3.34			6.86			15	FA		
	2.000	106		142	47		FA		
2.10	5.000	77.9		143	85.1		FA		
U	5.000	120		143	85.1		FA		
3.34	5.000	36.1		143	85.1		FA		
							FA		
	5.000	96.2		123	80.7		FA		
U						15	FA		
1.67			1.14			15	FA		
1.17			2.05			15	FA		
	2.000	96.6		142	47		FA		
U	5.000	103		143	85.1		FA		
1.67	5.000	93.8		143	85.1		FA		
1.17	5.000	90.4		143	85.1		FA		

ANOTE	ANALYTEORDER
	2
	2
	2
	2
	2
	2
	2
	2
	2
	2
	2
	2
	2
	2
	2
	2
	2
	2

QUALIFIER	DESCRIPTION
J	The identification of the analyte is acceptable; the reported value is an estimate