CLIENT	PROJECT	PROJECTNUM	LabName
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory

SAMPLENAME	LABSAMPID	MATRIX	RPTMATRIX	SAMPDATE	PREPDATE	ANADATE
D5a	1805007-01	Water	Water	05/02/2018 06:38:00	05/23/2018 00:00:00	05/23/2018 17:25:07
D5a	1805007-01	Water	Water	05/02/2018 06:38:00	05/14/2018 00:00:00	05/23/2018 12:53:19
D5b	1805007-02	Water	Water	05/02/2018 06:46:00	05/23/2018 00:00:00	05/23/2018 17:26:01
D5b	1805007-02	Water	Water	05/02/2018 06:46:00	05/14/2018 00:00:00	05/23/2018 12:54:13
D6a	1805007-03	Water	Water	05/02/2018 07:17:00	05/23/2018 00:00:00	05/23/2018 17:27:22
D6a	1805007-03	Water	Water	05/02/2018 07:17:00	05/14/2018 00:00:00	05/23/2018 12:55:06
D6b	1805007-04	Water	Water	05/02/2018 07:29:00	05/23/2018 00:00:00	05/23/2018 17:28:16
D6b	1805007-04	Water	Water	05/02/2018 07:29:00	05/14/2018 00:00:00	05/23/2018 12:56:01
D7 equip	1805007-05	Water	Water	05/02/2018 08:01:00	05/23/2018 00:00:00	05/23/2018 17:29:09
D7 equip	1805007-05	Water	Water	05/02/2018 08:01:00	05/14/2018 00:00:00	05/23/2018 12:58:43
FB3	1805007-06	Water	Water	05/02/2018 08:03:00	05/23/2018 00:00:00	05/23/2018 17:30:31
FB3	1805007-06	Water	Water	05/02/2018 08:03:00	05/14/2018 00:00:00	05/23/2018 12:59:36
D7a Dup	1805007-07	Water	Water	05/02/2018 08:12:00	05/23/2018 00:00:00	05/23/2018 17:31:24
D7a Dup	1805007-07	Water	Water	05/02/2018 08:12:00	05/14/2018 00:00:00	05/23/2018 13:00:31
D7a	1805007-08	Water	Water	05/02/2018 08:12:00	05/23/2018 00:00:00	05/23/2018 17:32:18
D7a	1805007-08	Water	Water	05/02/2018 08:12:00	05/14/2018 00:00:00	05/23/2018 13:01:24
D7b	1805007-09	Water	Water	05/02/2018 08:19:00	05/23/2018 00:00:00	05/23/2018 17:37:43
D7b	1805007-09	Water	Water	05/02/2018 08:19:00	05/14/2018 00:00:00	05/23/2018 13:04:07
D8a	1805007-10	Water	Water	05/02/2018 08:55:00	05/23/2018 00:00:00	05/23/2018 17:38:37
D8a	1805007-10	Water	Water	05/02/2018 08:55:00	05/14/2018 00:00:00	05/23/2018 13:05:01
D8b	1805007-11	Water	Water	05/02/2018 09:11:00	05/23/2018 00:00:00	05/23/2018 17:39:57
D8b	1805007-11	Water	Water	05/02/2018 09:11:00	05/14/2018 00:00:00	05/23/2018 13:05:54
D9a	1805007-12	Water	Water	05/02/2018 09:45:00	05/23/2018 00:00:00	05/23/2018 17:43:07
D9a	1805007-12	Water	Water	05/02/2018 09:45:00	05/14/2018 00:00:00	05/23/2018 13:12:13
D9b	1805007-13	Water	Water	05/02/2018 09:54:00	05/23/2018 00:00:00	05/23/2018 17:44:01
D9b	1805007-13	Water	Water	05/02/2018 09:54:00	05/14/2018 00:00:00	05/23/2018 13:26:00
D10a	1805007-14	Water	Water	05/02/2018 10:29:00	05/23/2018 00:00:00	05/23/2018 17:44:55
D10a	1805007-14	Water	Water	05/02/2018 10:29:00	05/14/2018 00:00:00	05/23/2018 13:14:00
D10a Dup	1805007-15	Water	Water	05/02/2018 10:29:00	05/23/2018 00:00:00	05/29/2018 16:04:49
D10a Dup	1805007-15	Water	Water	05/02/2018 10:29:00	05/14/2018 00:00:00	05/23/2018 13:14:54
D10b	1805007-16	Water	Water	05/02/2018 10:41:00	05/23/2018 00:00:00	05/29/2018 16:06:10
D10b	1805007-16	Water	Water	05/02/2018 10:41:00	05/14/2018 00:00:00	05/23/2018 13:15:48
D10b Dup	1805007-17	Water	Water	05/02/2018 10:41:00	05/23/2018 00:00:00	05/29/2018 16:07:04
D10b Dup	1805007-17	Water	Water	05/02/2018 10:41:00	05/14/2018 00:00:00	05/23/2018 13:16:42
D11a	1805007-18	Water	Water	05/02/2018 11:19:00	05/23/2018 00:00:00	05/29/2018 16:07:58
D11a	1805007-18	Water	Water	05/02/2018 11:19:00	05/14/2018 00:00:00	05/23/2018 13:17:37
D11b	1805007-19	Water	Water	05/02/2018 11:42:00	05/23/2018 00:00:00	05/29/2018 16:09:19
D11b	1805007-19	Water	Water	05/02/2018 11:42:00	05/14/2018 00:00:00	05/23/2018 13:18:31
E1a	1805007-20	Water	Water	05/02/2018 12:41:00	05/23/2018 00:00:00	05/29/2018 16:10:13
E1a	1805007-20	Water	Water	05/02/2018 12:41:00	05/14/2018 00:00:00	05/23/2018 13:21:13
E1b	1805007-21	Water	Water	05/02/2018 12:58:00	05/25/2018 00:00:00	05/29/2018 14:17:43
E1b	1805007-21	Water	Water	05/02/2018 12:58:00	05/25/2018 00:00:00	05/29/2018 11:50:52
E2a	1805007-22	Water	Water	05/02/2018 13:28:00	05/25/2018 00:00:00	05/29/2018 14:23:07
E2a	1805007-22	Water	Water	05/02/2018 13:28:00	05/25/2018 00:00:00	05/29/2018 11:37:22
E2b	1805007-23	Water	Water	05/02/2018 13:37:00	05/25/2018 00:00:00	05/29/2018 14:24:01
E2b	1805007-23	Water	Water	05/02/2018 13:37:00	05/25/2018 00:00:00	05/29/2018 11:58:04
E2a Dup	1805007-24	Water	Water	05/02/2018 13:28:00	05/25/2018 00:00:00	05/29/2018 14:24:55
E2a Dup	1805007-24	Water	Water	05/02/2018 13:28:00	05/25/2018 00:00:00	05/29/2018 11:39:10
E2b Dup	1805007-25	Water	Water	05/02/2018 13:37:00	05/25/2018 00:00:00	05/29/2018 14:26:16
E2b Dup	1805007-25	Water	Water	05/02/2018 13:37:00	05/25/2018 00:00:00	05/29/2018 11:59:52
E3a	1805007-26	Water	Water	05/02/2018 14:03:00	05/25/2018 00:00:00	05/29/2018 14:27:10

BATCH	METHODCODE	METHODNAME	PREPNAME	ANALYTE	CASNUMBER	SURROGATE
B18E060	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E036	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E060	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E036	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E060	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E036	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E060	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E036	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E060	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E036	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E060	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E036	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E060	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E036	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E060	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E036	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E060	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E036	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E060	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E036	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E060	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E036	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E060	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E036	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E060	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E036	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E060	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E036	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E060	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E036	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E060	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E036	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E060	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E036	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E060	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E036	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E065	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E064	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E065	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E064	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E065	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E064	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E065	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E064	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E065	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE

TIC	Result	DL	RL	UNITS	RPToMDL	BASIS	DILUTION	SPIKELEVEL	RECOVERY	UPPERCL	LOWERCL
FALSE	0.68	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	1.80	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	U	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	2.90	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	0.68	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	1.14	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	0.79	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	1.59	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	U	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	U	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	U	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	U	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	U	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	0.77	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	U	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	0.55	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	1.14	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	2.27	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	1.28	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	2.01	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	1.18	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	2.17	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	0.50	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	1.15	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	1.10	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	3.48	0.40	1.50	mg/L	TRUE	NA	10				
FALSE	0.57	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	0.85	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	0.52	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	0.64	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	U	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	1.65	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	0.97	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	2.42	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	0.51	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	1.28	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	0.83	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	1.73	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	0.72	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	0.95	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	1.76	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	4.07	0.40	1.50	mg/L	TRUE	NA	10				
FALSE	U	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	0.94	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	1.40	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	3.55	0.40	1.50	mg/L	TRUE	NA	10				
FALSE	U	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	1.23	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	1.31	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	3.20	0.40	1.50	mg/L	TRUE	NA	10				
FALSE	0.53	0.20	0.50	mg/L	TRUE	NA	1				

ANALYST	PSOLIDS	LNOTE	ANOTE	LATITUDE	LONGITUDE	sComment	SNOTE1	SNOTE2	SNOTE3	SNOTE4
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF			J			MS/MSD				
NF			J			MS/MSD				
NF										
NF										
NF										
NF										
NF			J							
NF			J							
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF			J							
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										

SNOTE5	SNOTE6	SNOTE7	SNOTE8	SNOTE9	SNOTE10	ANALYTEORDER
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0

Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory
Water Division, WECA Region 5	Central Sands	CB022018	US EPA Region 5 Chicago Regional Laboratory

E3a	1805007-26	Water	Water	05/02/2018 14:03:00	05/25/2018 00:00:00	05/29/2018 11:40:58
E3b	1805007-27	Water	Water	05/02/2018 14:09:00	05/24/2018 00:00:00	05/29/2018 13:47:07
E3b	1805007-27	Water	Water	05/02/2018 14:09:00	05/24/2018 00:00:00	05/29/2018 10:59:34
E4a	1805007-28	Water	Water	05/02/2018 14:37:00	05/24/2018 00:00:00	05/29/2018 13:50:16
E4a	1805007-28	Water	Water	05/02/2018 14:37:00	05/24/2018 00:00:00	05/29/2018 11:19:22
E4b	1805007-29	Water	Water	05/02/2018 14:43:00	05/24/2018 00:00:00	05/29/2018 13:51:37
E4b	1805007-29	Water	Water	05/02/2018 14:43:00	05/24/2018 00:00:00	05/29/2018 11:21:10
E5a	1805007-30	Water	Water	05/02/2018 15:08:00	05/24/2018 00:00:00	05/29/2018 13:52:31
E5a	1805007-30	Water	Water	05/02/2018 15:08:00	05/24/2018 00:00:00	05/29/2018 11:04:04
E5b	1805007-31	Water	Water	05/02/2018 15:13:00	05/24/2018 00:00:00	05/29/2018 13:53:25
E5b	1805007-31	Water	Water	05/02/2018 15:13:00	05/24/2018 00:00:00	05/29/2018 11:04:58
E6a	1805007-32	Water	Water	05/02/2018 15:38:00	05/24/2018 00:00:00	05/29/2018 13:56:34
E6a	1805007-32	Water	Water	05/02/2018 15:38:00	05/24/2018 00:00:00	05/29/2018 11:07:40
E6b	1805007-33	Water	Water	05/02/2018 15:44:00	05/24/2018 00:00:00	05/29/2018 13:57:55
E6b	1805007-33	Water	Water	05/02/2018 15:44:00	05/24/2018 00:00:00	05/29/2018 11:24:46
E7a	1805007-34	Water	Water	05/02/2018 16:09:00	05/24/2018 00:00:00	05/29/2018 13:58:49
E7a	1805007-34	Water	Water	05/02/2018 16:09:00	05/24/2018 00:00:00	05/29/2018 11:09:28
E7b	1805007-35	Water	Water	05/02/2018 16:35:00	05/24/2018 00:00:00	05/29/2018 13:59:43
E7b	1805007-35	Water	Water	05/02/2018 16:35:00	05/24/2018 00:00:00	05/29/2018 11:10:22
E8a	1805007-36	Water	Water	05/03/2018 08:40:00	05/24/2018 00:00:00	05/29/2018 14:01:04
E8a	1805007-36	Water	Water	05/03/2018 08:40:00	05/24/2018 00:00:00	05/29/2018 11:11:16
E8b	1805007-37	Water	Water	05/03/2018 08:48:00	05/24/2018 00:00:00	05/29/2018 14:01:58
E8b	1805007-37	Water	Water	05/03/2018 08:48:00	05/24/2018 00:00:00	05/29/2018 11:12:10
E10a	1805007-38	Water	Water	05/03/2018 07:15:00	05/24/2018 00:00:00	05/29/2018 14:05:07
E10a	1805007-38	Water	Water	05/03/2018 07:15:00	05/24/2018 00:00:00	05/29/2018 11:14:52
E10a Dup	1805007-39	Water	Water	05/03/2018 07:15:00	05/24/2018 00:00:00	05/29/2018 14:06:01
E10a Dup	1805007-39	Water	Water	05/03/2018 07:15:00	05/24/2018 00:00:00	05/29/2018 11:15:46
E10b	1805007-40	Water	Water	05/03/2018 07:27:00	05/24/2018 00:00:00	05/29/2018 14:09:10
E10b	1805007-40	Water	Water	05/03/2018 07:27:00	05/24/2018 00:00:00	05/29/2018 11:22:04
FB4	1805007-41	Water	Water	05/03/2018 07:36:00	05/24/2018 00:00:00	05/29/2018 14:10:31
FB4	1805007-41	Water	Water	05/03/2018 07:36:00	05/24/2018 00:00:00	05/29/2018 11:22:58
E10 Equip	1805007-42	Water	Water	05/03/2018 07:13:00	05/24/2018 00:00:00	05/29/2018 14:11:25
E10 Equip	1805007-42	Water	Water	05/03/2018 07:13:00	05/24/2018 00:00:00	05/29/2018 11:25:40
E9a	1805007-43	Water	Water	05/03/2018 09:53:00	05/24/2018 00:00:00	05/29/2018 14:12:19
E9a	1805007-43	Water	Water	05/03/2018 09:53:00	05/24/2018 00:00:00	05/29/2018 11:26:34
E9b	1805007-44	Water	Water	05/03/2018 10:02:00	05/24/2018 00:00:00	05/29/2018 14:13:40
E9b	1805007-44	Water	Water	05/03/2018 10:02:00	05/24/2018 00:00:00	05/29/2018 11:27:28

B18E064	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E063	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E062	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E063	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E062	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E063	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E062	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E063	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E062	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E063	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E062	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E063	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E062	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E063	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E062	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E063	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E062	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E063	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E062	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E063	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E062	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E063	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E062	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E063	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E062	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E063	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E062	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E063	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E062	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E063	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E062	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE
B18E063	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen	NA	FALSE
B18E062	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus	NA	FALSE

FALSE	1.85	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	0.74	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	1.79	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	1.11	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	3.57	0.40	1.50	mg/L	TRUE	NA	10				
FALSE	2.17	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	4.44	0.40	1.50	mg/L	TRUE	NA	10				
FALSE	0.64	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	0.99	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	1.42	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	2.80	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	0.52	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	1.76	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	1.23	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	5.41	0.40	1.50	mg/L	TRUE	NA	10				
FALSE	U	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	1.47	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	U	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	2.06	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	0.59	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	1.42	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	1.64	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	2.91	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	U	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	1.09	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	U	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	1.12	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	1.09	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	2.96	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	U	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	U	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	U	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	U	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	0.53	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	0.92	0.04	0.15	mg/L	TRUE	NA	1				
FALSE	1.85	0.20	0.50	mg/L	TRUE	NA	1				
FALSE	2.90	0.04	0.15	mg/L	TRUE	NA	1				

NF										
NF										
NF			J							
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF			J							
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										
NF										

						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1
						0
						1

LABNAME	LABSAMPID	QCTYPE	MATRIX	PREPDATE
US EPA Region 5 Chicago Regional Laboratory	B18E036-BLK1	Blank	Water	05/14/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E036-BS1	LCS	Water	05/14/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E036-DUP1	Duplicate	Water	05/14/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E036-DUP2	Duplicate	Water	05/14/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E036-DUP3	Duplicate	Water	05/14/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E036-DUP4	Duplicate	Water	05/14/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E036-DUP5	Duplicate	Water	05/14/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E036-MRL1	MRL Check	Water	05/14/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E036-MS1	Matrix Spike	Water	05/14/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E036-MS2	Matrix Spike	Water	05/14/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E036-MS3	Matrix Spike	Water	05/14/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E036-MS4	Matrix Spike	Water	05/14/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E036-MS5	Matrix Spike	Water	05/14/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E060-BLK1	Blank	Water	05/23/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E060-BLK2	Blank	Water	05/23/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E060-BS1	LCS	Water	05/23/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E060-DUP1	Duplicate	Water	05/23/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E060-DUP2	Duplicate	Water	05/23/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E060-DUP3	Duplicate	Water	05/23/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E060-DUP4	Duplicate	Water	05/23/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E060-DUP5	Duplicate	Water	05/23/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E060-MRL1	MRL Check	Water	05/23/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E060-MS1	Matrix Spike	Water	05/23/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E060-MS2	Matrix Spike	Water	05/23/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E060-MS3	Matrix Spike	Water	05/23/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E060-MS4	Matrix Spike	Water	05/23/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E060-MS5	Matrix Spike	Water	05/23/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E062-BLK1	Blank	Water	05/24/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E062-BS1	LCS	Water	05/24/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E062-DUP1	Duplicate	Water	05/24/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E062-DUP2	Duplicate	Water	05/24/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E062-MRL1	MRL Check	Water	05/24/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E062-MS1	Matrix Spike	Water	05/24/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E062-MS2	Matrix Spike	Water	05/24/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E063-BLK1	Blank	Water	05/24/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E063-BS1	LCS	Water	05/24/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E063-DUP1	Duplicate	Water	05/24/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E063-DUP2	Duplicate	Water	05/24/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E063-MRL1	MRL Check	Water	05/24/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E063-MS1	Matrix Spike	Water	05/24/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E063-MS2	Matrix Spike	Water	05/24/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E064-BLK1	Blank	Water	05/25/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E064-BS1	LCS	Water	05/25/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E064-DUP1	Duplicate	Water	05/25/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E064-DUP2	Duplicate	Water	05/25/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E064-MRL1	MRL Check	Water	05/25/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E064-MS1	Matrix Spike	Water	05/25/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E064-MS2	Matrix Spike	Water	05/25/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E065-BLK1	Blank	Water	05/25/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E065-BS1	LCS	Water	05/25/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E065-DUP1	Duplicate	Water	05/25/2018 00:00:00

ANADATE	BATCH	METHODCODE	METHODNAME	PREPNAME	ANALYTE
06/06/2018 11:07:23	B18E036	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus
06/06/2018 11:06:29	B18E036	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus
05/29/2018 11:44:34	B18E036	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus
05/23/2018 11:57:48	B18E036	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus
05/23/2018 12:02:00	B18E036	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus
05/23/2018 13:02:19	B18E036	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus
05/23/2018 13:10:24	B18E036	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus
06/06/2018 11:05:35	B18E036	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus
05/29/2018 12:01:40	B18E036	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus
05/23/2018 11:58:43	B18E036	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus
05/23/2018 12:03:00	B18E036	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus
05/23/2018 13:03:13	B18E036	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus
05/23/2018 13:24:00	B18E036	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus
05/23/2018 16:41:00	B18E060	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen
05/23/2018 17:17:00	B18E060	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen
05/23/2018 16:41:54	B18E060	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen
05/29/2018 14:29:25	B18E060	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen
05/23/2018 17:00:49	B18E060	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen
05/29/2018 15:52:13	B18E060	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen
05/23/2018 17:35:28	B18E060	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen
05/23/2018 17:40:51	B18E060	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen
05/23/2018 16:40:07	B18E060	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen
05/29/2018 17:30:00	B18E060	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen
05/23/2018 17:02:10	B18E060	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen
05/29/2018 15:53:34	B18E060	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen
05/23/2018 17:36:48	B18E060	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen
05/23/2018 17:41:46	B18E060	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen
05/29/2018 10:57:46	B18E062	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus
05/29/2018 10:58:40	B18E062	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus
05/29/2018 11:00:28	B18E062	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus
05/29/2018 11:13:04	B18E062	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus
05/29/2018 10:56:52	B18E062	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus
05/29/2018 11:01:22	B18E062	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus
05/29/2018 11:30:10	B18E062	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus
05/29/2018 13:45:19	B18E063	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen
05/29/2018 13:46:13	B18E063	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen
05/29/2018 13:48:28	B18E063	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen
05/29/2018 14:02:52	B18E063	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen
05/29/2018 13:43:58	B18E063	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen
05/29/2018 13:49:22	B18E063	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen
05/29/2018 14:04:13	B18E063	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen
05/29/2018 11:32:52	B18E064	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus
05/29/2018 11:33:46	B18E064	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus
05/29/2018 11:52:40	B18E064	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus
05/29/2018 12:05:16	B18E064	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus
05/29/2018 11:28:22	B18E064	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus
05/29/2018 11:54:28	B18E064	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus
05/29/2018 12:06:10	B18E064	Total Phosphorus DA	EPA 365.4	EPA 365.4 (TP)	Total Phosphorus
05/29/2018 14:15:28	B18E065	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen
05/29/2018 14:16:49	B18E065	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen
05/29/2018 14:18:37	B18E065	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen

CASNUMBER	SURROGATE	TIC	RESULT	DL	RL	UNITS	RPToMDL	BASIS	DILUTION	SOURCEID
NA	FALSE	FALSE	U	0.04	0.15	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	1.04	0.04	0.15	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	1.71	0.08	0.30	mg/L	TRUE	NA	2	1805005-31
NA	FALSE	FALSE	2.45	0.08	0.30	mg/L	TRUE	NA	2	1805005-41
NA	FALSE	FALSE	3.40	0.08	0.30	mg/L	TRUE	NA	2	1805005-51
NA	FALSE	FALSE	0.54	0.04	0.15	mg/L	TRUE	NA	1	1805007-08
NA	FALSE	FALSE	2.20	0.04	0.15	mg/L	TRUE	NA	1	1805007-11
NA	FALSE	FALSE	0.16			mg/L	TRUE	NA	1	
NA	FALSE	FALSE	10.2	0.80	3.00	mg/L	TRUE	NA	20	1805005-31
NA	FALSE	FALSE	3.84	0.08	0.30	mg/L	TRUE	NA	2	1805005-41
NA	FALSE	FALSE	5.32	0.08	0.30	mg/L	TRUE	NA	2	1805005-51
NA	FALSE	FALSE	1.46	0.04	0.15	mg/L	TRUE	NA	1	1805007-08
NA	FALSE	FALSE	3.11	0.40	1.50	mg/L	TRUE	NA	10	1805007-11
NA	FALSE	FALSE	U	0.20	0.50	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	U	0.20	0.50	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	1.96	0.20	0.50	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	0.96	0.40	1.00	mg/L	TRUE	NA	2	1805005-31
NA	FALSE	FALSE	0.35	0.20	0.50	mg/L	TRUE	NA	1	1805005-41
NA	FALSE	FALSE	1.50	0.40	1.00	mg/L	TRUE	NA	2	1805005-51
NA	FALSE	FALSE	0.20	0.20	0.50	mg/L	TRUE	NA	1	1805007-08
NA	FALSE	FALSE	1.06	0.20	0.50	mg/L	TRUE	NA	1	1805007-11
NA	FALSE	FALSE	0.41			mg/L	TRUE	NA	1	
NA	FALSE	FALSE	4.88	0.40	1.00	mg/L	TRUE	NA	2	1805005-31
NA	FALSE	FALSE	0.91	0.20	0.50	mg/L	TRUE	NA	1	1805005-41
NA	FALSE	FALSE	5.98	0.40	1.00	mg/L	TRUE	NA	2	1805005-51
NA	FALSE	FALSE	2.28	0.20	0.50	mg/L	TRUE	NA	1	1805007-08
NA	FALSE	FALSE	3.03	0.20	0.50	mg/L	TRUE	NA	1	1805007-11
NA	FALSE	FALSE	U	0.04	0.15	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	1.07	0.04	0.15	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	1.75	0.04	0.15	mg/L	TRUE	NA	1	1805007-27
NA	FALSE	FALSE	2.90	0.04	0.15	mg/L	TRUE	NA	1	1805007-37
NA	FALSE	FALSE	0.16			mg/L	TRUE	NA	1	
NA	FALSE	FALSE	2.79	0.04	0.15	mg/L	TRUE	NA	1	1805007-27
NA	FALSE	FALSE	3.79	0.40	1.50	mg/L	TRUE	NA	10	1805007-37
NA	FALSE	FALSE	U	0.20	0.50	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	2.08	0.20	0.50	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	0.75	0.20	0.50	mg/L	TRUE	NA	1	1805007-27
NA	FALSE	FALSE	1.60	0.20	0.50	mg/L	TRUE	NA	1	1805007-37
NA	FALSE	FALSE	0.59			mg/L	TRUE	NA	1	
NA	FALSE	FALSE	3.05	0.20	0.50	mg/L	TRUE	NA	1	1805007-27
NA	FALSE	FALSE	3.47	0.20	0.50	mg/L	TRUE	NA	1	1805007-37
NA	FALSE	FALSE	U	0.04	0.15	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	1.02	0.04	0.15	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	4.14	0.40	1.50	mg/L	TRUE	NA	10	1805007-21
NA	FALSE	FALSE	0.47	0.04	0.15	mg/L	TRUE	NA	1	1805011-01
NA	FALSE	FALSE	0.16			mg/L	TRUE	NA	1	
NA	FALSE	FALSE	4.98	0.40	1.50	mg/L	TRUE	NA	10	1805007-21
NA	FALSE	FALSE	1.45	0.04	0.15	mg/L	TRUE	NA	1	1805011-01
NA	FALSE	FALSE	U	0.20	0.50	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	2.17	0.20	0.50	mg/L	TRUE	NA	1	
NA	FALSE	FALSE	1.58	0.20	0.50	mg/L	TRUE	NA	1	1805007-21

SOURCERES	SPIKELEVEL	RECOVERY	RPD	UPPERCL	LOWERCL	RPDCL	ANALYST	PSOLIDS	LNOTE
							Nidia		
	1.000	104		111	89		NF		
1.47			15			10	NF		
2.64			7			10	NF		
3.73			9			10	NF		
0.55			2			10	NF		
2.17			1			10	NF		
	0.1500	104		132	68		Nidia		
1.47	2.000	436		124	79		NF		
2.64	2.000	60		124	79		NF		
3.73	2.000	80		124	79		NF		
0.55	1.000	91		124	79		NF		
2.17	1.000	94		124	79		NF		
							NF		
							NF		
	2.000	98		110	90		NF		
0.82			16			24	NF		
1.54			126			24	NF		
1.86			21			24	NF		
U						24	NF		
1.18			10			24	NF		
	0.5000	82		153	74		NF		
0.82	4.000	101		110	90		NF		
1.54	4.000	-16		110	90		NF		
1.86	4.000	103		110	90		NF		
U	2.000	114		110	90		NF		
1.18	2.000	93		110	90		NF		
							NF		
	1.000	107		111	89		NF		
1.79			2			10	NF		
2.91			0.2			10	NF		
	0.1500	109		132	68		NF		
1.79	1.000	100		124	79		NF		
2.91	1.000	89		124	79		NF		
							NF		
	2.000	104		110	90		NF		
0.74			2			24	NF		
1.64			2			24	NF		
	0.5000	119		153	74		NF		
0.74	2.000	116		110	90		NF		
1.64	2.000	91		110	90		NF		
							NF		
	1.000	102		111	89		NF		
4.07			2			10	NF		
0.47			0.5			10	NF		
	0.1500	108		132	68		NF		
4.07	1.000	92		124	79		NF		
0.47	1.000	98		124	79		NF		
							NF		
	2.000	108		110	90		NF		
1.76			11			24	NF		

ANOTE	ANALYTEORDER
	1
	1
	1
	1
	1
	1
	1
	1
	1
	1
	1
	1
	1
	0
	0
	0
J	0
J	0
	0
J	0
	0
	0
	0
	0
	0
	0
	0
	1
	1
	1
	1
	1
	1
	1
	0
	0
	0
	0
	0
	0
	0
	0
	1
	1
	1
	1
	1
	1
	1
	0
	0
	0

US EPA Region 5 Chicago Regional Laboratory	B18E065-DUP2	Duplicate	Water	05/25/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E065-MRL1	MRL Check	Water	05/25/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E065-MS1	Matrix Spike	Water	05/25/2018 00:00:00
US EPA Region 5 Chicago Regional Laboratory	B18E065-MS2	Matrix Spike	Water	05/25/2018 00:00:00

05/29/2018 15:55:22	B18E065	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen
05/29/2018 14:14:34	B18E065	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen
05/29/2018 14:21:46	B18E065	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen
05/29/2018 15:56:43	B18E065	TKN DA	EPA 351.2	EPA 365.4 (TP)	Total Kjeldahl Nitrogen

NA	FALSE	FALSE	1.41	0.20	0.50	mg/L	TRUE	NA	1	1805011-01
NA	FALSE	FALSE	0.68			mg/L	TRUE	NA	1	
NA	FALSE	FALSE	4.19	0.20	0.50	mg/L	TRUE	NA	1	1805007-21
NA	FALSE	FALSE	1.64	0.20	0.50	mg/L	TRUE	NA	1	1805011-01

1.23			14			24	NF		
	0.5000	135		153	74		NF		
1.76	2.000	121		110	90		NF		
1.23	2.000	21		110	90		NF		

	0
	0
	0
	0

QUALIFIER	DESCRIPTION
J	The identification of the analyte is acceptable; the reported value is an estimate