Appointment

From: R5Metcalfe-ConfRm-R1520B/R5-Metcalfe---15th-Floor [R5Metcalfe-ConfRm-R1520B-R5-Metcalfe---15th-Floor@epa.gov]
Sent: 4/18/2018 8:27:42 PM
To: Burdett, Cheryl [burdett.cheryl@epa.gov]

Subject: Declined: Procedures for collection of Samples and safety measures for GeoProbe
Location: R5Metcalfe-ConfRm-R1516/R5-Metcalfe---15th-Floor; R5Metcalfe-ConfRm-R1515B/R5-Metcalfe---15th-Floor; R5Metcalfe-ConfRm-R1513A/R5-Metcalfe---15th-Floor; R5Metcalfe-ConfRm-R1520B/R5-Metcalfe---15th-Floor; R5Metcalfe-ConfRm-R1507X/R5-Metcalfe---15th-Floor

Start: 4/19/2018 5:30:00 PM
End: 4/19/2018 7:00:00 PM

Recurrence: (none)

Your request was declined because there are conflicts.

The conflicts are:

Organizer and Time of Conflicting Meeting

Johnson, Aaron - Thursday, April 19, 2018 1:00:00 PM to Thursday, April 19, 2018 2:00:00 PM

All times listed are in the following time zone: (UTC-06:00) Central Time (US & Canada)

Sent by Microsoft Exchange Server 2016