Message

From: Shoven, Heather [shoven.heather@epa.gov]
Sent: 7/16/2018 6:01:15 PM
To: Maraldo, Dean [Maraldo.Dean@epa.gov]
Subject: Check it out - Talking Points

<!--[if lte mso 15 || CheckWebRef]-->

Shoven, Heather has shared a OneDrive for Business file with you. To view it, click the link below.

Juneau County Meeting TPs 7-12-18.docx

<!--[endif]-->

Best wishes,
Heather

Heather A. Shoven
Chief, Section 1 (Enforcement and Direct Implementation)
Ground Water and Drinking Water Branch
U.S. Environmental Protection Agency, Region 5
(312) 886-0153

From: Shoven, Heather
Sent: Friday, July 13, 2018 7:49 AM
To: Hyde, Tinka <hyde.tinka@epa.gov>
Subject: FW: Juneau Talking Points

Best wishes,
Heather

Heather A. Shoven
Chief, Section 1 (Enforcement and Direct Implementation)
Ground Water and Drinking Water Branch
U.S. Environmental Protection Agency, Region 5
(312) 886-0153

From: Shoven, Heather
Sent: Thursday, July 12, 2018 5:53 PM
To: Kuefler, Patrick <kuefler.patrick@epa.gov>; Maraldo, Dean <Maraldo.Dean@epa.gov>; Holst, Linda <holst.linda@epa.gov>; Burdett, Cheryl <burdett.cheryl@epa.gov>; Bahr, Ryan <bahr.ryan@epa.gov>; Mikalian, Charles <mikalian.charles@epa.gov>; Wilson, Jennifer <wilson.jenniferA@epa.gov>; Ross, Anthony <ross.anthony@epa.gov>
Cc: Klassman, Debra <klassman.debra@epa.gov>; Chabria, Monesh <chabria.monesh@epa.gov>
Subject: RE: Juneau Talking Points

Thanks Pat and Dean! I accepted all of Pat's changes and placed his version into the attached Word document. Jenny, Cheryl and I then reviewed it and provided edits via track changes for Pat and the team to consider. Please see the attached OneDrive version for our suggestions. Thanks!

Best wishes,
Heather

Heather A. Shoven
Chief, Section 1 (Enforcement and Direct Implementation)
Ground Water and Drinking Water Branch
U.S. Environmental Protection Agency, Region 5
(312) 886-0153

From: Kuefler, Patrick
Sent: Thursday, July 12, 2018 4:40 PM
To: Maraldo, Dean <Maraldo.Dean@epa.gov>; Shoven, Heather <shoven.heather@epa.gov>; Holst, Linda <holst.linda@epa.gov>; Burdett, Cheryl <burdett.cheryl@epa.gov>; Bahr, Ryan <bahr.ryan@epa.gov>; Mikalian, Charles <mikalian.charles@epa.gov>; Wilson, Jennifer <wilson.jenniferA@epa.gov>; Ross, Anthony <ross.anthony@epa.gov>
Cc: Klassman, Debra <klassman.debra@epa.gov>; Chabria, Monesh <chabria.monesh@epa.gov>
Subject: RE: Juneau Talking Points

Ex. 5 AC/AWP/DP

From: Maraldo, Dean
Sent: Thursday, July 12, 2018 2:23 PM
To: Shoven, Heather <shoven.heather@epa.gov>; Holst, Linda <holst.linda@epa.gov>; Burdett, Cheryl <burdett.cheryl@epa.gov>; Bahr, Ryan <bahr.ryan@epa.gov>; Mikalian, Charles <mikalian.charles@epa.gov>; Wilson, Jennifer <wilson.jenniferA@epa.gov>; Ross, Anthony <ross.anthony@epa.gov>; Kuefler, Patrick <kuefler.patrick@epa.gov>
Cc: Klassman, Debra <klassman.debra@epa.gov>; Chabria, Monesh <chabria.monesh@epa.gov>
Subject: Juneau Talking Points

I'm done for the day but wanted to at least get a start on talking points. Most are taken from website language, but added some about EPA/WDNR interaction, regulatory authorities, next steps....

Juneau County Groundwater Screening Investigation

Talking Points:

- On April 30 through May 3, 2018, EPA sampled groundwater in the Town of Armenia, after receiving complaints of private drinking water well contamination.
- EPA collected groundwater samples at 41 temporary boring locations and 5 drinking water wells. The samples were analyzed for multiple parameters, including nutrients. Private well results have been provided to the homeowners. [EPA also collected private well samples from X13 homes in the area in October 2017. The results have been shared with the homeowners.]
- EPA used temporary or "point-in-time" groundwater sampling techniques with the goal of characterizing nature and extent of pollutants in groundwater. This information can be used to identify potential sources of groundwater pollutants and potential impacts to drinking water sources.
- The borings were located in a network that extended upgradient of the previously identified contaminated residential wells and potential sources.
- Samples were collected at two depths because???
- Preliminary analysis shows:

Ex. 5 AC/AWP/DP

==========

Dean Maraldo
Water Enforcement & Compliance Assurance Branch
U.S. EPA - Region 5
77 West Jackson Blvd. (WC-15J)
Chicago, Illinois 60604
ph: (312) 353-2098
fax: (312) 385-5394
e-mail: maraldo.dean@epa.gov
http://www.epa.gov/enforcement/

From: Shoven, Heather
Sent: Wednesday, July 11, 2018 2:48 PM
To: Holst, Linda; Burdett, Cheryl; Bahr, Ryan; Mikalian, Charles; Wilson, Jennifer; Ross, Anthony; Maraldo, Dean; Kuefler, Patrick; Poy, Thomas; Baltazar, Debbie; Balasa, Kate
Cc: Klassman, Debra; Chabria, Monesh
Subject: Ex. 5 AC/AWP/DP

Ex. 5 AC/AWP/DP

Ex. 5 AC/AWP/DP

Ex. 5 AC/AWP/DP