Message

From: Mikalian, Charles [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=1216B33DD74E4765879B195C82564527-CMIKALIA]
Sent: 8/16/2018 1:32:43 PM
To: David E. Lasker [dlasker@co.juneau.wi.us]
Subject: RE: Concerns regarding AO Smith RO apparatus

Hi David,

Please give me a quick call about this issue. Thanks, Chuck

From: David E. Lasker [mailto:dlasker@co.juneau.wi.us]
Sent: Wednesday, August 15, 2018 11:56 AM
To: Field, Cameron F (22259) (cffield@michaelbest.com) <cffield@michaelbest.com>
Cc: Matthew Komiskey <mkomiskey@co.juneau.wi.us>; Barb Theis <btheis@co.juneau.wi.us>; Mikalian, Charles <mikalian.charles@epa.gov>; Nancy Cowan <ncowan@co.juneau.wi.us>
Subject: Concerns regarding AO Smith RO apparatus

Hi Cameron,

As part of our due diligence, Barb Theis today contacted Glen Schlueter of the Department of Safety and Professional Services, regarding the RO systems and particularly the AO Smith product. She came across several matters of real concern, and I am going to attach to this email a copy of her notes from the conversation. I think that's the best way to share this with you efficiently.

I have been meeting with Juneau County staff about many aspects of this, and Peter Kastenholz is also conferring with the Wood County staff. I will be ready soon to talk to you again about a suggested initial MOU to be reached as soon as possible and plans for a future and final one. I will be out of the office most of the time through the end of this week. But I wanted to let you know of the attached concerns ASAP.

Our immediate concern is to have us continue to go forward with providing bottled water while we are sorting everything else out.

My best,

David

David E. Lasker
Juneau County Corporation Counsel
Juneau County Services Building – Room 279
200 Hickory Street
Mauston, Wisconsin 53948

Telephone: 608-847-9321
Facsimile: 608-847-9324
dlasker@co.juneau.wi.us

CONFIDENTIALITY NOTICE

IMPORTANT: This e-mail message is intended only for the use of the individual or entity to which it is addressed and may contain information that is privileged, work product, or otherwise confidential and protected, or exempt, from disclosure under applicable law. If the reader of this message is not the intended recipient, or the employee or agent responsible for delivering the message to the intended recipient, you are hereby notified that any dissemination, distribution or copying of this communication is strictly prohibited. If you received this communication in error, please notify the sender immediately by telephone, return the original message to me by mail, destroy any copies you may have made and delete the communication from any computer and/or storage media. Thank you.