Survey Unit	Reviewer	Box Plots	Q-Q Plots	Rounds of excavation	Gamma scan or static concerns	On vs offsite lab
TU067						
TU067						
TU068						
TU068						
TU069						
TU071						
TU071						
TU072						
TU072						
TU073						
TU073						
TU074						
TU075						
TU076						
TU078						
TU079						
TU080						
TU082						
TU083						
TU085						
TU085						
TU086						
TU087						
TU088						
TU089						
TU091						
TU092						
TU093						
TU096						
TU097						
TU097						
TU098						
TU098						
TU099						
TU099						
TU100						
TU101						
TU101						
TU102						
TU102						
TU103						
TU103						

Time Series	Signs of falsifying (1=Yes, 0=no)	Signs of falsification summary	Failure to follow workplan (1=Y, 0=N)	Signs of failure to follow workplan	Overalll score (0 to 2)

Comments - Other	Followup needed, e.g. questions for Navy	Recom mend for PCA (1 or 0)	Grey area - talk to group	Scoring ranking

TU104
TU106
TU107
TU107
TU108
TU111
TU115
TU115
TU116
TU116
TU117
TU118
TU119
TU121
TU124
TU151
TU204
TU204

Building	Survey Unit	Reviewer	Box Plots	Q-Q Plots	Rounds of excavation
	Bldg 24				
	Bldg 27				
	Bldg 30				
Parcel G Bldg SUs recommended for NFA					
Building	SU				
364	SU 20				
364	SU 22				
364	SU 23				
364	SU 24				
364	SU 25				
364	SU 26				
364	SU 27				

Gamma scan or static concerns	On vs offsite lab	Time Series	Signs of falsifying (1=Yes, 0=no)	Signs of falsification summary

Failure to follow workplan (1=Y, 0=N)	Signs of failure to follow workplan	Overalll score (0 to 2)	Comments - Other	Followup needed, e.g. questions for Navy	Recom mend for PCA (1=Y, 0=N)	Grey area - talk to group	Scoring ranking