Project ID	Project Name
Animas_SanJuan_Watershed	Animas San Juan Watershed
GKM_Followup	Gold King Mine Followup

Project Description
Monitoring performed in the Animas and San Juan Watershed
Follow up monitoring data collected with the first year of the Gold King Mine release

MonitoringLocationID	MonitoringLocationName	MonitoringLocationType	TribalLandIndicator
32nd St Bridge	32nd St Bridge	River/Stream	FALSE
9426	9426	River/Stream	FALSE
A68	A68	River/Stream	FALSE
A72	A72	River/Stream	FALSE
ADW-010	ADW-010	River/Stream	FALSE
ADW-021	ADW-021	River/Stream	FALSE
ADW-022	ADW-022	River/Stream	FALSE
Bakers Bridge	Bakers Bridge	River/Stream	FALSE
CC48	CC48	River/Stream	FALSE
FW-012	FW-012	River/Stream	FALSE
FW-040	FW-040	River/Stream	FALSE
AR19-3	AR19-3	River/Stream	FALSE
GKM05	GKM05	River/Stream	FALSE
LVW-020	LVW-020	River/Stream	FALSE
M34	M34	River/Stream	FALSE
Oxbow Park	Oxbow Park	River/Stream	FALSE
Rotary Park	Rotary Park	River/Stream	FALSE
SJ4C	SJ4C	River/Stream	TRUE
SJAR	SJAR	River/Stream	FALSE
SJBB	SJBB	River/Stream	FALSE
SJCH	SJCH	River/Stream	FALSE
SJFP	SJFP	River/Stream	TRUE
SJLP	SJLP	River/Stream	TRUE
SJMC	SJMC	River/Stream	TRUE
SJSR	SJSR	River/Stream	FALSE
AR2-7	AR2-7	River/Stream	TRUE
AR7-2	AR7-2	River/Stream	TRUE
A75D	A75D	River/Stream	FALSE
SJMH	SJMH	River/Stream	TRUE
AR2-7a	AR2-7a	River/Stream	TRUE

TribalLandName	Latitude	Longitude	HorizontalCollectionMethod	Datum
	37.294805	-107.87046900	GPS-Unspecified	NAD83
	37.385148	-107.83694600	GPS-Unspecified	NAD83
	37.810983	-107.65936000	GPS-Unspecified	NAD83
	37.790017	-107.66753600	GPS-Unspecified	NAD83
	36.838545	-107.99218300	GPS-Unspecified	NAD83
	36.872838	-107.96074100	GPS-Unspecified	NAD83
	36.933295	-107.90907300	GPS-Unspecified	NAD83
	37.455731	-107.80109500	GPS-Unspecified	NAD83
	37.818115	-107.66167800	GPS-Unspecified	NAD83
	36.783635	-108.10211100	GPS-Unspecified	NAD83
	36.719664	-108.20712500	GPS-Unspecified	NAD83
	37.221297	-107.85959800	GPS-Unspecified	NAD83
	37.268704	-107.88585700	GPS-Unspecified	NAD83
	36.730556	-108.25104600	GPS-Unspecified	NAD83
	37.802921	-107.67272400	GPS-Unspecified	NAD83
	37.309037	-107.85571400	GPS-Unspecified	NAD83
	37.280534	-107.87662200	GPS-Unspecified	NAD83
Navajo Nation	36.99621613	-109.00468380	GPS-Unspecified	NAD83
	36.707467	-108.15081300	GPS-Unspecified	NAD83
	37.25737015	-109.61858560	GPS-Unspecified	NAD83
	37.293336	-110.39929300	GPS-Unspecified	NAD83
Navajo Nation	36.74815602	-108.41201570	GPS-Unspecified	NAD83
Navajo Nation	36.73588701	-108.25398680	GPS-Unspecified	NAD83
Navajo Nation	37.25822644	-109.31060360	GPS-Unspecified	NAD83
	36.78162422	-108.69278380	GPS-Unspecified	NAD83
Southern Ute	37.032292	-107.87545500	GPS-Unspecified	NAD83
Southern Ute	37.085161	-107.87923300	GPS-Unspecified	NAD83
	37.597779	-107.77562100	GPS-Unspecified	NAD83
Navajo Nation	37.14999307	-109.86628350	GPS-Unspecified	NAD83
Southern Ute	37.027585	-107.87817700	GPS-Unspecified	NAD83

Monitoring Location	Activity ID	Activity Type
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine

Media	Media Subdivision	Start Date	Time	Time Zone	Collection Method
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM

Equipment Name	Characteristic Name	Sample Fraction	Result	Units	Result Qualifier
Water Bottle	Alkalinity, total	Total	120	mg/L	
Water Bottle	Aluminum	Dissolved		ug/L	U
Water Bottle	Aluminum	Total	64	ug/L	J
Water Bottle	Antimony	Dissolved		ug/L	U
Water Bottle	Antimony	Total		ug/L	U
Water Bottle	Arsenic	Dissolved	0.54	ug/L	J
Water Bottle	Arsenic	Total		ug/L	U
Water Bottle	Barium	Dissolved	54	ug/L	
Water Bottle	Barium	Total	55	ug/L	
Water Bottle	Beryllium	Dissolved		ug/L	U
Water Bottle	Beryllium	Total		ug/L	U
Water Bottle	Cadmium	Dissolved	0.17	ug/L	J
Water Bottle	Cadmium	Total	0.14	ug/L	J
Water Bottle	Calcium	Dissolved	80000	ug/L	
Water Bottle	Calcium	Total	79000	ug/L	
Water Bottle	Chromium	Dissolved		ug/L	U
Water Bottle	Chromium	Total		ug/L	U
Water Bottle	Cobalt	Dissolved	0.28	ug/L	J
Water Bottle	Cobalt	Total	0.3	ug/L	J
Water Bottle	Copper	Dissolved	1.4	ug/L	J
Water Bottle	Copper	Total	1.6	ug/L	J
Water Bottle	Iron	Dissolved		ug/L	U
Water Bottle	Iron	Total	150	ug/L	
Water Bottle	Lead	Dissolved	0.063	ug/L	J
Water Bottle	Lead	Total	0.93	ug/L	
Water Bottle	Magnesium	Dissolved	11000	ug/L	
Water Bottle	Magnesium	Total	11000	ug/L	
Water Bottle	Manganese	Dissolved	75	ug/L	
Water Bottle	Manganese	Total	85	ug/L	
Water Bottle	Mercury	Dissolved		ug/L	U
Water Bottle	Mercury	Total	0.00042	ug/L	J
Water Bottle	Molybdenum	Dissolved	1.2	ug/L	
Water Bottle	Molybdenum	Total	1.2	ug/L	
Water Bottle	Nickel	Dissolved	3.4	ug/L	J
Water Bottle	Nickel	Total	3.3	ug/L	J
Water Bottle	Organic carbon	Total	1	mg/L	
Water Bottle	Organic carbon	Total	1.5	mg/L	
Water Bottle	Potassium	Dissolved	4000	ug/L	
Water Bottle	Potassium	Total	4000	ug/L	
Water Bottle	Selenium	Dissolved		ug/L	U
Water Bottle	Selenium	Total		ug/L	U
Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total		ug/L	U
Water Bottle	Sodium	Dissolved	21000	ug/L	
Water Bottle	Sodium	Total	21000	ug/L	
Water Bottle	Thallium	Dissolved		ug/L	U

Detection Condition	Result Status	Result Type	Weight Basis	Method Context	Method ID
	Preliminary	Actual	Wet	APHA	2320-B
Not Detected	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8

Method Name	Lab Name	Analysis Date
Alkalinity by Gran Titration	TestAmerica Savannah	8/25/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	8/27/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/23/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/23/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016

Lower Quantitation Limit	Method Detection Level	Reporting limit	DetectionLimitUnit
5	5	5	mg/L
200	24	200	ug/L
200	24	200	ug/L
1	0.4	1	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
1	0.37	1	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L
2	1	2	ug/L
0.4	0.12	0.4	ug/L
0.4	0.12	0.4	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L
2.5	1.2	2.5	ug/L
0.0005	0.0002	0.0005	ug/L
0.0005	0.0002	0.0005	ug/L
1	0.45	1	ug/L
1	0.45	1	ug/L
5	0.4	5	ug/L
5	0.4	5	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
2	0.58	2	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L

Result Comment	Latitude	Longitude
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469
	37.294805	-107.870469

32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_SED_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_SED_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_SED_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_SED_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_SED_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_SED_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_SED_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_SED_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_SED_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_SED_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_SED_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_SED_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_SED_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_SED_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_SED_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_SED_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_SED_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_SED_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_SED_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_SED_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_SED_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_SED_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_SED_082216	Sample-Routine
32nd St Bridge	32nd St Bridge_SED_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine

Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM

Water Bottle	Thallium	Total		ug/L	U
Water Bottle	Total Hardness	Total	240	mg/L	
Water Bottle	Total Suspended Solids	Total	2.7	mg/L	
Water Bottle	Vanadium	Dissolved		ug/L	U
Water Bottle	Vanadium	Total		ug/L	U
Water Bottle	Zinc	Dissolved	33	ug/L	
Water Bottle	Zinc	Total	39	ug/L	
Disposable plastic scoop	Aluminum	Total	6900	mg/Kg	
Disposable plastic scoop	Antimony	Total	0.13	mg/Kg	J-
Disposable plastic scoop	Arsenic	Total	9.4	mg/Kg	
Disposable plastic scoop	Barium	Total	120	mg/Kg	J+
Disposable plastic scoop	Beryllium	Total	0.56	mg/Kg	
Disposable plastic scoop	Cadmium	Total	2.3	mg/Kg	J+
Disposable plastic scoop	Calcium	Total	3000	mg/Kg	
Disposable plastic scoop	Chromium	Total	6.3	mg/Kg	
Disposable plastic scoop	Cobalt	Total	9.6	mg/Kg	J+
Disposable plastic scoop	Copper	Total	75	mg/Kg	J+
Disposable plastic scoop	Iron	Total	18000	mg/Kg	
Disposable plastic scoop	Lead	Total	200	mg/Kg	
Disposable plastic scoop	Magnesium	Total	3800	mg/Kg	
Disposable plastic scoop	Manganese	Total	2200	mg/Kg	
Disposable plastic scoop	Mercury	Total		mg/Kg	UB
Disposable plastic scoop	Molybdenum	Total	2.4	mg/Kg	
Disposable plastic scoop	Nickel	Total	8.1	mg/Kg	
Disposable plastic scoop	Organic carbon	Total		g/Kg	U
Disposable plastic scoop	Potassium	Total	1100	mg/Kg	
Disposable plastic scoop	Selenium	Total	0.28	mg/Kg	J
Disposable plastic scoop	Silver	Total	1.7	mg/Kg	J-
Disposable plastic scoop	Sodium	Total	89	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.16	mg/Kg	
Disposable plastic scoop	Vanadium	Total	16	mg/Kg	
Disposable plastic scoop	Zinc	Total	710	mg/Kg	
Water Bottle	Alkalinity, total	Total	98	mg/L	
Water Bottle	Aluminum	Dissolved		ug/L	U
Water Bottle	Aluminum	Total	120	ug/L	J
Water Bottle	Antimony	Dissolved		ug/L	U
Water Bottle	Antimony	Total		ug/L	U
Water Bottle	Arsenic	Dissolved		ug/L	U
Water Bottle	Arsenic	Total		ug/L	U
Water Bottle	Barium	Dissolved	43	ug/L	
Water Bottle	Barium	Total	45	ug/L	
Water Bottle	Beryllium	Dissolved		ug/L	U
Water Bottle	Beryllium	Total		ug/L	U
Water Bottle	Cadmium	Dissolved	0.19	ug/L	J
Water Bottle	Cadmium	Total	0.19	ug/L	J
Water Bottle	Calcium	Dissolved	72000	ug/L	
Water Bottle	Calcium	Total	75000	ug/L	

Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Dry	USEPA	7471A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	APHA	2320-B
Not Detected	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7

Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Hardness by Calculation	TestAmerica Savannah	8/29/2016
Total Suspended Solids in Water	TestAmerica Savannah	8/23/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	9/1/2016
Alkalinity by Gran Titration	TestAmerica Savannah	8/25/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016

0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
1	1	1	mg/L
1	0.3	1	ug/L
1	0.3	1	ug/L
20	2.8	20	ug/L
20	2.8	20	ug/L
12	1.9	12	mg/Kg
0.23	0.016	0.23	mg/Kg
0.68	0.057	0.68	mg/Kg
0.23	0.08	0.23	mg/Kg
0.11	0.025	0.11	mg/Kg
0.11	0.011	0.11	mg/Kg
62	17	62	mg/Kg
0.23	0.086	0.23	mg/Kg
0.11	0.0075	0.11	mg/Kg
0.28	0.081	0.28	mg/Kg
19	4.7	19	mg/Kg
0.17	0.021	0.17	mg/Kg
25	4.6	25	mg/Kg
2.8	0.37	2.8	mg/Kg
0.024	0.0079	0.024	mg/Kg
0.23	0.02	0.23	mg/Kg
0.17	0.029	0.17	mg/Kg
4	1.7	4	g/Kg
370	51	370	mg/Kg
0.57	0.15	0.57	mg/Kg
0.11	0.023	0.11	mg/Kg
620	73	620	mg/Kg
0.11	0.004	0.11	mg/Kg
0.57	0.044	0.57	mg/Kg
11	3.6	11	mg/Kg
5	5	5	mg/L
200	24	200	ug/L
200	24	200	ug/L
1	0.4	1	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
1	0.37	1	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L

37.294805	-107.870469
37.294805	-107.870469
37.294805	-107.870469
37.294805	-107.870469
37.294805	-107.870469
37.294805	-107.870469
37.294805	-107.870469
37.294805	-107.870469
37.294805	-107.870469
37.294805	-107.870469
37.294805	-107.870469
37.294805	-107.870469
37.294805	-107.870469
37.294805	-107.870469
37.294805	-107.870469
37.294805	-107.870469
37.294805	-107.870469
37.294805	-107.870469
37.294805	-107.870469
37.294805	-107.870469
37.294805	-107.870469
37.294805	-107.870469
37.294805	-107.870469
37.294805	-107.870469
37.294805	-107.870469
37.294805	-107.870469
37.294805	-107.870469
37.294805	-107.870469
37.294805	-107.870469
37.294805	-107.870469
37.294805	-107.870469
37.294805	-107.870469
37.294805	-107.870469
37.294805	-107.870469
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946

9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_082216	Sample-Routine
9426	9426_SED_082216	Sample-Routine
9426	9426_SED_082216	Sample-Routine
9426	9426_SED_082216	Sample-Routine
9426	9426_SED_082216	Sample-Routine
9426	9426_SED_082216	Sample-Routine
9426	9426_SED_082216	Sample-Routine
9426	9426_SED_082216	Sample-Routine
9426	9426_SED_082216	Sample-Routine
9426	9426_SED_082216	Sample-Routine

Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM

Water Bottle	Chromium	Dissolved		ug/L	U
Water Bottle	Chromium	Total		ug/L	U
Water Bottle	Cobalt	Dissolved	0.78	ug/L	
Water Bottle	Cobalt	Total	0.8	ug/L	
Water Bottle	Copper	Dissolved	1.6	ug/L	J
Water Bottle	Copper	Total	1.7	ug/L	J
Water Bottle	Iron	Dissolved	80	ug/L	
Water Bottle	Iron	Total	210	ug/L	
Water Bottle	Lead	Dissolved		ug/L	U
Water Bottle	Lead	Total	0.38	ug/L	
Water Bottle	Magnesium	Dissolved	9500	ug/L	
Water Bottle	Magnesium	Total	9800	ug/L	
Water Bottle	Manganese	Dissolved	170	ug/L	
Water Bottle	Manganese	Total	180	ug/L	
Water Bottle	Mercury	Dissolved		ug/L	U
Water Bottle	Mercury	Total	0.00032	ug/L	J
Water Bottle	Molybdenum	Dissolved	0.64	ug/L	J
Water Bottle	Molybdenum	Total	0.66	ug/L	J
Water Bottle	Nickel	Dissolved	4.2	ug/L	J
Water Bottle	Nickel	Total	3.5	ug/L	J
Water Bottle	Organic carbon	Total	0.8	mg/L	J
Water Bottle	Organic carbon	Total	1.2	mg/L	
Water Bottle	Potassium	Dissolved	3500	ug/L	
Water Bottle	Potassium	Total	3600	ug/L	
Water Bottle	Selenium	Dissolved		ug/L	U
Water Bottle	Selenium	Total		ug/L	U
Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total		ug/L	U
Water Bottle	Sodium	Dissolved	18000	ug/L	
Water Bottle	Sodium	Total	19000	ug/L	
Water Bottle	Thallium	Dissolved		ug/L	U
Water Bottle	Thallium	Total		ug/L	U
Water Bottle	Total Hardness	Total	230	mg/L	
Water Bottle	Total Suspended Solids	Total	3.7	mg/L	
Water Bottle	Vanadium	Dissolved		ug/L	U
Water Bottle	Vanadium	Total		ug/L	U
Water Bottle	Zinc	Dissolved	64	ug/L	
Water Bottle	Zinc	Total	70	ug/L	
Disposable plastic scoop	Aluminum	Total	5100	mg/Kg	
Disposable plastic scoop	Antimony	Total	0.099	mg/Kg	J-
Disposable plastic scoop	Arsenic	Total	6.9	mg/Kg	
Disposable plastic scoop	Barium	Total	47	mg/Kg	J+
Disposable plastic scoop	Beryllium	Total	0.34	mg/Kg	
Disposable plastic scoop	Cadmium	Total	0.52	mg/Kg	J+
Disposable plastic scoop	Calcium	Total	2700	mg/Kg	
Disposable plastic scoop	Chromium	Total	4.3	mg/Kg	
Disposable plastic scoop	Cobalt	Total	4.8	mg/Kg	J+

Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A

Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	8/27/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/23/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/23/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Hardness by Calculation	TestAmerica Savannah	8/29/2016
Total Suspended Solids in Water	TestAmerica Savannah	8/23/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016

2	1	2	ug/L
2	1	2	ug/L
0.4	0.12	0.4	ug/L
0.4	0.12	0.4	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L
2.5	1.2	2.5	ug/L
0.0005	0.0002	0.0005	ug/L
0.0005	0.0002	0.0005	ug/L
1	0.45	1	ug/L
1	0.45	1	ug/L
5	0.4	5	ug/L
5	0.4	5	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
2	0.58	2	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
1	1	1	mg/L
1	0.3	1	ug/L
1	0.3	1	ug/L
20	2.8	20	ug/L
20	2.8	20	ug/L
11	1.7	11	mg/Kg
0.23	0.016	0.23	mg/Kg
0.69	0.059	0.69	mg/Kg
0.23	0.082	0.23	mg/Kg
0.12	0.026	0.12	mg/Kg
0.12	0.011	0.12	mg/Kg
54	15	54	mg/Kg
0.23	0.088	0.23	mg/Kg
0.12	0.0077	0.12	mg/Kg

37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946

9426	9426_SED_082216	Sample-Routine
9426	9426_SED_082216	Sample-Routine
9426	9426_SED_082216	Sample-Routine
9426	9426_SED_082216	Sample-Routine
9426	9426_SED_082216	Sample-Routine
9426	9426_SED_082216	Sample-Routine
9426	9426_SED_082216	Sample-Routine
9426	9426_SED_082216	Sample-Routine
9426	9426_SED_082216	Sample-Routine
9426	9426_SED_082216	Sample-Routine
9426	9426_SED_082216	Sample-Routine
9426	9426_SED_082216	Sample-Routine
9426	9426_SED_082216	Sample-Routine
9426	9426_SED_082216	Sample-Routine
9426	9426_SED_082216	Sample-Routine
9426	9426_SED_082216	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine

Sediment		8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM

Disposable plastic scoop	Copper	Total	28	mg/Kg	J+
Disposable plastic scoop	Iron	Total	16000	mg/Kg	
Disposable plastic scoop	Lead	Total	69	mg/Kg	
Disposable plastic scoop	Magnesium	Total	3500	mg/Kg	
Disposable plastic scoop	Manganese	Total	710	mg/Kg	
Disposable plastic scoop	Mercury	Total		mg/Kg	UB
Disposable plastic scoop	Molybdenum	Total	0.93	mg/Kg	
Disposable plastic scoop	Nickel	Total	4.5	mg/Kg	
Disposable plastic scoop	Organic carbon	Total		g/Kg	U
Disposable plastic scoop	Potassium	Total	730	mg/Kg	
Disposable plastic scoop	Selenium	Total	0.19	mg/Kg	J
Disposable plastic scoop	Silver	Total	0.25	mg/Kg	J-
Disposable plastic scoop	Sodium	Total	89	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.11	mg/Kg	J
Disposable plastic scoop	Vanadium	Total	13	mg/Kg	
Disposable plastic scoop	Zinc	Total	180	mg/Kg	
Water Bottle	Alkalinity, total	Total	33	mg/L	
Water Bottle	Aluminum	Dissolved	47	ug/L	J
Water Bottle	Aluminum	Total	91	ug/L	J
Water Bottle	Antimony	Dissolved		ug/L	U
Water Bottle	Antimony	Total		ug/L	U
Water Bottle	Arsenic	Dissolved		ug/L	U
Water Bottle	Arsenic	Total		ug/L	U
Water Bottle	Barium	Dissolved	24	ug/L	
Water Bottle	Barium	Total	24	ug/L	
Water Bottle	Beryllium	Dissolved		ug/L	U
Water Bottle	Beryllium	Total		ug/L	U
Water Bottle	Cadmium	Dissolved	1.1	ug/L	
Water Bottle	Cadmium	Total	1.1	ug/L	
Water Bottle	Calcium	Dissolved	50000	ug/L	
Water Bottle	Calcium	Total	50000	ug/L	
Water Bottle	Chromium	Dissolved		ug/L	U
Water Bottle	Chromium	Total		ug/L	U
Water Bottle	Cobalt	Dissolved	1	ug/L	
Water Bottle	Cobalt	Total	0.48	ug/L	
Water Bottle	Copper	Dissolved	2.4	ug/L	J
Water Bottle	Copper	Total	4.4	ug/L	J
Water Bottle	Iron	Dissolved	28	ug/L	J
Water Bottle	Iron	Total	170	ug/L	
Water Bottle	Lead	Dissolved	0.07	ug/L	J
Water Bottle	Lead	Total	1.5	ug/L	
Water Bottle	Magnesium	Dissolved	3100	ug/L	
Water Bottle	Magnesium	Total	3100	ug/L	
Water Bottle	Manganese	Dissolved	1100	ug/L	
Water Bottle	Manganese	Total	1100	ug/L	
Water Bottle	Mercury	Dissolved		ug/L	U
Water Bottle	Mercury	Total	0.00031	ug/L	J

	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Dry	USEPA	7471A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	APHA	2320-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E

ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Alkalinity by Gran Titration	TestAmerica Savannah	8/24/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	8/27/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	8/27/2016

0.29	0.082	0.29	mg/Kg
16	4.1	16	mg/Kg
0.17	0.021	0.17	mg/Kg
22	4	22	mg/Kg
0.29	0.038	0.29	mg/Kg
0.02	0.0066	0.02	mg/Kg
0.23	0.02	0.23	mg/Kg
0.17	0.029	0.17	mg/Kg
4	1.7	4	g/Kg
320	44	320	mg/Kg
0.58	0.15	0.58	mg/Kg
0.12	0.024	0.12	mg/Kg
540	63	540	mg/Kg
0.12	0.0041	0.12	mg/Kg
0.58	0.045	0.58	mg/Kg
1.2	0.37	1.2	mg/Kg
5	5	5	mg/L
200	24	200	ug/L
200	24	200	ug/L
1	0.4	1	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
1	0.37	1	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L
2	1	2	ug/L
0.4	0.12	0.4	ug/L
0.4	0.12	0.4	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L
2.5	1.2	2.5	ug/L
0.0005	0.0002	0.0005	ug/L
0.0005	0.0002	0.0005	ug/L

37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.385148	-107.836946
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936

A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_082316	Sample-Routine
A68	A68_SED_082316	Sample-Routine
A68	A68_SED_082316	Sample-Routine
A68	A68_SED_082316	Sample-Routine
A68	A68_SED_082316	Sample-Routine
A68	A68_SED_082316	Sample-Routine
A68	A68_SED_082316	Sample-Routine
A68	A68_SED_082316	Sample-Routine
A68	A68_SED_082316	Sample-Routine
A68	A68_SED_082316	Sample-Routine
A68	A68_SED_082316	Sample-Routine
A68	A68_SED_082316	Sample-Routine
A68	A68_SED_082316	Sample-Routine
A68	A68_SED_082316	Sample-Routine
A68	A68_SED_082316	Sample-Routine
A68	A68_SED_082316	Sample-Routine
A68	A68_SED_082316	Sample-Routine
A68	A68_SED_082316	Sample-Routine
A68	A68_SED_082316	Sample-Routine
A68	A68_SED_082316	Sample-Routine
A68	A68_SED_082316	Sample-Routine
A68	A68_SED_082316	Sample-Routine
A68	A68_SED_082316	Sample-Routine
A68	A68_SED_082316	Sample-Routine
A68	A68_SED_082316	Sample-Routine
A68	A68_SED_082316	Sample-Routine

Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM

Water Bottle	Molybdenum	Dissolved	1.7	ug/L	
Water Bottle	Molybdenum	Total	1.6	ug/L	
Water Bottle	Nickel	Dissolved	2.3	ug/L	J
Water Bottle	Nickel	Total	2.1	ug/L	J
Water Bottle	Organic carbon	Total	0.59	mg/L	J
Water Bottle	Organic carbon	Total	1.7	mg/L	
Water Bottle	Potassium	Dissolved	680	ug/L	J
Water Bottle	Potassium	Total	670	ug/L	J
Water Bottle	Selenium	Dissolved		ug/L	U
Water Bottle	Selenium	Total		ug/L	U
Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total		ug/L	U
Water Bottle	Sodium	Dissolved	1900	ug/L	
Water Bottle	Sodium	Total	1900	ug/L	
Water Bottle	Thallium	Dissolved		ug/L	U
Water Bottle	Thallium	Total		ug/L	U
Water Bottle	Total Hardness	Total	140	mg/L	
Water Bottle	Total Suspended Solids	Total		mg/L	U
Water Bottle	Vanadium	Dissolved		ug/L	U
Water Bottle	Vanadium	Total		ug/L	U
Water Bottle	Zinc	Dissolved	320	ug/L	J-
Water Bottle	Zinc	Total	340	ug/L	J-
Disposable plastic scoop	Aluminum	Total	4600	mg/Kg	
Disposable plastic scoop	Antimony	Total	0.063	mg/Kg	J-
Disposable plastic scoop	Arsenic	Total	3.4	mg/Kg	
Disposable plastic scoop	Barium	Total	48	mg/Kg	J+
Disposable plastic scoop	Beryllium	Total	0.8	mg/Kg	
Disposable plastic scoop	Cadmium	Total	2.1	mg/Kg	J+
Disposable plastic scoop	Calcium	Total	1500	mg/Kg	
Disposable plastic scoop	Chromium	Total	2	mg/Kg	
Disposable plastic scoop	Cobalt	Total	8.7	mg/Kg	J+
Disposable plastic scoop	Copper	Total	56	mg/Kg	J+
Disposable plastic scoop	Iron	Total	11000	mg/Kg	
Disposable plastic scoop	Lead	Total	160	mg/Kg	
Disposable plastic scoop	Magnesium	Total	3500	mg/Kg	
Disposable plastic scoop	Manganese	Total	2400	mg/Kg	
Disposable plastic scoop	Mercury	Total		mg/Kg	UB
Disposable plastic scoop	Molybdenum	Total	1.8	mg/Kg	
Disposable plastic scoop	Nickel	Total	5.2	mg/Kg	
Disposable plastic scoop	Organic carbon	Total		g/Kg	U
Disposable plastic scoop	Potassium	Total	570	mg/Kg	
Disposable plastic scoop	Selenium	Total	0.2	mg/Kg	J
Disposable plastic scoop	Silver	Total	0.26	mg/Kg	J-
Disposable plastic scoop	Sodium	Total		mg/Kg	U
Disposable plastic scoop	Thallium	Total	0.11	mg/Kg	
Disposable plastic scoop	Vanadium	Total	13	mg/Kg	
Disposable plastic scoop	Zinc	Total	870	mg/Kg	

	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
Not Detected	Preliminary	Actual	Wet	APHA	2540-D
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Dry	USEPA	7471A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A

Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/29/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/29/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Hardness by Calculation	TestAmerica Savannah	8/29/2016
Total Suspended Solids in Water	TestAmerica Savannah	8/24/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/1/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	9/1/2016

1	0.45	1	ug/L
1	0.45	1	ug/L
5	0.4	5	ug/L
5	0.4	5	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
2	0.58	2	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
1	1	1	mg/L
1	0.3	1	ug/L
1	0.3	1	ug/L
20	2.8	20	ug/L
20	2.8	20	ug/L
9.7	1.5	9.7	mg/Kg
0.17	0.012	0.17	mg/Kg
0.51	0.043	0.51	mg/Kg
0.17	0.06	0.17	mg/Kg
0.084	0.019	0.084	mg/Kg
0.084	0.0079	0.084	mg/Kg
48	14	48	mg/Kg
0.17	0.064	0.17	mg/Kg
0.084	0.0056	0.084	mg/Kg
0.21	0.06	0.21	mg/Kg
14	3.7	14	mg/Kg
0.13	0.015	0.13	mg/Kg
39	7.1	39	mg/Kg
2.1	0.28	2.1	mg/Kg
0.019	0.0062	0.019	mg/Kg
0.17	0.015	0.17	mg/Kg
0.13	0.021	0.13	mg/Kg
4	1.7	4	g/Kg
290	40	290	mg/Kg
0.42	0.11	0.42	mg/Kg
0.084	0.017	0.084	mg/Kg
480	57	480	mg/Kg
0.084	0.003	0.084	mg/Kg
0.42	0.033	0.42	mg/Kg
8.4	2.7	8.4	mg/Kg

37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936
37.810983	-107.65936

A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine

Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM

Water Bottle	Alkalinity, total	Total	7.9	mg/L	
Water Bottle	Aluminum	Dissolved	34	ug/L	J
Water Bottle	Aluminum	Total	1900	ug/L	
Water Bottle	Antimony	Dissolved		ug/L	U
Water Bottle	Antimony	Total		ug/L	U
Water Bottle	Arsenic	Dissolved		ug/L	U
Water Bottle	Arsenic	Total	0.41	ug/L	J
Water Bottle	Barium	Dissolved	23	ug/L	
Water Bottle	Barium	Total	26	ug/L	
Water Bottle	Beryllium	Dissolved		ug/L	U
Water Bottle	Beryllium	Total	0.21	ug/L	J
Water Bottle	Cadmium	Dissolved	1.1	ug/L	
Water Bottle	Cadmium	Total	1.4	ug/L	
Water Bottle	Calcium	Dissolved	70000	ug/L	
Water Bottle	Calcium	Total	73000	ug/L	
Water Bottle	Chromium	Dissolved		ug/L	U
Water Bottle	Chromium	Total		ug/L	U
Water Bottle	Cobalt	Dissolved	5.1	ug/L	
Water Bottle	Cobalt	Total	4.8	ug/L	
Water Bottle	Copper	Dissolved	2.8	ug/L	J
Water Bottle	Copper	Total	12	ug/L	
Water Bottle	Iron	Dissolved	940	ug/L	
Water Bottle	Iron	Total	2500	ug/L	
Water Bottle	Lead	Dissolved	0.066	ug/L	J
Water Bottle	Lead	Total	8.8	ug/L	
Water Bottle	Magnesium	Dissolved	5200	ug/L	
Water Bottle	Magnesium	Total	5400	ug/L	
Water Bottle	Manganese	Dissolved	980	ug/L	
Water Bottle	Manganese	Total	1000	ug/L	
Water Bottle	Mercury	Dissolved		ug/L	U
Water Bottle	Mercury	Total	0.0016	ug/L	
Water Bottle	Molybdenum	Dissolved	0.62	ug/L	J
Water Bottle	Molybdenum	Total	0.83	ug/L	J
Water Bottle	Nickel	Dissolved	5.1	ug/L	
Water Bottle	Nickel	Total	5.1	ug/L	
Water Bottle	Organic carbon	Total	0.63	mg/L	J
Water Bottle	Organic carbon	Total	1.8	mg/L	
Water Bottle	Potassium	Dissolved	890	ug/L	J
Water Bottle	Potassium	Total	970	ug/L	J
Water Bottle	Selenium	Dissolved		ug/L	U
Water Bottle	Selenium	Total		ug/L	U
Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total		ug/L	U
Water Bottle	Sodium	Dissolved	2600	ug/L	
Water Bottle	Sodium	Total	2700	ug/L	
Water Bottle	Thallium	Dissolved		ug/L	U
Water Bottle	Thallium	Total		ug/L	U

	Preliminary	Actual	Wet	APHA	2320-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8

Alkalinity by Gran Titration	TestAmerica Savannah	8/24/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	8/27/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/29/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/29/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016

5	5	5	mg/L
200	24	200	ug/L
200	24	200	ug/L
1	0.4	1	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
1	0.37	1	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L
2	1	2	ug/L
0.4	0.12	0.4	ug/L
0.4	0.12	0.4	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L
2.5	1.2	2.5	ug/L
0.0005	0.0002	0.0005	ug/L
0.0005	0.0002	0.0005	ug/L
1	0.45	1	ug/L
1	0.45	1	ug/L
5	0.4	5	ug/L
5	0.4	5	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
2	0.58	2	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L

37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536

A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082316	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine

Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM

Water Bottle	Total Hardness	Total	200	mg/L	
Water Bottle	Total Suspended Solids	Total	26	mg/L	
Water Bottle	Vanadium	Dissolved		ug/L	U
Water Bottle	Vanadium	Total	0.46	ug/L	J
Water Bottle	Zinc	Dissolved	380	ug/L	J-
Water Bottle	Zinc	Total	460	ug/L	J-
Water Bottle	Alkalinity, total	Total	6.6	mg/L	
Water Bottle	Aluminum	Dissolved	160	ug/L	J
Water Bottle	Aluminum	Total	1800	ug/L	
Water Bottle	Antimony	Dissolved		ug/L	U
Water Bottle	Antimony	Total		ug/L	U
Water Bottle	Arsenic	Dissolved		ug/L	U
Water Bottle	Arsenic	Total		ug/L	U
Water Bottle	Barium	Dissolved	26	ug/L	
Water Bottle	Barium	Total	27	ug/L	
Water Bottle	Beryllium	Dissolved		ug/L	U
Water Bottle	Beryllium	Total	0.35	ug/L	J
Water Bottle	Cadmium	Dissolved	1.6	ug/L	
Water Bottle	Cadmium	Total	1.6	ug/L	
Water Bottle	Calcium	Dissolved	71000	ug/L	
Water Bottle	Calcium	Total	70000	ug/L	
Water Bottle	Chromium	Dissolved		ug/L	U
Water Bottle	Chromium	Total		ug/L	U
Water Bottle	Cobalt	Dissolved	5.1	ug/L	
Water Bottle	Cobalt	Total	5.3	ug/L	
Water Bottle	Copper	Dissolved	12	ug/L	
Water Bottle	Copper	Total	25	ug/L	
Water Bottle	Iron	Dissolved	1000	ug/L	
Water Bottle	Iron	Total	2300	ug/L	
Water Bottle	Lead	Dissolved	0.72	ug/L	
Water Bottle	Lead	Total	9.5	ug/L	
Water Bottle	Magnesium	Dissolved	5100	ug/L	
Water Bottle	Magnesium	Total	5000	ug/L	
Water Bottle	Manganese	Dissolved	1300	ug/L	
Water Bottle	Manganese	Total	1300	ug/L	
Water Bottle	Mercury	Dissolved	0.00068	ug/L	
Water Bottle	Mercury	Total	0.001	ug/L	
Water Bottle	Molybdenum	Dissolved	0.48	ug/L	J
Water Bottle	Molybdenum	Total	0.66	ug/L	J
Water Bottle	Nickel	Dissolved	7	ug/L	
Water Bottle	Nickel	Total	6.4	ug/L	
Water Bottle	Organic carbon	Total	0.78	mg/L	J
Water Bottle	Organic carbon	Total	1.2	mg/L	
Water Bottle	Potassium	Dissolved	990	ug/L	J
Water Bottle	Potassium	Total	960	ug/L	J
Water Bottle	Selenium	Dissolved		ug/L	U
Water Bottle	Selenium	Total		ug/L	U

	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2320-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8

Hardness by Calculation	TestAmerica Savannah	8/29/2016
Total Suspended Solids in Water	TestAmerica Savannah	8/24/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Alkalinity by Gran Titration	TestAmerica Savannah	9/2/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/1/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/1/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016

3.3	3.3	3.3	mg/L
4	4	4	mg/L
1	0.3	1	ug/L
1	0.3	1	ug/L
20	2.8	20	ug/L
20	2.8	20	ug/L
5	5	5	mg/L
200	24	200	ug/L
200	24	200	ug/L
1	0.4	1	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
1	0.37	1	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L
2	1	2	ug/L
0.4	0.12	0.4	ug/L
0.4	0.12	0.4	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L
2.5	1.2	2.5	ug/L
0.0005	0.0002	0.0005	ug/L
0.0005	0.0002	0.0005	ug/L
1	0.45	1	ug/L
1	0.45	1	ug/L
5	0.4	5	ug/L
5	0.4	5	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
2	0.58	2	ug/L

37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536

A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_082816	Sample-Routine
A72	A72_SED_082316	Sample-Routine
A72	A72_SED_082316	Sample-Routine
A72	A72_SED_082316	Sample-Routine
A72	A72_SED_082316	Sample-Routine
A72	A72_SED_082316	Sample-Routine
A72	A72_SED_082316	Sample-Routine
A72	A72_SED_082316	Sample-Routine
A72	A72_SED_082316	Sample-Routine
A72	A72_SED_082316	Sample-Routine
A72	A72_SED_082316	Sample-Routine
A72	A72_SED_082316	Sample-Routine
A72	A72_SED_082316	Sample-Routine
A72	A72_SED_082316	Sample-Routine
A72	A72_SED_082316	Sample-Routine
A72	A72_SED_082316	Sample-Routine
A72	A72_SED_082316	Sample-Routine
A72	A72_SED_082316	Sample-Routine
A72	A72_SED_082316	Sample-Routine
A72	A72_SED_082316	Sample-Routine
A72	A72_SED_082316	Sample-Routine
A72	A72_SED_082316	Sample-Routine
A72	A72_SED_082316	Sample-Routine
A72	A72_SED_082316	Sample-Routine
A72	A72_SED_082816	Sample-Routine
A72	A72_SED_082816	Sample-Routine
A72	A72_SED_082816	Sample-Routine
A72	A72_SED_082816	Sample-Routine
A72	A72_SED_082816	Sample-Routine
A72	A72_SED_082816	Sample-Routine
A72	A72_SED_082816	Sample-Routine
A72	A72_SED_082816	Sample-Routine
A72	A72_SED_082816	Sample-Routine
A72	A72_SED_082816	Sample-Routine

Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM

Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total		ug/L	U
Water Bottle	Sodium	Dissolved	2900	ug/L	
Water Bottle	Sodium	Total	2700	ug/L	
Water Bottle	Thallium	Dissolved		ug/L	U
Water Bottle	Thallium	Total		ug/L	U
Water Bottle	Total Hardness	Total	190	mg/L	
Water Bottle	Total Suspended Solids	Total	12	mg/L	
Water Bottle	Vanadium	Dissolved		ug/L	U
Water Bottle	Vanadium	Total		ug/L	U
Water Bottle	Zinc	Dissolved	490	ug/L	
Water Bottle	Zinc	Total	500	ug/L	
Disposable plastic scoop	Aluminum	Total	10000	mg/Kg	
Disposable plastic scoop	Antimony	Total	0.32	mg/Kg	J-
Disposable plastic scoop	Arsenic	Total	32	mg/Kg	
Disposable plastic scoop	Barium	Total	150	mg/Kg	J+
Disposable plastic scoop	Beryllium	Total	0.81	mg/Kg	
Disposable plastic scoop	Cadmium	Total	2.2	mg/Kg	J+
Disposable plastic scoop	Calcium	Total	1800	mg/Kg	
Disposable plastic scoop	Chromium	Total	4.7	mg/Kg	
Disposable plastic scoop	Cobalt	Total	13	mg/Kg	J+
Disposable plastic scoop	Copper	Total	150	mg/Kg	J+
Disposable plastic scoop	Iron	Total	46000	mg/Kg	
Disposable plastic scoop	Lead	Total	650	mg/Kg	
Disposable plastic scoop	Magnesium	Total	4800	mg/Kg	
Disposable plastic scoop	Manganese	Total	2500	mg/Kg	
Disposable plastic scoop	Mercury	Total	0.09	mg/Kg	
Disposable plastic scoop	Molybdenum	Total	6.3	mg/Kg	
Disposable plastic scoop	Nickel	Total	5.7	mg/Kg	
Disposable plastic scoop	Organic carbon	Total	2.8	g/Kg	J
Disposable plastic scoop	Potassium	Total	1300	mg/Kg	
Disposable plastic scoop	Selenium	Total	1.2	mg/Kg	
Disposable plastic scoop	Silver	Total	3.1	mg/Kg	J-
Disposable plastic scoop	Sodium	Total	98	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.35	mg/Kg	
Disposable plastic scoop	Vanadium	Total	25	mg/Kg	
Disposable plastic scoop	Zinc	Total	540	mg/Kg	
Disposable plastic scoop	Aluminum	Total	8900	mg/Kg	
Disposable plastic scoop	Antimony	Total	0.3	mg/Kg	J-
Disposable plastic scoop	Arsenic	Total	26	mg/Kg	J-
Disposable plastic scoop	Barium	Total	69	mg/Kg	J-
Disposable plastic scoop	Beryllium	Total	0.53	mg/Kg	
Disposable plastic scoop	Cadmium	Total	0.58	mg/Kg	J
Disposable plastic scoop	Calcium	Total	1700	mg/Kg	
Disposable plastic scoop	Chromium	Total	4.3	mg/Kg	J
Disposable plastic scoop	Cobalt	Total	7.7	mg/Kg	
Disposable plastic scoop	Copper	Total	94	mg/Kg	J-

Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	7471A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A

Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Hardness by Calculation	TestAmerica Savannah	9/6/2016
Total Suspended Solids in Water	TestAmerica Savannah	8/30/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/1/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016

1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
2	2	2	mg/L
1	0.3	1	ug/L
1	0.3	1	ug/L
20	2.8	20	ug/L
20	2.8	20	ug/L
14	2.2	14	mg/Kg
0.28	0.019	0.28	mg/Kg
0.83	0.07	0.83	mg/Kg
0.28	0.098	0.28	mg/Kg
0.14	0.031	0.14	mg/Kg
0.14	0.013	0.14	mg/Kg
70	20	70	mg/Kg
0.28	0.11	0.28	mg/Kg
0.14	0.0092	0.14	mg/Kg
0.35	0.099	0.35	mg/Kg
21	5.4	21	mg/Kg
2.1	0.25	2.1	mg/Kg
28	5.2	28	mg/Kg
0.35	0.046	0.35	mg/Kg
0.029	0.0095	0.029	mg/Kg
0.28	0.024	0.28	mg/Kg
0.21	0.035	0.21	mg/Kg
4	1.7	4	g/Kg
420	58	420	mg/Kg
0.69	0.18	0.69	mg/Kg
0.14	0.028	0.14	mg/Kg
700	83	700	mg/Kg
0.14	0.0049	0.14	mg/Kg
0.69	0.053	0.69	mg/Kg
1.4	0.44	1.4	mg/Kg
11	1.8	11	mg/Kg
0.2	0.014	0.2	mg/Kg
0.61	0.051	0.61	mg/Kg
0.2	0.071	0.2	mg/Kg
0.1	0.023	0.1	mg/Kg
0.1	0.0095	0.1	mg/Kg
57	16	57	mg/Kg
0.2	0.077	0.2	mg/Kg
0.1	0.0067	0.1	mg/Kg
0.25	0.072	0.25	mg/Kg

37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536

A72	A72_SED_082816	Sample-Routine
A72	A72_SED_082816	Sample-Routine
A72	A72_SED_082816	Sample-Routine
A72	A72_SED_082816	Sample-Routine
A72	A72_SED_082816	Sample-Routine
A72	A72_SED_082816	Sample-Routine
A72	A72_SED_082816	Sample-Routine
A72	A72_SED_082816	Sample-Routine
A72	A72_SED_082816	Sample-Routine
A72	A72_SED_082816	Sample-Routine
A72	A72_SED_082816	Sample-Routine
A72	A72_SED_082816	Sample-Routine
A72	A72_SED_082816	Sample-Routine
A72	A72_SED_082816	Sample-Routine
A72	A72_SED_082816	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine

Sediment		8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM

Disposable plastic scoop	Iron	Total	30000	mg/Kg	
Disposable plastic scoop	Lead	Total	250	mg/Kg	
Disposable plastic scoop	Magnesium	Total	5400	mg/Kg	
Disposable plastic scoop	Manganese	Total	1000	mg/Kg	J
Disposable plastic scoop	Mercury	Total	0.086	mg/Kg	
Disposable plastic scoop	Molybdenum	Total	3.3	mg/Kg	
Disposable plastic scoop	Nickel	Total	4	mg/Kg	
Disposable plastic scoop	Organic carbon	Total		mg/Kg	U
Disposable plastic scoop	Potassium	Total	730	mg/Kg	
Disposable plastic scoop	Selenium	Total	0.69	mg/Kg	J
Disposable plastic scoop	Silver	Total	0.64	mg/Kg	J
Disposable plastic scoop	Sodium	Total	73	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.21	mg/Kg	
Disposable plastic scoop	Vanadium	Total	23	mg/Kg	J+
Disposable plastic scoop	Zinc	Total	250	mg/Kg	J
Water Bottle	Alkalinity, total	Total	11	mg/L	
Water Bottle	Aluminum	Dissolved		ug/L	U
Water Bottle	Aluminum	Total	1500	ug/L	
Water Bottle	Antimony	Dissolved		ug/L	U
Water Bottle	Antimony	Total		ug/L	U
Water Bottle	Arsenic	Dissolved		ug/L	U
Water Bottle	Arsenic	Total	0.37	ug/L	J
Water Bottle	Barium	Dissolved	24	ug/L	
Water Bottle	Barium	Total	25	ug/L	
Water Bottle	Beryllium	Dissolved		ug/L	U
Water Bottle	Beryllium	Total	0.19	ug/L	J
Water Bottle	Cadmium	Dissolved	0.99	ug/L	
Water Bottle	Cadmium	Total	1.1	ug/L	
Water Bottle	Calcium	Dissolved	61000	ug/L	
Water Bottle	Calcium	Total	61000	ug/L	
Water Bottle	Chromium	Dissolved		ug/L	U
Water Bottle	Chromium	Total		ug/L	U
Water Bottle	Cobalt	Dissolved	4.1	ug/L	
Water Bottle	Cobalt	Total	3.8	ug/L	
Water Bottle	Copper	Dissolved	1.4	ug/L	J
Water Bottle	Copper	Total	14	ug/L	
Water Bottle	Iron	Dissolved	91	ug/L	
Water Bottle	Iron	Total	2000	ug/L	
Water Bottle	Lead	Dissolved		ug/L	U
Water Bottle	Lead	Total	6.6	ug/L	
Water Bottle	Magnesium	Dissolved	4600	ug/L	
Water Bottle	Magnesium	Total	4600	ug/L	
Water Bottle	Manganese	Dissolved	920	ug/L	
Water Bottle	Manganese	Total	900	ug/L	
Water Bottle	Mercury	Dissolved	0.00061	ug/L	
Water Bottle	Mercury	Total	0.0017	ug/L	
Water Bottle	Molybdenum	Dissolved	0.6	ug/L	J

	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	7471A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	APHA	2320-B
Not Detected	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	200.8

Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	9/6/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Alkalinity by Gran Titration	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/1/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016

17	4.4	17	mg/Kg
0.15	0.018	0.15	mg/Kg
23	4.2	23	mg/Kg
0.25	0.033	0.25	mg/Kg
0.024	0.0078	0.024	mg/Kg
0.2	0.018	0.2	mg/Kg
0.15	0.026	0.15	mg/Kg
4000	1700	4000	mg/Kg
340	47	340	mg/Kg
0.5	0.13	0.5	mg/Kg
0.1	0.02	0.1	mg/Kg
570	68	570	mg/Kg
0.1	0.0035	0.1	mg/Kg
0.5	0.039	0.5	mg/Kg
1	0.32	1	mg/Kg
5	5	5	mg/L
200	24	200	ug/L
200	24	200	ug/L
1	0.4	1	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
1	0.37	1	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L
2	1	2	ug/L
0.4	0.12	0.4	ug/L
0.4	0.12	0.4	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L
2.5	1.2	2.5	ug/L
0.0005	0.0002	0.0005	ug/L
0.0005	0.0002	0.0005	ug/L
1	0.45	1	ug/L

37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.790017	-107.667536
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278

A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_082616	Sample-Routine
A73	A73_SED_082616	Sample-Routine
A73	A73_SED_082616	Sample-Routine
A73	A73_SED_082616	Sample-Routine
A73	A73_SED_082616	Sample-Routine
A73	A73_SED_082616	Sample-Routine
A73	A73_SED_082616	Sample-Routine
A73	A73_SED_082616	Sample-Routine
A73	A73_SED_082616	Sample-Routine
A73	A73_SED_082616	Sample-Routine
A73	A73_SED_082616	Sample-Routine
A73	A73_SED_082616	Sample-Routine
A73	A73_SED_082616	Sample-Routine
A73	A73_SED_082616	Sample-Routine
A73	A73_SED_082616	Sample-Routine
A73	A73_SED_082616	Sample-Routine
A73	A73_SED_082616	Sample-Routine
A73	A73_SED_082616	Sample-Routine
A73	A73_SED_082616	Sample-Routine
A73	A73_SED_082616	Sample-Routine
A73	A73_SED_082616	Sample-Routine
A73	A73_SED_082616	Sample-Routine
A73	A73_SED_082616	Sample-Routine
A73	A73_SED_082616	Sample-Routine
A73	A73_SED_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine

Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Sediment		8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM

Water Bottle	Molybdenum	Total	0.67	ug/L	J
Water Bottle	Nickel	Dissolved	4.9	ug/L	J
Water Bottle	Nickel	Total	4.6	ug/L	J
Water Bottle	Organic carbon	Total	1.1	mg/L	
Water Bottle	Organic carbon	Total	1.6	mg/L	
Water Bottle	Potassium	Dissolved	780	ug/L	J
Water Bottle	Potassium	Total	800	ug/L	J
Water Bottle	Selenium	Dissolved		ug/L	U
Water Bottle	Selenium	Total		ug/L	U
Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total		ug/L	U
Water Bottle	Sodium	Dissolved	2300	ug/L	
Water Bottle	Sodium	Total	2400	ug/L	
Water Bottle	Thallium	Dissolved		ug/L	U
Water Bottle	Thallium	Total		ug/L	U
Water Bottle	Total Hardness	Total	170	mg/L	
Water Bottle	Total Suspended Solids	Total	10	mg/L	
Water Bottle	Vanadium	Dissolved		ug/L	U
Water Bottle	Vanadium	Total	0.32	ug/L	J
Water Bottle	Zinc	Dissolved	320	ug/L	
Water Bottle	Zinc	Total	430	ug/L	
Disposable plastic scoop	Aluminum	Total	16000	mg/Kg	
Disposable plastic scoop	Antimony	Total	0.52	mg/Kg	J-
Disposable plastic scoop	Arsenic	Total	53	mg/Kg	J-
Disposable plastic scoop	Barium	Total	170	mg/Kg	J-
Disposable plastic scoop	Beryllium	Total	1.4	mg/Kg	
Disposable plastic scoop	Cadmium	Total	5.1	mg/Kg	J
Disposable plastic scoop	Calcium	Total	2500	mg/Kg	
Disposable plastic scoop	Chromium	Total	6.8	mg/Kg	J
Disposable plastic scoop	Cobalt	Total	18	mg/Kg	
Disposable plastic scoop	Copper	Total	280	mg/Kg	J-
Disposable plastic scoop	Iron	Total	57000	mg/Kg	
Disposable plastic scoop	Lead	Total	970	mg/Kg	
Disposable plastic scoop	Magnesium	Total	2400	mg/Kg	
Disposable plastic scoop	Manganese	Total	4100	mg/Kg	J
Disposable plastic scoop	Mercury	Total	0.12	mg/Kg	
Disposable plastic scoop	Molybdenum	Total	14	mg/Kg	
Disposable plastic scoop	Nickel	Total	10	mg/Kg	
Disposable plastic scoop	Organic carbon	Total	11000	mg/Kg	
Disposable plastic scoop	Potassium	Total	1600	mg/Kg	
Disposable plastic scoop	Selenium	Total	2.7	mg/Kg	J
Disposable plastic scoop	Silver	Total	6.2	mg/Kg	J
Disposable plastic scoop	Sodium	Total	130	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.49	mg/Kg	
Disposable plastic scoop	Vanadium	Total	35	mg/Kg	J+
Disposable plastic scoop	Zinc	Total	1500	mg/Kg	J
Water Bottle	Alkalinity, total	Total	13	mg/L	

	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	7471A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	APHA	2320-B

Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/1/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Hardness by Calculation	TestAmerica Savannah	9/6/2016
Total Suspended Solids in Water	TestAmerica Savannah	8/30/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	9/6/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Alkalinity by Gran Titration	TestAmerica Savannah	9/1/2016

1	0.45	1	ug/L
5	0.4	5	ug/L
5	0.4	5	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
2	0.58	2	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
2	2	2	mg/L
1	0.3	1	ug/L
1	0.3	1	ug/L
20	2.8	20	ug/L
20	2.8	20	ug/L
16	2.4	16	mg/Kg
0.37	0.026	0.37	mg/Kg
1.1	0.094	1.1	mg/Kg
0.37	0.13	0.37	mg/Kg
0.19	0.042	0.19	mg/Kg
0.19	0.017	0.19	mg/Kg
79	22	79	mg/Kg
0.37	0.14	0.37	mg/Kg
0.19	0.012	0.19	mg/Kg
0.46	0.13	0.46	mg/Kg
24	6	24	mg/Kg
2.8	0.34	2.8	mg/Kg
63	12	63	mg/Kg
4.6	0.61	4.6	mg/Kg
0.041	0.013	0.041	mg/Kg
0.37	0.033	0.37	mg/Kg
0.28	0.047	0.28	mg/Kg
4000	1700	4000	mg/Kg
470	65	470	mg/Kg
0.93	0.25	0.93	mg/Kg
0.19	0.038	0.19	mg/Kg
790	93	790	mg/Kg
0.19	0.0065	0.19	mg/Kg
0.93	0.071	0.93	mg/Kg
19	5.9	19	mg/Kg
5	5	5	mg/L

37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.72215833	-107.6548278
37.597779	-107.775621

A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine

Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM

Water Bottle	Aluminum	Dissolved	26	ug/L	J
Water Bottle	Aluminum	Total	1100	ug/L	
Water Bottle	Antimony	Dissolved		ug/L	U
Water Bottle	Antimony	Total		ug/L	U
Water Bottle	Arsenic	Dissolved		ug/L	U
Water Bottle	Arsenic	Total		ug/L	U
Water Bottle	Barium	Dissolved	22	ug/L	
Water Bottle	Barium	Total	25	ug/L	
Water Bottle	Beryllium	Dissolved		ug/L	U
Water Bottle	Beryllium	Total		ug/L	U
Water Bottle	Cadmium	Dissolved	0.59	ug/L	
Water Bottle	Cadmium	Total	0.72	ug/L	
Water Bottle	Calcium	Dissolved	46000	ug/L	
Water Bottle	Calcium	Total	46000	ug/L	
Water Bottle	Chromium	Dissolved		ug/L	U
Water Bottle	Chromium	Total		ug/L	U
Water Bottle	Cobalt	Dissolved	2.4	ug/L	
Water Bottle	Cobalt	Total	2.4	ug/L	
Water Bottle	Copper	Dissolved	0.99	ug/L	J
Water Bottle	Copper	Total	8.1	ug/L	
Water Bottle	Iron	Dissolved		ug/L	U
Water Bottle	Iron	Total	1300	ug/L	
Water Bottle	Lead	Dissolved		ug/L	U
Water Bottle	Lead	Total	5.6	ug/L	
Water Bottle	Magnesium	Dissolved	4000	ug/L	
Water Bottle	Magnesium	Total	4100	ug/L	
Water Bottle	Manganese	Dissolved	540	ug/L	
Water Bottle	Manganese	Total	550	ug/L	
Water Bottle	Mercury	Dissolved	0.00068	ug/L	
Water Bottle	Mercury	Total	0.0019	ug/L	
Water Bottle	Molybdenum	Dissolved	0.57	ug/L	J
Water Bottle	Molybdenum	Total	0.63	ug/L	J
Water Bottle	Nickel	Dissolved	3	ug/L	J
Water Bottle	Nickel	Total	3.5	ug/L	J
Water Bottle	Organic carbon	Total	0.92	mg/L	J
Water Bottle	Organic carbon	Total	1.6	mg/L	
Water Bottle	Potassium	Dissolved	790	ug/L	J
Water Bottle	Potassium	Total	820	ug/L	J
Water Bottle	Selenium	Dissolved		ug/L	U
Water Bottle	Selenium	Total		ug/L	U
Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total		ug/L	U
Water Bottle	Sodium	Dissolved	1700	ug/L	
Water Bottle	Sodium	Total	1900	ug/L	
Water Bottle	Thallium	Dissolved		ug/L	U
Water Bottle	Thallium	Total		ug/L	U
Water Bottle	Total Hardness	Total	130	mg/L	

	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B

Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/1/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/1/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Hardness by Calculation	TestAmerica Savannah	9/6/2016

200	24	200	ug/L
200	24	200	ug/L
1	0.4	1	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
1	0.37	1	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L
2	1	2	ug/L
0.4	0.12	0.4	ug/L
0.4	0.12	0.4	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L
2.5	1.2	2.5	ug/L
0.0005	0.0002	0.0005	ug/L
0.0005	0.0002	0.0005	ug/L
1	0.45	1	ug/L
1	0.45	1	ug/L
5	0.4	5	ug/L
5	0.4	5	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
2	0.58	2	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L

37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621

A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_082616	Sample-Routine
A75D	A75D_SED_082616	Sample-Routine
A75D	A75D_SED_082616	Sample-Routine
A75D	A75D_SED_082616	Sample-Routine
A75D	A75D_SED_082616	Sample-Routine
A75D	A75D_SED_082616	Sample-Routine
A75D	A75D_SED_082616	Sample-Routine
A75D	A75D_SED_082616	Sample-Routine
A75D	A75D_SED_082616	Sample-Routine
A75D	A75D_SED_082616	Sample-Routine
A75D	A75D_SED_082616	Sample-Routine
A75D	A75D_SED_082616	Sample-Routine
A75D	A75D_SED_082616	Sample-Routine
A75D	A75D_SED_082616	Sample-Routine
A75D	A75D_SED_082616	Sample-Routine
A75D	A75D_SED_082616	Sample-Routine
A75D	A75D_SED_082616	Sample-Routine
A75D	A75D_SED_082616	Sample-Routine
A75D	A75D_SED_082616	Sample-Routine
A75D	A75D_SED_082616	Sample-Routine
A75D	A75D_SED_082616	Sample-Routine
A75D	A75D_SED_082616	Sample-Routine
A75D	A75D_SED_082616	Sample-Routine
A75D	A75D_SED_082616	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine

Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM

Water Bottle	Total Suspended Solids	Total	12	mg/L	
Water Bottle	Vanadium	Dissolved		ug/L	U
Water Bottle	Vanadium	Total		ug/L	U
Water Bottle	Zinc	Dissolved	180	ug/L	
Water Bottle	Zinc	Total	240	ug/L	
Disposable plastic scoop	Aluminum	Total	8600	mg/Kg	
Disposable plastic scoop	Antimony	Total	0.19	mg/Kg	J-
Disposable plastic scoop	Arsenic	Total	18	mg/Kg	J-
Disposable plastic scoop	Barium	Total	130	mg/Kg	J-
Disposable plastic scoop	Beryllium	Total	0.89	mg/Kg	
Disposable plastic scoop	Cadmium	Total	3.3	mg/Kg	J
Disposable plastic scoop	Calcium	Total	3200	mg/Kg	
Disposable plastic scoop	Chromium	Total	5.2	mg/Kg	J
Disposable plastic scoop	Cobalt	Total	16	mg/Kg	
Disposable plastic scoop	Copper	Total	110	mg/Kg	J-
Disposable plastic scoop	Iron	Total	26000	mg/Kg	
Disposable plastic scoop	Lead	Total	290	mg/Kg	
Disposable plastic scoop	Magnesium	Total	4000	mg/Kg	
Disposable plastic scoop	Manganese	Total	3200	mg/Kg	J
Disposable plastic scoop	Mercury	Total	0.017	mg/Kg	J
Disposable plastic scoop	Molybdenum	Total	3.9	mg/Kg	
Disposable plastic scoop	Nickel	Total	9.1	mg/Kg	
Disposable plastic scoop	Organic carbon	Total	2500	mg/Kg	J
Disposable plastic scoop	Potassium	Total	1100	mg/Kg	
Disposable plastic scoop	Selenium	Total	0.7	mg/Kg	J
Disposable plastic scoop	Silver	Total	1.2	mg/Kg	J
Disposable plastic scoop	Sodium	Total	81	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.28	mg/Kg	
Disposable plastic scoop	Vanadium	Total	27	mg/Kg	J+
Disposable plastic scoop	Zinc	Total	970	mg/Kg	J
Water Bottle	Alkalinity, total	Total	140	mg/L	
Water Bottle	Aluminum	Total	4200	ug/L	
Water Bottle	Antimony	Dissolved		ug/L	U
Water Bottle	Antimony	Total		ug/L	UJ
Water Bottle	Arsenic	Dissolved		ug/L	U
Water Bottle	Arsenic	Total	1.1	ug/L	
Water Bottle	Barium	Dissolved	100	ug/L	
Water Bottle	Barium	Total	150	ug/L	
Water Bottle	Beryllium	Dissolved		ug/L	U
Water Bottle	Beryllium	Total	0.22	ug/L	J
Water Bottle	Cadmium	Dissolved	0.11	ug/L	J
Water Bottle	Cadmium	Total	0.21	ug/L	J
Water Bottle	Calcium	Dissolved	76000	ug/L	
Water Bottle	Calcium	Total	79000	ug/L	
Water Bottle	Chromium	Dissolved		ug/L	U
Water Bottle	Chromium	Total	1.2	ug/L	J
Water Bottle	Cobalt	Dissolved	0.61	ug/L	

	Preliminary	Actual	Wet	APHA	2540-D
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	7471A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	APHA	2320-B
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8

Total Suspended Solids in Water	TestAmerica Savannah	8/30/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	9/6/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Alkalinity by Gran Titration	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016

4	4	4	mg/L
1	0.3	1	ug/L
1	0.3	1	ug/L
20	2.8	20	ug/L
20	2.8	20	ug/L
14	2.1	14	mg/Kg
0.21	0.014	0.21	mg/Kg
0.62	0.052	0.62	mg/Kg
0.21	0.073	0.21	mg/Kg
0.1	0.023	0.1	mg/Kg
0.1	0.0097	0.1	mg/Kg
68	19	68	mg/Kg
0.21	0.078	0.21	mg/Kg
0.1	0.0068	0.1	mg/Kg
0.26	0.073	0.26	mg/Kg
20	5.2	20	mg/Kg
0.15	0.019	0.15	mg/Kg
27	5.1	27	mg/Kg
2.6	0.34	2.6	mg/Kg
0.025	0.008	0.025	mg/Kg
0.21	0.018	0.21	mg/Kg
0.15	0.026	0.15	mg/Kg
4000	1700	4000	mg/Kg
410	56	410	mg/Kg
0.52	0.14	0.52	mg/Kg
0.1	0.021	0.1	mg/Kg
680	81	680	mg/Kg
0.1	0.0036	0.1	mg/Kg
0.52	0.04	0.52	mg/Kg
10	3.3	10	mg/Kg
5	5	5	mg/L
200	24	200	ug/L
1	0.4	1	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
1	0.37	1	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L
2	1	2	ug/L
0.4	0.12	0.4	ug/L

37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
37.597779	-107.775621
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183

ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416	Sample-Routine
ADW-010	ADW-010_082416NM	Sample-Routine
ADW-010	ADW-010_082416NM	Sample-Routine
ADW-010	ADW-010_SED_082416	Sample-Routine
ADW-010	ADW-010_SED_082416	Sample-Routine
ADW-010	ADW-010_SED_082416	Sample-Routine
ADW-010	ADW-010_SED_082416	Sample-Routine
ADW-010	ADW-010_SED_082416	Sample-Routine
ADW-010	ADW-010_SED_082416	Sample-Routine
ADW-010	ADW-010_SED_082416	Sample-Routine
ADW-010	ADW-010_SED_082416	Sample-Routine
ADW-010	ADW-010_SED_082416	Sample-Routine
ADW-010	ADW-010_SED_082416	Sample-Routine

Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	2:00:00 PM	MST	NMAssessProtocol
Water	Surface Water	8/24/2016	2:00:00 PM	MST	NMAssessProtocol
Sediment		8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM

Water Bottle	Cobalt	Total	1.6	ug/L	
Water Bottle	Copper	Dissolved	1.1	ug/L	J
Water Bottle	Copper	Total	6.1	ug/L	
Water Bottle	Iron	Dissolved		ug/L	U
Water Bottle	Iron	Total	3100	ug/L	
Water Bottle	Lead	Dissolved		ug/L	U
Water Bottle	Lead	Total	5.3	ug/L	
Water Bottle	Magnesium	Dissolved	12000	ug/L	
Water Bottle	Magnesium	Total	13000	ug/L	
Water Bottle	Manganese	Dissolved	25	ug/L	
Water Bottle	Manganese	Total	180	ug/L	
Water Bottle	Mercury	Dissolved	0.00035	ug/L	J
Water Bottle	Mercury	Total	0.0033	ug/L	
Water Bottle	Molybdenum	Dissolved	1.4	ug/L	
Water Bottle	Molybdenum	Total	1.2	ug/L	
Water Bottle	Nickel	Dissolved	2.5	ug/L	J
Water Bottle	Nickel	Total	4.2	ug/L	J
Water Bottle	Organic carbon	Total	2	mg/L	
Water Bottle	Organic carbon	Total	3	mg/L	
Water Bottle	Potassium	Dissolved	3400	ug/L	
Water Bottle	Potassium	Total	4400	ug/L	
Water Bottle	Selenium	Dissolved		ug/L	U
Water Bottle	Selenium	Total		ug/L	U
Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total		ug/L	U
Water Bottle	Sodium	Dissolved	25000	ug/L	
Water Bottle	Sodium	Total	26000	ug/L	
Water Bottle	Thallium	Dissolved		ug/L	U
Water Bottle	Thallium	Total		ug/L	U
Water Bottle	Total Hardness	Total	250	mg/L	
Water Bottle	Total Suspended Solids	Total	140	mg/L	
Water Bottle	Vanadium	Dissolved	0.49	ug/L	J
Water Bottle	Vanadium	Total	4.5	ug/L	
Water Bottle	Zinc	Dissolved	2.9	ug/L	J
Water Bottle	Zinc	Total	32	ug/L	
Water Bottle	Aluminum	Dissolved		ug/L	U
Water Bottle	Aluminum	Dissolved	9.2	ug/L	J
Disposable plastic scoop	Aluminum	Total	8300	mg/Kg	
Disposable plastic scoop	Arsenic	Total	2.9	mg/Kg	
Disposable plastic scoop	Barium	Total	190	mg/Kg	J+
Disposable plastic scoop	Beryllium	Total	0.58	mg/Kg	
Disposable plastic scoop	Cadmium	Total	0.14	mg/Kg	J+
Disposable plastic scoop	Calcium	Total	4300	mg/Kg	
Disposable plastic scoop	Chromium	Total	5.2	mg/Kg	
Disposable plastic scoop	Cobalt	Total	5	mg/Kg	J+
Disposable plastic scoop	Copper	Total	8.8	mg/Kg	J+
Disposable plastic scoop	Iron	Total	11000	mg/Kg	

	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C

Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	8/27/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/30/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/29/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Hardness by Calculation	TestAmerica Savannah	9/2/2016
Total Suspended Solids in Water	TestAmerica Savannah	8/28/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016

0.4	0.12	0.4	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L
2.5	1.2	2.5	ug/L
0.0005	0.0002	0.0005	ug/L
0.0005	0.0002	0.0005	ug/L
1	0.45	1	ug/L
1	0.45	1	ug/L
5	0.4	5	ug/L
5	0.4	5	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
2	0.58	2	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
7	7	7	mg/L
1	0.3	1	ug/L
1	0.3	1	ug/L
20	2.8	20	ug/L
20	2.8	20	ug/L
200	24	200	ug/L
10	4.6	10	ug/L
11	1.8	11	mg/Kg
0.6	0.051	0.6	mg/Kg
0.2	0.071	0.2	mg/Kg
0.1	0.023	0.1	mg/Kg
0.1	0.0094	0.1	mg/Kg
57	16	57	mg/Kg
0.2	0.076	0.2	mg/Kg
0.1	0.0066	0.1	mg/Kg
0.25	0.071	0.25	mg/Kg
17	4.3	17	mg/Kg

36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183

ADW-010	ADW-010_SED_082416	Sample-Routine
ADW-010	ADW-010_SED_082416	Sample-Routine
ADW-010	ADW-010_SED_082416	Sample-Routine
ADW-010	ADW-010_SED_082416	Sample-Routine
ADW-010	ADW-010_SED_082416	Sample-Routine
ADW-010	ADW-010_SED_082416	Sample-Routine
ADW-010	ADW-010_SED_082416	Sample-Routine
ADW-010	ADW-010_SED_082416	Sample-Routine
ADW-010	ADW-010_SED_082416	Sample-Routine
ADW-010	ADW-010_SED_082416	Sample-Routine
ADW-010	ADW-010_SED_082416	Sample-Routine
ADW-010	ADW-010_SED_082416	Sample-Routine
ADW-010	ADW-010_SED_082416	Sample-Routine
ADW-010	ADW-010_SED_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine

Sediment		8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM

Disposable plastic scoop	Lead	Total	11	mg/Kg	
Disposable plastic scoop	Magnesium	Total	2200	mg/Kg	
Disposable plastic scoop	Manganese	Total	310	mg/Kg	
Disposable plastic scoop	Mercury	Total		mg/Kg	UB
Disposable plastic scoop	Molybdenum	Total	0.16	mg/Kg	J
Disposable plastic scoop	Nickel	Total	5.8	mg/Kg	
Disposable plastic scoop	Organic carbon	Total		g/Kg	U
Disposable plastic scoop	Potassium	Total	1200	mg/Kg	
Disposable plastic scoop	Selenium	Total	0.18	mg/Kg	J
Disposable plastic scoop	Silver	Total	0.042	mg/Kg	J-
Disposable plastic scoop	Sodium	Total	280	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.11	mg/Kg	
Disposable plastic scoop	Vanadium	Total	12	mg/Kg	
Disposable plastic scoop	Zinc	Total	48	mg/Kg	
Water Bottle	Alkalinity, total	Total	140	mg/L	
Water Bottle	Aluminum	Total	4100	ug/L	
Water Bottle	Antimony	Dissolved		ug/L	U
Water Bottle	Antimony	Total		ug/L	UJ
Water Bottle	Arsenic	Dissolved		ug/L	U
Water Bottle	Arsenic	Total	0.62	ug/L	J
Water Bottle	Barium	Dissolved	130	ug/L	
Water Bottle	Barium	Total	160	ug/L	
Water Bottle	Beryllium	Dissolved		ug/L	U
Water Bottle	Beryllium	Total	0.21	ug/L	J
Water Bottle	Cadmium	Dissolved	0.073	ug/L	J
Water Bottle	Cadmium	Total	0.11	ug/L	J
Water Bottle	Calcium	Dissolved	78000	ug/L	
Water Bottle	Calcium	Total	76000	ug/L	
Water Bottle	Chromium	Dissolved		ug/L	U
Water Bottle	Chromium	Total	1.2	ug/L	J
Water Bottle	Cobalt	Dissolved	0.33	ug/L	J
Water Bottle	Cobalt	Total	1.5	ug/L	
Water Bottle	Copper	Dissolved	1.7	ug/L	J
Water Bottle	Copper	Total	5.8	ug/L	
Water Bottle	Iron	Dissolved	87	ug/L	
Water Bottle	Iron	Total	2800	ug/L	
Water Bottle	Lead	Dissolved	0.21	ug/L	J
Water Bottle	Lead	Total	4.4	ug/L	
Water Bottle	Magnesium	Dissolved	12000	ug/L	
Water Bottle	Magnesium	Total	12000	ug/L	
Water Bottle	Manganese	Dissolved	32	ug/L	
Water Bottle	Manganese	Total	150	ug/L	
Water Bottle	Mercury	Dissolved	0.00067	ug/L	
Water Bottle	Mercury	Total	0.0039	ug/L	
Water Bottle	Molybdenum	Dissolved	1.4	ug/L	
Water Bottle	Molybdenum	Total	1.2	ug/L	
Water Bottle	Nickel	Dissolved	4.4	ug/L	J

	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Dry	USEPA	7471A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	APHA	2320-B
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8

ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Alkalinity by Gran Titration	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	8/27/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016

0.15	0.018	0.15	mg/Kg
23	4.2	23	mg/Kg
0.25	0.033	0.25	mg/Kg
0.025	0.0082	0.025	mg/Kg
0.2	0.018	0.2	mg/Kg
0.15	0.025	0.15	mg/Kg
4	1.7	4	g/Kg
340	46	340	mg/Kg
0.5	0.13	0.5	mg/Kg
0.1	0.02	0.1	mg/Kg
570	67	570	mg/Kg
0.1	0.0035	0.1	mg/Kg
0.5	0.039	0.5	mg/Kg
1	0.32	1	mg/Kg
5	5	5	mg/L
200	24	200	ug/L
1	0.4	1	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
1	0.37	1	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L
2	1	2	ug/L
0.4	0.12	0.4	ug/L
0.4	0.12	0.4	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L
2.5	1.2	2.5	ug/L
0.0005	0.0002	0.0005	ug/L
0.0005	0.0002	0.0005	ug/L
1	0.45	1	ug/L
1	0.45	1	ug/L
5	0.4	5	ug/L

36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.838545	-107.992183
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741

ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416	Sample-Routine
ADW-021	ADW-021_082416NM	Sample-Routine
ADW-021	ADW-021_082416NM	Sample-Routine
ADW-021	ADW-021_SED_082416	Sample-Routine
ADW-021	ADW-021_SED_082416	Sample-Routine
ADW-021	ADW-021_SED_082416	Sample-Routine
ADW-021	ADW-021_SED_082416	Sample-Routine
ADW-021	ADW-021_SED_082416	Sample-Routine
ADW-021	ADW-021_SED_082416	Sample-Routine
ADW-021	ADW-021_SED_082416	Sample-Routine
ADW-021	ADW-021_SED_082416	Sample-Routine
ADW-021	ADW-021_SED_082416	Sample-Routine
ADW-021	ADW-021_SED_082416	Sample-Routine
ADW-021	ADW-021_SED_082416	Sample-Routine
ADW-021	ADW-021_SED_082416	Sample-Routine
ADW-021	ADW-021_SED_082416	Sample-Routine
ADW-021	ADW-021_SED_082416	Sample-Routine
ADW-021	ADW-021_SED_082416	Sample-Routine
ADW-021	ADW-021_SED_082416	Sample-Routine
ADW-021	ADW-021_SED_082416	Sample-Routine
ADW-021	ADW-021_SED_082416	Sample-Routine
ADW-021	ADW-021_SED_082416	Sample-Routine
ADW-021	ADW-021_SED_082416	Sample-Routine
ADW-021	ADW-021_SED_082416	Sample-Routine
ADW-021	ADW-021_SED_082416	Sample-Routine
ADW-021	ADW-021_SED_082416	Sample-Routine
ADW-021	ADW-021_SED_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine

Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	11:15:00 AM	MST	NMAssessProtocol
Water	Surface Water	8/24/2016	11:15:00 AM	MST	NMAssessProtocol
Sediment		8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM

Water Bottle	Nickel	Total	4.1	ug/L	J
Water Bottle	Organic carbon	Total	1.9	mg/L	
Water Bottle	Organic carbon	Total	2.8	mg/L	
Water Bottle	Potassium	Dissolved	3400	ug/L	
Water Bottle	Potassium	Total	4000	ug/L	
Water Bottle	Selenium	Dissolved		ug/L	U
Water Bottle	Selenium	Total		ug/L	U
Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total		ug/L	U
Water Bottle	Sodium	Dissolved	25000	ug/L	
Water Bottle	Sodium	Total	23000	ug/L	
Water Bottle	Thallium	Dissolved		ug/L	U
Water Bottle	Thallium	Total		ug/L	U
Water Bottle	Total Hardness	Total	240	mg/L	
Water Bottle	Total Suspended Solids	Total	190	mg/L	
Water Bottle	Vanadium	Dissolved	0.48	ug/L	J
Water Bottle	Vanadium	Total	4.6	ug/L	
Water Bottle	Zinc	Dissolved	4.2	ug/L	J
Water Bottle	Zinc	Total	26	ug/L	
Water Bottle	Aluminum	Dissolved	110	ug/L	
Water Bottle	Aluminum	Dissolved	120	ug/L	J
Disposable plastic scoop	Aluminum	Total	1900	mg/Kg	
Disposable plastic scoop	Arsenic	Total	2.4	mg/Kg	
Disposable plastic scoop	Barium	Total	120	mg/Kg	J+
Disposable plastic scoop	Beryllium	Total	0.17	mg/Kg	
Disposable plastic scoop	Cadmium	Total	0.027	mg/Kg	J+
Disposable plastic scoop	Calcium	Total	1800	mg/Kg	
Disposable plastic scoop	Chromium	Total	1.4	mg/Kg	
Disposable plastic scoop	Cobalt	Total	1.8	mg/Kg	J+
Disposable plastic scoop	Copper	Total	2.2	mg/Kg	J+
Disposable plastic scoop	Iron	Total	3600	mg/Kg	
Disposable plastic scoop	Lead	Total	5	mg/Kg	
Disposable plastic scoop	Magnesium	Total	610	mg/Kg	
Disposable plastic scoop	Manganese	Total	140	mg/Kg	
Disposable plastic scoop	Mercury	Total		mg/Kg	UB
Disposable plastic scoop	Molybdenum	Total	0.096	mg/Kg	J
Disposable plastic scoop	Nickel	Total	1.9	mg/Kg	
Disposable plastic scoop	Organic carbon	Total		g/Kg	U
Disposable plastic scoop	Potassium	Total	320	mg/Kg	J
Disposable plastic scoop	Selenium	Total		mg/Kg	U
Disposable plastic scoop	Silver	Total		mg/Kg	UJ
Disposable plastic scoop	Sodium	Total	83	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.029	mg/Kg	J
Disposable plastic scoop	Vanadium	Total	3.7	mg/Kg	
Disposable plastic scoop	Zinc	Total	19	mg/Kg	
Water Bottle	Alkalinity, total	Total	84	mg/L	
Water Bottle	Aluminum	Total	210	ug/L	

	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Dry	USEPA	7471A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
Not Detected	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	APHA	2320-B
	Preliminary	Actual	Wet	USEPA	200.7

Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/30/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/29/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Hardness by Calculation	TestAmerica Savannah	9/2/2016
Total Suspended Solids in Water	TestAmerica Savannah	8/28/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Alkalinity by Gran Titration	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016

5	0.4	5	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
2	0.58	2	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
13	13	13	mg/L
1	0.3	1	ug/L
1	0.3	1	ug/L
20	2.8	20	ug/L
20	2.8	20	ug/L
10	4.6	10	ug/L
200	24	200	ug/L
11	1.7	11	mg/Kg
0.69	0.058	0.69	mg/Kg
0.23	0.081	0.23	mg/Kg
0.11	0.026	0.11	mg/Kg
0.11	0.011	0.11	mg/Kg
56	16	56	mg/Kg
0.23	0.087	0.23	mg/Kg
0.11	0.0076	0.11	mg/Kg
0.29	0.081	0.29	mg/Kg
17	4.3	17	mg/Kg
0.17	0.021	0.17	mg/Kg
22	4.2	22	mg/Kg
0.29	0.038	0.29	mg/Kg
0.023	0.0073	0.023	mg/Kg
0.23	0.02	0.23	mg/Kg
0.17	0.029	0.17	mg/Kg
4	1.7	4	g/Kg
340	46	340	mg/Kg
0.57	0.15	0.57	mg/Kg
0.11	0.023	0.11	mg/Kg
560	66	560	mg/Kg
0.11	0.004	0.11	mg/Kg
0.57	0.044	0.57	mg/Kg
1.1	0.36	1.1	mg/Kg
5	5	5	mg/L
200	24	200	ug/L

36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.872838	-107.960741
36.933295	-107.909073
36.933295	-107.909073

ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine

Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM

Water Bottle	Antimony	Dissolved		ug/L	U
Water Bottle	Antimony	Total		ug/L	UJ
Water Bottle	Arsenic	Dissolved		ug/L	U
Water Bottle	Arsenic	Total		ug/L	U
Water Bottle	Barium	Dissolved	45	ug/L	
Water Bottle	Barium	Total	46	ug/L	
Water Bottle	Beryllium	Dissolved		ug/L	U
Water Bottle	Beryllium	Total		ug/L	U
Water Bottle	Cadmium	Dissolved	0.19	ug/L	J
Water Bottle	Cadmium	Total	0.18	ug/L	J
Water Bottle	Calcium	Dissolved	66000	ug/L	
Water Bottle	Calcium	Total	64000	ug/L	
Water Bottle	Chromium	Dissolved		ug/L	U
Water Bottle	Chromium	Total		ug/L	U
Water Bottle	Cobalt	Dissolved	0.21	ug/L	J
Water Bottle	Cobalt	Total	0.25	ug/L	J
Water Bottle	Copper	Dissolved	1.1	ug/L	J
Water Bottle	Copper	Total	1.8	ug/L	J
Water Bottle	Iron	Dissolved	18	ug/L	J
Water Bottle	Iron	Total	270	ug/L	
Water Bottle	Lead	Dissolved		ug/L	U
Water Bottle	Lead	Total	1.3	ug/L	
Water Bottle	Magnesium	Dissolved	8900	ug/L	
Water Bottle	Magnesium	Total	8500	ug/L	
Water Bottle	Manganese	Dissolved	39	ug/L	
Water Bottle	Manganese	Total	52	ug/L	
Water Bottle	Mercury	Dissolved	0.00037	ug/L	J
Water Bottle	Mercury	Total	0.0024	ug/L	
Water Bottle	Molybdenum	Dissolved	0.72	ug/L	J
Water Bottle	Molybdenum	Total	0.67	ug/L	J
Water Bottle	Nickel	Dissolved	2.5	ug/L	J
Water Bottle	Nickel	Total	2.1	ug/L	J
Water Bottle	Organic carbon	Total	1.1	mg/L	
Water Bottle	Organic carbon	Total	1.6	mg/L	
Water Bottle	Potassium	Dissolved	2500	ug/L	
Water Bottle	Potassium	Total	2400	ug/L	
Water Bottle	Selenium	Dissolved		ug/L	U
Water Bottle	Selenium	Total		ug/L	U
Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total		ug/L	U
Water Bottle	Sodium	Dissolved	12000	ug/L	
Water Bottle	Sodium	Total	12000	ug/L	
Water Bottle	Thallium	Dissolved		ug/L	U
Water Bottle	Thallium	Total		ug/L	U
Water Bottle	Total Hardness	Total	190	mg/L	
Water Bottle	Total Suspended Solids	Total	3.4	mg/L	
Water Bottle	Vanadium	Dissolved		ug/L	U

Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
Not Detected	Preliminary	Actual	Wet	USEPA	200.8

Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	8/27/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/30/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/29/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Hardness by Calculation	TestAmerica Savannah	9/2/2016
Total Suspended Solids in Water	TestAmerica Savannah	8/28/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016

1	0.4	1	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
1	0.37	1	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L
2	1	2	ug/L
0.4	0.12	0.4	ug/L
0.4	0.12	0.4	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L
2.5	1.2	2.5	ug/L
0.0005	0.0002	0.0005	ug/L
0.0005	0.0002	0.0005	ug/L
1	0.45	1	ug/L
1	0.45	1	ug/L
5	0.4	5	ug/L
5	0.4	5	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
2	0.58	2	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
1	1	1	mg/L
1	0.3	1	ug/L

36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073

ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416	Sample-Routine
ADW-022	ADW-022_082416NM	Sample-Routine
ADW-022	ADW-022_082416NM	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine

Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/24/2016	8:55:00 AM	MST	NMAssessProtocol
Water	Surface Water	8/24/2016	8:55:00 AM	MST	NMAssessProtocol
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM

Water Bottle	Vanadium	Total		ug/L	U
Water Bottle	Zinc	Dissolved	35	ug/L	
Water Bottle	Zinc	Total	48	ug/L	
Water Bottle	Aluminum	Dissolved	25	ug/L	
Water Bottle	Aluminum	Dissolved	33	ug/L	J
Water Bottle	Alkalinity, total	Total	110	mg/L	
Water Bottle	Aluminum	Total	1600	ug/L	
Water Bottle	Antimony	Dissolved		ug/L	U
Water Bottle	Antimony	Total		ug/L	U
Water Bottle	Arsenic	Dissolved		ug/L	U
Water Bottle	Arsenic	Total		ug/L	U
Water Bottle	Barium	Dissolved	72	ug/L	
Water Bottle	Barium	Total	100	ug/L	
Water Bottle	Beryllium	Dissolved		ug/L	U
Water Bottle	Beryllium	Total		ug/L	U
Water Bottle	Cadmium	Dissolved		ug/L	U
Water Bottle	Cadmium	Total	0.2	ug/L	J
Water Bottle	Calcium	Dissolved	64000	ug/L	
Water Bottle	Calcium	Total	69000	ug/L	
Water Bottle	Chromium	Dissolved		ug/L	U
Water Bottle	Chromium	Total		ug/L	U
Water Bottle	Cobalt	Dissolved	0.21	ug/L	J
Water Bottle	Cobalt	Total	0.9	ug/L	
Water Bottle	Copper	Dissolved	1.2	ug/L	J
Water Bottle	Copper	Total	3.3	ug/L	J
Water Bottle	Iron	Dissolved		ug/L	U
Water Bottle	Iron	Total	1400	ug/L	
Water Bottle	Lead	Dissolved	0.063	ug/L	J
Water Bottle	Lead	Total	3.9	ug/L	
Water Bottle	Magnesium	Dissolved	9800	ug/L	
Water Bottle	Magnesium	Total	11000	ug/L	
Water Bottle	Manganese	Dissolved	13	ug/L	
Water Bottle	Manganese	Total	110	ug/L	
Water Bottle	Mercury	Dissolved	0.00085	ug/L	
Water Bottle	Mercury	Total	0.0019	ug/L	
Water Bottle	Molybdenum	Dissolved	1	ug/L	
Water Bottle	Molybdenum	Total	0.97	ug/L	J
Water Bottle	Nickel	Dissolved	3.5	ug/L	J
Water Bottle	Nickel	Total	3.4	ug/L	J
Water Bottle	Organic carbon	Total	1.8	mg/L	
Water Bottle	Organic carbon	Total	1.9	mg/L	
Water Bottle	Potassium	Dissolved	2600	ug/L	
Water Bottle	Potassium	Total	3000	ug/L	
Water Bottle	Selenium	Dissolved		ug/L	U
Water Bottle	Selenium	Total		ug/L	U
Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total		ug/L	U

Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	APHA	2320-B
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8

Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Alkalinity by Gran Titration	TestAmerica Savannah	9/2/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/1/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/1/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016

1	0.3	1	ug/L
20	2.8	20	ug/L
20	2.8	20	ug/L
10	4.6	10	ug/L
200	24	200	ug/L
5	5	5	mg/L
200	24	200	ug/L
1	0.4	1	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
1	0.37	1	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L
2	1	2	ug/L
0.4	0.12	0.4	ug/L
0.4	0.12	0.4	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L
2.5	1.2	2.5	ug/L
0.0005	0.0002	0.0005	ug/L
0.0005	0.0002	0.0005	ug/L
1	0.45	1	ug/L
1	0.45	1	ug/L
5	0.4	5	ug/L
5	0.4	5	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
2	0.58	2	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L

36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073

ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816	Sample-Routine
ADW-022	ADW-022_082816NM	Sample-Routine
ADW-022	ADW-022_SED_082416	Sample-Routine
ADW-022	ADW-022_SED_082416	Sample-Routine
ADW-022	ADW-022_SED_082416	Sample-Routine
ADW-022	ADW-022_SED_082416	Sample-Routine
ADW-022	ADW-022_SED_082416	Sample-Routine
ADW-022	ADW-022_SED_082416	Sample-Routine
ADW-022	ADW-022_SED_082416	Sample-Routine
ADW-022	ADW-022_SED_082416	Sample-Routine
ADW-022	ADW-022_SED_082416	Sample-Routine
ADW-022	ADW-022_SED_082416	Sample-Routine
ADW-022	ADW-022_SED_082416	Sample-Routine
ADW-022	ADW-022_SED_082416	Sample-Routine
ADW-022	ADW-022_SED_082416	Sample-Routine
ADW-022	ADW-022_SED_082416	Sample-Routine
ADW-022	ADW-022_SED_082416	Sample-Routine
ADW-022	ADW-022_SED_082416	Sample-Routine
ADW-022	ADW-022_SED_082416	Sample-Routine
ADW-022	ADW-022_SED_082416	Sample-Routine
ADW-022	ADW-022_SED_082416	Sample-Routine
ADW-022	ADW-022_SED_082416	Sample-Routine
ADW-022	ADW-022_SED_082416	Sample-Routine
ADW-022	ADW-022_SED_082416	Sample-Routine
ADW-022	ADW-022_SED_082416	Sample-Routine
ADW-022	ADW-022_SED_082416	Sample-Routine
ADW-022	ADW-022_SED_082816	Sample-Routine
ADW-022	ADW-022_SED_082816	Sample-Routine
ADW-022	ADW-022_SED_082816	Sample-Routine
ADW-022	ADW-022_SED_082816	Sample-Routine
ADW-022	ADW-022_SED_082816	Sample-Routine
ADW-022	ADW-022_SED_082816	Sample-Routine
ADW-022	ADW-022_SED_082816	Sample-Routine
ADW-022	ADW-022_SED_082816	Sample-Routine
ADW-022	ADW-022_SED_082816	Sample-Routine
ADW-022	ADW-022_SED_082816	Sample-Routine
ADW-022	ADW-022_SED_082816	Sample-Routine
ADW-022	ADW-022_SED_082816	Sample-Routine
ADW-022	ADW-022_SED_082816	Sample-Routine

Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	4:20:00 PM	MST	NMAssessProtocol
Sediment		8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Sediment		8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM
Sediment		8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM

Water Bottle	Sodium	Dissolved	16000	ug/L	
Water Bottle	Sodium	Total	17000	ug/L	
Water Bottle	Thallium	Dissolved		ug/L	U
Water Bottle	Thallium	Total		ug/L	U
Water Bottle	Total Hardness	Total	220	mg/L	
Water Bottle	Total Suspended Solids	Total	23	mg/L	
Water Bottle	Vanadium	Dissolved	0.3	ug/L	J
Water Bottle	Vanadium	Total	2.2	ug/L	
Water Bottle	Zinc	Dissolved	3.1	ug/L	J
Water Bottle	Zinc	Total	29	ug/L	
Water Bottle	Aluminum	Dissolved	42	ug/L	J
Disposable plastic scoop	Aluminum	Total	6500	mg/Kg	
Disposable plastic scoop	Arsenic	Total	2.4	mg/Kg	
Disposable plastic scoop	Barium	Total	230	mg/Kg	J+
Disposable plastic scoop	Beryllium	Total	0.47	mg/Kg	
Disposable plastic scoop	Cadmium	Total	0.28	mg/Kg	J+
Disposable plastic scoop	Calcium	Total	5900	mg/Kg	
Disposable plastic scoop	Chromium	Total	3.1	mg/Kg	
Disposable plastic scoop	Cobalt	Total	4	mg/Kg	J+
Disposable plastic scoop	Copper	Total	11	mg/Kg	J+
Disposable plastic scoop	Iron	Total	9500	mg/Kg	
Disposable plastic scoop	Lead	Total	17	mg/Kg	
Disposable plastic scoop	Magnesium	Total	1800	mg/Kg	
Disposable plastic scoop	Manganese	Total	330	mg/Kg	
Disposable plastic scoop	Mercury	Total		mg/Kg	UB
Disposable plastic scoop	Molybdenum	Total	0.24	mg/Kg	
Disposable plastic scoop	Nickel	Total	3.9	mg/Kg	
Disposable plastic scoop	Organic carbon	Total		g/Kg	U
Disposable plastic scoop	Potassium	Total	950	mg/Kg	
Disposable plastic scoop	Selenium	Total	0.19	mg/Kg	J
Disposable plastic scoop	Silver	Total	0.63	mg/Kg	J-
Disposable plastic scoop	Sodium	Total	280	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.093	mg/Kg	J
Disposable plastic scoop	Vanadium	Total	10	mg/Kg	
Disposable plastic scoop	Zinc	Total	94	mg/Kg	
Disposable plastic scoop	Aluminum	Total	4800	mg/Kg	
Disposable plastic scoop	Antimony	Total	0.074	mg/Kg	J-
Disposable plastic scoop	Arsenic	Total	2.1	mg/Kg	J-
Disposable plastic scoop	Barium	Total	180	mg/Kg	J-
Disposable plastic scoop	Beryllium	Total	0.36	mg/Kg	
Disposable plastic scoop	Cadmium	Total	0.13	mg/Kg	J
Disposable plastic scoop	Calcium	Total	5400	mg/Kg	
Disposable plastic scoop	Chromium	Total	3	mg/Kg	
Disposable plastic scoop	Cobalt	Total	3.7	mg/Kg	
Disposable plastic scoop	Copper	Total	8.1	mg/Kg	J-
Disposable plastic scoop	Iron	Total	7100	mg/Kg	
Disposable plastic scoop	Lead	Total	13	mg/Kg	

	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Dry	USEPA	7471A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A

Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Hardness by Calculation	TestAmerica Savannah	9/6/2016
Total Suspended Solids in Water	TestAmerica Savannah	8/30/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016

1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
1	1	1	mg/L
1	0.3	1	ug/L
1	0.3	1	ug/L
20	2.8	20	ug/L
20	2.8	20	ug/L
200	24	200	ug/L
8.7	1.3	8.7	mg/Kg
0.71	0.06	0.71	mg/Kg
0.24	0.083	0.24	mg/Kg
0.12	0.027	0.12	mg/Kg
0.12	0.011	0.12	mg/Kg
44	12	44	mg/Kg
0.24	0.09	0.24	mg/Kg
0.12	0.0078	0.12	mg/Kg
0.29	0.084	0.29	mg/Kg
13	3.3	13	mg/Kg
0.18	0.021	0.18	mg/Kg
17	3.2	17	mg/Kg
0.29	0.039	0.29	mg/Kg
0.023	0.0075	0.023	mg/Kg
0.24	0.021	0.24	mg/Kg
0.18	0.03	0.18	mg/Kg
4	1.7	4	g/Kg
260	36	260	mg/Kg
0.59	0.16	0.59	mg/Kg
0.12	0.024	0.12	mg/Kg
440	51	440	mg/Kg
0.12	0.0041	0.12	mg/Kg
0.59	0.045	0.59	mg/Kg
1.2	0.37	1.2	mg/Kg
9.3	1.4	9.3	mg/Kg
0.24	0.017	0.24	mg/Kg
0.71	0.06	0.71	mg/Kg
0.24	0.083	0.24	mg/Kg
0.12	0.027	0.12	mg/Kg
0.12	0.011	0.12	mg/Kg
47	13	47	mg/Kg
0.24	0.092	0.24	mg/Kg
0.12	0.0078	0.12	mg/Kg
0.29	0.084	0.29	mg/Kg
14	3.5	14	mg/Kg
0.18	0.021	0.18	mg/Kg

36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073

ADW-022	ADW-022_SED_082816	Sample-Routine
ADW-022	ADW-022_SED_082816	Sample-Routine
ADW-022	ADW-022_SED_082816	Sample-Routine
ADW-022	ADW-022_SED_082816	Sample-Routine
ADW-022	ADW-022_SED_082816	Sample-Routine
ADW-022	ADW-022_SED_082816	Sample-Routine
ADW-022	ADW-022_SED_082816	Sample-Routine
ADW-022	ADW-022_SED_082816	Sample-Routine
ADW-022	ADW-022_SED_082816	Sample-Routine
ADW-022	ADW-022_SED_082816	Sample-Routine
ADW-022	ADW-022_SED_082816	Sample-Routine
ADW-022	ADW-022_SED_082816	Sample-Routine
ADW-022	ADW-022_SED_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine

Sediment		8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM

Disposable plastic scoop	Magnesium	Total	1400	mg/Kg	
Disposable plastic scoop	Manganese	Total	340	mg/Kg	J
Disposable plastic scoop	Mercury	Total	0.013	mg/Kg	J
Disposable plastic scoop	Molybdenum	Total		mg/Kg	UB
Disposable plastic scoop	Nickel	Total	3.4	mg/Kg	
Disposable plastic scoop	Organic carbon	Total		mg/Kg	U
Disposable plastic scoop	Potassium	Total	700	mg/Kg	
Disposable plastic scoop	Selenium	Total		mg/Kg	UJ
Disposable plastic scoop	Silver	Total	0.063	mg/Kg	J
Disposable plastic scoop	Sodium	Total	210	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.088	mg/Kg	J
Disposable plastic scoop	Vanadium	Total	9.7	mg/Kg	J+
Disposable plastic scoop	Zinc	Total	64	mg/Kg	J
Water Bottle	Alkalinity, total	Total	90	mg/L	
Water Bottle	Aluminum	Dissolved	35	ug/L	
Water Bottle	Aluminum	Dissolved	36	ug/L	J
Water Bottle	Aluminum	Total	240	ug/L	
Water Bottle	Antimony	Dissolved		ug/L	U
Water Bottle	Antimony	Total		ug/L	U
Water Bottle	Arsenic	Dissolved		ug/L	U
Water Bottle	Arsenic	Total		ug/L	U
Water Bottle	Barium	Dissolved	43	ug/L	
Water Bottle	Barium	Total	52	ug/L	
Water Bottle	Beryllium	Dissolved		ug/L	U
Water Bottle	Beryllium	Total		ug/L	U
Water Bottle	Cadmium	Dissolved	0.11	ug/L	J
Water Bottle	Cadmium	Total	0.23	ug/L	J
Water Bottle	Calcium	Dissolved	66000	ug/L	
Water Bottle	Calcium	Total	72000	ug/L	
Water Bottle	Chromium	Dissolved		ug/L	U
Water Bottle	Chromium	Total		ug/L	U
Water Bottle	Cobalt	Dissolved	0.2	ug/L	J
Water Bottle	Cobalt	Total	0.42	ug/L	
Water Bottle	Copper	Dissolved	1.1	ug/L	J
Water Bottle	Copper	Total	2.1	ug/L	J
Water Bottle	Iron	Dissolved		ug/L	U
Water Bottle	Iron	Total	380	ug/L	
Water Bottle	Lead	Dissolved		ug/L	U
Water Bottle	Lead	Total	2.6	ug/L	
Water Bottle	Magnesium	Dissolved	9300	ug/L	
Water Bottle	Magnesium	Total	10000	ug/L	
Water Bottle	Manganese	Dissolved	31	ug/L	
Water Bottle	Manganese	Total	90	ug/L	
Water Bottle	Mercury	Dissolved	0.00061	ug/L	
Water Bottle	Mercury	Total	0.0017	ug/L	
Water Bottle	Molybdenum	Dissolved	0.88	ug/L	J
Water Bottle	Molybdenum	Total	0.98	ug/L	J

	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	7471A
Not Detected	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
Not Detected	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	APHA	2320-B
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8

Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	9/6/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Alkalinity by Gran Titration	TestAmerica Savannah	9/2/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/1/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016

19	3.5	19	mg/Kg
0.29	0.039	0.29	mg/Kg
0.024	0.0079	0.024	mg/Kg
0.24	0.021	0.24	mg/Kg
0.18	0.03	0.18	mg/Kg
4000	1700	4000	mg/Kg
280	38	280	mg/Kg
0.59	0.16	0.59	mg/Kg
0.12	0.024	0.12	mg/Kg
470	55	470	mg/Kg
0.12	0.0041	0.12	mg/Kg
0.59	0.045	0.59	mg/Kg
1.2	0.37	1.2	mg/Kg
5	5	5	mg/L
10	4.6	10	ug/L
200	24	200	ug/L
200	24	200	ug/L
1	0.4	1	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
1	0.37	1	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L
2	1	2	ug/L
0.4	0.12	0.4	ug/L
0.4	0.12	0.4	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L
2.5	1.2	2.5	ug/L
0.0005	0.0002	0.0005	ug/L
0.0005	0.0002	0.0005	ug/L
1	0.45	1	ug/L
1	0.45	1	ug/L

36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
36.933295	-107.909073
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598

AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_082816	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine

Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM

Water Bottle	Nickel	Dissolved	2.7	ug/L	J
Water Bottle	Nickel	Total	2.9	ug/L	J
Water Bottle	Organic carbon	Total	1.1	mg/L	
Water Bottle	Organic carbon	Total	1.4	mg/L	
Water Bottle	Potassium	Dissolved	2800	ug/L	
Water Bottle	Potassium	Total	3100	ug/L	
Water Bottle	Selenium	Dissolved		ug/L	U
Water Bottle	Selenium	Total		ug/L	U
Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total		ug/L	U
Water Bottle	Sodium	Dissolved	14000	ug/L	
Water Bottle	Sodium	Total	15000	ug/L	
Water Bottle	Thallium	Dissolved		ug/L	U
Water Bottle	Thallium	Total		ug/L	U
Water Bottle	Total Hardness	Total	220	mg/L	
Water Bottle	Total Suspended Solids	Total	680	mg/L	
Water Bottle	Vanadium	Dissolved		ug/L	U
Water Bottle	Vanadium	Total	0.5	ug/L	J
Water Bottle	Zinc	Dissolved	12	ug/L	J
Water Bottle	Zinc	Total	48	ug/L	
Water Bottle	Alkalinity, total	Total	86	mg/L	
Water Bottle	Aluminum	Dissolved	37	ug/L	J
Water Bottle	Aluminum	Total	150	ug/L	J
Water Bottle	Antimony	Dissolved		ug/L	U
Water Bottle	Antimony	Total		ug/L	U
Water Bottle	Arsenic	Dissolved		ug/L	U
Water Bottle	Arsenic	Total		ug/L	U
Water Bottle	Barium	Dissolved	45	ug/L	
Water Bottle	Barium	Total	50	ug/L	
Water Bottle	Beryllium	Dissolved		ug/L	U
Water Bottle	Beryllium	Total		ug/L	U
Water Bottle	Cadmium	Dissolved		ug/L	U
Water Bottle	Cadmium	Total	0.11	ug/L	J
Water Bottle	Calcium	Dissolved	59000	ug/L	
Water Bottle	Calcium	Total	61000	ug/L	
Water Bottle	Chromium	Dissolved		ug/L	U
Water Bottle	Chromium	Total		ug/L	U
Water Bottle	Cobalt	Dissolved	0.12	ug/L	J
Water Bottle	Cobalt	Total	0.24	ug/L	J
Water Bottle	Copper	Dissolved	1.2	ug/L	J
Water Bottle	Copper	Total	2.1	ug/L	J
Water Bottle	Iron	Dissolved	21	ug/L	J
Water Bottle	Iron	Total	220	ug/L	
Water Bottle	Lead	Dissolved	0.16	ug/L	J
Water Bottle	Lead	Total	1.7	ug/L	
Water Bottle	Magnesium	Dissolved	8300	ug/L	
Water Bottle	Magnesium	Total	8600	ug/L	

	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2320-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7

Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/1/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Hardness by Calculation	TestAmerica Savannah	9/6/2016
Total Suspended Solids in Water	TestAmerica Savannah	8/29/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Alkalinity by Gran Titration	TestAmerica Savannah	9/7/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016

5	0.4	5	ug/L
5	0.4	5	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
2	0.58	2	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
10	10	10	mg/L
1	0.3	1	ug/L
1	0.3	1	ug/L
20	2.8	20	ug/L
20	2.8	20	ug/L
5	5	5	mg/L
200	24	200	ug/L
200	24	200	ug/L
1	0.4	1	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
1	0.37	1	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L
2	1	2	ug/L
0.4	0.12	0.4	ug/L
0.4	0.12	0.4	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L

37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598

AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_090216	Sample-Routine
AR19-3	AR19-3_SED_082816	Sample-Routine
AR19-3	AR19-3_SED_082816	Sample-Routine
AR19-3	AR19-3_SED_082816	Sample-Routine
AR19-3	AR19-3_SED_082816	Sample-Routine
AR19-3	AR19-3_SED_082816	Sample-Routine
AR19-3	AR19-3_SED_082816	Sample-Routine
AR19-3	AR19-3_SED_082816	Sample-Routine
AR19-3	AR19-3_SED_082816	Sample-Routine
AR19-3	AR19-3_SED_082816	Sample-Routine
AR19-3	AR19-3_SED_082816	Sample-Routine
AR19-3	AR19-3_SED_082816	Sample-Routine
AR19-3	AR19-3_SED_082816	Sample-Routine
AR19-3	AR19-3_SED_082816	Sample-Routine
AR19-3	AR19-3_SED_082816	Sample-Routine
AR19-3	AR19-3_SED_082816	Sample-Routine
AR19-3	AR19-3_SED_082816	Sample-Routine
AR19-3	AR19-3_SED_082816	Sample-Routine
AR19-3	AR19-3_SED_082816	Sample-Routine
AR19-3	AR19-3_SED_082816	Sample-Routine
AR19-3	AR19-3_SED_082816	Sample-Routine
AR19-3	AR19-3_SED_082816	Sample-Routine
AR19-3	AR19-3_SED_082816	Sample-Routine
AR19-3	AR19-3_SED_082816	Sample-Routine
AR19-3	AR19-3_SED_082816	Sample-Routine
AR19-3	AR19-3_SED_082816	Sample-Routine

Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Sediment		8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM

Water Bottle	Manganese	Dissolved	29	ug/L	
Water Bottle	Manganese	Total	60	ug/L	
Water Bottle	Mercury	Dissolved		ug/L	U
Water Bottle	Mercury	Total	0.00059	ug/L	
Water Bottle	Molybdenum	Dissolved	0.89	ug/L	J
Water Bottle	Molybdenum	Total	0.9	ug/L	J
Water Bottle	Nickel	Dissolved	1.1	ug/L	J
Water Bottle	Nickel	Total	1	ug/L	J
Water Bottle	Organic carbon	Total	0.93	mg/L	J
Water Bottle	Organic carbon	Total	1.3	mg/L	
Water Bottle	Potassium	Dissolved	2500	ug/L	
Water Bottle	Potassium	Total	2600	ug/L	
Water Bottle	Selenium	Dissolved		ug/L	U
Water Bottle	Selenium	Total		ug/L	U
Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total		ug/L	U
Water Bottle	Sodium	Dissolved	13000	ug/L	
Water Bottle	Sodium	Total	13000	ug/L	
Water Bottle	Thallium	Dissolved		ug/L	U
Water Bottle	Thallium	Total		ug/L	U
Water Bottle	Total Hardness	Total	190	mg/L	
Water Bottle	Total Suspended Solids	Total	12	mg/L	
Water Bottle	Vanadium	Dissolved		ug/L	U
Water Bottle	Vanadium	Total	0.35	ug/L	J
Water Bottle	Zinc	Dissolved	17	ug/L	J
Water Bottle	Zinc	Total	37	ug/L	
Disposable plastic scoop	Aluminum	Total	6200	mg/Kg	
Disposable plastic scoop	Antimony	Total	0.094	mg/Kg	J-
Disposable plastic scoop	Arsenic	Total	5	mg/Kg	J-
Disposable plastic scoop	Barium	Total	110	mg/Kg	J-
Disposable plastic scoop	Beryllium	Total	0.32	mg/Kg	
Disposable plastic scoop	Cadmium	Total	0.7	mg/Kg	J
Disposable plastic scoop	Calcium	Total	7000	mg/Kg	
Disposable plastic scoop	Chromium	Total	5.1	mg/Kg	J
Disposable plastic scoop	Cobalt	Total	6.7	mg/Kg	
Disposable plastic scoop	Copper	Total	42	mg/Kg	J-
Disposable plastic scoop	Iron	Total	19000	mg/Kg	
Disposable plastic scoop	Lead	Total	120	mg/Kg	
Disposable plastic scoop	Magnesium	Total	4400	mg/Kg	
Disposable plastic scoop	Manganese	Total	950	mg/Kg	J
Disposable plastic scoop	Mercury	Total	0.0096	mg/Kg	J
Disposable plastic scoop	Molybdenum	Total	1.3	mg/Kg	
Disposable plastic scoop	Nickel	Total	5.8	mg/Kg	
Disposable plastic scoop	Organic carbon	Total		mg/Kg	U
Disposable plastic scoop	Potassium	Total	860	mg/Kg	
Disposable plastic scoop	Selenium	Total		mg/Kg	UJ
Disposable plastic scoop	Silver	Total	0.35	mg/Kg	J

	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	7471A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
Not Detected	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A

Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/14/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/14/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/8/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Hardness by Calculation	TestAmerica Savannah	9/9/2016
Total Suspended Solids in Water	TestAmerica Savannah	9/7/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	9/6/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016

2.5	1.2	2.5	ug/L
2.5	1.2	2.5	ug/L
0.0005	0.0002	0.0005	ug/L
0.0005	0.0002	0.0005	ug/L
1	0.45	1	ug/L
1	0.45	1	ug/L
5	0.4	5	ug/L
5	0.4	5	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
2	0.58	2	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
1	1	1	mg/L
1	0.3	1	ug/L
1	0.3	1	ug/L
20	2.8	20	ug/L
20	2.8	20	ug/L
11	1.8	11	mg/Kg
0.24	0.017	0.24	mg/Kg
0.73	0.062	0.73	mg/Kg
0.24	0.086	0.24	mg/Kg
0.12	0.027	0.12	mg/Kg
0.12	0.011	0.12	mg/Kg
57	16	57	mg/Kg
0.24	0.093	0.24	mg/Kg
0.12	0.0081	0.12	mg/Kg
0.3	0.087	0.3	mg/Kg
17	4.3	17	mg/Kg
0.18	0.022	0.18	mg/Kg
23	4.2	23	mg/Kg
0.3	0.04	0.3	mg/Kg
0.025	0.008	0.025	mg/Kg
0.24	0.021	0.24	mg/Kg
0.18	0.031	0.18	mg/Kg
4000	1700	4000	mg/Kg
340	47	340	mg/Kg
0.61	0.16	0.61	mg/Kg
0.12	0.025	0.12	mg/Kg

37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598

AR19-3	AR19-3_SED_082816	Sample-Routine
AR19-3	AR19-3_SED_082816	Sample-Routine
AR19-3	AR19-3_SED_082816	Sample-Routine
AR19-3	AR19-3_SED_082816	Sample-Routine
AR19-3	AR19-3_SED_090216	Sample-Routine
AR19-3	AR19-3_SED_090216	Sample-Routine
AR19-3	AR19-3_SED_090216	Sample-Routine
AR19-3	AR19-3_SED_090216	Sample-Routine
AR19-3	AR19-3_SED_090216	Sample-Routine
AR19-3	AR19-3_SED_090216	Sample-Routine
AR19-3	AR19-3_SED_090216	Sample-Routine
AR19-3	AR19-3_SED_090216	Sample-Routine
AR19-3	AR19-3_SED_090216	Sample-Routine
AR19-3	AR19-3_SED_090216	Sample-Routine
AR19-3	AR19-3_SED_090216	Sample-Routine
AR19-3	AR19-3_SED_090216	Sample-Routine
AR19-3	AR19-3_SED_090216	Sample-Routine
AR19-3	AR19-3_SED_090216	Sample-Routine
AR19-3	AR19-3_SED_090216	Sample-Routine
AR19-3	AR19-3_SED_090216	Sample-Routine
AR19-3	AR19-3_SED_090216	Sample-Routine
AR19-3	AR19-3_SED_090216	Sample-Routine
AR19-3	AR19-3_SED_090216	Sample-Routine
AR19-3	AR19-3_SED_090216	Sample-Routine
AR19-3	AR19-3_SED_090216	Sample-Routine
AR19-3	AR19-3_SED_090216	Sample-Routine
AR19-3	AR19-3_SED_090216	Sample-Routine
AR19-3	AR19-3_SED_090216	Sample-Routine
AR19-3	AR19-3_SED_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine

Sediment		8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM
Sediment		9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM

Disposable plastic scoop	Sodium	Total	140	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.08	mg/Kg	J
Disposable plastic scoop	Vanadium	Total	24	mg/Kg	J+
Disposable plastic scoop	Zinc	Total	410	mg/Kg	J
Disposable plastic scoop	Aluminum	Total	7800	mg/Kg	J
Disposable plastic scoop	Antimony	Total	0.043	mg/Kg	J-
Disposable plastic scoop	Arsenic	Total	7.6	mg/Kg	J
Disposable plastic scoop	Barium	Total	160	mg/Kg	J
Disposable plastic scoop	Beryllium	Total	0.64	mg/Kg	J
Disposable plastic scoop	Cadmium	Total	1.7	mg/Kg	J
Disposable plastic scoop	Calcium	Total	18000	mg/Kg	J
Disposable plastic scoop	Chromium	Total	6	mg/Kg	J
Disposable plastic scoop	Cobalt	Total	9	mg/Kg	J
Disposable plastic scoop	Copper	Total	51	mg/Kg	J
Disposable plastic scoop	Iron	Total	18000	mg/Kg	J
Disposable plastic scoop	Lead	Total	120	mg/Kg	J
Disposable plastic scoop	Magnesium	Total	5800	mg/Kg	J
Disposable plastic scoop	Manganese	Total	1500	mg/Kg	J
Disposable plastic scoop	Mercury	Total	0.039	mg/Kg	J
Disposable plastic scoop	Molybdenum	Total	1.5	mg/Kg	J-
Disposable plastic scoop	Nickel	Total	12	mg/Kg	J
Disposable plastic scoop	Organic carbon	Total	6.9	g/Kg	J
Disposable plastic scoop	Potassium	Total	1400	mg/Kg	J
Disposable plastic scoop	Selenium	Total	0.58	mg/Kg	J
Disposable plastic scoop	Silver	Total	0.61	mg/Kg	J
Disposable plastic scoop	Sodium	Total	100	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.17	mg/Kg	J
Disposable plastic scoop	Vanadium	Total	17	mg/Kg	J
Disposable plastic scoop	Zinc	Total	490	mg/Kg	J
Water Bottle	Alkalinity, total	Total	100	mg/L	
Water Bottle	Aluminum	Dissolved	30	ug/L	J
Water Bottle	Aluminum	Total	580	ug/L	
Water Bottle	Antimony	Dissolved		ug/L	U
Water Bottle	Antimony	Total		ug/L	U
Water Bottle	Arsenic	Dissolved		ug/L	U
Water Bottle	Arsenic	Total		ug/L	U
Water Bottle	Barium	Dissolved	77	ug/L	
Water Bottle	Barium	Total	84	ug/L	
Water Bottle	Beryllium	Dissolved		ug/L	U
Water Bottle	Beryllium	Total		ug/L	U
Water Bottle	Cadmium	Dissolved		ug/L	U
Water Bottle	Cadmium	Total		ug/L	U
Water Bottle	Calcium	Dissolved	61000	ug/L	
Water Bottle	Calcium	Total	58000	ug/L	
Water Bottle	Chromium	Dissolved		ug/L	U
Water Bottle	Chromium	Total		ug/L	U
Water Bottle	Cobalt	Dissolved	0.16	ug/L	J

	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	7471A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	APHA	2320-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8

Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	9/13/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/21/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/15/2016
Alkalinity by Gran Titration	TestAmerica Savannah	9/7/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016

570	68	570	mg/Kg
0.12	0.0043	0.12	mg/Kg
0.61	0.047	0.61	mg/Kg
1.2	0.39	1.2	mg/Kg
12	1.9	12	mg/Kg
0.2	0.014	0.2	mg/Kg
0.61	0.052	0.61	mg/Kg
0.2	0.072	0.2	mg/Kg
0.1	0.023	0.1	mg/Kg
0.1	0.0096	0.1	mg/Kg
61	17	61	mg/Kg
0.2	0.077	0.2	mg/Kg
0.1	0.0068	0.1	mg/Kg
0.25	0.072	0.25	mg/Kg
18	4.7	18	mg/Kg
0.15	0.019	0.15	mg/Kg
25	4.5	25	mg/Kg
0.25	0.034	0.25	mg/Kg
0.03	0.0098	0.03	mg/Kg
0.2	0.018	0.2	mg/Kg
0.15	0.026	0.15	mg/Kg
4	1.7	4	g/Kg
370	50	370	mg/Kg
0.51	0.14	0.51	mg/Kg
0.1	0.021	0.1	mg/Kg
610	72	610	mg/Kg
0.1	0.0036	0.1	mg/Kg
0.51	0.039	0.51	mg/Kg
10	3.2	10	mg/Kg
5	5	5	mg/L
200	24	200	ug/L
200	24	200	ug/L
1	0.4	1	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
1	0.37	1	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L
2	1	2	ug/L
0.4	0.12	0.4	ug/L

37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.221297	-107.859598
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177

AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216	Sample-Routine
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs

Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM

Water Bottle	Cobalt	Total	0.36	ug/L	J
Water Bottle	Copper	Dissolved	1.2	ug/L	J
Water Bottle	Copper	Total	2.2	ug/L	J
Water Bottle	Iron	Dissolved		ug/L	U
Water Bottle	Iron	Total	440	ug/L	
Water Bottle	Lead	Dissolved	0.077	ug/L	J
Water Bottle	Lead	Total	1.5	ug/L	
Water Bottle	Magnesium	Dissolved	9200	ug/L	
Water Bottle	Magnesium	Total	8700	ug/L	
Water Bottle	Manganese	Dissolved	13	ug/L	
Water Bottle	Manganese	Total	54	ug/L	
Water Bottle	Mercury	Dissolved		ug/L	U
Water Bottle	Mercury	Total	0.001	ug/L	
Water Bottle	Molybdenum	Dissolved	1.1	ug/L	
Water Bottle	Molybdenum	Total	1	ug/L	
Water Bottle	Nickel	Dissolved	1	ug/L	J
Water Bottle	Nickel	Total	1.3	ug/L	J
Water Bottle	Organic carbon	Total	1.6	mg/L	
Water Bottle	Organic carbon	Total	2.1	mg/L	
Water Bottle	Potassium	Dissolved	2500	ug/L	
Water Bottle	Potassium	Total	2500	ug/L	
Water Bottle	Selenium	Dissolved		ug/L	U
Water Bottle	Selenium	Total		ug/L	U
Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total		ug/L	U
Water Bottle	Sodium	Dissolved	15000	ug/L	
Water Bottle	Sodium	Total	14000	ug/L	
Water Bottle	Thallium	Dissolved		ug/L	U
Water Bottle	Thallium	Total		ug/L	U
Water Bottle	Total Hardness	Total	180	mg/L	
Water Bottle	Total Suspended Solids	Total	19	mg/L	J
Water Bottle	Vanadium	Dissolved		ug/L	U
Water Bottle	Vanadium	Total	1.2	ug/L	
Water Bottle	Zinc	Dissolved	4.6	ug/L	J
Water Bottle	Zinc	Total	15	ug/L	J
Water Bottle	Alkalinity, total	Total	99	mg/L	
Water Bottle	Aluminum	Dissolved	30	ug/L	J
Water Bottle	Aluminum	Total	680	ug/L	
Water Bottle	Antimony	Dissolved		ug/L	U
Water Bottle	Antimony	Total		ug/L	U
Water Bottle	Arsenic	Dissolved		ug/L	U
Water Bottle	Arsenic	Total		ug/L	U
Water Bottle	Barium	Dissolved	77	ug/L	
Water Bottle	Barium	Total	83	ug/L	
Water Bottle	Beryllium	Dissolved		ug/L	U
Water Bottle	Beryllium	Total		ug/L	U
Water Bottle	Cadmium	Dissolved		ug/L	U

	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2320-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8

Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/14/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/14/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/8/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Hardness by Calculation	TestAmerica Savannah	9/9/2016
Total Suspended Solids in Water	TestAmerica Savannah	9/7/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Alkalinity by Gran Titration	TestAmerica Savannah	9/7/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016

0.4	0.12	0.4	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L
2.5	1.2	2.5	ug/L
0.0005	0.0002	0.0005	ug/L
0.0005	0.0002	0.0005	ug/L
1	0.45	1	ug/L
1	0.45	1	ug/L
5	0.4	5	ug/L
5	0.4	5	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
2	0.58	2	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
1.3	1.3	1.3	mg/L
1	0.3	1	ug/L
1	0.3	1	ug/L
20	2.8	20	ug/L
20	2.8	20	ug/L
5	5	5	mg/L
200	24	200	ug/L
200	24	200	ug/L
1	0.4	1	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
1	0.37	1	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L

37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177

AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_090216D	Quality Control Field Replicate Msr/Obs
AR2-7a	AR2-7a_SED_090216	Sample-Routine
AR2-7a	AR2-7a_SED_090216	Sample-Routine
AR2-7a	AR2-7a_SED_090216	Sample-Routine
AR2-7a	AR2-7a_SED_090216	Sample-Routine
AR2-7a	AR2-7a_SED_090216	Sample-Routine
AR2-7a	AR2-7a_SED_090216	Sample-Routine

Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM

Water Bottle	Cadmium	Total		ug/L	U
Water Bottle	Calcium	Dissolved	60000	ug/L	
Water Bottle	Calcium	Total	58000	ug/L	
Water Bottle	Chromium	Dissolved		ug/L	U
Water Bottle	Chromium	Total		ug/L	U
Water Bottle	Cobalt	Dissolved	0.17	ug/L	J
Water Bottle	Cobalt	Total	0.37	ug/L	J
Water Bottle	Copper	Dissolved	1.3	ug/L	J
Water Bottle	Copper	Total	2.1	ug/L	J
Water Bottle	Iron	Dissolved		ug/L	U
Water Bottle	Iron	Total	500	ug/L	
Water Bottle	Lead	Dissolved	0.074	ug/L	J
Water Bottle	Lead	Total	1.4	ug/L	
Water Bottle	Magnesium	Dissolved	8900	ug/L	
Water Bottle	Magnesium	Total	8700	ug/L	
Water Bottle	Manganese	Dissolved	13	ug/L	
Water Bottle	Manganese	Total	53	ug/L	
Water Bottle	Mercury	Dissolved	0.0002	ug/L	J
Water Bottle	Mercury	Total	0.001	ug/L	
Water Bottle	Molybdenum	Dissolved	1.1	ug/L	
Water Bottle	Molybdenum	Total	1	ug/L	
Water Bottle	Nickel	Dissolved	1.1	ug/L	J
Water Bottle	Nickel	Total	1.1	ug/L	J
Water Bottle	Organic carbon	Total	1.6	mg/L	
Water Bottle	Organic carbon	Total	2.2	mg/L	
Water Bottle	Potassium	Dissolved	2500	ug/L	
Water Bottle	Potassium	Total	2500	ug/L	
Water Bottle	Selenium	Dissolved		ug/L	U
Water Bottle	Selenium	Total		ug/L	U
Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total		ug/L	U
Water Bottle	Sodium	Dissolved	15000	ug/L	
Water Bottle	Sodium	Total	14000	ug/L	
Water Bottle	Thallium	Dissolved		ug/L	U
Water Bottle	Thallium	Total		ug/L	U
Water Bottle	Total Hardness	Total	180	mg/L	
Water Bottle	Total Suspended Solids	Total	30	mg/L	J
Water Bottle	Vanadium	Dissolved	0.31	ug/L	J
Water Bottle	Vanadium	Total	1.3	ug/L	
Water Bottle	Zinc	Dissolved	4.2	ug/L	J
Water Bottle	Zinc	Total	16	ug/L	J
Disposable plastic scoop	Aluminum	Total	12000	mg/Kg	J
Disposable plastic scoop	Antimony	Total	0.021	mg/Kg	J-
Disposable plastic scoop	Arsenic	Total	2.2	mg/Kg	J
Disposable plastic scoop	Barium	Total	220	mg/Kg	J
Disposable plastic scoop	Beryllium	Total	0.57	mg/Kg	J
Disposable plastic scoop	Cadmium	Total	0.54	mg/Kg	J

Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A

Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/14/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/14/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/8/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Hardness by Calculation	TestAmerica Savannah	9/9/2016
Total Suspended Solids in Water	TestAmerica Savannah	9/7/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016

0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L
2	1	2	ug/L
0.4	0.12	0.4	ug/L
0.4	0.12	0.4	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L
2.5	1.2	2.5	ug/L
0.0005	0.0002	0.0005	ug/L
0.0005	0.0002	0.0005	ug/L
1	0.45	1	ug/L
1	0.45	1	ug/L
5	0.4	5	ug/L
5	0.4	5	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
2	0.58	2	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
1.3	1.3	1.3	mg/L
1	0.3	1	ug/L
1	0.3	1	ug/L
20	2.8	20	ug/L
20	2.8	20	ug/L
15	2.2	15	mg/Kg
0.23	0.016	0.23	mg/Kg
0.7	0.059	0.7	mg/Kg
0.23	0.082	0.23	mg/Kg
0.12	0.026	0.12	mg/Kg
0.12	0.011	0.12	mg/Kg

37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177

AR2-7a	AR2-7a_SED_090216	Sample-Routine
AR2-7a	AR2-7a_SED_090216	Sample-Routine
AR2-7a	AR2-7a_SED_090216	Sample-Routine
AR2-7a	AR2-7a_SED_090216	Sample-Routine
AR2-7a	AR2-7a_SED_090216	Sample-Routine
AR2-7a	AR2-7a_SED_090216	Sample-Routine
AR2-7a	AR2-7a_SED_090216	Sample-Routine
AR2-7a	AR2-7a_SED_090216	Sample-Routine
AR2-7a	AR2-7a_SED_090216	Sample-Routine
AR2-7a	AR2-7a_SED_090216	Sample-Routine
AR2-7a	AR2-7a_SED_090216	Sample-Routine
AR2-7a	AR2-7a_SED_090216	Sample-Routine
AR2-7a	AR2-7a_SED_090216	Sample-Routine
AR2-7a	AR2-7a_SED_090216	Sample-Routine
AR2-7a	AR2-7a_SED_090216	Sample-Routine
AR2-7a	AR2-7a_SED_090216	Sample-Routine
AR2-7a	AR2-7a_SED_090216	Sample-Routine
AR2-7a	AR2-7a_SED_090216	Sample-Routine
AR2-7a	AR2-7a_SED_090216	Sample-Routine
AR2-7a	AR2-7a_SED_090216D	Sample-Routine
AR2-7a	AR2-7a_SED_090216D	Sample-Routine
AR2-7a	AR2-7a_SED_090216D	Sample-Routine
AR2-7a	AR2-7a_SED_090216D	Sample-Routine
AR2-7a	AR2-7a_SED_090216D	Sample-Routine
AR2-7a	AR2-7a_SED_090216D	Sample-Routine
AR2-7a	AR2-7a_SED_090216D	Sample-Routine
AR2-7a	AR2-7a_SED_090216D	Sample-Routine
AR2-7a	AR2-7a_SED_090216D	Sample-Routine
AR2-7a	AR2-7a_SED_090216D	Sample-Routine
AR2-7a	AR2-7a_SED_090216D	Sample-Routine
AR2-7a	AR2-7a_SED_090216D	Sample-Routine
AR2-7a	AR2-7a_SED_090216D	Sample-Routine
AR2-7a	AR2-7a_SED_090216D	Sample-Routine
AR2-7a	AR2-7a_SED_090216D	Sample-Routine
AR2-7a	AR2-7a_SED_090216D	Sample-Routine
AR2-7a	AR2-7a_SED_090216D	Sample-Routine
AR2-7a	AR2-7a_SED_090216D	Sample-Routine
AR2-7a	AR2-7a_SED_090216D	Sample-Routine
AR2-7a	AR2-7a_SED_090216D	Sample-Routine
AR2-7a	AR2-7a_SED_090216D	Sample-Routine
AR2-7a	AR2-7a_SED_090216D	Sample-Routine
AR2-7a	AR2-7a_SED_090216D	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine

Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM

Disposable plastic scoop	Calcium	Total	11000	mg/Kg	J
Disposable plastic scoop	Chromium	Total	3.7	mg/Kg	J
Disposable plastic scoop	Cobalt	Total	6.4	mg/Kg	J
Disposable plastic scoop	Copper	Total	20	mg/Kg	J
Disposable plastic scoop	Iron	Total	16000	mg/Kg	J
Disposable plastic scoop	Lead	Total	34	mg/Kg	J
Disposable plastic scoop	Magnesium	Total	2400	mg/Kg	J
Disposable plastic scoop	Manganese	Total	650	mg/Kg	J
Disposable plastic scoop	Mercury	Total		mg/Kg	UJ
Disposable plastic scoop	Molybdenum	Total	0.48	mg/Kg	J-
Disposable plastic scoop	Nickel	Total	6.3	mg/Kg	J
Disposable plastic scoop	Organic carbon	Total	8.5	g/Kg	J
Disposable plastic scoop	Potassium	Total	1700	mg/Kg	J
Disposable plastic scoop	Selenium	Total	0.27	mg/Kg	J
Disposable plastic scoop	Silver	Total	0.16	mg/Kg	J
Disposable plastic scoop	Sodium	Total	130	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.12	mg/Kg	J
Disposable plastic scoop	Vanadium	Total	11	mg/Kg	J
Disposable plastic scoop	Zinc	Total	170	mg/Kg	J
Disposable plastic scoop	Aluminum	Total	9200	mg/Kg	J
Disposable plastic scoop	Arsenic	Total	3.6	mg/Kg	J
Disposable plastic scoop	Barium	Total	410	mg/Kg	J
Disposable plastic scoop	Beryllium	Total	0.8	mg/Kg	J
Disposable plastic scoop	Cadmium	Total	0.74	mg/Kg	J
Disposable plastic scoop	Calcium	Total	8200	mg/Kg	J
Disposable plastic scoop	Chromium	Total	5.9	mg/Kg	J
Disposable plastic scoop	Cobalt	Total	8.5	mg/Kg	J
Disposable plastic scoop	Copper	Total	31	mg/Kg	J
Disposable plastic scoop	Iron	Total	15000	mg/Kg	J
Disposable plastic scoop	Lead	Total	62	mg/Kg	J
Disposable plastic scoop	Magnesium	Total	2700	mg/Kg	J
Disposable plastic scoop	Manganese	Total	910	mg/Kg	J
Disposable plastic scoop	Mercury	Total	0.016	mg/Kg	J
Disposable plastic scoop	Molybdenum	Total	0.45	mg/Kg	J-
Disposable plastic scoop	Nickel	Total	9.3	mg/Kg	J
Disposable plastic scoop	Organic carbon	Total	7.3	g/Kg	J
Disposable plastic scoop	Potassium	Total	1800	mg/Kg	J
Disposable plastic scoop	Selenium	Total	0.37	mg/Kg	J
Disposable plastic scoop	Silver	Total	0.33	mg/Kg	J
Disposable plastic scoop	Sodium	Total	120	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.16	mg/Kg	J
Disposable plastic scoop	Vanadium	Total	18	mg/Kg	J
Disposable plastic scoop	Zinc	Total	250	mg/Kg	J
Water Bottle	Alkalinity, total	Total	110	mg/L	
Water Bottle	Aluminum	Dissolved	34	ug/L	J
Water Bottle	Aluminum	Total	110	ug/L	J
Water Bottle	Antimony	Dissolved		ug/L	U

	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Dry	USEPA	7471A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	7471A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	APHA	2320-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8

Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	9/13/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/21/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	9/13/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/21/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Alkalinity by Gran Titration	TestAmerica Savannah	9/7/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016

73	20	73	mg/Kg
0.23	0.088	0.23	mg/Kg
0.12	0.0077	0.12	mg/Kg
0.29	0.082	0.29	mg/Kg
22	5.5	22	mg/Kg
0.17	0.021	0.17	mg/Kg
29	5.4	29	mg/Kg
0.29	0.038	0.29	mg/Kg
0.033	0.011	0.033	mg/Kg
0.23	0.02	0.23	mg/Kg
0.17	0.029	0.17	mg/Kg
4	1.7	4	g/Kg
440	59	440	mg/Kg
0.58	0.15	0.58	mg/Kg
0.12	0.024	0.12	mg/Kg
730	86	730	mg/Kg
0.12	0.0041	0.12	mg/Kg
0.58	0.045	0.58	mg/Kg
1.2	0.37	1.2	mg/Kg
17	2.7	17	mg/Kg
0.8	0.068	0.8	mg/Kg
0.27	0.094	0.27	mg/Kg
0.13	0.03	0.13	mg/Kg
0.13	0.013	0.13	mg/Kg
86	24	86	mg/Kg
0.27	0.1	0.27	mg/Kg
0.13	0.0089	0.13	mg/Kg
0.33	0.095	0.33	mg/Kg
26	6.5	26	mg/Kg
0.2	0.024	0.2	mg/Kg
34	6.3	34	mg/Kg
0.33	0.044	0.33	mg/Kg
0.036	0.012	0.036	mg/Kg
0.27	0.024	0.27	mg/Kg
0.2	0.034	0.2	mg/Kg
4	1.7	4	g/Kg
510	70	510	mg/Kg
0.67	0.18	0.67	mg/Kg
0.13	0.027	0.13	mg/Kg
860	100	860	mg/Kg
0.13	0.0047	0.13	mg/Kg
0.67	0.052	0.67	mg/Kg
1.3	0.42	1.3	mg/Kg
5	5	5	mg/L
200	24	200	ug/L
200	24	200	ug/L
1	0.4	1	ug/L

37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.027585	-107.878177
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233

AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine

Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM

Water Bottle	Antimony	Total		ug/L	U
Water Bottle	Arsenic	Dissolved		ug/L	U
Water Bottle	Arsenic	Total		ug/L	U
Water Bottle	Barium	Dissolved	58	ug/L	
Water Bottle	Barium	Total	57	ug/L	
Water Bottle	Beryllium	Dissolved		ug/L	U
Water Bottle	Beryllium	Total		ug/L	U
Water Bottle	Cadmium	Dissolved		ug/L	U
Water Bottle	Cadmium	Total		ug/L	U
Water Bottle	Calcium	Dissolved	63000	ug/L	
Water Bottle	Calcium	Total	61000	ug/L	
Water Bottle	Chromium	Dissolved		ug/L	U
Water Bottle	Chromium	Total		ug/L	U
Water Bottle	Cobalt	Dissolved		ug/L	U
Water Bottle	Cobalt	Total	0.16	ug/L	J
Water Bottle	Copper	Dissolved	1.2	ug/L	J
Water Bottle	Copper	Total	1.6	ug/L	J
Water Bottle	Iron	Dissolved		ug/L	U
Water Bottle	Iron	Total	110	ug/L	
Water Bottle	Lead	Dissolved	0.07	ug/L	J
Water Bottle	Lead	Total	0.78	ug/L	
Water Bottle	Magnesium	Dissolved	9200	ug/L	
Water Bottle	Magnesium	Total	8800	ug/L	
Water Bottle	Manganese	Dissolved	13	ug/L	
Water Bottle	Manganese	Total	25	ug/L	
Water Bottle	Mercury	Dissolved		ug/L	U
Water Bottle	Mercury	Total	0.00046	ug/L	J
Water Bottle	Molybdenum	Dissolved	1	ug/L	
Water Bottle	Molybdenum	Total	1	ug/L	
Water Bottle	Nickel	Dissolved	1.1	ug/L	J
Water Bottle	Nickel	Total	1.1	ug/L	J
Water Bottle	Organic carbon	Total	1.2	mg/L	
Water Bottle	Organic carbon	Total	1.4	mg/L	
Water Bottle	Potassium	Dissolved	2600	ug/L	
Water Bottle	Potassium	Total	2500	ug/L	
Water Bottle	Selenium	Dissolved		ug/L	U
Water Bottle	Selenium	Total		ug/L	U
Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total		ug/L	U
Water Bottle	Sodium	Dissolved	15000	ug/L	
Water Bottle	Sodium	Total	14000	ug/L	
Water Bottle	Thallium	Dissolved		ug/L	U
Water Bottle	Thallium	Total		ug/L	U
Water Bottle	Total Hardness	Total	190	mg/L	
Water Bottle	Total Suspended Solids	Total	4.4	mg/L	
Water Bottle	Vanadium	Dissolved		ug/L	U
Water Bottle	Vanadium	Total		ug/L	U

Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8

Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/14/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/14/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/8/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Hardness by Calculation	TestAmerica Savannah	9/9/2016
Total Suspended Solids in Water	TestAmerica Savannah	9/7/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016

1	0.4	1	ug/L
1	0.37	1	ug/L
1	0.37	1	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L
2	1	2	ug/L
0.4	0.12	0.4	ug/L
0.4	0.12	0.4	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L
2.5	1.2	2.5	ug/L
0.0005	0.0002	0.0005	ug/L
0.0005	0.0002	0.0005	ug/L
1	0.45	1	ug/L
1	0.45	1	ug/L
5	0.4	5	ug/L
5	0.4	5	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
2	0.58	2	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
1.3	1.3	1.3	mg/L
1	0.3	1	ug/L
1	0.3	1	ug/L

37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233

AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_090216	Sample-Routine
AR7-2	AR7-2_SED_090216	Sample-Routine
AR7-2	AR7-2_SED_090216	Sample-Routine
AR7-2	AR7-2_SED_090216	Sample-Routine
AR7-2	AR7-2_SED_090216	Sample-Routine
AR7-2	AR7-2_SED_090216	Sample-Routine
AR7-2	AR7-2_SED_090216	Sample-Routine
AR7-2	AR7-2_SED_090216	Sample-Routine
AR7-2	AR7-2_SED_090216	Sample-Routine
AR7-2	AR7-2_SED_090216	Sample-Routine
AR7-2	AR7-2_SED_090216	Sample-Routine
AR7-2	AR7-2_SED_090216	Sample-Routine
AR7-2	AR7-2_SED_090216	Sample-Routine
AR7-2	AR7-2_SED_090216	Sample-Routine
AR7-2	AR7-2_SED_090216	Sample-Routine
AR7-2	AR7-2_SED_090216	Sample-Routine
AR7-2	AR7-2_SED_090216	Sample-Routine
AR7-2	AR7-2_SED_090216	Sample-Routine
AR7-2	AR7-2_SED_090216	Sample-Routine
AR7-2	AR7-2_SED_090216	Sample-Routine
AR7-2	AR7-2_SED_090216	Sample-Routine
AR7-2	AR7-2_SED_090216	Sample-Routine
AR7-2	AR7-2_SED_090216	Sample-Routine
AR7-2	AR7-2_SED_090216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine

Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Sediment		9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM

Water Bottle	Zinc	Dissolved	6.1	ug/L	J
Water Bottle	Zinc	Total	15	ug/L	J
Disposable plastic scoop	Aluminum	Total	5200	mg/Kg	J
Disposable plastic scoop	Arsenic	Total	2.1	mg/Kg	J
Disposable plastic scoop	Barium	Total	350	mg/Kg	J
Disposable plastic scoop	Beryllium	Total	0.81	mg/Kg	J
Disposable plastic scoop	Cadmium	Total	0.36	mg/Kg	J
Disposable plastic scoop	Calcium	Total	7300	mg/Kg	J
Disposable plastic scoop	Chromium	Total	2.9	mg/Kg	J
Disposable plastic scoop	Cobalt	Total	7.8	mg/Kg	J
Disposable plastic scoop	Copper	Total	26	mg/Kg	J
Disposable plastic scoop	Iron	Total	9200	mg/Kg	J
Disposable plastic scoop	Lead	Total	27	mg/Kg	J
Disposable plastic scoop	Magnesium	Total	1800	mg/Kg	J
Disposable plastic scoop	Manganese	Total	680	mg/Kg	J
Disposable plastic scoop	Mercury	Total	0.022	mg/Kg	J
Disposable plastic scoop	Molybdenum	Total	0.32	mg/Kg	J-
Disposable plastic scoop	Nickel	Total	6.8	mg/Kg	J
Disposable plastic scoop	Organic carbon	Total		g/Kg	UJ
Disposable plastic scoop	Potassium	Total	1000	mg/Kg	J
Disposable plastic scoop	Selenium	Total	0.29	mg/Kg	J
Disposable plastic scoop	Silver	Total	0.16	mg/Kg	J
Disposable plastic scoop	Sodium	Total	86	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.17	mg/Kg	J
Disposable plastic scoop	Vanadium	Total	14	mg/Kg	J
Disposable plastic scoop	Zinc	Total	120	mg/Kg	J
Water Bottle	Alkalinity, total	Total	31	mg/L	
Water Bottle	Aluminum	Dissolved	41	ug/L	J
Water Bottle	Aluminum	Total	740	ug/L	
Water Bottle	Antimony	Dissolved		ug/L	U
Water Bottle	Antimony	Total		ug/L	U
Water Bottle	Arsenic	Dissolved		ug/L	U
Water Bottle	Arsenic	Total		ug/L	U
Water Bottle	Barium	Dissolved	34	ug/L	
Water Bottle	Barium	Total	47	ug/L	
Water Bottle	Beryllium	Dissolved		ug/L	U
Water Bottle	Beryllium	Total		ug/L	U
Water Bottle	Cadmium	Dissolved	0.81	ug/L	
Water Bottle	Cadmium	Total	0.56	ug/L	
Water Bottle	Calcium	Dissolved	45000	ug/L	
Water Bottle	Calcium	Total	46000	ug/L	
Water Bottle	Chromium	Dissolved		ug/L	U
Water Bottle	Chromium	Total		ug/L	U
Water Bottle	Cobalt	Dissolved	1.5	ug/L	
Water Bottle	Cobalt	Total	2	ug/L	
Water Bottle	Copper	Dissolved	1.5	ug/L	J
Water Bottle	Copper	Total	6.1	ug/L	

	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	7471A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	APHA	2320-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8

Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	9/13/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/21/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Alkalinity by Gran Titration	TestAmerica Savannah	8/25/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016

20	2.8	20	ug/L
20	2.8	20	ug/L
11	1.7	11	mg/Kg
0.88	0.074	0.88	mg/Kg
0.29	0.1	0.29	mg/Kg
0.15	0.033	0.15	mg/Kg
0.15	0.014	0.15	mg/Kg
54	15	54	mg/Kg
0.29	0.11	0.29	mg/Kg
0.15	0.0097	0.15	mg/Kg
0.37	0.1	0.37	mg/Kg
16	4.1	16	mg/Kg
0.22	0.027	0.22	mg/Kg
22	4	22	mg/Kg
0.37	0.048	0.37	mg/Kg
0.032	0.01	0.032	mg/Kg
0.29	0.026	0.29	mg/Kg
0.22	0.037	0.22	mg/Kg
4	1.7	4	g/Kg
330	45	330	mg/Kg
0.73	0.19	0.73	mg/Kg
0.15	0.03	0.15	mg/Kg
540	64	540	mg/Kg
0.15	0.0051	0.15	mg/Kg
0.73	0.056	0.73	mg/Kg
1.5	0.46	1.5	mg/Kg
5	5	5	mg/L
200	24	200	ug/L
200	24	200	ug/L
1	0.4	1	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
1	0.37	1	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L
2	1	2	ug/L
0.4	0.12	0.4	ug/L
0.4	0.12	0.4	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L

37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.085161	-107.879233
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095

Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_SED_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_SED_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_SED_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_SED_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_SED_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_SED_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_SED_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_SED_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_SED_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_SED_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_SED_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_SED_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_SED_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_SED_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_SED_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_SED_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_SED_082216	Sample-Routine

Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM

Water Bottle	Iron	Dissolved		ug/L	U
Water Bottle	Iron	Total	900	ug/L	
Water Bottle	Lead	Dissolved		ug/L	U
Water Bottle	Lead	Total	4.5	ug/L	
Water Bottle	Magnesium	Dissolved	4700	ug/L	
Water Bottle	Magnesium	Total	4800	ug/L	
Water Bottle	Manganese	Dissolved	310	ug/L	
Water Bottle	Manganese	Total	390	ug/L	
Water Bottle	Mercury	Dissolved	0.00023	ug/L	J
Water Bottle	Mercury	Total	0.00039	ug/L	J
Water Bottle	Molybdenum	Dissolved	0.65	ug/L	J
Water Bottle	Molybdenum	Total	0.65	ug/L	J
Water Bottle	Nickel	Dissolved	4.2	ug/L	J
Water Bottle	Nickel	Total	3.6	ug/L	J
Water Bottle	Organic carbon	Total	0.89	mg/L	J
Water Bottle	Organic carbon	Total	1.2	mg/L	
Water Bottle	Potassium	Dissolved	870	ug/L	J
Water Bottle	Potassium	Total	900	ug/L	J
Water Bottle	Selenium	Dissolved		ug/L	U
Water Bottle	Selenium	Total		ug/L	U
Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total		ug/L	U
Water Bottle	Sodium	Dissolved	2000	ug/L	
Water Bottle	Sodium	Total	2100	ug/L	
Water Bottle	Thallium	Dissolved		ug/L	U
Water Bottle	Thallium	Total		ug/L	U
Water Bottle	Total Hardness	Total	130	mg/L	
Water Bottle	Total Suspended Solids	Total	2.7	mg/L	
Water Bottle	Vanadium	Dissolved		ug/L	U
Water Bottle	Vanadium	Total	0.33	ug/L	J
Water Bottle	Zinc	Dissolved	100	ug/L	
Water Bottle	Zinc	Total	220	ug/L	
Disposable plastic scoop	Aluminum	Total	8200	mg/Kg	
Disposable plastic scoop	Antimony	Total	0.31	mg/Kg	J-
Disposable plastic scoop	Arsenic	Total	19	mg/Kg	
Disposable plastic scoop	Barium	Total	150	mg/Kg	J+
Disposable plastic scoop	Beryllium	Total	0.91	mg/Kg	
Disposable plastic scoop	Cadmium	Total	4.6	mg/Kg	J+
Disposable plastic scoop	Calcium	Total	2600	mg/Kg	
Disposable plastic scoop	Chromium	Total	5.6	mg/Kg	
Disposable plastic scoop	Cobalt	Total	19	mg/Kg	J+
Disposable plastic scoop	Copper	Total	110	mg/Kg	J+
Disposable plastic scoop	Iron	Total	28000	mg/Kg	
Disposable plastic scoop	Lead	Total	330	mg/Kg	
Disposable plastic scoop	Magnesium	Total	3900	mg/Kg	
Disposable plastic scoop	Manganese	Total	4000	mg/Kg	
Disposable plastic scoop	Mercury	Total	0.028	mg/Kg	

Not Detected	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	7471A

Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	8/27/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/23/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/23/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Hardness by Calculation	TestAmerica Savannah	8/29/2016
Total Suspended Solids in Water	TestAmerica Savannah	8/23/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/1/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	8/31/2016

50	17	50	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L
2.5	1.2	2.5	ug/L
0.0005	0.0002	0.0005	ug/L
0.0005	0.0002	0.0005	ug/L
1	0.45	1	ug/L
1	0.45	1	ug/L
5	0.4	5	ug/L
5	0.4	5	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
2	0.58	2	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
1	1	1	mg/L
1	0.3	1	ug/L
1	0.3	1	ug/L
20	2.8	20	ug/L
20	2.8	20	ug/L
13	2	13	mg/Kg
0.22	0.015	0.22	mg/Kg
0.66	0.056	0.66	mg/Kg
0.22	0.078	0.22	mg/Kg
0.11	0.025	0.11	mg/Kg
0.11	0.01	0.11	mg/Kg
64	18	64	mg/Kg
0.22	0.084	0.22	mg/Kg
0.11	0.0073	0.11	mg/Kg
0.27	0.078	0.27	mg/Kg
19	4.8	19	mg/Kg
0.16	0.02	0.16	mg/Kg
51	9.4	51	mg/Kg
2.7	0.36	2.7	mg/Kg
0.026	0.0084	0.026	mg/Kg

37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095

Bakers Bridge	Bakers Bridge_SED_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_SED_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_SED_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_SED_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_SED_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_SED_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_SED_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_SED_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_SED_082216	Sample-Routine
Bakers Bridge	Bakers Bridge_SED_082216	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine

Sediment		8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM

Disposable plastic scoop	Molybdenum	Total	5.3	mg/Kg	
Disposable plastic scoop	Nickel	Total	12	mg/Kg	
Disposable plastic scoop	Organic carbon	Total	8	g/Kg	
Disposable plastic scoop	Potassium	Total	1100	mg/Kg	
Disposable plastic scoop	Selenium	Total	0.7	mg/Kg	
Disposable plastic scoop	Silver	Total	1.3	mg/Kg	J-
Disposable plastic scoop	Sodium	Total	80	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.26	mg/Kg	
Disposable plastic scoop	Vanadium	Total	21	mg/Kg	
Disposable plastic scoop	Zinc	Total	1300	mg/Kg	
Water Bottle	Alkalinity, total	Total		mg/L	U
Water Bottle	Aluminum	Dissolved	6100	ug/L	
Water Bottle	Aluminum	Total	6100	ug/L	
Water Bottle	Antimony	Dissolved		ug/L	U
Water Bottle	Antimony	Total		ug/L	U
Water Bottle	Arsenic	Dissolved		ug/L	U
Water Bottle	Arsenic	Total	3.1	ug/L	
Water Bottle	Barium	Dissolved	14	ug/L	
Water Bottle	Barium	Total	13	ug/L	
Water Bottle	Beryllium	Dissolved	0.96	ug/L	
Water Bottle	Beryllium	Total	0.83	ug/L	
Water Bottle	Cadmium	Dissolved	3.6	ug/L	
Water Bottle	Cadmium	Total	3.4	ug/L	
Water Bottle	Calcium	Dissolved	180000	ug/L	
Water Bottle	Calcium	Total	180000	ug/L	
Water Bottle	Chromium	Dissolved		ug/L	U
Water Bottle	Chromium	Total		ug/L	U
Water Bottle	Cobalt	Dissolved	19	ug/L	
Water Bottle	Cobalt	Total	17	ug/L	
Water Bottle	Copper	Dissolved	47	ug/L	
Water Bottle	Copper	Total	42	ug/L	
Water Bottle	Iron	Dissolved	4800	ug/L	
Water Bottle	Iron	Total	7600	ug/L	
Water Bottle	Lead	Dissolved	15	ug/L	
Water Bottle	Lead	Total	16	ug/L	
Water Bottle	Magnesium	Dissolved	10000	ug/L	
Water Bottle	Magnesium	Total	10000	ug/L	
Water Bottle	Manganese	Dissolved	3600	ug/L	
Water Bottle	Manganese	Total	3400	ug/L	
Water Bottle	Mercury	Dissolved	0.00038	ug/L	J
Water Bottle	Mercury	Total	0.00058	ug/L	
Water Bottle	Molybdenum	Dissolved		ug/L	U
Water Bottle	Molybdenum	Total		ug/L	U
Water Bottle	Nickel	Dissolved	17	ug/L	
Water Bottle	Nickel	Total	16	ug/L	
Water Bottle	Organic carbon	Total	0.57	mg/L	J
Water Bottle	Organic carbon	Total	0.9	mg/L	J

	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Wet	APHA	2320-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B

ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	9/1/2016
Alkalinity by Gran Titration	TestAmerica Savannah	8/24/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	8/27/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/29/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/29/2016

0.22	0.019	0.22	mg/Kg
0.16	0.028	0.16	mg/Kg
4	1.7	4	g/Kg
380	52	380	mg/Kg
0.55	0.15	0.55	mg/Kg
0.11	0.022	0.11	mg/Kg
640	75	640	mg/Kg
0.11	0.0039	0.11	mg/Kg
0.55	0.042	0.55	mg/Kg
11	3.5	11	mg/Kg
5	5	5	mg/L
200	24	200	ug/L
200	24	200	ug/L
1	0.4	1	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
1	0.37	1	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L
2	1	2	ug/L
0.4	0.12	0.4	ug/L
0.4	0.12	0.4	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L
2.5	1.2	2.5	ug/L
0.0005	0.0002	0.0005	ug/L
0.0005	0.0002	0.0005	ug/L
1	0.45	1	ug/L
1	0.45	1	ug/L
5	0.4	5	ug/L
5	0.4	5	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L

37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.455731	-107.801095
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678

CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_082316	Sample-Routine
CC48	CC48_SED_082316	Sample-Routine
CC48	CC48_SED_082316	Sample-Routine
CC48	CC48_SED_082316	Sample-Routine
CC48	CC48_SED_082316	Sample-Routine
CC48	CC48_SED_082316	Sample-Routine
CC48	CC48_SED_082316	Sample-Routine
CC48	CC48_SED_082316	Sample-Routine
CC48	CC48_SED_082316	Sample-Routine
CC48	CC48_SED_082316	Sample-Routine
CC48	CC48_SED_082316	Sample-Routine
CC48	CC48_SED_082316	Sample-Routine
CC48	CC48_SED_082316	Sample-Routine
CC48	CC48_SED_082316	Sample-Routine
CC48	CC48_SED_082316	Sample-Routine
CC48	CC48_SED_082316	Sample-Routine
CC48	CC48_SED_082316	Sample-Routine
CC48	CC48_SED_082316	Sample-Routine
CC48	CC48_SED_082316	Sample-Routine
CC48	CC48_SED_082316	Sample-Routine
CC48	CC48_SED_082316	Sample-Routine
CC48	CC48_SED_082316	Sample-Routine
CC48	CC48_SED_082316	Sample-Routine
CC48	CC48_SED_082316	Sample-Routine
CC48	CC48_SED_082316	Sample-Routine
CC48	CC48_SED_082316	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine

Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Sediment		8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Sediment		8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Sediment		8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Sediment		8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Sediment		8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Sediment		8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Sediment		8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Sediment		8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Sediment		8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Sediment		8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Sediment		8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Sediment		8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Sediment		8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Sediment		8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Sediment		8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Sediment		8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Sediment		8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Sediment		8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Sediment		8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Sediment		8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Sediment		8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Sediment		8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Sediment		8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM

Water Bottle	Potassium	Dissolved	2100	ug/L	
Water Bottle	Potassium	Total	2100	ug/L	
Water Bottle	Selenium	Dissolved		ug/L	U
Water Bottle	Selenium	Total		ug/L	U
Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total		ug/L	U
Water Bottle	Sodium	Dissolved	3900	ug/L	
Water Bottle	Sodium	Total	3900	ug/L	
Water Bottle	Thallium	Dissolved	0.19	ug/L	J
Water Bottle	Thallium	Total	0.19	ug/L	J
Water Bottle	Total Hardness	Total	490	mg/L	
Water Bottle	Total Suspended Solids	Total	12	mg/L	
Water Bottle	Vanadium	Dissolved		ug/L	U
Water Bottle	Vanadium	Total	1.6	ug/L	
Water Bottle	Zinc	Dissolved	1700	ug/L	J-
Water Bottle	Zinc	Total	1600	ug/L	J-
Disposable plastic scoop	Aluminum	Total	9900	mg/Kg	
Disposable plastic scoop	Antimony	Total	0.83	mg/Kg	J-
Disposable plastic scoop	Arsenic	Total	89	mg/Kg	
Disposable plastic scoop	Barium	Total	440	mg/Kg	J+
Disposable plastic scoop	Beryllium	Total	0.48	mg/Kg	
Disposable plastic scoop	Cadmium	Total	1.1	mg/Kg	J+
Disposable plastic scoop	Calcium	Total	1500	mg/Kg	
Disposable plastic scoop	Chromium	Total	5.1	mg/Kg	
Disposable plastic scoop	Cobalt	Total	6.3	mg/Kg	J+
Disposable plastic scoop	Copper	Total	69	mg/Kg	J+
Disposable plastic scoop	Iron	Total	94000	mg/Kg	
Disposable plastic scoop	Lead	Total	460	mg/Kg	
Disposable plastic scoop	Magnesium	Total	3900	mg/Kg	
Disposable plastic scoop	Manganese	Total	500	mg/Kg	
Disposable plastic scoop	Mercury	Total	0.11	mg/Kg	
Disposable plastic scoop	Molybdenum	Total	4.6	mg/Kg	
Disposable plastic scoop	Nickel	Total	4.8	mg/Kg	
Disposable plastic scoop	Organic carbon	Total	9.6	g/Kg	
Disposable plastic scoop	Potassium	Total	2300	mg/Kg	
Disposable plastic scoop	Selenium	Total	2.8	mg/Kg	
Disposable plastic scoop	Silver	Total	6.8	mg/Kg	J-
Disposable plastic scoop	Sodium	Total	150	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.61	mg/Kg	
Disposable plastic scoop	Vanadium	Total	33	mg/Kg	
Disposable plastic scoop	Zinc	Total	330	mg/Kg	
Water Bottle	Alkalinity, total	Total	130	mg/L	
Water Bottle	Aluminum	Total	1100	ug/L	
Water Bottle	Antimony	Dissolved		ug/L	U
Water Bottle	Antimony	Total		ug/L	U
Water Bottle	Arsenic	Dissolved		ug/L	U
Water Bottle	Arsenic	Total	0.52	ug/L	J

	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	7471A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	APHA	2320-B
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8

Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Hardness by Calculation	TestAmerica Savannah	8/29/2016
Total Suspended Solids in Water	TestAmerica Savannah	8/24/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Alkalinity by Gran Titration	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016

1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
2	0.58	2	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
4	4	4	mg/L
1	0.3	1	ug/L
1	0.3	1	ug/L
20	2.8	20	ug/L
20	2.8	20	ug/L
14	2.2	14	mg/Kg
0.31	0.022	0.31	mg/Kg
0.93	0.079	0.93	mg/Kg
0.31	0.11	0.31	mg/Kg
0.16	0.035	0.16	mg/Kg
0.16	0.015	0.16	mg/Kg
71	20	71	mg/Kg
0.31	0.12	0.31	mg/Kg
0.16	0.01	0.16	mg/Kg
0.39	0.11	0.39	mg/Kg
110	27	110	mg/Kg
0.23	0.028	0.23	mg/Kg
28	5.2	28	mg/Kg
0.39	0.051	0.39	mg/Kg
0.04	0.013	0.04	mg/Kg
0.31	0.027	0.31	mg/Kg
0.23	0.039	0.23	mg/Kg
4	1.7	4	g/Kg
420	58	420	mg/Kg
0.78	0.21	0.78	mg/Kg
0.16	0.032	0.16	mg/Kg
710	83	710	mg/Kg
0.16	0.0054	0.16	mg/Kg
0.78	0.06	0.78	mg/Kg
1.6	0.49	1.6	mg/Kg
5	5	5	mg/L
200	24	200	ug/L
1	0.4	1	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
1	0.37	1	ug/L

37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
37.818115	-107.661678
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111

FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716	Sample-Routine
FW-012	FW-012_082716NM	Sample-Routine

Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	8:15:00 AM	MST	NMAssessProtocol

Water Bottle	Barium	Dissolved	80	ug/L	
Water Bottle	Barium	Total	93	ug/L	
Water Bottle	Beryllium	Dissolved		ug/L	U
Water Bottle	Beryllium	Total		ug/L	U
Water Bottle	Cadmium	Dissolved	0.083	ug/L	J
Water Bottle	Cadmium	Total	0.2	ug/L	J
Water Bottle	Calcium	Dissolved	89000	ug/L	
Water Bottle	Calcium	Total	95000	ug/L	
Water Bottle	Chromium	Dissolved		ug/L	U
Water Bottle	Chromium	Total		ug/L	U
Water Bottle	Cobalt	Dissolved	0.31	ug/L	J
Water Bottle	Cobalt	Total	0.67	ug/L	
Water Bottle	Copper	Dissolved	2.3	ug/L	J
Water Bottle	Copper	Total	2.5	ug/L	J
Water Bottle	Iron	Dissolved	110	ug/L	
Water Bottle	Iron	Total	850	ug/L	
Water Bottle	Lead	Dissolved	0.41	ug/L	
Water Bottle	Lead	Total	2.5	ug/L	
Water Bottle	Magnesium	Dissolved	13000	ug/L	
Water Bottle	Magnesium	Total	14000	ug/L	
Water Bottle	Manganese	Dissolved	58	ug/L	
Water Bottle	Manganese	Total	130	ug/L	
Water Bottle	Mercury	Dissolved	0.00069	ug/L	
Water Bottle	Mercury	Total	0.0028	ug/L	
Water Bottle	Molybdenum	Dissolved	1.2	ug/L	
Water Bottle	Molybdenum	Total	1.2	ug/L	
Water Bottle	Nickel	Dissolved	3.5	ug/L	J
Water Bottle	Nickel	Total	4.3	ug/L	J
Water Bottle	Organic carbon	Total	1.9	mg/L	
Water Bottle	Organic carbon	Total	4.6	mg/L	
Water Bottle	Potassium	Dissolved	3000	ug/L	
Water Bottle	Potassium	Total	3200	ug/L	
Water Bottle	Selenium	Dissolved		ug/L	U
Water Bottle	Selenium	Total		ug/L	U
Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total		ug/L	U
Water Bottle	Sodium	Dissolved	31000	ug/L	
Water Bottle	Sodium	Total	35000	ug/L	
Water Bottle	Thallium	Dissolved		ug/L	U
Water Bottle	Thallium	Total		ug/L	U
Water Bottle	Total Hardness	Total	300	mg/L	
Water Bottle	Total Suspended Solids	Total	47	mg/L	
Water Bottle	Vanadium	Dissolved	0.43	ug/L	J
Water Bottle	Vanadium	Total	1.6	ug/L	
Water Bottle	Zinc	Dissolved		ug/L	U
Water Bottle	Zinc	Total	15	ug/L	J
Water Bottle	Aluminum	Dissolved	130	ug/L	

	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8

Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/1/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/1/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Hardness by Calculation	TestAmerica Savannah	9/6/2016
Total Suspended Solids in Water	TestAmerica Savannah	8/30/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016

2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L
2	1	2	ug/L
0.4	0.12	0.4	ug/L
0.4	0.12	0.4	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L
2.5	1.2	2.5	ug/L
0.0005	0.0002	0.0005	ug/L
0.0005	0.0002	0.0005	ug/L
1	0.45	1	ug/L
1	0.45	1	ug/L
5	0.4	5	ug/L
5	0.4	5	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
2	0.58	2	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
4	4	4	mg/L
1	0.3	1	ug/L
1	0.3	1	ug/L
20	2.8	20	ug/L
20	2.8	20	ug/L
10	4.6	10	ug/L

36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111

FW-012	FW-012_082716NM	Sample-Routine
FW-012	FW-012_SED_082716	Sample-Routine
FW-012	FW-012_SED_082716	Sample-Routine
FW-012	FW-012_SED_082716	Sample-Routine
FW-012	FW-012_SED_082716	Sample-Routine
FW-012	FW-012_SED_082716	Sample-Routine
FW-012	FW-012_SED_082716	Sample-Routine
FW-012	FW-012_SED_082716	Sample-Routine
FW-012	FW-012_SED_082716	Sample-Routine
FW-012	FW-012_SED_082716	Sample-Routine
FW-012	FW-012_SED_082716	Sample-Routine
FW-012	FW-012_SED_082716	Sample-Routine
FW-012	FW-012_SED_082716	Sample-Routine
FW-012	FW-012_SED_082716	Sample-Routine
FW-012	FW-012_SED_082716	Sample-Routine
FW-012	FW-012_SED_082716	Sample-Routine
FW-012	FW-012_SED_082716	Sample-Routine
FW-012	FW-012_SED_082716	Sample-Routine
FW-012	FW-012_SED_082716	Sample-Routine
FW-012	FW-012_SED_082716	Sample-Routine
FW-012	FW-012_SED_082716	Sample-Routine
FW-012	FW-012_SED_082716	Sample-Routine
FW-012	FW-012_SED_082716	Sample-Routine
FW-012	FW-012_SED_082716	Sample-Routine
FW-012	FW-012_SED_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine

Water	Surface Water	8/27/2016	8:15:00 AM	MST	NMAssessProtocol
Sediment		8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM

Water Bottle	Aluminum	Dissolved	130	ug/L	J
Disposable plastic scoop	Aluminum	Total	13000	mg/Kg	
Disposable plastic scoop	Arsenic	Total	3.7	mg/Kg	J-
Disposable plastic scoop	Barium	Total	230	mg/Kg	J-
Disposable plastic scoop	Beryllium	Total	0.93	mg/Kg	
Disposable plastic scoop	Cadmium	Total	0.28	mg/Kg	J
Disposable plastic scoop	Calcium	Total	9500	mg/Kg	
Disposable plastic scoop	Chromium	Total	8.9	mg/Kg	J
Disposable plastic scoop	Cobalt	Total	7.3	mg/Kg	
Disposable plastic scoop	Copper	Total	18	mg/Kg	J-
Disposable plastic scoop	Iron	Total	15000	mg/Kg	
Disposable plastic scoop	Lead	Total	21	mg/Kg	
Disposable plastic scoop	Magnesium	Total	3700	mg/Kg	
Disposable plastic scoop	Manganese	Total	540	mg/Kg	J
Disposable plastic scoop	Mercury	Total	0.011	mg/Kg	J
Disposable plastic scoop	Molybdenum	Total		mg/Kg	UB
Disposable plastic scoop	Nickel	Total	8.8	mg/Kg	
Disposable plastic scoop	Organic carbon	Total		mg/Kg	U
Disposable plastic scoop	Potassium	Total	1900	mg/Kg	
Disposable plastic scoop	Selenium	Total	0.25	mg/Kg	J
Disposable plastic scoop	Silver	Total	0.11	mg/Kg	J
Disposable plastic scoop	Sodium	Total	410	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.19	mg/Kg	
Disposable plastic scoop	Vanadium	Total	20	mg/Kg	J+
Disposable plastic scoop	Zinc	Total	93	mg/Kg	J
Water Bottle	Alkalinity, total	Total	130	mg/L	
Water Bottle	Aluminum	Total	1100	ug/L	
Water Bottle	Antimony	Dissolved		ug/L	U
Water Bottle	Antimony	Total		ug/L	U
Water Bottle	Arsenic	Dissolved		ug/L	U
Water Bottle	Arsenic	Total	0.42	ug/L	J
Water Bottle	Barium	Dissolved	87	ug/L	
Water Bottle	Barium	Total	100	ug/L	
Water Bottle	Beryllium	Dissolved		ug/L	U
Water Bottle	Beryllium	Total		ug/L	U
Water Bottle	Cadmium	Dissolved	0.12	ug/L	J
Water Bottle	Cadmium	Total	0.07	ug/L	J
Water Bottle	Calcium	Dissolved	78000	ug/L	
Water Bottle	Calcium	Total	76000	ug/L	
Water Bottle	Chromium	Dissolved		ug/L	U
Water Bottle	Chromium	Total		ug/L	U
Water Bottle	Cobalt	Dissolved	0.28	ug/L	J
Water Bottle	Cobalt	Total	0.66	ug/L	
Water Bottle	Copper	Dissolved	2.3	ug/L	J
Water Bottle	Copper	Total	2.7	ug/L	J
Water Bottle	Iron	Dissolved	95	ug/L	J
Water Bottle	Iron	Total	870	ug/L	

	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	7471A
Not Detected	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	APHA	2320-B
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7

Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	9/6/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Alkalinity by Gran Titration	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016

200	24	200	ug/L
12	1.9	12	mg/Kg
0.95	0.08	0.95	mg/Kg
0.32	0.11	0.32	mg/Kg
0.16	0.036	0.16	mg/Kg
0.16	0.015	0.16	mg/Kg
62	18	62	mg/Kg
0.32	0.12	0.32	mg/Kg
0.16	0.01	0.16	mg/Kg
0.4	0.11	0.4	mg/Kg
19	4.7	19	mg/Kg
0.24	0.029	0.24	mg/Kg
25	4.6	25	mg/Kg
0.4	0.052	0.4	mg/Kg
0.029	0.0093	0.029	mg/Kg
0.32	0.028	0.32	mg/Kg
0.24	0.04	0.24	mg/Kg
4000	1700	4000	mg/Kg
370	51	370	mg/Kg
0.79	0.21	0.79	mg/Kg
0.16	0.032	0.16	mg/Kg
620	74	620	mg/Kg
0.16	0.0056	0.16	mg/Kg
0.79	0.061	0.79	mg/Kg
1.6	0.5	1.6	mg/Kg
5	5	5	mg/L
200	24	200	ug/L
1	0.4	1	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
1	0.37	1	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L
2	1	2	ug/L
0.4	0.12	0.4	ug/L
0.4	0.12	0.4	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L
50	17	50	ug/L

36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.783635	-108.102111
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125

FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716	Sample-Routine
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs

Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM

Water Bottle	Lead	Dissolved	0.37	ug/L	
Water Bottle	Lead	Total	2.7	ug/L	
Water Bottle	Magnesium	Dissolved	11000	ug/L	
Water Bottle	Magnesium	Total	11000	ug/L	
Water Bottle	Manganese	Dissolved	17	ug/L	J
Water Bottle	Manganese	Total	92	ug/L	
Water Bottle	Mercury	Dissolved	0.00065	ug/L	
Water Bottle	Mercury	Total	0.0036	ug/L	J
Water Bottle	Molybdenum	Dissolved	1.2	ug/L	
Water Bottle	Molybdenum	Total	1.1	ug/L	
Water Bottle	Nickel	Dissolved	2.9	ug/L	J
Water Bottle	Nickel	Total	3.6	ug/L	J
Water Bottle	Organic carbon	Total	1.9	mg/L	
Water Bottle	Organic carbon	Total	2.3	mg/L	
Water Bottle	Potassium	Dissolved	2800	ug/L	
Water Bottle	Potassium	Total	2900	ug/L	
Water Bottle	Selenium	Dissolved		ug/L	U
Water Bottle	Selenium	Total		ug/L	U
Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total		ug/L	U
Water Bottle	Sodium	Dissolved	24000	ug/L	
Water Bottle	Sodium	Total	23000	ug/L	
Water Bottle	Thallium	Dissolved		ug/L	U
Water Bottle	Thallium	Total		ug/L	U
Water Bottle	Total Hardness	Total	240	mg/L	
Water Bottle	Total Suspended Solids	Total	58	mg/L	
Water Bottle	Vanadium	Dissolved	0.56	ug/L	J
Water Bottle	Vanadium	Total	1.8	ug/L	
Water Bottle	Zinc	Dissolved		ug/L	U
Water Bottle	Zinc	Total	16	ug/L	J
Water Bottle	Alkalinity, total	Total	130	mg/L	
Water Bottle	Aluminum	Total	1200	ug/L	
Water Bottle	Antimony	Dissolved		ug/L	U
Water Bottle	Antimony	Total		ug/L	U
Water Bottle	Arsenic	Dissolved		ug/L	U
Water Bottle	Arsenic	Total	0.38	ug/L	J
Water Bottle	Barium	Dissolved	82	ug/L	
Water Bottle	Barium	Total	95	ug/L	
Water Bottle	Beryllium	Dissolved		ug/L	U
Water Bottle	Beryllium	Total		ug/L	U
Water Bottle	Cadmium	Dissolved	0.044	ug/L	J
Water Bottle	Cadmium	Total	0.12	ug/L	J
Water Bottle	Calcium	Dissolved	76000	ug/L	
Water Bottle	Calcium	Total	78000	ug/L	
Water Bottle	Chromium	Dissolved		ug/L	U
Water Bottle	Chromium	Total		ug/L	U
Water Bottle	Cobalt	Dissolved	0.26	ug/L	J

	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2320-B
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8

Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/1/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/1/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Hardness by Calculation	TestAmerica Savannah	9/6/2016
Total Suspended Solids in Water	TestAmerica Savannah	8/30/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Alkalinity by Gran Titration	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016

0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L
2.5	1.2	2.5	ug/L
0.0005	0.0002	0.0005	ug/L
0.0005	0.0002	0.0005	ug/L
1	0.45	1	ug/L
1	0.45	1	ug/L
5	0.4	5	ug/L
5	0.4	5	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
2	0.58	2	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
4	4	4	mg/L
1	0.3	1	ug/L
1	0.3	1	ug/L
20	2.8	20	ug/L
20	2.8	20	ug/L
5	5	5	mg/L
200	24	200	ug/L
1	0.4	1	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
1	0.37	1	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L
2	1	2	ug/L
0.4	0.12	0.4	ug/L

36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125

FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716DNM	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716DNM	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_082716NM	Sample-Routine
FW-040	FW-040_082716NM	Sample-Routine
FW-040	FW-040_SED_082716	Sample-Routine
FW-040	FW-040_SED_082716	Sample-Routine
FW-040	FW-040_SED_082716	Sample-Routine
FW-040	FW-040_SED_082716	Sample-Routine
FW-040	FW-040_SED_082716	Sample-Routine
FW-040	FW-040_SED_082716	Sample-Routine
FW-040	FW-040_SED_082716	Sample-Routine
FW-040	FW-040_SED_082716	Sample-Routine

Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	11:00:00 AM	MST	NMAssessProtocol
Water	Surface Water	8/27/2016	11:00:00 AM	MST	NMAssessProtocol
Water	Surface Water	8/27/2016	11:00:00 AM	MST	NMAssessProtocol
Water	Surface Water	8/27/2016	11:00:00 AM	MST	NMAssessProtocol
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM

Water Bottle	Cobalt	Total	0.57	ug/L	
Water Bottle	Copper	Dissolved	0.79	ug/L	J
Water Bottle	Copper	Total	2.3	ug/L	J
Water Bottle	Iron	Dissolved		ug/L	UJ
Water Bottle	Iron	Total	900	ug/L	
Water Bottle	Lead	Dissolved		ug/L	U
Water Bottle	Lead	Total	2.1	ug/L	
Water Bottle	Magnesium	Dissolved	11000	ug/L	
Water Bottle	Magnesium	Total	12000	ug/L	
Water Bottle	Manganese	Dissolved	11	ug/L	J
Water Bottle	Manganese	Total	70	ug/L	
Water Bottle	Mercury	Dissolved	0.00077	ug/L	
Water Bottle	Mercury	Total	0.0022	ug/L	J
Water Bottle	Molybdenum	Dissolved	1.2	ug/L	
Water Bottle	Molybdenum	Total	1.1	ug/L	
Water Bottle	Nickel	Dissolved	2.8	ug/L	J
Water Bottle	Nickel	Total	2.9	ug/L	J
Water Bottle	Organic carbon	Total	1.8	mg/L	
Water Bottle	Organic carbon	Total	2.1	mg/L	
Water Bottle	Potassium	Dissolved	2700	ug/L	
Water Bottle	Potassium	Total	3000	ug/L	
Water Bottle	Selenium	Dissolved		ug/L	U
Water Bottle	Selenium	Total		ug/L	U
Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total		ug/L	U
Water Bottle	Sodium	Dissolved	23000	ug/L	
Water Bottle	Sodium	Total	24000	ug/L	
Water Bottle	Thallium	Dissolved		ug/L	U
Water Bottle	Thallium	Total		ug/L	U
Water Bottle	Total Hardness	Total	240	mg/L	
Water Bottle	Total Suspended Solids	Total	61	mg/L	
Water Bottle	Vanadium	Dissolved	0.31	ug/L	J
Water Bottle	Vanadium	Total	1.7	ug/L	
Water Bottle	Zinc	Dissolved		ug/L	U
Water Bottle	Zinc	Total	13	ug/L	J
Water Bottle	Aluminum	Dissolved		ug/L	U
Water Bottle	Aluminum	Dissolved	9.8	ug/L	J
Water Bottle	Aluminum	Dissolved	110	ug/L	J
Water Bottle	Aluminum	Dissolved	120	ug/L	J
Disposable plastic scoop	Aluminum	Total	12000	mg/Kg	
Disposable plastic scoop	Arsenic	Total	3.2	mg/Kg	J-
Disposable plastic scoop	Barium	Total	360	mg/Kg	J-
Disposable plastic scoop	Beryllium	Total	0.73	mg/Kg	
Disposable plastic scoop	Cadmium	Total	0.29	mg/Kg	J
Disposable plastic scoop	Calcium	Total	8800	mg/Kg	
Disposable plastic scoop	Chromium	Total	6.7	mg/Kg	J
Disposable plastic scoop	Cobalt	Total	6.3	mg/Kg	

	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A

Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/1/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/1/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Hardness by Calculation	TestAmerica Savannah	9/6/2016
Total Suspended Solids in Water	TestAmerica Savannah	8/30/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016

0.4	0.12	0.4	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L
2.5	1.2	2.5	ug/L
0.0005	0.0002	0.0005	ug/L
0.0005	0.0002	0.0005	ug/L
1	0.45	1	ug/L
1	0.45	1	ug/L
5	0.4	5	ug/L
5	0.4	5	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
2	0.58	2	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
4	4	4	mg/L
1	0.3	1	ug/L
1	0.3	1	ug/L
20	2.8	20	ug/L
20	2.8	20	ug/L
200	24	200	ug/L
10	4.6	10	ug/L
10	4.6	10	ug/L
200	24	200	ug/L
10	1.6	10	mg/Kg
0.68	0.058	0.68	mg/Kg
0.23	0.08	0.23	mg/Kg
0.11	0.026	0.11	mg/Kg
0.11	0.011	0.11	mg/Kg
52	15	52	mg/Kg
0.23	0.086	0.23	mg/Kg
0.11	0.0075	0.11	mg/Kg

36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125

FW-040	FW-040_SED_082716	Sample-Routine
FW-040	FW-040_SED_082716	Sample-Routine
FW-040	FW-040_SED_082716	Sample-Routine
FW-040	FW-040_SED_082716	Sample-Routine
FW-040	FW-040_SED_082716	Sample-Routine
FW-040	FW-040_SED_082716	Sample-Routine
FW-040	FW-040_SED_082716	Sample-Routine
FW-040	FW-040_SED_082716	Sample-Routine
FW-040	FW-040_SED_082716	Sample-Routine
FW-040	FW-040_SED_082716	Sample-Routine
FW-040	FW-040_SED_082716	Sample-Routine
FW-040	FW-040_SED_082716	Sample-Routine
FW-040	FW-040_SED_082716	Sample-Routine
FW-040	FW-040_SED_082716	Sample-Routine
FW-040	FW-040_SED_082716	Sample-Routine
FW-040	FW-040_SED_082716	Sample-Routine
FW-040	FW-040_SED_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_SED_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_SED_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_SED_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_SED_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_SED_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_SED_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_SED_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_SED_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_SED_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_SED_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_SED_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_SED_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_SED_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_SED_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_SED_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_SED_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_SED_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_SED_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_SED_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_SED_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_SED_082716D	Quality Control Field Replicate Msr/Obs
FW-040	FW-040_SED_082716D	Quality Control Field Replicate Msr/Obs
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine

Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Sediment		8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM

Disposable plastic scoop	Copper	Total	16	mg/Kg	J-
Disposable plastic scoop	Iron	Total	15000	mg/Kg	
Disposable plastic scoop	Lead	Total	20	mg/Kg	
Disposable plastic scoop	Magnesium	Total	3300	mg/Kg	
Disposable plastic scoop	Manganese	Total	460	mg/Kg	J
Disposable plastic scoop	Mercury	Total	0.018	mg/Kg	J
Disposable plastic scoop	Molybdenum	Total		mg/Kg	UB
Disposable plastic scoop	Nickel	Total	7.4	mg/Kg	
Disposable plastic scoop	Organic carbon	Total	3100	mg/Kg	J
Disposable plastic scoop	Potassium	Total	1700	mg/Kg	
Disposable plastic scoop	Selenium	Total	0.24	mg/Kg	J
Disposable plastic scoop	Silver	Total	0.12	mg/Kg	J
Disposable plastic scoop	Sodium	Total	310	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.15	mg/Kg	
Disposable plastic scoop	Vanadium	Total	16	mg/Kg	J+
Disposable plastic scoop	Zinc	Total	99	mg/Kg	J
Disposable plastic scoop	Aluminum	Total	10000	mg/Kg	
Disposable plastic scoop	Arsenic	Total	3.5	mg/Kg	J-
Disposable plastic scoop	Barium	Total	480	mg/Kg	J-
Disposable plastic scoop	Beryllium	Total	0.72	mg/Kg	
Disposable plastic scoop	Cadmium	Total	0.37	mg/Kg	J
Disposable plastic scoop	Calcium	Total	7800	mg/Kg	
Disposable plastic scoop	Chromium	Total	7.2	mg/Kg	J
Disposable plastic scoop	Cobalt	Total	6.7	mg/Kg	
Disposable plastic scoop	Copper	Total	19	mg/Kg	J-
Disposable plastic scoop	Iron	Total	14000	mg/Kg	
Disposable plastic scoop	Lead	Total	30	mg/Kg	
Disposable plastic scoop	Magnesium	Total	2900	mg/Kg	
Disposable plastic scoop	Manganese	Total	490	mg/Kg	J
Disposable plastic scoop	Mercury	Total	0.018	mg/Kg	J
Disposable plastic scoop	Molybdenum	Total	0.22	mg/Kg	
Disposable plastic scoop	Nickel	Total	7.7	mg/Kg	
Disposable plastic scoop	Organic carbon	Total		mg/Kg	U
Disposable plastic scoop	Potassium	Total	1500	mg/Kg	
Disposable plastic scoop	Selenium	Total	0.24	mg/Kg	J
Disposable plastic scoop	Silver	Total	0.15	mg/Kg	J
Disposable plastic scoop	Sodium	Total	280	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.15	mg/Kg	
Disposable plastic scoop	Vanadium	Total	18	mg/Kg	J+
Disposable plastic scoop	Zinc	Total	140	mg/Kg	J
Water Bottle	Alkalinity, total	Total	120	mg/L	
Water Bottle	Aluminum	Dissolved		ug/L	U
Water Bottle	Aluminum	Total	2700	ug/L	
Water Bottle	Antimony	Dissolved		ug/L	U
Water Bottle	Antimony	Total		ug/L	UJ
Water Bottle	Arsenic	Dissolved	0.44	ug/L	J
Water Bottle	Arsenic	Total	0.51	ug/L	J

	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	7471A
Not Detected	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	7471A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	APHA	2320-B
Not Detected	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8

ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	9/6/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	9/6/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Alkalinity by Gran Titration	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016

0.28	0.081	0.28	mg/Kg
16	3.9	16	mg/Kg
0.17	0.021	0.17	mg/Kg
21	3.8	21	mg/Kg
0.28	0.038	0.28	mg/Kg
0.027	0.0087	0.027	mg/Kg
0.23	0.02	0.23	mg/Kg
0.17	0.029	0.17	mg/Kg
4000	1700	4000	mg/Kg
310	42	310	mg/Kg
0.57	0.15	0.57	mg/Kg
0.11	0.023	0.11	mg/Kg
520	61	520	mg/Kg
0.11	0.004	0.11	mg/Kg
0.57	0.044	0.57	mg/Kg
1.1	0.36	1.1	mg/Kg
11	1.7	11	mg/Kg
0.65	0.055	0.65	mg/Kg
2.2	0.77	2.2	mg/Kg
0.11	0.024	0.11	mg/Kg
0.11	0.01	0.11	mg/Kg
54	15	54	mg/Kg
0.22	0.083	0.22	mg/Kg
0.11	0.0072	0.11	mg/Kg
0.27	0.077	0.27	mg/Kg
16	4.1	16	mg/Kg
0.16	0.02	0.16	mg/Kg
22	4	22	mg/Kg
0.27	0.036	0.27	mg/Kg
0.03	0.0097	0.03	mg/Kg
0.22	0.019	0.22	mg/Kg
0.16	0.028	0.16	mg/Kg
4000	1700	4000	mg/Kg
320	44	320	mg/Kg
0.54	0.14	0.54	mg/Kg
0.11	0.022	0.11	mg/Kg
540	64	540	mg/Kg
0.11	0.0038	0.11	mg/Kg
0.54	0.042	0.54	mg/Kg
1.1	0.34	1.1	mg/Kg
5	5	5	mg/L
200	24	200	ug/L
200	24	200	ug/L
1	0.4	1	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
1	0.37	1	ug/L

36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
36.719664	-108.207125
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857

GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_082516	Sample-Routine
GKM05	GKM05_SED_082516	Sample-Routine

Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM

Water Bottle	Barium	Dissolved	110	ug/L	
Water Bottle	Barium	Total	130	ug/L	
Water Bottle	Beryllium	Dissolved		ug/L	U
Water Bottle	Beryllium	Total		ug/L	U
Water Bottle	Cadmium	Dissolved	0.085	ug/L	J
Water Bottle	Cadmium	Total	0.12	ug/L	J
Water Bottle	Calcium	Dissolved	73000	ug/L	
Water Bottle	Calcium	Total	70000	ug/L	
Water Bottle	Chromium	Dissolved		ug/L	U
Water Bottle	Chromium	Total		ug/L	U
Water Bottle	Cobalt	Dissolved	0.25	ug/L	J
Water Bottle	Cobalt	Total	0.88	ug/L	
Water Bottle	Copper	Dissolved	1.2	ug/L	J
Water Bottle	Copper	Total	3.5	ug/L	J
Water Bottle	Iron	Dissolved		ug/L	U
Water Bottle	Iron	Total	1800	ug/L	
Water Bottle	Lead	Dissolved		ug/L	U
Water Bottle	Lead	Total	2.5	ug/L	
Water Bottle	Magnesium	Dissolved	12000	ug/L	
Water Bottle	Magnesium	Total	12000	ug/L	
Water Bottle	Manganese	Dissolved	13	ug/L	
Water Bottle	Manganese	Total	88	ug/L	
Water Bottle	Mercury	Dissolved	0.00023	ug/L	J
Water Bottle	Mercury	Total	0.00065	ug/L	
Water Bottle	Molybdenum	Dissolved	1.4	ug/L	
Water Bottle	Molybdenum	Total	1.3	ug/L	
Water Bottle	Nickel	Dissolved	3.6	ug/L	J
Water Bottle	Nickel	Total	2.9	ug/L	J
Water Bottle	Organic carbon	Total	1.9	mg/L	
Water Bottle	Organic carbon	Total	2.8	mg/L	
Water Bottle	Potassium	Dissolved	3500	ug/L	
Water Bottle	Potassium	Total	3900	ug/L	
Water Bottle	Selenium	Dissolved		ug/L	U
Water Bottle	Selenium	Total		ug/L	U
Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total		ug/L	U
Water Bottle	Sodium	Dissolved	23000	ug/L	
Water Bottle	Sodium	Total	22000	ug/L	
Water Bottle	Thallium	Dissolved		ug/L	U
Water Bottle	Thallium	Total		ug/L	U
Water Bottle	Total Hardness	Total	220	mg/L	
Water Bottle	Total Suspended Solids	Total	88	mg/L	
Water Bottle	Vanadium	Dissolved	0.51	ug/L	J
Water Bottle	Vanadium	Total	3.1	ug/L	
Water Bottle	Zinc	Dissolved	2.8	ug/L	J
Water Bottle	Zinc	Total	19	ug/L	J
Disposable plastic scoop	Aluminum	Total	6500	mg/Kg	

	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Dry	USEPA	6010C

Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	8/27/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/30/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/29/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Hardness by Calculation	TestAmerica Savannah	9/2/2016
Total Suspended Solids in Water	TestAmerica Savannah	8/28/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016

2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L
2	1	2	ug/L
0.4	0.12	0.4	ug/L
0.4	0.12	0.4	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L
2.5	1.2	2.5	ug/L
0.0005	0.0002	0.0005	ug/L
0.0005	0.0002	0.0005	ug/L
1	0.45	1	ug/L
1	0.45	1	ug/L
5	0.4	5	ug/L
5	0.4	5	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
2	0.58	2	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
7.7	7.7	7.7	mg/L
1	0.3	1	ug/L
1	0.3	1	ug/L
20	2.8	20	ug/L
20	2.8	20	ug/L
11	1.7	11	mg/Kg

37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857

GKM05	GKM05_SED_082516	Sample-Routine
GKM05	GKM05_SED_082516	Sample-Routine
GKM05	GKM05_SED_082516	Sample-Routine
GKM05	GKM05_SED_082516	Sample-Routine
GKM05	GKM05_SED_082516	Sample-Routine
GKM05	GKM05_SED_082516	Sample-Routine
GKM05	GKM05_SED_082516	Sample-Routine
GKM05	GKM05_SED_082516	Sample-Routine
GKM05	GKM05_SED_082516	Sample-Routine
GKM05	GKM05_SED_082516	Sample-Routine
GKM05	GKM05_SED_082516	Sample-Routine
GKM05	GKM05_SED_082516	Sample-Routine
GKM05	GKM05_SED_082516	Sample-Routine
GKM05	GKM05_SED_082516	Sample-Routine
GKM05	GKM05_SED_082516	Sample-Routine
GKM05	GKM05_SED_082516	Sample-Routine
GKM05	GKM05_SED_082516	Sample-Routine
GKM05	GKM05_SED_082516	Sample-Routine
GKM05	GKM05_SED_082516	Sample-Routine
GKM05	GKM05_SED_082516	Sample-Routine
GKM05	GKM05_SED_082516	Sample-Routine
GKM05	GKM05_SED_082516	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine

Sediment		8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Sediment		8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM

Disposable plastic scoop	Antimony	Total	0.13	mg/Kg	J-
Disposable plastic scoop	Arsenic	Total	8.9	mg/Kg	
Disposable plastic scoop	Barium	Total	120	mg/Kg	J+
Disposable plastic scoop	Beryllium	Total	0.52	mg/Kg	
Disposable plastic scoop	Cadmium	Total	2.3	mg/Kg	J+
Disposable plastic scoop	Calcium	Total	3600	mg/Kg	
Disposable plastic scoop	Chromium	Total	6	mg/Kg	
Disposable plastic scoop	Cobalt	Total	9.7	mg/Kg	J+
Disposable plastic scoop	Copper	Total	63	mg/Kg	J+
Disposable plastic scoop	Iron	Total	19000	mg/Kg	
Disposable plastic scoop	Lead	Total	190	mg/Kg	
Disposable plastic scoop	Magnesium	Total	3700	mg/Kg	
Disposable plastic scoop	Manganese	Total	2300	mg/Kg	
Disposable plastic scoop	Mercury	Total	0.026	mg/Kg	
Disposable plastic scoop	Molybdenum	Total	2.4	mg/Kg	
Disposable plastic scoop	Nickel	Total	8	mg/Kg	
Disposable plastic scoop	Organic carbon	Total	5.8	g/Kg	
Disposable plastic scoop	Potassium	Total	960	mg/Kg	
Disposable plastic scoop	Selenium	Total	0.29	mg/Kg	J
Disposable plastic scoop	Silver	Total	0.79	mg/Kg	J-
Disposable plastic scoop	Sodium	Total	95	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.14	mg/Kg	
Disposable plastic scoop	Vanadium	Total	16	mg/Kg	
Disposable plastic scoop	Zinc	Total	720	mg/Kg	
Water Bottle	Alkalinity, total	Total	110	mg/L	
Water Bottle	Aluminum	Dissolved	23	ug/L	
Water Bottle	Aluminum	Dissolved	26	ug/L	J
Water Bottle	Aluminum	Total	3900	ug/L	
Water Bottle	Antimony	Dissolved		ug/L	U
Water Bottle	Antimony	Total		ug/L	U
Water Bottle	Arsenic	Dissolved	0.37	ug/L	J
Water Bottle	Arsenic	Total	1.1	ug/L	
Water Bottle	Barium	Dissolved	78	ug/L	
Water Bottle	Barium	Total	110	ug/L	
Water Bottle	Beryllium	Dissolved		ug/L	U
Water Bottle	Beryllium	Total	0.18	ug/L	J
Water Bottle	Cadmium	Dissolved	0.044	ug/L	J
Water Bottle	Cadmium	Total	0.07	ug/L	J
Water Bottle	Calcium	Dissolved	61000	ug/L	
Water Bottle	Calcium	Total	63000	ug/L	
Water Bottle	Chromium	Dissolved		ug/L	U
Water Bottle	Chromium	Total	1.7	ug/L	J
Water Bottle	Cobalt	Dissolved	0.43	ug/L	
Water Bottle	Cobalt	Total	1.3	ug/L	
Water Bottle	Copper	Dissolved	1.2	ug/L	J
Water Bottle	Copper	Total	4.1	ug/L	J
Water Bottle	Iron	Dissolved	22	ug/L	J

	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	7471A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	APHA	2320-B
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7

ICP-MS	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/1/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
Alkalinity by Gran Titration	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016

0.2	0.014	0.2	mg/Kg
0.59	0.05	0.59	mg/Kg
0.2	0.069	0.2	mg/Kg
0.098	0.022	0.098	mg/Kg
0.098	0.0092	0.098	mg/Kg
56	16	56	mg/Kg
0.2	0.075	0.2	mg/Kg
0.098	0.0065	0.098	mg/Kg
0.25	0.07	0.25	mg/Kg
17	4.3	17	mg/Kg
0.15	0.018	0.15	mg/Kg
22	4.1	22	mg/Kg
2.5	0.32	2.5	mg/Kg
0.026	0.0084	0.026	mg/Kg
0.2	0.017	0.2	mg/Kg
0.15	0.025	0.15	mg/Kg
4	1.7	4	g/Kg
340	46	340	mg/Kg
0.49	0.13	0.49	mg/Kg
0.098	0.02	0.098	mg/Kg
560	66	560	mg/Kg
0.098	0.0034	0.098	mg/Kg
0.49	0.038	0.49	mg/Kg
9.8	3.1	9.8	mg/Kg
5	5	5	mg/L
10	4.6	10	ug/L
200	24	200	ug/L
200	24	200	ug/L
1	0.4	1	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
1	0.37	1	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L
2	1	2	ug/L
0.4	0.12	0.4	ug/L
0.4	0.12	0.4	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L

37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
37.268704	-107.885857
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046

LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_082716	Sample-Routine
LVW-020	LVW-020_SED_082716	Sample-Routine
LVW-020	LVW-020_SED_082716	Sample-Routine
LVW-020	LVW-020_SED_082716	Sample-Routine
LVW-020	LVW-020_SED_082716	Sample-Routine
LVW-020	LVW-020_SED_082716	Sample-Routine
LVW-020	LVW-020_SED_082716	Sample-Routine
LVW-020	LVW-020_SED_082716	Sample-Routine
LVW-020	LVW-020_SED_082716	Sample-Routine
LVW-020	LVW-020_SED_082716	Sample-Routine
LVW-020	LVW-020_SED_082716	Sample-Routine
LVW-020	LVW-020_SED_082716	Sample-Routine
LVW-020	LVW-020_SED_082716	Sample-Routine
LVW-020	LVW-020_SED_082716	Sample-Routine
LVW-020	LVW-020_SED_082716	Sample-Routine
LVW-020	LVW-020_SED_082716	Sample-Routine
LVW-020	LVW-020_SED_082716	Sample-Routine
LVW-020	LVW-020_SED_082716	Sample-Routine
LVW-020	LVW-020_SED_082716	Sample-Routine

Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM

Water Bottle	Iron	Total	3000	ug/L	
Water Bottle	Lead	Dissolved		ug/L	U
Water Bottle	Lead	Total	2.9	ug/L	
Water Bottle	Magnesium	Dissolved	8900	ug/L	
Water Bottle	Magnesium	Total	9700	ug/L	
Water Bottle	Manganese	Dissolved	12	ug/L	
Water Bottle	Manganese	Total	100	ug/L	
Water Bottle	Mercury	Dissolved	0.0027	ug/L	
Water Bottle	Mercury	Total	0.0028	ug/L	
Water Bottle	Molybdenum	Dissolved	1.2	ug/L	
Water Bottle	Molybdenum	Total	1.1	ug/L	
Water Bottle	Nickel	Dissolved	2.1	ug/L	J
Water Bottle	Nickel	Total	3.9	ug/L	J
Water Bottle	Organic carbon	Total	2.6	mg/L	
Water Bottle	Organic carbon	Total	4.1	mg/L	
Water Bottle	Potassium	Dissolved	2700	ug/L	
Water Bottle	Potassium	Total	3600	ug/L	
Water Bottle	Selenium	Dissolved		ug/L	U
Water Bottle	Selenium	Total		ug/L	U
Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total		ug/L	U
Water Bottle	Sodium	Dissolved	26000	ug/L	
Water Bottle	Sodium	Total	26000	ug/L	
Water Bottle	Thallium	Dissolved		ug/L	U
Water Bottle	Thallium	Total		ug/L	U
Water Bottle	Total Hardness	Total	200	mg/L	
Water Bottle	Total Suspended Solids	Total	130	mg/L	
Water Bottle	Vanadium	Dissolved	0.93	ug/L	J
Water Bottle	Vanadium	Total	5.1	ug/L	
Water Bottle	Zinc	Dissolved		ug/L	U
Water Bottle	Zinc	Total	15	ug/L	J
Disposable plastic scoop	Aluminum	Total	6900	mg/Kg	
Disposable plastic scoop	Arsenic	Total	2.2	mg/Kg	J-
Disposable plastic scoop	Barium	Total	190	mg/Kg	J-
Disposable plastic scoop	Beryllium	Total	0.48	mg/Kg	
Disposable plastic scoop	Cadmium	Total	0.071	mg/Kg	J
Disposable plastic scoop	Calcium	Total	5100	mg/Kg	
Disposable plastic scoop	Chromium	Total	5.4	mg/Kg	J
Disposable plastic scoop	Cobalt	Total	4.3	mg/Kg	
Disposable plastic scoop	Copper	Total	7.4	mg/Kg	J-
Disposable plastic scoop	Iron	Total	9500	mg/Kg	
Disposable plastic scoop	Lead	Total	7.4	mg/Kg	
Disposable plastic scoop	Magnesium	Total	2100	mg/Kg	
Disposable plastic scoop	Manganese	Total	250	mg/Kg	J
Disposable plastic scoop	Mercury	Total	0.011	mg/Kg	J
Disposable plastic scoop	Molybdenum	Total	0.27	mg/Kg	
Disposable plastic scoop	Nickel	Total	5.6	mg/Kg	

	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	7471A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A

Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/1/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/1/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Hardness by Calculation	TestAmerica Savannah	9/6/2016
Total Suspended Solids in Water	TestAmerica Savannah	8/30/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	9/6/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016

50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L
2.5	1.2	2.5	ug/L
0.0005	0.0002	0.0005	ug/L
0.0005	0.0002	0.0005	ug/L
1	0.45	1	ug/L
1	0.45	1	ug/L
5	0.4	5	ug/L
5	0.4	5	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
2	0.58	2	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
5.3	5.3	5.3	mg/L
1	0.3	1	ug/L
1	0.3	1	ug/L
20	2.8	20	ug/L
20	2.8	20	ug/L
11	1.7	11	mg/Kg
0.64	0.054	0.64	mg/Kg
0.21	0.075	0.21	mg/Kg
0.11	0.024	0.11	mg/Kg
0.11	0.01	0.11	mg/Kg
54	15	54	mg/Kg
0.21	0.081	0.21	mg/Kg
0.11	0.007	0.11	mg/Kg
0.27	0.075	0.27	mg/Kg
16	4.1	16	mg/Kg
0.16	0.019	0.16	mg/Kg
22	4	22	mg/Kg
0.27	0.035	0.27	mg/Kg
0.026	0.0086	0.026	mg/Kg
0.21	0.019	0.21	mg/Kg
0.16	0.027	0.16	mg/Kg

36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046

LVW-020	LVW-020_SED_082716	Sample-Routine
LVW-020	LVW-020_SED_082716	Sample-Routine
LVW-020	LVW-020_SED_082716	Sample-Routine
LVW-020	LVW-020_SED_082716	Sample-Routine
LVW-020	LVW-020_SED_082716	Sample-Routine
LVW-020	LVW-020_SED_082716	Sample-Routine
LVW-020	LVW-020_SED_082716	Sample-Routine
LVW-020	LVW-020_SED_082716	Sample-Routine
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate

Sediment		8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM

Disposable plastic scoop	Organic carbon	Total		mg/Kg	U
Disposable plastic scoop	Potassium	Total	1200	mg/Kg	
Disposable plastic scoop	Selenium	Total	0.14	mg/Kg	J
Disposable plastic scoop	Silver	Total	0.029	mg/Kg	J
Disposable plastic scoop	Sodium	Total	350	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.11	mg/Kg	
Disposable plastic scoop	Vanadium	Total	12	mg/Kg	J+
Disposable plastic scoop	Zinc	Total	31	mg/Kg	J
Water Bottle	Alkalinity, total	Total	5.5	mg/L	
Water Bottle	Aluminum	Dissolved	87	ug/L	J
Water Bottle	Aluminum	Total	2300	ug/L	
Water Bottle	Antimony	Dissolved		ug/L	U
Water Bottle	Antimony	Total		ug/L	U
Water Bottle	Arsenic	Dissolved		ug/L	U
Water Bottle	Arsenic	Total		ug/L	U
Water Bottle	Barium	Dissolved	27	ug/L	
Water Bottle	Barium	Total	27	ug/L	
Water Bottle	Beryllium	Dissolved		ug/L	U
Water Bottle	Beryllium	Total	0.15	ug/L	J
Water Bottle	Cadmium	Dissolved	0.56	ug/L	
Water Bottle	Cadmium	Total	0.62	ug/L	
Water Bottle	Calcium	Dissolved	59000	ug/L	
Water Bottle	Calcium	Total	60000	ug/L	
Water Bottle	Chromium	Dissolved		ug/L	U
Water Bottle	Chromium	Total		ug/L	U
Water Bottle	Cobalt	Dissolved	5.1	ug/L	
Water Bottle	Cobalt	Total	5.2	ug/L	
Water Bottle	Copper	Dissolved	1.5	ug/L	J
Water Bottle	Copper	Total	8	ug/L	
Water Bottle	Iron	Dissolved	2000	ug/L	
Water Bottle	Iron	Total	3100	ug/L	
Water Bottle	Lead	Dissolved	0.1	ug/L	J
Water Bottle	Lead	Total	2.7	ug/L	
Water Bottle	Magnesium	Dissolved	5200	ug/L	
Water Bottle	Magnesium	Total	5300	ug/L	
Water Bottle	Manganese	Dissolved	310	ug/L	
Water Bottle	Manganese	Total	300	ug/L	
Water Bottle	Mercury	Dissolved		ug/L	U
Water Bottle	Mercury	Total	0.00056	ug/L	
Water Bottle	Molybdenum	Dissolved		ug/L	U
Water Bottle	Molybdenum	Total		ug/L	U
Water Bottle	Nickel	Dissolved	4.3	ug/L	J
Water Bottle	Nickel	Total	4.2	ug/L	J
Water Bottle	Organic carbon	Total	0.7	mg/L	J
Water Bottle	Organic carbon	Total	0.74	mg/L	J
Water Bottle	Potassium	Dissolved	660	ug/L	J
Water Bottle	Potassium	Total	680	ug/L	J

Not Detected	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	APHA	2320-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7

Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Alkalinity by Gran Titration	TestAmerica Savannah	8/24/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	8/27/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/29/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/29/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016

4000	1700	4000	mg/Kg
330	45	330	mg/Kg
0.53	0.14	0.53	mg/Kg
0.11	0.022	0.11	mg/Kg
540	64	540	mg/Kg
0.11	0.0037	0.11	mg/Kg
0.53	0.041	0.53	mg/Kg
1.1	0.34	1.1	mg/Kg
5	5	5	mg/L
200	24	200	ug/L
200	24	200	ug/L
1	0.4	1	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
1	0.37	1	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L
2	1	2	ug/L
0.4	0.12	0.4	ug/L
0.4	0.12	0.4	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L
2.5	1.2	2.5	ug/L
0.0005	0.0002	0.0005	ug/L
0.0005	0.0002	0.0005	ug/L
1	0.45	1	ug/L
1	0.45	1	ug/L
5	0.4	5	ug/L
5	0.4	5	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L

36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
36.730556	-108.251046
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724

M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_082316	Quality Control Sample-Lab Matrix Spike Duplicate
M34	M34_FB_082316	Quality Control Sample-Field Blank
M34	M34_FB_082316	Quality Control Sample-Field Blank
M34	M34_SED_082316	Sample-Routine
M34	M34_SED_082316	Sample-Routine
M34	M34_SED_082316	Sample-Routine
M34	M34_SED_082316	Sample-Routine
M34	M34_SED_082316	Sample-Routine
M34	M34_SED_082316	Sample-Routine
M34	M34_SED_082316	Sample-Routine
M34	M34_SED_082316	Sample-Routine
M34	M34_SED_082316	Sample-Routine
M34	M34_SED_082316	Sample-Routine
M34	M34_SED_082316	Sample-Routine
M34	M34_SED_082316	Sample-Routine
M34	M34_SED_082316	Sample-Routine
M34	M34_SED_082316	Sample-Routine
M34	M34_SED_082316	Sample-Routine
M34	M34_SED_082316	Sample-Routine
M34	M34_SED_082316	Sample-Routine
M34	M34_SED_082316	Sample-Routine
M34	M34_SED_082316	Sample-Routine
M34	M34_SED_082316	Sample-Routine
M34	M34_SED_082316	Sample-Routine
M34	M34_SED_082316	Sample-Routine
M34	M34_SED_082316	Sample-Routine
M34	M34_SED_082316	Sample-Routine
Oxbow Park	Oxbow Park_SED_082216	Sample-Routine
Oxbow Park	Oxbow Park_SED_082216	Sample-Routine
Oxbow Park	Oxbow Park_SED_082216	Sample-Routine
Oxbow Park	Oxbow Park_SED_082216	Sample-Routine
Oxbow Park	Oxbow Park_SED_082216	Sample-Routine
Oxbow Park	Oxbow Park_SED_082216	Sample-Routine

Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Sediment		8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:50:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:50:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:50:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:50:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:50:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:50:00 PM	MST	FOLLOWUPGKM

Water Bottle	Selenium	Dissolved		ug/L	U
Water Bottle	Selenium	Total		ug/L	U
Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total		ug/L	U
Water Bottle	Sodium	Dissolved	2800	ug/L	
Water Bottle	Sodium	Total	2800	ug/L	
Water Bottle	Thallium	Dissolved		ug/L	U
Water Bottle	Thallium	Total		ug/L	U
Water Bottle	Total Hardness	Total	170	mg/L	
Water Bottle	Total Suspended Solids	Total	14	mg/L	
Water Bottle	Vanadium	Dissolved		ug/L	U
Water Bottle	Vanadium	Total		ug/L	U
Water Bottle	Zinc	Dissolved	130	ug/L	J-
Water Bottle	Zinc	Total	150	ug/L	J-
Water Bottle	Mercury	Dissolved		ug/L	U
Water Bottle	Mercury	Total		ug/L	U
Disposable plastic scoop	Aluminum	Total	20000	mg/Kg	
Disposable plastic scoop	Antimony	Total	0.17	mg/Kg	J-
Disposable plastic scoop	Arsenic	Total	36	mg/Kg	
Disposable plastic scoop	Barium	Total	120	mg/Kg	J+
Disposable plastic scoop	Beryllium	Total	1.2	mg/Kg	
Disposable plastic scoop	Cadmium	Total	3	mg/Kg	J+
Disposable plastic scoop	Calcium	Total	2100	mg/Kg	
Disposable plastic scoop	Chromium	Total	2.9	mg/Kg	
Disposable plastic scoop	Cobalt	Total	59	mg/Kg	J+
Disposable plastic scoop	Copper	Total	110	mg/Kg	J+
Disposable plastic scoop	Iron	Total	57000	mg/Kg	
Disposable plastic scoop	Lead	Total	160	mg/Kg	
Disposable plastic scoop	Magnesium	Total	2100	mg/Kg	
Disposable plastic scoop	Manganese	Total	2200	mg/Kg	
Disposable plastic scoop	Mercury	Total	0.048	mg/Kg	
Disposable plastic scoop	Molybdenum	Total	6.3	mg/Kg	
Disposable plastic scoop	Nickel	Total	7.9	mg/Kg	
Disposable plastic scoop	Organic carbon	Total	23	g/Kg	
Disposable plastic scoop	Potassium	Total	1100	mg/Kg	
Disposable plastic scoop	Selenium	Total	1.3	mg/Kg	
Disposable plastic scoop	Silver	Total	0.6	mg/Kg	J-
Disposable plastic scoop	Sodium	Total	110	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.43	mg/Kg	
Disposable plastic scoop	Vanadium	Total	18	mg/Kg	
Disposable plastic scoop	Zinc	Total	520	mg/Kg	
Disposable plastic scoop	Aluminum	Total	6700	mg/Kg	
Disposable plastic scoop	Antimony	Total	0.54	mg/Kg	J-
Disposable plastic scoop	Arsenic	Total	10	mg/Kg	
Disposable plastic scoop	Barium	Total	110	mg/Kg	J+
Disposable plastic scoop	Beryllium	Total	0.89	mg/Kg	
Disposable plastic scoop	Cadmium	Total	2.5	mg/Kg	J+

Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	1631E
Not Detected	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	7471A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A

Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Hardness by Calculation	TestAmerica Savannah	8/29/2016
Total Suspended Solids in Water	TestAmerica Savannah	8/24/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/26/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	8/27/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	8/27/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/1/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/1/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016

2	0.58	2	ug/L
2	0.58	2	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
1.7	1.7	1.7	mg/L
1	0.3	1	ug/L
1	0.3	1	ug/L
20	2.8	20	ug/L
20	2.8	20	ug/L
0.0005	0.0002	0.0005	ug/L
0.0005	0.0002	0.0005	ug/L
16	2.4	16	mg/Kg
0.33	0.023	0.33	mg/Kg
0.99	0.084	0.99	mg/Kg
0.33	0.12	0.33	mg/Kg
0.17	0.037	0.17	mg/Kg
0.17	0.016	0.17	mg/Kg
78	22	78	mg/Kg
0.33	0.13	0.33	mg/Kg
0.17	0.011	0.17	mg/Kg
0.41	0.12	0.41	mg/Kg
23	5.9	23	mg/Kg
0.25	0.03	0.25	mg/Kg
160	29	160	mg/Kg
4.1	0.55	4.1	mg/Kg
0.044	0.014	0.044	mg/Kg
0.33	0.029	0.33	mg/Kg
0.25	0.042	0.25	mg/Kg
4	1.7	4	g/Kg
470	64	470	mg/Kg
0.83	0.22	0.83	mg/Kg
0.17	0.034	0.17	mg/Kg
780	92	780	mg/Kg
0.17	0.0058	0.17	mg/Kg
0.83	0.064	0.83	mg/Kg
1.7	0.52	1.7	mg/Kg
11	1.7	11	mg/Kg
0.21	0.015	0.21	mg/Kg
0.64	0.054	0.64	mg/Kg
0.21	0.076	0.21	mg/Kg
0.11	0.024	0.11	mg/Kg
0.11	0.01	0.11	mg/Kg

37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.802921	-107.672724
37.309037	-107.855714
37.309037	-107.855714
37.309037	-107.855714
37.309037	-107.855714
37.309037	-107.855714
37.309037	-107.855714

Oxbow Park	Oxbow Park_SED_082216	Sample-Routine
Oxbow Park	Oxbow Park_SED_082216	Sample-Routine
Oxbow Park	Oxbow Park_SED_082216	Sample-Routine
Oxbow Park	Oxbow Park_SED_082216	Sample-Routine
Oxbow Park	Oxbow Park_SED_082216	Sample-Routine
Oxbow Park	Oxbow Park_SED_082216	Sample-Routine
Oxbow Park	Oxbow Park_SED_082216	Sample-Routine
Oxbow Park	Oxbow Park_SED_082216	Sample-Routine
Oxbow Park	Oxbow Park_SED_082216	Sample-Routine
Oxbow Park	Oxbow Park_SED_082216	Sample-Routine
Oxbow Park	Oxbow Park_SED_082216	Sample-Routine
Oxbow Park	Oxbow Park_SED_082216	Sample-Routine
Oxbow Park	Oxbow Park_SED_082216	Sample-Routine
Oxbow Park	Oxbow Park_SED_082216	Sample-Routine
Oxbow Park	Oxbow Park_SED_082216	Sample-Routine
Oxbow Park	Oxbow Park_SED_082216	Sample-Routine
Oxbow Park	Oxbow Park_SED_082216	Sample-Routine
Oxbow Park	Oxbow Park_SED_082216	Sample-Routine
Oxbow Park	Oxbow Park_SED_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine

Sediment		8/22/2016	12:50:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:50:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:50:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:50:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:50:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:50:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:50:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:50:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:50:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:50:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:50:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:50:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:50:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:50:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:50:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:50:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:50:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:50:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	12:50:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM

Disposable plastic scoop	Calcium	Total	3000	mg/Kg	
Disposable plastic scoop	Chromium	Total	6.5	mg/Kg	
Disposable plastic scoop	Cobalt	Total	9.3	mg/Kg	J+
Disposable plastic scoop	Copper	Total	96	mg/Kg	J+
Disposable plastic scoop	Iron	Total	19000	mg/Kg	
Disposable plastic scoop	Lead	Total	200	mg/Kg	
Disposable plastic scoop	Magnesium	Total	3700	mg/Kg	
Disposable plastic scoop	Manganese	Total	2300	mg/Kg	
Disposable plastic scoop	Mercury	Total		mg/Kg	UB
Disposable plastic scoop	Molybdenum	Total	3.7	mg/Kg	
Disposable plastic scoop	Nickel	Total	7.8	mg/Kg	
Disposable plastic scoop	Organic carbon	Total		g/Kg	U
Disposable plastic scoop	Potassium	Total	1100	mg/Kg	
Disposable plastic scoop	Selenium	Total	0.61	mg/Kg	
Disposable plastic scoop	Silver	Total	1.5	mg/Kg	J-
Disposable plastic scoop	Sodium	Total	87	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.46	mg/Kg	
Disposable plastic scoop	Vanadium	Total	17	mg/Kg	
Disposable plastic scoop	Zinc	Total	660	mg/Kg	
Water Bottle	Alkalinity, total	Total	120	mg/L	
Water Bottle	Aluminum	Dissolved		ug/L	U
Water Bottle	Aluminum	Total	160	ug/L	J
Water Bottle	Antimony	Dissolved		ug/L	U
Water Bottle	Antimony	Total		ug/L	U
Water Bottle	Arsenic	Dissolved		ug/L	U
Water Bottle	Arsenic	Total	0.54	ug/L	J
Water Bottle	Barium	Dissolved	52	ug/L	
Water Bottle	Barium	Total	54	ug/L	
Water Bottle	Beryllium	Dissolved		ug/L	U
Water Bottle	Beryllium	Total		ug/L	U
Water Bottle	Cadmium	Dissolved		ug/L	U
Water Bottle	Cadmium	Total	0.15	ug/L	J
Water Bottle	Calcium	Dissolved	77000	ug/L	
Water Bottle	Calcium	Total	79000	ug/L	
Water Bottle	Chromium	Dissolved		ug/L	U
Water Bottle	Chromium	Total		ug/L	U
Water Bottle	Cobalt	Dissolved	0.87	ug/L	
Water Bottle	Cobalt	Total	0.41	ug/L	
Water Bottle	Copper	Dissolved	1.2	ug/L	J
Water Bottle	Copper	Total	2.2	ug/L	J
Water Bottle	Iron	Dissolved		ug/L	U
Water Bottle	Iron	Total	290	ug/L	
Water Bottle	Lead	Dissolved		ug/L	U
Water Bottle	Lead	Total	2.1	ug/L	
Water Bottle	Magnesium	Dissolved	11000	ug/L	
Water Bottle	Magnesium	Total	11000	ug/L	
Water Bottle	Manganese	Dissolved	32	ug/L	

	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Dry	USEPA	7471A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	APHA	2320-B
Not Detected	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8

Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/1/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	9/1/2016
Alkalinity by Gran Titration	TestAmerica Savannah	8/25/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016

56	16	56	mg/Kg
0.21	0.082	0.21	mg/Kg
0.11	0.0071	0.11	mg/Kg
0.27	0.076	0.27	mg/Kg
17	4.3	17	mg/Kg
0.16	0.02	0.16	mg/Kg
22	4.2	22	mg/Kg
2.7	0.35	2.7	mg/Kg
0.026	0.0085	0.026	mg/Kg
0.21	0.019	0.21	mg/Kg
0.16	0.027	0.16	mg/Kg
4	1.7	4	g/Kg
340	46	340	mg/Kg
0.54	0.14	0.54	mg/Kg
0.11	0.022	0.11	mg/Kg
560	66	560	mg/Kg
0.11	0.0038	0.11	mg/Kg
0.54	0.041	0.54	mg/Kg
11	3.4	11	mg/Kg
5	5	5	mg/L
200	24	200	ug/L
200	24	200	ug/L
1	0.4	1	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
1	0.37	1	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L
2	1	2	ug/L
0.4	0.12	0.4	ug/L
0.4	0.12	0.4	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L

37.309037	-107.855714
37.309037	-107.855714
37.309037	-107.855714
37.309037	-107.855714
37.309037	-107.855714
37.309037	-107.855714
37.309037	-107.855714
37.309037	-107.855714
37.309037	-107.855714
37.309037	-107.855714
37.309037	-107.855714
37.309037	-107.855714
37.309037	-107.855714
37.309037	-107.855714
37.309037	-107.855714
37.309037	-107.855714
37.309037	-107.855714
37.309037	-107.855714
37.309037	-107.855714
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622

Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine

Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM

Water Bottle	Manganese	Total	100	ug/L	
Water Bottle	Mercury	Dissolved	0.00025	ug/L	J
Water Bottle	Mercury	Total	0.0006	ug/L	
Water Bottle	Molybdenum	Dissolved	1	ug/L	
Water Bottle	Molybdenum	Total	1.2	ug/L	
Water Bottle	Nickel	Dissolved	3.2	ug/L	J
Water Bottle	Nickel	Total	3.3	ug/L	J
Water Bottle	Organic carbon	Total	1	mg/L	
Water Bottle	Organic carbon	Total	1.8	mg/L	
Water Bottle	Potassium	Dissolved	3900	ug/L	
Water Bottle	Potassium	Total	4000	ug/L	
Water Bottle	Selenium	Dissolved		ug/L	U
Water Bottle	Selenium	Total		ug/L	U
Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total		ug/L	U
Water Bottle	Sodium	Dissolved	21000	ug/L	
Water Bottle	Sodium	Total	21000	ug/L	
Water Bottle	Thallium	Dissolved		ug/L	U
Water Bottle	Thallium	Total		ug/L	U
Water Bottle	Total Hardness	Total	240	mg/L	
Water Bottle	Total Suspended Solids	Total	28	mg/L	
Water Bottle	Vanadium	Dissolved		ug/L	U
Water Bottle	Vanadium	Total		ug/L	U
Water Bottle	Zinc	Dissolved	21	ug/L	
Water Bottle	Zinc	Total	41	ug/L	
Water Bottle	Alkalinity, total	Total	87	mg/L	
Water Bottle	Aluminum	Dissolved	35	ug/L	J
Water Bottle	Aluminum	Total	250	ug/L	
Water Bottle	Antimony	Dissolved		ug/L	U
Water Bottle	Antimony	Total		ug/L	U
Water Bottle	Arsenic	Dissolved		ug/L	U
Water Bottle	Arsenic	Total		ug/L	U
Water Bottle	Barium	Dissolved	43	ug/L	
Water Bottle	Barium	Total	46	ug/L	
Water Bottle	Beryllium	Dissolved		ug/L	U
Water Bottle	Beryllium	Total		ug/L	U
Water Bottle	Cadmium	Dissolved	0.12	ug/L	J
Water Bottle	Cadmium	Total	0.19	ug/L	J
Water Bottle	Calcium	Dissolved	68000	ug/L	
Water Bottle	Calcium	Total	67000	ug/L	
Water Bottle	Chromium	Dissolved		ug/L	U
Water Bottle	Chromium	Total		ug/L	U
Water Bottle	Cobalt	Dissolved	0.46	ug/L	
Water Bottle	Cobalt	Total	0.49	ug/L	
Water Bottle	Copper	Dissolved	0.91	ug/L	J
Water Bottle	Copper	Total	2.5	ug/L	J
Water Bottle	Iron	Dissolved		ug/L	U

	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2320-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.7

Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	8/27/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/23/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/23/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/26/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Hardness by Calculation	TestAmerica Savannah	8/29/2016
Total Suspended Solids in Water	TestAmerica Savannah	8/23/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/27/2016
Alkalinity by Gran Titration	TestAmerica Savannah	9/2/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016

2.5	1.2	2.5	ug/L
0.0005	0.0002	0.0005	ug/L
0.0005	0.0002	0.0005	ug/L
1	0.45	1	ug/L
1	0.45	1	ug/L
5	0.4	5	ug/L
5	0.4	5	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
2	0.58	2	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
1	1	1	mg/L
1	0.3	1	ug/L
1	0.3	1	ug/L
20	2.8	20	ug/L
20	2.8	20	ug/L
5	5	5	mg/L
200	24	200	ug/L
200	24	200	ug/L
1	0.4	1	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
1	0.37	1	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L
2	1	2	ug/L
0.4	0.12	0.4	ug/L
0.4	0.12	0.4	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L

37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622

Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082216	Sample-Routine

Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM

Water Bottle	Iron	Total	410	ug/L	
Water Bottle	Lead	Dissolved		ug/L	U
Water Bottle	Lead	Total	3.1	ug/L	
Water Bottle	Magnesium	Dissolved	9100	ug/L	
Water Bottle	Magnesium	Total	9100	ug/L	
Water Bottle	Manganese	Dissolved	61	ug/L	
Water Bottle	Manganese	Total	150	ug/L	
Water Bottle	Mercury	Dissolved	0.00058	ug/L	
Water Bottle	Mercury	Total	0.00084	ug/L	
Water Bottle	Molybdenum	Dissolved	0.81	ug/L	J
Water Bottle	Molybdenum	Total	0.73	ug/L	J
Water Bottle	Nickel	Dissolved	2.8	ug/L	J
Water Bottle	Nickel	Total	3	ug/L	J
Water Bottle	Organic carbon	Total	1.1	mg/L	
Water Bottle	Organic carbon	Total	2.1	mg/L	
Water Bottle	Potassium	Dissolved	2800	ug/L	
Water Bottle	Potassium	Total	2800	ug/L	
Water Bottle	Selenium	Dissolved		ug/L	U
Water Bottle	Selenium	Total		ug/L	U
Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total		ug/L	U
Water Bottle	Sodium	Dissolved	14000	ug/L	
Water Bottle	Sodium	Total	14000	ug/L	
Water Bottle	Thallium	Dissolved		ug/L	U
Water Bottle	Thallium	Total		ug/L	U
Water Bottle	Total Hardness	Total	200	mg/L	
Water Bottle	Total Suspended Solids	Total	2.6	mg/L	
Water Bottle	Vanadium	Dissolved		ug/L	U
Water Bottle	Vanadium	Total		ug/L	U
Water Bottle	Zinc	Dissolved	35	ug/L	
Water Bottle	Zinc	Total	70	ug/L	
Disposable plastic scoop	Aluminum	Total	13000	mg/Kg	
Disposable plastic scoop	Antimony	Total	0.29	mg/Kg	J-
Disposable plastic scoop	Arsenic	Total	14	mg/Kg	
Disposable plastic scoop	Barium	Total	140	mg/Kg	J+
Disposable plastic scoop	Beryllium	Total	1.2	mg/Kg	
Disposable plastic scoop	Cadmium	Total	5.5	mg/Kg	J+
Disposable plastic scoop	Calcium	Total	8800	mg/Kg	
Disposable plastic scoop	Chromium	Total	9.8	mg/Kg	
Disposable plastic scoop	Cobalt	Total	14	mg/Kg	J+
Disposable plastic scoop	Copper	Total	120	mg/Kg	J+
Disposable plastic scoop	Iron	Total	30000	mg/Kg	
Disposable plastic scoop	Lead	Total	250	mg/Kg	
Disposable plastic scoop	Magnesium	Total	6300	mg/Kg	
Disposable plastic scoop	Manganese	Total	2200	mg/Kg	
Disposable plastic scoop	Mercury	Total	0.078	mg/Kg	
Disposable plastic scoop	Molybdenum	Total	2.1	mg/Kg	

	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	7471A
	Preliminary	Actual	Dry	USEPA	6020A

Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/1/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/1/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Water by ICP-AES	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Hardness by Calculation	TestAmerica Savannah	9/6/2016
Total Suspended Solids in Water	TestAmerica Savannah	8/30/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016

50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L
2.5	1.2	2.5	ug/L
0.0005	0.0002	0.0005	ug/L
0.0005	0.0002	0.0005	ug/L
1	0.45	1	ug/L
1	0.45	1	ug/L
5	0.4	5	ug/L
5	0.4	5	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
2	0.58	2	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
1	1	1	mg/L
1	0.3	1	ug/L
1	0.3	1	ug/L
20	2.8	20	ug/L
20	2.8	20	ug/L
29	4.4	29	mg/Kg
0.57	0.04	0.57	mg/Kg
1.7	0.14	1.7	mg/Kg
0.57	0.2	0.57	mg/Kg
0.29	0.064	0.29	mg/Kg
0.29	0.027	0.29	mg/Kg
140	40	140	mg/Kg
0.57	0.22	0.57	mg/Kg
0.29	0.019	0.29	mg/Kg
0.72	0.2	0.72	mg/Kg
43	11	43	mg/Kg
0.43	0.052	0.43	mg/Kg
57	11	57	mg/Kg
0.72	0.094	0.72	mg/Kg
0.061	0.02	0.061	mg/Kg
0.57	0.05	0.57	mg/Kg

37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622

Rotary Park	Animas_RotaryPark_SED_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082216	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082816	Sample-Routine
Rotary Park	Animas_RotaryPark_SED_082816	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine

Sediment		8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM

Disposable plastic scoop	Nickel	Total	14	mg/Kg	
Disposable plastic scoop	Organic carbon	Total	20	g/Kg	
Disposable plastic scoop	Potassium	Total	2400	mg/Kg	
Disposable plastic scoop	Selenium	Total	0.77	mg/Kg	J
Disposable plastic scoop	Silver	Total	2	mg/Kg	J-
Disposable plastic scoop	Sodium	Total	240	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.29	mg/Kg	
Disposable plastic scoop	Vanadium	Total	21	mg/Kg	
Disposable plastic scoop	Zinc	Total	1300	mg/Kg	
Disposable plastic scoop	Aluminum	Total	5000	mg/Kg	
Disposable plastic scoop	Antimony	Total	0.13	mg/Kg	J-
Disposable plastic scoop	Arsenic	Total	6.7	mg/Kg	J-
Disposable plastic scoop	Barium	Total	94	mg/Kg	J-
Disposable plastic scoop	Beryllium	Total	0.43	mg/Kg	
Disposable plastic scoop	Cadmium	Total	1.2	mg/Kg	J
Disposable plastic scoop	Calcium	Total	7500	mg/Kg	
Disposable plastic scoop	Chromium	Total	7.4	mg/Kg	J
Disposable plastic scoop	Cobalt	Total	6.5	mg/Kg	
Disposable plastic scoop	Copper	Total	43	mg/Kg	J-
Disposable plastic scoop	Iron	Total	14000	mg/Kg	
Disposable plastic scoop	Lead	Total	130	mg/Kg	
Disposable plastic scoop	Magnesium	Total	3100	mg/Kg	
Disposable plastic scoop	Manganese	Total	1100	mg/Kg	J
Disposable plastic scoop	Mercury	Total	0.013	mg/Kg	J
Disposable plastic scoop	Molybdenum	Total	1.7	mg/Kg	
Disposable plastic scoop	Nickel	Total	6.9	mg/Kg	
Disposable plastic scoop	Organic carbon	Total	3300	mg/Kg	J
Disposable plastic scoop	Potassium	Total	800	mg/Kg	
Disposable plastic scoop	Selenium	Total	0.26	mg/Kg	J
Disposable plastic scoop	Silver	Total	0.64	mg/Kg	J
Disposable plastic scoop	Sodium	Total	120	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.11	mg/Kg	J
Disposable plastic scoop	Vanadium	Total	15	mg/Kg	J+
Disposable plastic scoop	Zinc	Total	640	mg/Kg	J
Water Bottle	Alkalinity, total	Total	110	mg/L	
Water Bottle	Aluminum	Dissolved	500	ug/L	
Water Bottle	Aluminum	Dissolved	570	ug/L	
Water Bottle	Aluminum	Total	66000	ug/L	
Water Bottle	Antimony	Dissolved		ug/L	UJ
Water Bottle	Arsenic	Dissolved	0.85	ug/L	J
Water Bottle	Arsenic	Total	12	ug/L	
Water Bottle	Barium	Dissolved	82	ug/L	
Water Bottle	Barium	Total	560	ug/L	
Water Bottle	Beryllium	Dissolved		ug/L	U
Water Bottle	Beryllium	Total	4.1	ug/L	
Water Bottle	Cadmium	Dissolved		ug/L	U
Water Bottle	Cadmium	Total	0.59	ug/L	

	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	7471A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	APHA	2320-B
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8

ICP-MS	TestAmerica Savannah	8/31/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/1/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
ICP-MS	TestAmerica Savannah	8/31/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/8/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/8/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/8/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/8/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	9/6/2016
ICP-MS	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/8/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/8/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/8/2016
Alkalinity by Gran Titration	TestAmerica Savannah	9/6/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016

0.43	0.072	0.43	mg/Kg
4	1.7	4	g/Kg
860	120	860	mg/Kg
1.4	0.38	1.4	mg/Kg
0.29	0.058	0.29	mg/Kg
1400	170	1400	mg/Kg
0.29	0.01	0.29	mg/Kg
1.4	0.11	1.4	mg/Kg
2.9	0.9	2.9	mg/Kg
10	1.6	10	mg/Kg
0.27	0.019	0.27	mg/Kg
0.8	0.068	0.8	mg/Kg
0.27	0.095	0.27	mg/Kg
0.13	0.03	0.13	mg/Kg
0.13	0.013	0.13	mg/Kg
50	14	50	mg/Kg
0.27	0.1	0.27	mg/Kg
0.13	0.0089	0.13	mg/Kg
0.34	0.095	0.34	mg/Kg
15	3.8	15	mg/Kg
0.2	0.024	0.2	mg/Kg
20	3.7	20	mg/Kg
0.34	0.044	0.34	mg/Kg
0.025	0.008	0.025	mg/Kg
0.27	0.024	0.27	mg/Kg
0.2	0.034	0.2	mg/Kg
4000	1700	4000	mg/Kg
300	41	300	mg/Kg
0.67	0.18	0.67	mg/Kg
0.13	0.027	0.13	mg/Kg
500	59	500	mg/Kg
0.13	0.0047	0.13	mg/Kg
0.67	0.052	0.67	mg/Kg
6.7	2.1	6.7	mg/Kg
5	5	5	mg/L
10	4.6	10	ug/L
200	24	200	ug/L
200	24	200	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
5	1.9	5	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
2	0.75	2	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L

37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
37.280534	-107.876622
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838

SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_083116	Sample-Routine
SJ4C	SJ4C_SED_083116	Sample-Routine
SJ4C	SJ4C_SED_083116	Sample-Routine
SJ4C	SJ4C_SED_083116	Sample-Routine
SJ4C	SJ4C_SED_083116	Sample-Routine
SJ4C	SJ4C_SED_083116	Sample-Routine
SJ4C	SJ4C_SED_083116	Sample-Routine
SJ4C	SJ4C_SED_083116	Sample-Routine

Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM

Water Bottle	Calcium	Dissolved	60000	ug/L	
Water Bottle	Calcium	Total	99000	ug/L	
Water Bottle	Chromium	Dissolved		ug/L	U
Water Bottle	Chromium	Total	33	ug/L	
Water Bottle	Cobalt	Dissolved	0.35	ug/L	J
Water Bottle	Cobalt	Total	28	ug/L	
Water Bottle	Copper	Dissolved	3.3	ug/L	J
Water Bottle	Copper	Total	63	ug/L	
Water Bottle	Iron	Dissolved	380	ug/L	J
Water Bottle	Iron	Total	50000	ug/L	
Water Bottle	Lead	Dissolved	0.35	ug/L	
Water Bottle	Lead	Total	46	ug/L	
Water Bottle	Magnesium	Dissolved	7900	ug/L	
Water Bottle	Magnesium	Total	22000	ug/L	
Water Bottle	Manganese	Dissolved	5.1	ug/L	
Water Bottle	Manganese	Total	1100	ug/L	
Water Bottle	Mercury	Dissolved	0.0019	ug/L	
Water Bottle	Mercury	Total	0.038	ug/L	
Water Bottle	Molybdenum	Dissolved	1.9	ug/L	
Water Bottle	Molybdenum	Total		ug/L	UJ
Water Bottle	Nickel	Dissolved	1.2	ug/L	J
Water Bottle	Nickel	Total	33	ug/L	
Water Bottle	Organic carbon	Total	3.4	mg/L	
Water Bottle	Organic carbon	Total	3.5	mg/L	
Water Bottle	Potassium	Dissolved	4400	ug/L	J-
Water Bottle	Potassium	Total	13000	ug/L	J+
Water Bottle	Selenium	Dissolved		ug/L	U
Water Bottle	Selenium	Total		ug/L	U
Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total	0.22	ug/L	J
Water Bottle	Sodium	Dissolved	49000	ug/L	
Water Bottle	Sodium	Total	52000	ug/L	
Water Bottle	Thallium	Dissolved		ug/L	U
Water Bottle	Thallium	Total	0.59	ug/L	
Water Bottle	Total Hardness	Total	340	mg/L	
Water Bottle	Total Suspended Solids	Total	3200	mg/L	
Water Bottle	Vanadium	Dissolved	2.2	ug/L	
Water Bottle	Vanadium	Total	92	ug/L	
Water Bottle	Zinc	Dissolved	2.8	ug/L	J
Water Bottle	Zinc	Total	190	ug/L	
Disposable plastic scoop	Aluminum	Total	8400	mg/Kg	J
Disposable plastic scoop	Antimony	Total	0.015	mg/Kg	J-
Disposable plastic scoop	Arsenic	Total	2.7	mg/Kg	J
Disposable plastic scoop	Barium	Total	220	mg/Kg	J
Disposable plastic scoop	Beryllium	Total	0.52	mg/Kg	J
Disposable plastic scoop	Cadmium	Total	0.13	mg/Kg	J
Disposable plastic scoop	Calcium	Total	21000	mg/Kg	J

	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C

Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/14/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/14/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/6/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/6/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Hardness by Calculation	TestAmerica Savannah	9/9/2016
Total Suspended Solids in Water	TestAmerica Savannah	9/4/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016

500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L
10	5	10	ug/L
0.4	0.12	0.4	ug/L
2	0.6	2	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L
13	6	13	ug/L
0.0005	0.0002	0.0005	ug/L
0.0025	0.001	0.0025	ug/L
1	0.45	1	ug/L
5	2.3	5	ug/L
5	0.4	5	ug/L
25	2	25	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
10	2.9	10	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
130	130	130	mg/L
1	0.3	1	ug/L
5	1.5	5	ug/L
20	2.8	20	ug/L
100	14	100	ug/L
9	1.4	9	mg/Kg
0.22	0.015	0.22	mg/Kg
0.66	0.056	0.66	mg/Kg
0.22	0.078	0.22	mg/Kg
0.11	0.025	0.11	mg/Kg
0.11	0.01	0.11	mg/Kg
45	13	45	mg/Kg

36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838

SJ4C	SJ4C_SED_083116	Sample-Routine
SJ4C	SJ4C_SED_083116	Sample-Routine
SJ4C	SJ4C_SED_083116	Sample-Routine
SJ4C	SJ4C_SED_083116	Sample-Routine
SJ4C	SJ4C_SED_083116	Sample-Routine
SJ4C	SJ4C_SED_083116	Sample-Routine
SJ4C	SJ4C_SED_083116	Sample-Routine
SJ4C	SJ4C_SED_083116	Sample-Routine
SJ4C	SJ4C_SED_083116	Sample-Routine
SJ4C	SJ4C_SED_083116	Sample-Routine
SJ4C	SJ4C_SED_083116	Sample-Routine
SJ4C	SJ4C_SED_083116	Sample-Routine
SJ4C	SJ4C_SED_083116	Sample-Routine
SJ4C	SJ4C_SED_083116	Sample-Routine
SJ4C	SJ4C_SED_083116	Sample-Routine
SJ4C	SJ4C_SED_083116	Sample-Routine
SJ4C	SJ4C_SED_083116	Sample-Routine
SJ4C	SJ4C_SED_083116	Sample-Routine
SJ4C	SJ4C_SED_083116	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine

Sediment		8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Sediment		8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM

Disposable plastic scoop	Chromium	Total	7	mg/Kg	J
Disposable plastic scoop	Cobalt	Total	4.1	mg/Kg	J
Disposable plastic scoop	Copper	Total	8.5	mg/Kg	J
Disposable plastic scoop	Iron	Total	9700	mg/Kg	J
Disposable plastic scoop	Lead	Total	7.6	mg/Kg	J
Disposable plastic scoop	Magnesium	Total	5500	mg/Kg	J
Disposable plastic scoop	Manganese	Total	280	mg/Kg	J
Disposable plastic scoop	Mercury	Total	0.012	mg/Kg	J
Disposable plastic scoop	Molybdenum	Total	0.36	mg/Kg	J
Disposable plastic scoop	Nickel	Total	7.8	mg/Kg	J
Disposable plastic scoop	Organic carbon	Total	3000	mg/Kg	J
Disposable plastic scoop	Potassium	Total	1800	mg/Kg	J
Disposable plastic scoop	Selenium	Total	0.27	mg/Kg	J
Disposable plastic scoop	Silver	Total	0.035	mg/Kg	J-
Disposable plastic scoop	Sodium	Total	390	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.13	mg/Kg	J
Disposable plastic scoop	Vanadium	Total	15	mg/Kg	J
Disposable plastic scoop	Zinc	Total	32	mg/Kg	J
Water Bottle	Alkalinity, total	Total	91	mg/L	
Water Bottle	Aluminum	Total	26000	ug/L	
Water Bottle	Antimony	Dissolved	0.54	ug/L	J-
Water Bottle	Arsenic	Dissolved	0.86	ug/L	J
Water Bottle	Arsenic	Total	3.4	ug/L	
Water Bottle	Barium	Dissolved	62	ug/L	
Water Bottle	Barium	Total	310	ug/L	
Water Bottle	Beryllium	Dissolved		ug/L	U
Water Bottle	Beryllium	Total	1.6	ug/L	
Water Bottle	Cadmium	Dissolved		ug/L	U
Water Bottle	Cadmium	Total	0.12	ug/L	J
Water Bottle	Calcium	Dissolved	38000	ug/L	
Water Bottle	Calcium	Total	56000	ug/L	
Water Bottle	Chromium	Dissolved		ug/L	U
Water Bottle	Chromium	Total	11	ug/L	
Water Bottle	Cobalt	Dissolved	0.99	ug/L	
Water Bottle	Cobalt	Total	9.9	ug/L	
Water Bottle	Copper	Dissolved	2.9	ug/L	J
Water Bottle	Copper	Total	28	ug/L	
Water Bottle	Iron	Dissolved	720	ug/L	J
Water Bottle	Iron	Total	20000	ug/L	
Water Bottle	Lead	Dissolved	0.74	ug/L	
Water Bottle	Lead	Total	21	ug/L	
Water Bottle	Magnesium	Dissolved	5000	ug/L	
Water Bottle	Magnesium	Total	10000	ug/L	
Water Bottle	Manganese	Dissolved	19	ug/L	
Water Bottle	Manganese	Total	460	ug/L	
Water Bottle	Mercury	Dissolved		ug/L	U
Water Bottle	Mercury	Total	0.0009	ug/L	

	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	7471A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	APHA	2320-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E

ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/10/2016
ICP-MS	TestAmerica Savannah	9/10/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	9/6/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/10/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/16/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Alkalinity by Gran Titration	TestAmerica Savannah	9/2/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/14/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/14/2016

0.22	0.084	0.22	mg/Kg
0.13	0.0084	0.13	mg/Kg
0.32	0.09	0.32	mg/Kg
14	3.4	14	mg/Kg
0.16	0.02	0.16	mg/Kg
18	3.3	18	mg/Kg
0.27	0.036	0.27	mg/Kg
0.024	0.0079	0.024	mg/Kg
0.22	0.019	0.22	mg/Kg
0.19	0.032	0.19	mg/Kg
4000	1700	4000	mg/Kg
270	37	270	mg/Kg
0.55	0.15	0.55	mg/Kg
0.11	0.022	0.11	mg/Kg
450	53	450	mg/Kg
0.11	0.0039	0.11	mg/Kg
0.55	0.042	0.55	mg/Kg
1.1	0.35	1.1	mg/Kg
5	5	5	mg/L
200	24	200	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
1	0.37	1	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L
2	1	2	ug/L
0.4	0.12	0.4	ug/L
0.4	0.12	0.4	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L
2.5	1.2	2.5	ug/L
0.0005	0.0002	0.0005	ug/L
0.0005	0.0002	0.0005	ug/L

36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.99621613	-109.0046838
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813

SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916	Sample-Routine
SJAR	SJAR_082916NM	Sample-Routine
SJAR	SJAR_082916NM	Sample-Routine
SJAR	SJAR_SED_082916	Sample-Routine
SJAR	SJAR_SED_082916	Sample-Routine
SJAR	SJAR_SED_082916	Sample-Routine
SJAR	SJAR_SED_082916	Sample-Routine
SJAR	SJAR_SED_082916	Sample-Routine
SJAR	SJAR_SED_082916	Sample-Routine
SJAR	SJAR_SED_082916	Sample-Routine
SJAR	SJAR_SED_082916	Sample-Routine
SJAR	SJAR_SED_082916	Sample-Routine
SJAR	SJAR_SED_082916	Sample-Routine
SJAR	SJAR_SED_082916	Sample-Routine
SJAR	SJAR_SED_082916	Sample-Routine
SJAR	SJAR_SED_082916	Sample-Routine
SJAR	SJAR_SED_082916	Sample-Routine
SJAR	SJAR_SED_082916	Sample-Routine
SJAR	SJAR_SED_082916	Sample-Routine
SJAR	SJAR_SED_082916	Sample-Routine
SJAR	SJAR_SED_082916	Sample-Routine
SJAR	SJAR_SED_082916	Sample-Routine
SJAR	SJAR_SED_082916	Sample-Routine
SJAR	SJAR_SED_082916	Sample-Routine
SJAR	SJAR_SED_082916	Sample-Routine
SJAR	SJAR_SED_082916	Sample-Routine

Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	11:05:00 AM	MST	NMAssessProtocol
Water	Surface Water	8/29/2016	11:05:00 AM	MST	NMAssessProtocol
Sediment		8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Sediment		8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Sediment		8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Sediment		8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Sediment		8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Sediment		8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Sediment		8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Sediment		8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Sediment		8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Sediment		8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Sediment		8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Sediment		8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Sediment		8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Sediment		8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Sediment		8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Sediment		8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Sediment		8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Sediment		8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Sediment		8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Sediment		8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Sediment		8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Sediment		8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Sediment		8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Sediment		8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM

Water Bottle	Molybdenum	Dissolved	1.4	ug/L	
Water Bottle	Molybdenum	Total	0.65	ug/L	J-
Water Bottle	Nickel	Dissolved	1.7	ug/L	J
Water Bottle	Nickel	Total	10	ug/L	
Water Bottle	Organic carbon	Total	3.3	mg/L	
Water Bottle	Organic carbon	Total	3.6	mg/L	
Water Bottle	Potassium	Dissolved	2700	ug/L	J-
Water Bottle	Potassium	Total	6300	ug/L	J+
Water Bottle	Selenium	Dissolved		ug/L	U
Water Bottle	Selenium	Total		ug/L	U
Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total		ug/L	U
Water Bottle	Sodium	Dissolved	36000	ug/L	
Water Bottle	Sodium	Total	36000	ug/L	
Water Bottle	Thallium	Dissolved		ug/L	U
Water Bottle	Thallium	Total	0.14	ug/L	J
Water Bottle	Total Hardness	Total	180	mg/L	
Water Bottle	Total Suspended Solids	Total	1500	mg/L	
Water Bottle	Vanadium	Dissolved	3.2	ug/L	
Water Bottle	Vanadium	Total	29	ug/L	
Water Bottle	Zinc	Dissolved	3.3	ug/L	J
Water Bottle	Zinc	Total	48	ug/L	
Water Bottle	Aluminum	Dissolved	1200	ug/L	
Water Bottle	Aluminum	Dissolved	1300	ug/L	
Disposable plastic scoop	Aluminum	Total	9700	mg/Kg	J
Disposable plastic scoop	Arsenic	Total	2.5	mg/Kg	J
Disposable plastic scoop	Barium	Total	200	mg/Kg	J
Disposable plastic scoop	Beryllium	Total	0.63	mg/Kg	J
Disposable plastic scoop	Cadmium	Total	0.052	mg/Kg	J
Disposable plastic scoop	Calcium	Total	5200	mg/Kg	J
Disposable plastic scoop	Chromium	Total	7.2	mg/Kg	J
Disposable plastic scoop	Cobalt	Total	5.4	mg/Kg	J
Disposable plastic scoop	Copper	Total	9.5	mg/Kg	J
Disposable plastic scoop	Iron	Total	12000	mg/Kg	J
Disposable plastic scoop	Lead	Total	7.1	mg/Kg	J
Disposable plastic scoop	Magnesium	Total	2400	mg/Kg	J
Disposable plastic scoop	Manganese	Total	250	mg/Kg	J
Disposable plastic scoop	Mercury	Total	0.01	mg/Kg	J
Disposable plastic scoop	Molybdenum	Total	0.26	mg/Kg	J
Disposable plastic scoop	Nickel	Total	7.4	mg/Kg	J
Disposable plastic scoop	Organic carbon	Total		mg/Kg	UJ
Disposable plastic scoop	Potassium	Total	1600	mg/Kg	J
Disposable plastic scoop	Selenium	Total	0.18	mg/Kg	J
Disposable plastic scoop	Silver	Total	0.025	mg/Kg	J-
Disposable plastic scoop	Sodium	Total	370	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.14	mg/Kg	J
Disposable plastic scoop	Vanadium	Total	16	mg/Kg	J

	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	7471A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A

Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/6/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/6/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Hardness by Calculation	TestAmerica Savannah	9/9/2016
Total Suspended Solids in Water	TestAmerica Savannah	9/4/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/10/2016
ICP-MS	TestAmerica Savannah	9/10/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	9/6/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/10/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/16/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016

1	0.45	1	ug/L
1	0.45	1	ug/L
5	0.4	5	ug/L
5	0.4	5	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
2	0.58	2	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
67	67	67	mg/L
1	0.3	1	ug/L
1	0.3	1	ug/L
20	2.8	20	ug/L
20	2.8	20	ug/L
200	24	200	ug/L
10	4.6	10	ug/L
11	1.7	11	mg/Kg
0.62	0.052	0.62	mg/Kg
0.21	0.072	0.21	mg/Kg
0.1	0.023	0.1	mg/Kg
0.1	0.0096	0.1	mg/Kg
54	15	54	mg/Kg
0.21	0.078	0.21	mg/Kg
0.099	0.0065	0.099	mg/Kg
0.25	0.07	0.25	mg/Kg
16	4.1	16	mg/Kg
0.15	0.019	0.15	mg/Kg
22	4	22	mg/Kg
0.26	0.034	0.26	mg/Kg
0.027	0.0089	0.027	mg/Kg
0.21	0.018	0.21	mg/Kg
0.15	0.025	0.15	mg/Kg
4000	1700	4000	mg/Kg
320	44	320	mg/Kg
0.51	0.14	0.51	mg/Kg
0.1	0.021	0.1	mg/Kg
540	64	540	mg/Kg
0.1	0.0036	0.1	mg/Kg
0.51	0.039	0.51	mg/Kg

36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813
36.707467	-108.150813

SJAR	SJAR_SED_082916	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine

Sediment		8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM

Disposable plastic scoop	Zinc	Total	26	mg/Kg	J
Water Bottle	Alkalinity, total	Total	120	mg/L	
Water Bottle	Aluminum	Dissolved		ug/L	U
Water Bottle	Aluminum	Dissolved	17	ug/L	
Water Bottle	Aluminum	Total	28000	ug/L	
Water Bottle	Antimony	Dissolved		ug/L	UJ
Water Bottle	Arsenic	Dissolved	0.91	ug/L	J
Water Bottle	Arsenic	Total	5.3	ug/L	
Water Bottle	Barium	Dissolved	97	ug/L	
Water Bottle	Barium	Total	350	ug/L	
Water Bottle	Beryllium	Dissolved		ug/L	U
Water Bottle	Beryllium	Total	2.7	ug/L	
Water Bottle	Cadmium	Dissolved		ug/L	U
Water Bottle	Cadmium	Total	0.5	ug/L	
Water Bottle	Calcium	Dissolved	69000	ug/L	
Water Bottle	Calcium	Total	110000	ug/L	
Water Bottle	Chromium	Dissolved		ug/L	U
Water Bottle	Chromium	Total	10	ug/L	
Water Bottle	Cobalt	Dissolved	0.55	ug/L	
Water Bottle	Cobalt	Total	15	ug/L	
Water Bottle	Copper	Dissolved	3	ug/L	J
Water Bottle	Copper	Total	39	ug/L	
Water Bottle	Iron	Total	21000	ug/L	
Water Bottle	Lead	Dissolved	0.074	ug/L	J
Water Bottle	Lead	Total	29	ug/L	
Water Bottle	Magnesium	Dissolved	12000	ug/L	
Water Bottle	Magnesium	Total	23000	ug/L	
Water Bottle	Manganese	Dissolved	1.4	ug/L	J
Water Bottle	Manganese	Total	790	ug/L	
Water Bottle	Mercury	Dissolved	0.0009	ug/L	
Water Bottle	Mercury	Total	0.022	ug/L	
Water Bottle	Molybdenum	Dissolved	2.2	ug/L	
Water Bottle	Molybdenum	Total	0.6	ug/L	J-
Water Bottle	Nickel	Dissolved	1.4	ug/L	J
Water Bottle	Nickel	Total	16	ug/L	
Water Bottle	Organic carbon	Total	4	mg/L	
Water Bottle	Organic carbon	Total	4.8	mg/L	
Water Bottle	Potassium	Dissolved	5000	ug/L	J-
Water Bottle	Potassium	Total	10000	ug/L	J+
Water Bottle	Selenium	Dissolved		ug/L	U
Water Bottle	Selenium	Total	0.72	ug/L	J
Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total		ug/L	U
Water Bottle	Sodium	Dissolved	56000	ug/L	
Water Bottle	Sodium	Total	62000	ug/L	
Water Bottle	Thallium	Dissolved		ug/L	U
Water Bottle	Thallium	Total	0.19	ug/L	J

	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	APHA	2320-B
Not Detected	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8

ICP-MS	TestAmerica Savannah	9/9/2016
Alkalinity by Gran Titration	TestAmerica Savannah	9/6/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/14/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/14/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/6/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/6/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016

1	0.32	1	mg/Kg
5	5	5	mg/L
200	24	200	ug/L
10	4.6	10	ug/L
200	24	200	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
1	0.37	1	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L
2	1	2	ug/L
0.4	0.12	0.4	ug/L
0.4	0.12	0.4	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L
2.5	1.2	2.5	ug/L
0.0005	0.0002	0.0005	ug/L
0.0025	0.001	0.0025	ug/L
1	0.45	1	ug/L
1	0.45	1	ug/L
5	0.4	5	ug/L
5	0.4	5	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
2	0.58	2	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L

36.707467	-108.150813
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856

SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_090116	Sample-Routine
SJBB	SJBB_SED_090116	Sample-Routine
SJBB	SJBB_SED_090116	Sample-Routine
SJBB	SJBB_SED_090116	Sample-Routine
SJBB	SJBB_SED_090116	Sample-Routine
SJBB	SJBB_SED_090116	Sample-Routine
SJBB	SJBB_SED_090116	Sample-Routine
SJBB	SJBB_SED_090116	Sample-Routine
SJBB	SJBB_SED_090116	Sample-Routine
SJBB	SJBB_SED_090116	Sample-Routine
SJBB	SJBB_SED_090116	Sample-Routine
SJBB	SJBB_SED_090116	Sample-Routine
SJBB	SJBB_SED_090116	Sample-Routine
SJBB	SJBB_SED_090116	Sample-Routine
SJBB	SJBB_SED_090116	Sample-Routine
SJBB	SJBB_SED_090116	Sample-Routine
SJBB	SJBB_SED_090116	Sample-Routine
SJBB	SJBB_SED_090116	Sample-Routine
SJBB	SJBB_SED_090116	Sample-Routine
SJBB	SJBB_SED_090116	Sample-Routine
SJBB	SJBB_SED_090116	Sample-Routine
SJBB	SJBB_SED_090116	Sample-Routine
SJBB	SJBB_SED_090116	Sample-Routine
SJBB	SJBB_SED_090116	Sample-Routine
SJBB	SJBB_SED_090116	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine

Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Sediment		9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Sediment		9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Sediment		9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Sediment		9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Sediment		9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Sediment		9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Sediment		9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Sediment		9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Sediment		9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Sediment		9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Sediment		9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Sediment		9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Sediment		9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Sediment		9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Sediment		9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Sediment		9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Sediment		9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Sediment		9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Sediment		9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Sediment		9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Sediment		9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Sediment		9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM

Water Bottle	Total Hardness	Total	380	mg/L	
Water Bottle	Total Suspended Solids	Total	4900	mg/L	
Water Bottle	Vanadium	Dissolved	1.9	ug/L	
Water Bottle	Vanadium	Total	38	ug/L	
Water Bottle	Zinc	Dissolved		ug/L	U
Water Bottle	Zinc	Total	87	ug/L	
Disposable plastic scoop	Aluminum	Total	5100	mg/Kg	J
Disposable plastic scoop	Arsenic	Total	1.9	mg/Kg	J
Disposable plastic scoop	Barium	Total	240	mg/Kg	J
Disposable plastic scoop	Beryllium	Total	0.31	mg/Kg	J
Disposable plastic scoop	Cadmium	Total	0.06	mg/Kg	J
Disposable plastic scoop	Calcium	Total	13000	mg/Kg	J
Disposable plastic scoop	Chromium	Total	3.7	mg/Kg	J
Disposable plastic scoop	Cobalt	Total	2.6	mg/Kg	J
Disposable plastic scoop	Copper	Total	5.5	mg/Kg	J
Disposable plastic scoop	Iron	Total	6500	mg/Kg	J
Disposable plastic scoop	Lead	Total	5.3	mg/Kg	J
Disposable plastic scoop	Magnesium	Total	2700	mg/Kg	J
Disposable plastic scoop	Manganese	Total	210	mg/Kg	J
Disposable plastic scoop	Mercury	Total	0.0077	mg/Kg	J
Disposable plastic scoop	Molybdenum	Total	0.21	mg/Kg	J
Disposable plastic scoop	Nickel	Total	4.4	mg/Kg	J
Disposable plastic scoop	Organic carbon	Total	4400	mg/Kg	J
Disposable plastic scoop	Potassium	Total	1100	mg/Kg	J
Disposable plastic scoop	Selenium	Total	0.17	mg/Kg	J
Disposable plastic scoop	Silver	Total		mg/Kg	UJ
Disposable plastic scoop	Sodium	Total	210	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.081	mg/Kg	J
Disposable plastic scoop	Vanadium	Total	9	mg/Kg	J
Disposable plastic scoop	Zinc	Total	20	mg/Kg	J
Water Bottle	Alkalinity, total	Total	120	mg/L	
Water Bottle	Aluminum	Dissolved	600	ug/L	
Water Bottle	Aluminum	Dissolved	650	ug/L	
Water Bottle	Aluminum	Total	25000	ug/L	
Water Bottle	Antimony	Dissolved		ug/L	U
Water Bottle	Antimony	Total		ug/L	U
Water Bottle	Arsenic	Dissolved	1.1	ug/L	
Water Bottle	Arsenic	Total	6.4	ug/L	
Water Bottle	Barium	Dissolved	150	ug/L	
Water Bottle	Barium	Total	610	ug/L	
Water Bottle	Beryllium	Dissolved		ug/L	U
Water Bottle	Beryllium	Total	2.1	ug/L	
Water Bottle	Cadmium	Dissolved		ug/L	U
Water Bottle	Cadmium	Total	0.77	ug/L	
Water Bottle	Calcium	Dissolved	74000	ug/L	
Water Bottle	Calcium	Total	260000	ug/L	
Water Bottle	Chromium	Dissolved		ug/L	U

	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	7471A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	APHA	2320-B
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8

Hardness by Calculation	TestAmerica Savannah	9/9/2016
Total Suspended Solids in Water	TestAmerica Savannah	9/4/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/10/2016
ICP-MS	TestAmerica Savannah	9/10/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	9/6/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/10/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/16/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Alkalinity by Gran Titration	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016

3.3	3.3	3.3	mg/L
170	170	170	mg/L
1	0.3	1	ug/L
1	0.3	1	ug/L
20	2.8	20	ug/L
20	2.8	20	ug/L
9.8	1.5	9.8	mg/Kg
0.75	0.063	0.75	mg/Kg
0.25	0.088	0.25	mg/Kg
0.12	0.028	0.12	mg/Kg
0.12	0.012	0.12	mg/Kg
49	14	49	mg/Kg
0.25	0.095	0.25	mg/Kg
0.11	0.0073	0.11	mg/Kg
0.27	0.078	0.27	mg/Kg
15	3.7	15	mg/Kg
0.19	0.023	0.19	mg/Kg
20	3.6	20	mg/Kg
0.31	0.041	0.31	mg/Kg
0.024	0.0077	0.024	mg/Kg
0.25	0.022	0.25	mg/Kg
0.16	0.028	0.16	mg/Kg
4000	1700	4000	mg/Kg
290	40	290	mg/Kg
0.62	0.17	0.62	mg/Kg
0.12	0.025	0.12	mg/Kg
490	58	490	mg/Kg
0.12	0.0044	0.12	mg/Kg
0.62	0.048	0.62	mg/Kg
1.2	0.39	1.2	mg/Kg
5	5	5	mg/L
10	4.6	10	ug/L
200	24	200	ug/L
200	24	200	ug/L
1	0.4	1	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
1	0.37	1	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L

37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.25737015	-109.6185856
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293

SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_082516	Sample-Routine
SJCH	SJCH_SED_082516	Sample-Routine
SJCH	SJCH_SED_082516	Sample-Routine
SJCH	SJCH_SED_082516	Sample-Routine
SJCH	SJCH_SED_082516	Sample-Routine
SJCH	SJCH_SED_082516	Sample-Routine
SJCH	SJCH_SED_082516	Sample-Routine
SJCH	SJCH_SED_082516	Sample-Routine
SJCH	SJCH_SED_082516	Sample-Routine
SJCH	SJCH_SED_082516	Sample-Routine
SJCH	SJCH_SED_082516	Sample-Routine

Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Sediment		8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Sediment		8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Sediment		8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Sediment		8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Sediment		8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Sediment		8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Sediment		8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Sediment		8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Sediment		8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Sediment		8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM

Water Bottle	Chromium	Total	13	ug/L	
Water Bottle	Cobalt	Dissolved	0.5	ug/L	
Water Bottle	Cobalt	Total	12	ug/L	
Water Bottle	Copper	Dissolved	2.6	ug/L	J
Water Bottle	Copper	Total	19	ug/L	
Water Bottle	Iron	Dissolved	390	ug/L	
Water Bottle	Iron	Total	17000	ug/L	
Water Bottle	Lead	Dissolved	0.33	ug/L	
Water Bottle	Lead	Total	18	ug/L	
Water Bottle	Magnesium	Dissolved	15000	ug/L	
Water Bottle	Magnesium	Total	47000	ug/L	
Water Bottle	Manganese	Dissolved	19	ug/L	
Water Bottle	Manganese	Total	1400	ug/L	
Water Bottle	Mercury	Dissolved	0.01	ug/L	
Water Bottle	Mercury	Total	0.03	ug/L	
Water Bottle	Molybdenum	Dissolved	2	ug/L	
Water Bottle	Molybdenum	Total	1.1	ug/L	
Water Bottle	Nickel	Dissolved	4.2	ug/L	J
Water Bottle	Nickel	Total	29	ug/L	
Water Bottle	Organic carbon	Total	3.7	mg/L	
Water Bottle	Organic carbon	Total	3.9	mg/L	
Water Bottle	Potassium	Dissolved	4300	ug/L	
Water Bottle	Potassium	Total	11000	ug/L	
Water Bottle	Selenium	Dissolved		ug/L	U
Water Bottle	Selenium	Total		ug/L	U
Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total		ug/L	U
Water Bottle	Sodium	Dissolved	45000	ug/L	
Water Bottle	Sodium	Total	48000	ug/L	
Water Bottle	Thallium	Dissolved		ug/L	U
Water Bottle	Thallium	Total	0.22	ug/L	
Water Bottle	Total Hardness	Total	850	mg/L	
Water Bottle	Total Suspended Solids	Total	2200	mg/L	
Water Bottle	Vanadium	Dissolved	4.7	ug/L	
Water Bottle	Vanadium	Total	41	ug/L	
Water Bottle	Zinc	Dissolved		ug/L	U
Water Bottle	Zinc	Total	75	ug/L	
Disposable plastic scoop	Aluminum	Total	4800	mg/Kg	
Disposable plastic scoop	Arsenic	Total	1.1	mg/Kg	J-
Disposable plastic scoop	Barium	Total	120	mg/Kg	J-
Disposable plastic scoop	Beryllium	Total	0.29	mg/Kg	
Disposable plastic scoop	Cadmium	Total	0.069	mg/Kg	J
Disposable plastic scoop	Calcium	Total	34000	mg/Kg	
Disposable plastic scoop	Chromium	Total	5	mg/Kg	J
Disposable plastic scoop	Cobalt	Total	2.5	mg/Kg	
Disposable plastic scoop	Copper	Total	3.2	mg/Kg	J-
Disposable plastic scoop	Iron	Total	5900	mg/Kg	

	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C

Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/1/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	8/31/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Hardness by Calculation	TestAmerica Savannah	9/6/2016
Total Suspended Solids in Water	TestAmerica Savannah	8/29/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/1/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016

2	1	2	ug/L
0.4	0.12	0.4	ug/L
0.4	0.12	0.4	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L
2.5	1.2	2.5	ug/L
0.0005	0.0002	0.0005	ug/L
0.0025	0.001	0.0025	ug/L
1	0.45	1	ug/L
1	0.45	1	ug/L
5	0.4	5	ug/L
5	0.4	5	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
2	0.58	2	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
50	50	50	mg/L
1	0.3	1	ug/L
1	0.3	1	ug/L
20	2.8	20	ug/L
20	2.8	20	ug/L
12	1.9	12	mg/Kg
0.64	0.054	0.64	mg/Kg
0.21	0.075	0.21	mg/Kg
0.11	0.024	0.11	mg/Kg
0.11	0.01	0.11	mg/Kg
62	18	62	mg/Kg
0.21	0.081	0.21	mg/Kg
0.11	0.0071	0.11	mg/Kg
0.27	0.076	0.27	mg/Kg
19	4.7	19	mg/Kg

37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293

SJCH	SJCH_SED_082516	Sample-Routine
SJCH	SJCH_SED_082516	Sample-Routine
SJCH	SJCH_SED_082516	Sample-Routine
SJCH	SJCH_SED_082516	Sample-Routine
SJCH	SJCH_SED_082516	Sample-Routine
SJCH	SJCH_SED_082516	Sample-Routine
SJCH	SJCH_SED_082516	Sample-Routine
SJCH	SJCH_SED_082516	Sample-Routine
SJCH	SJCH_SED_082516	Sample-Routine
SJCH	SJCH_SED_082516	Sample-Routine
SJCH	SJCH_SED_082516	Sample-Routine
SJCH	SJCH_SED_082516	Sample-Routine
SJCH	SJCH_SED_082516	Sample-Routine
SJCH	SJCH_SED_082516	Sample-Routine
SJCH	SJCH_SED_082516	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine

Sediment		8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Sediment		8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Sediment		8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Sediment		8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Sediment		8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Sediment		8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Sediment		8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Sediment		8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Sediment		8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Sediment		8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Sediment		8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Sediment		8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Sediment		8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Sediment		8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM

Disposable plastic scoop	Lead	Total	4.2	mg/Kg	
Disposable plastic scoop	Magnesium	Total	7100	mg/Kg	
Disposable plastic scoop	Manganese	Total	230	mg/Kg	J
Disposable plastic scoop	Mercury	Total		mg/Kg	U
Disposable plastic scoop	Molybdenum	Total		mg/Kg	UB
Disposable plastic scoop	Nickel	Total	5.3	mg/Kg	
Disposable plastic scoop	Organic carbon	Total		mg/Kg	U
Disposable plastic scoop	Potassium	Total	1400	mg/Kg	
Disposable plastic scoop	Selenium	Total		mg/Kg	UJ
Disposable plastic scoop	Silver	Total		mg/Kg	UJ
Disposable plastic scoop	Sodium	Total	230	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.052	mg/Kg	J
Disposable plastic scoop	Vanadium	Total	7.8	mg/Kg	J+
Disposable plastic scoop	Zinc	Total	15	mg/Kg	J
Water Bottle	Alkalinity, total	Total	100	mg/L	
Water Bottle	Aluminum	Dissolved	58	ug/L	
Water Bottle	Aluminum	Dissolved	61	ug/L	J
Water Bottle	Aluminum	Total	9300	ug/L	
Water Bottle	Antimony	Dissolved		ug/L	UJ
Water Bottle	Arsenic	Dissolved	0.46	ug/L	J
Water Bottle	Arsenic	Total	2	ug/L	
Water Bottle	Barium	Dissolved	74	ug/L	
Water Bottle	Barium	Total	160	ug/L	
Water Bottle	Beryllium	Dissolved		ug/L	U
Water Bottle	Beryllium	Total	0.43	ug/L	
Water Bottle	Cadmium	Dissolved		ug/L	U
Water Bottle	Cadmium	Total	0.07	ug/L	J
Water Bottle	Calcium	Dissolved	55000	ug/L	
Water Bottle	Calcium	Total	63000	ug/L	
Water Bottle	Chromium	Dissolved		ug/L	U
Water Bottle	Chromium	Total	4.7	ug/L	
Water Bottle	Cobalt	Dissolved	0.37	ug/L	J
Water Bottle	Cobalt	Total	3.3	ug/L	
Water Bottle	Copper	Dissolved	1.7	ug/L	J
Water Bottle	Copper	Total	9.8	ug/L	
Water Bottle	Iron	Dissolved	43	ug/L	J
Water Bottle	Iron	Total	7400	ug/L	
Water Bottle	Lead	Dissolved	0.1	ug/L	J
Water Bottle	Lead	Total	7.6	ug/L	
Water Bottle	Magnesium	Dissolved	8300	ug/L	
Water Bottle	Magnesium	Total	11000	ug/L	
Water Bottle	Manganese	Dissolved	6.2	ug/L	
Water Bottle	Manganese	Total	170	ug/L	
Water Bottle	Mercury	Dissolved	0.00059	ug/L	
Water Bottle	Mercury	Total	0.011	ug/L	
Water Bottle	Molybdenum	Dissolved	1.3	ug/L	
Water Bottle	Molybdenum	Total	1	ug/L	J-

	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Dry	USEPA	7471A
Not Detected	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
Not Detected	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	APHA	2320-B
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8

ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	9/6/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
ICP-MS	TestAmerica Savannah	9/2/2016
Alkalinity by Gran Titration	TestAmerica Savannah	9/6/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/14/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/14/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016

0.16	0.019	0.16	mg/Kg
25	4.6	25	mg/Kg
0.27	0.035	0.27	mg/Kg
0.023	0.0075	0.023	mg/Kg
0.21	0.019	0.21	mg/Kg
0.16	0.027	0.16	mg/Kg
4000	1700	4000	mg/Kg
370	51	370	mg/Kg
0.53	0.14	0.53	mg/Kg
0.11	0.022	0.11	mg/Kg
620	73	620	mg/Kg
0.11	0.0037	0.11	mg/Kg
0.53	0.041	0.53	mg/Kg
1.1	0.34	1.1	mg/Kg
5	5	5	mg/L
10	4.6	10	ug/L
200	24	200	ug/L
200	24	200	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
1	0.37	1	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L
2	1	2	ug/L
0.4	0.12	0.4	ug/L
0.4	0.12	0.4	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L
2.5	1.2	2.5	ug/L
0.0005	0.0002	0.0005	ug/L
0.0025	0.001	0.0025	ug/L
1	0.45	1	ug/L
1	0.45	1	ug/L

37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
37.293336	-110.399293
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157

SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_083016	Sample-Routine
SJFP	SJFP_SED_083016	Sample-Routine
SJFP	SJFP_SED_083016	Sample-Routine
SJFP	SJFP_SED_083016	Sample-Routine
SJFP	SJFP_SED_083016	Sample-Routine
SJFP	SJFP_SED_083016	Sample-Routine
SJFP	SJFP_SED_083016	Sample-Routine
SJFP	SJFP_SED_083016	Sample-Routine
SJFP	SJFP_SED_083016	Sample-Routine
SJFP	SJFP_SED_083016	Sample-Routine
SJFP	SJFP_SED_083016	Sample-Routine
SJFP	SJFP_SED_083016	Sample-Routine
SJFP	SJFP_SED_083016	Sample-Routine
SJFP	SJFP_SED_083016	Sample-Routine
SJFP	SJFP_SED_083016	Sample-Routine
SJFP	SJFP_SED_083016	Sample-Routine
SJFP	SJFP_SED_083016	Sample-Routine
SJFP	SJFP_SED_083016	Sample-Routine
SJFP	SJFP_SED_083016	Sample-Routine
SJFP	SJFP_SED_083016	Sample-Routine
SJFP	SJFP_SED_083016	Sample-Routine
SJFP	SJFP_SED_083016	Sample-Routine
SJFP	SJFP_SED_083016	Sample-Routine
SJFP	SJFP_SED_083016	Sample-Routine
SJFP	SJFP_SED_083016	Sample-Routine
SJFP	SJFP_SED_083016	Sample-Routine
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate

Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Sediment		8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM

Water Bottle	Nickel	Dissolved	1.1	ug/L	J
Water Bottle	Nickel	Total	5.1	ug/L	
Water Bottle	Organic carbon	Total	2.6	mg/L	
Water Bottle	Organic carbon	Total	3	mg/L	
Water Bottle	Potassium	Dissolved	2600	ug/L	J-
Water Bottle	Potassium	Total	4500	ug/L	J+
Water Bottle	Selenium	Dissolved		ug/L	U
Water Bottle	Selenium	Total		ug/L	U
Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total		ug/L	U
Water Bottle	Sodium	Dissolved	27000	ug/L	
Water Bottle	Sodium	Total	29000	ug/L	
Water Bottle	Thallium	Dissolved		ug/L	U
Water Bottle	Thallium	Total		ug/L	U
Water Bottle	Total Hardness	Total	200	mg/L	
Water Bottle	Total Suspended Solids	Total	370	mg/L	
Water Bottle	Vanadium	Dissolved	1	ug/L	
Water Bottle	Vanadium	Total	14	ug/L	
Water Bottle	Zinc	Dissolved		ug/L	U
Water Bottle	Zinc	Total	29	ug/L	
Disposable plastic scoop	Aluminum	Total	7900	mg/Kg	J
Disposable plastic scoop	Antimony	Total	0.053	mg/Kg	J-
Disposable plastic scoop	Arsenic	Total	2.4	mg/Kg	J
Disposable plastic scoop	Barium	Total	190	mg/Kg	J
Disposable plastic scoop	Beryllium	Total	0.56	mg/Kg	J
Disposable plastic scoop	Cadmium	Total	0.08	mg/Kg	J
Disposable plastic scoop	Calcium	Total	5200	mg/Kg	J
Disposable plastic scoop	Chromium	Total	5.5	mg/Kg	J
Disposable plastic scoop	Cobalt	Total	4.6	mg/Kg	J
Disposable plastic scoop	Copper	Total	8.6	mg/Kg	J
Disposable plastic scoop	Iron	Total	10000	mg/Kg	J
Disposable plastic scoop	Lead	Total	7.5	mg/Kg	J
Disposable plastic scoop	Magnesium	Total	2000	mg/Kg	J
Disposable plastic scoop	Manganese	Total	280	mg/Kg	J
Disposable plastic scoop	Mercury	Total	0.021	mg/Kg	J
Disposable plastic scoop	Molybdenum	Total	0.34	mg/Kg	J
Disposable plastic scoop	Nickel	Total	5.9	mg/Kg	J
Disposable plastic scoop	Organic carbon	Total	4600	mg/Kg	J
Disposable plastic scoop	Potassium	Total	1300	mg/Kg	J
Disposable plastic scoop	Selenium	Total	0.19	mg/Kg	J
Disposable plastic scoop	Silver	Total	0.043	mg/Kg	J-
Disposable plastic scoop	Sodium	Total	330	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.12	mg/Kg	J
Disposable plastic scoop	Vanadium	Total	13	mg/Kg	J
Disposable plastic scoop	Zinc	Total	32	mg/Kg	J
Water Bottle	Alkalinity, total	Total	100	mg/L	
Water Bottle	Aluminum	Dissolved	8100	ug/L	

	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	7471A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	APHA	2320-B
	Preliminary	Actual	Wet	USEPA	200.8

Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/6/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/6/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Hardness by Calculation	TestAmerica Savannah	9/9/2016
Total Suspended Solids in Water	TestAmerica Savannah	9/4/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/10/2016
ICP-MS	TestAmerica Savannah	9/10/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	9/6/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/10/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/16/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Alkalinity by Gran Titration	TestAmerica Savannah	9/2/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016

5	0.4	5	ug/L
5	0.4	5	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
2	0.58	2	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
14	14	14	mg/L
1	0.3	1	ug/L
1	0.3	1	ug/L
20	2.8	20	ug/L
20	2.8	20	ug/L
13	2	13	mg/Kg
0.21	0.015	0.21	mg/Kg
0.64	0.054	0.64	mg/Kg
0.21	0.076	0.21	mg/Kg
0.11	0.024	0.11	mg/Kg
0.11	0.01	0.11	mg/Kg
64	18	64	mg/Kg
0.21	0.082	0.21	mg/Kg
0.11	0.0071	0.11	mg/Kg
0.27	0.077	0.27	mg/Kg
19	4.8	19	mg/Kg
0.16	0.02	0.16	mg/Kg
25	4.7	25	mg/Kg
0.27	0.035	0.27	mg/Kg
0.024	0.0078	0.024	mg/Kg
0.21	0.019	0.21	mg/Kg
0.16	0.027	0.16	mg/Kg
4000	1700	4000	mg/Kg
380	52	380	mg/Kg
0.54	0.14	0.54	mg/Kg
0.11	0.022	0.11	mg/Kg
640	75	640	mg/Kg
0.11	0.0038	0.11	mg/Kg
0.54	0.041	0.54	mg/Kg
1.1	0.34	1.1	mg/Kg
5	5	5	mg/L
10	4.6	10	ug/L

36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.74815602	-108.4120157
36.73588701	-108.2539868
36.73588701	-108.2539868

SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate

Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM

Water Bottle	Aluminum	Dissolved	9300	ug/L	
Water Bottle	Aluminum	Total	19000	ug/L	
Water Bottle	Antimony	Dissolved		ug/L	UJ
Water Bottle	Arsenic	Dissolved	1.7	ug/L	
Water Bottle	Arsenic	Total	2.6	ug/L	
Water Bottle	Barium	Dissolved	170	ug/L	
Water Bottle	Barium	Total	250	ug/L	
Water Bottle	Beryllium	Dissolved	0.6	ug/L	
Water Bottle	Beryllium	Total	1.2	ug/L	
Water Bottle	Cadmium	Dissolved	0.049	ug/L	J
Water Bottle	Cadmium	Total	0.12	ug/L	J
Water Bottle	Calcium	Dissolved	58000	ug/L	
Water Bottle	Calcium	Total	69000	ug/L	
Water Bottle	Chromium	Dissolved	3.8	ug/L	
Water Bottle	Chromium	Total	7.3	ug/L	
Water Bottle	Cobalt	Dissolved	3.8	ug/L	
Water Bottle	Cobalt	Total	7.6	ug/L	
Water Bottle	Copper	Dissolved	11	ug/L	
Water Bottle	Copper	Total	21	ug/L	
Water Bottle	Iron	Dissolved	6600	ug/L	J
Water Bottle	Iron	Total	14000	ug/L	
Water Bottle	Lead	Dissolved	8.5	ug/L	
Water Bottle	Lead	Total	17	ug/L	
Water Bottle	Magnesium	Dissolved	8900	ug/L	
Water Bottle	Magnesium	Total	11000	ug/L	
Water Bottle	Manganese	Dissolved	190	ug/L	
Water Bottle	Manganese	Total	400	ug/L	
Water Bottle	Mercury	Dissolved	0.00022	ug/L	J
Water Bottle	Mercury	Total	0.017	ug/L	
Water Bottle	Molybdenum	Dissolved	0.76	ug/L	J
Water Bottle	Molybdenum	Total	0.61	ug/L	J-
Water Bottle	Nickel	Dissolved	4.5	ug/L	J
Water Bottle	Nickel	Total	8.3	ug/L	
Water Bottle	Organic carbon	Total	2.8	mg/L	
Water Bottle	Organic carbon	Total	3.1	mg/L	
Water Bottle	Potassium	Dissolved	4000	ug/L	J-
Water Bottle	Potassium	Total	5500	ug/L	J+
Water Bottle	Selenium	Dissolved		ug/L	U
Water Bottle	Selenium	Total		ug/L	U
Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total		ug/L	U
Water Bottle	Sodium	Dissolved	32000	ug/L	
Water Bottle	Sodium	Total	34000	ug/L	
Water Bottle	Thallium	Dissolved		ug/L	U
Water Bottle	Thallium	Total		ug/L	U
Water Bottle	Total Hardness	Total	220	mg/L	
Water Bottle	Total Suspended Solids	Total	1300	mg/L	

	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D

Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/14/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/14/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/6/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/6/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Hardness by Calculation	TestAmerica Savannah	9/9/2016
Total Suspended Solids in Water	TestAmerica Savannah	9/4/2016

200	24	200	ug/L
200	24	200	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
1	0.37	1	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L
2	1	2	ug/L
0.4	0.12	0.4	ug/L
0.4	0.12	0.4	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L
2.5	1.2	2.5	ug/L
0.0005	0.0002	0.0005	ug/L
0.0025	0.001	0.0025	ug/L
1	0.45	1	ug/L
1	0.45	1	ug/L
5	0.4	5	ug/L
5	0.4	5	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
2	0.58	2	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
45	45	45	mg/L

36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868

SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_082916	Quality Control Sample-Lab Matrix Spike Duplicate
SJLP	SJLP_SED_082916	Sample-Routine
SJLP	SJLP_SED_082916	Sample-Routine
SJLP	SJLP_SED_082916	Sample-Routine
SJLP	SJLP_SED_082916	Sample-Routine
SJLP	SJLP_SED_082916	Sample-Routine
SJLP	SJLP_SED_082916	Sample-Routine
SJLP	SJLP_SED_082916	Sample-Routine
SJLP	SJLP_SED_082916	Sample-Routine
SJLP	SJLP_SED_082916	Sample-Routine
SJLP	SJLP_SED_082916	Sample-Routine
SJLP	SJLP_SED_082916	Sample-Routine
SJLP	SJLP_SED_082916	Sample-Routine
SJLP	SJLP_SED_082916	Sample-Routine
SJLP	SJLP_SED_082916	Sample-Routine
SJLP	SJLP_SED_082916	Sample-Routine
SJLP	SJLP_SED_082916	Sample-Routine
SJLP	SJLP_SED_082916	Sample-Routine
SJLP	SJLP_SED_082916	Sample-Routine
SJLP	SJLP_SED_082916	Sample-Routine
SJLP	SJLP_SED_082916	Sample-Routine
SJLP	SJLP_SED_082916	Sample-Routine
SJLP	SJLP_SED_082916	Sample-Routine
SJLP	SJLP_SED_082916	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine

Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Sediment		8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM

Water Bottle	Vanadium	Dissolved	13	ug/L	
Water Bottle	Vanadium	Total	22	ug/L	
Water Bottle	Zinc	Dissolved	24	ug/L	
Water Bottle	Zinc	Total	43	ug/L	
Disposable plastic scoop	Aluminum	Total	4600	mg/Kg	J
Disposable plastic scoop	Arsenic	Total	2.4	mg/Kg	J
Disposable plastic scoop	Barium	Total	400	mg/Kg	J
Disposable plastic scoop	Beryllium	Total	0.35	mg/Kg	J
Disposable plastic scoop	Cadmium	Total	0.075	mg/Kg	J
Disposable plastic scoop	Calcium	Total	3400	mg/Kg	J
Disposable plastic scoop	Chromium	Total	3.7	mg/Kg	J
Disposable plastic scoop	Cobalt	Total	3.3	mg/Kg	J
Disposable plastic scoop	Copper	Total	6.6	mg/Kg	J
Disposable plastic scoop	Iron	Total	8400	mg/Kg	J
Disposable plastic scoop	Lead	Total	11	mg/Kg	J
Disposable plastic scoop	Magnesium	Total	1200	mg/Kg	J
Disposable plastic scoop	Manganese	Total	210	mg/Kg	J
Disposable plastic scoop	Mercury	Total	0.0098	mg/Kg	J
Disposable plastic scoop	Molybdenum	Total	0.31	mg/Kg	J
Disposable plastic scoop	Nickel	Total	3.9	mg/Kg	J
Disposable plastic scoop	Organic carbon	Total		mg/Kg	UJ
Disposable plastic scoop	Potassium	Total	780	mg/Kg	J
Disposable plastic scoop	Selenium	Total	0.17	mg/Kg	J
Disposable plastic scoop	Silver	Total	0.031	mg/Kg	J-
Disposable plastic scoop	Sodium	Total	140	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.078	mg/Kg	J
Disposable plastic scoop	Vanadium	Total	11	mg/Kg	J
Disposable plastic scoop	Zinc	Total	36	mg/Kg	J
Water Bottle	Alkalinity, total	Total	120	mg/L	
Water Bottle	Aluminum	Dissolved	26000	ug/L	
Water Bottle	Aluminum	Dissolved	34000	ug/L	
Water Bottle	Aluminum	Total	40000	ug/L	
Water Bottle	Antimony	Dissolved		ug/L	UJ
Water Bottle	Arsenic	Dissolved	5.6	ug/L	
Water Bottle	Arsenic	Total	9.9	ug/L	
Water Bottle	Barium	Dissolved	310	ug/L	
Water Bottle	Barium	Total	500	ug/L	
Water Bottle	Beryllium	Dissolved	1.3	ug/L	
Water Bottle	Beryllium	Total	7.6	ug/L	
Water Bottle	Cadmium	Dissolved	0.26	ug/L	J
Water Bottle	Cadmium	Total	1.6	ug/L	
Water Bottle	Calcium	Dissolved	85000	ug/L	
Water Bottle	Calcium	Total	210000	ug/L	
Water Bottle	Chromium	Dissolved	14	ug/L	
Water Bottle	Chromium	Total	19	ug/L	
Water Bottle	Cobalt	Dissolved	10	ug/L	
Water Bottle	Cobalt	Total	51	ug/L	

	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	7471A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	APHA	2320-B
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8

Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/10/2016
ICP-MS	TestAmerica Savannah	9/10/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	9/6/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/10/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/16/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Alkalinity by Gran Titration	TestAmerica Savannah	9/6/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016

1	0.3	1	ug/L
1	0.3	1	ug/L
20	2.8	20	ug/L
20	2.8	20	ug/L
13	1.9	13	mg/Kg
0.63	0.053	0.63	mg/Kg
1	0.37	1	mg/Kg
0.1	0.024	0.1	mg/Kg
0.1	0.0098	0.1	mg/Kg
63	18	63	mg/Kg
0.21	0.08	0.21	mg/Kg
0.087	0.0058	0.087	mg/Kg
0.22	0.062	0.22	mg/Kg
19	4.8	19	mg/Kg
0.16	0.019	0.16	mg/Kg
25	4.6	25	mg/Kg
0.26	0.035	0.26	mg/Kg
0.022	0.0072	0.022	mg/Kg
0.21	0.018	0.21	mg/Kg
0.13	0.022	0.13	mg/Kg
4000	1700	4000	mg/Kg
380	51	380	mg/Kg
0.52	0.14	0.52	mg/Kg
0.1	0.021	0.1	mg/Kg
630	74	630	mg/Kg
0.1	0.0037	0.1	mg/Kg
0.52	0.04	0.52	mg/Kg
1	0.33	1	mg/Kg
5	5	5	mg/L
10	4.6	10	ug/L
200	24	200	ug/L
200	24	200	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
5	1.9	5	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L
10	5	10	ug/L
0.4	0.12	0.4	ug/L
2	0.6	2	ug/L

36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
36.73588701	-108.2539868
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036

SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_083116	Sample-Routine
SJMC	SJMC_SED_083116	Sample-Routine
SJMC	SJMC_SED_083116	Sample-Routine
SJMC	SJMC_SED_083116	Sample-Routine
SJMC	SJMC_SED_083116	Sample-Routine
SJMC	SJMC_SED_083116	Sample-Routine
SJMC	SJMC_SED_083116	Sample-Routine
SJMC	SJMC_SED_083116	Sample-Routine
SJMC	SJMC_SED_083116	Sample-Routine
SJMC	SJMC_SED_083116	Sample-Routine
SJMC	SJMC_SED_083116	Sample-Routine
SJMC	SJMC_SED_083116	Sample-Routine
SJMC	SJMC_SED_083116	Sample-Routine
SJMC	SJMC_SED_083116	Sample-Routine

Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM

Water Bottle	Copper	Dissolved	31	ug/L	
Water Bottle	Copper	Total	66	ug/L	
Water Bottle	Iron	Dissolved	25000	ug/L	J
Water Bottle	Iron	Total	28000	ug/L	
Water Bottle	Lead	Dissolved	23	ug/L	
Water Bottle	Lead	Total	41	ug/L	
Water Bottle	Magnesium	Dissolved	18000	ug/L	
Water Bottle	Magnesium	Total	36000	ug/L	
Water Bottle	Manganese	Dissolved	370	ug/L	
Water Bottle	Manganese	Total	3200	ug/L	
Water Bottle	Mercury	Dissolved	0.0018	ug/L	
Water Bottle	Mercury	Total	0.042	ug/L	
Water Bottle	Molybdenum	Dissolved	1.6	ug/L	
Water Bottle	Molybdenum	Total		ug/L	UJ
Water Bottle	Nickel	Dissolved	13	ug/L	
Water Bottle	Nickel	Total	45	ug/L	
Water Bottle	Organic carbon	Total	5.1	mg/L	
Water Bottle	Organic carbon	Total	5.7	mg/L	
Water Bottle	Potassium	Dissolved	11000	ug/L	J-
Water Bottle	Potassium	Total	15000	ug/L	J+
Water Bottle	Selenium	Dissolved	1.1	ug/L	J
Water Bottle	Selenium	Total		ug/L	U
Water Bottle	Silver	Dissolved	0.11	ug/L	J
Water Bottle	Silver	Total	0.12	ug/L	J
Water Bottle	Sodium	Dissolved	89000	ug/L	
Water Bottle	Sodium	Total	82000	ug/L	
Water Bottle	Thallium	Dissolved	0.25	ug/L	
Water Bottle	Thallium	Total	0.26	ug/L	
Water Bottle	Total Hardness	Total	680	mg/L	
Water Bottle	Total Suspended Solids	Total	12000	mg/L	
Water Bottle	Vanadium	Dissolved	39	ug/L	
Water Bottle	Vanadium	Total	92	ug/L	
Water Bottle	Zinc	Dissolved	70	ug/L	
Water Bottle	Zinc	Total	200	ug/L	
Disposable plastic scoop	Aluminum	Total	9300	mg/Kg	J
Disposable plastic scoop	Antimony	Total	0.03	mg/Kg	J-
Disposable plastic scoop	Arsenic	Total	3.1	mg/Kg	J
Disposable plastic scoop	Barium	Total	220	mg/Kg	J
Disposable plastic scoop	Beryllium	Total	0.56	mg/Kg	J
Disposable plastic scoop	Cadmium	Total	0.13	mg/Kg	J
Disposable plastic scoop	Calcium	Total	22000	mg/Kg	J
Disposable plastic scoop	Chromium	Total	7.1	mg/Kg	J
Disposable plastic scoop	Cobalt	Total	4.5	mg/Kg	J
Disposable plastic scoop	Copper	Total	12	mg/Kg	J
Disposable plastic scoop	Iron	Total	11000	mg/Kg	J
Disposable plastic scoop	Lead	Total	8.3	mg/Kg	J
Disposable plastic scoop	Magnesium	Total	5500	mg/Kg	J

	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C

Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/14/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/14/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/6/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/6/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Hardness by Calculation	TestAmerica Savannah	9/9/2016
Total Suspended Solids in Water	TestAmerica Savannah	9/4/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/10/2016
ICP-MS	TestAmerica Savannah	9/10/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016

5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L
13	6	13	ug/L
0.0005	0.0002	0.0005	ug/L
0.0025	0.001	0.0025	ug/L
1	0.45	1	ug/L
5	2.3	5	ug/L
5	0.4	5	ug/L
25	2	25	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
10	2.9	10	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
10000	4800	10000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
200	200	200	mg/L
1	0.3	1	ug/L
5	1.5	5	ug/L
20	2.8	20	ug/L
100	14	100	ug/L
12	1.9	12	mg/Kg
0.24	0.017	0.24	mg/Kg
0.73	0.062	0.73	mg/Kg
0.24	0.086	0.24	mg/Kg
0.12	0.027	0.12	mg/Kg
0.12	0.011	0.12	mg/Kg
60	17	60	mg/Kg
0.24	0.093	0.24	mg/Kg
0.12	0.0077	0.12	mg/Kg
0.29	0.082	0.29	mg/Kg
18	4.6	18	mg/Kg
0.18	0.022	0.18	mg/Kg
24	4.5	24	mg/Kg

37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036

SJMC	SJMC_SED_083116	Sample-Routine
SJMC	SJMC_SED_083116	Sample-Routine
SJMC	SJMC_SED_083116	Sample-Routine
SJMC	SJMC_SED_083116	Sample-Routine
SJMC	SJMC_SED_083116	Sample-Routine
SJMC	SJMC_SED_083116	Sample-Routine
SJMC	SJMC_SED_083116	Sample-Routine
SJMC	SJMC_SED_083116	Sample-Routine
SJMC	SJMC_SED_083116	Sample-Routine
SJMC	SJMC_SED_083116	Sample-Routine
SJMC	SJMC_SED_083116	Sample-Routine
SJMC	SJMC_SED_083116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine

Sediment		8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Sediment		8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM

Disposable plastic scoop	Manganese	Total	300	mg/Kg	J
Disposable plastic scoop	Mercury	Total	0.018	mg/Kg	J
Disposable plastic scoop	Molybdenum	Total	0.39	mg/Kg	J
Disposable plastic scoop	Nickel	Total	8.5	mg/Kg	J
Disposable plastic scoop	Organic carbon	Total	1700	mg/Kg	J
Disposable plastic scoop	Potassium	Total	2000	mg/Kg	J
Disposable plastic scoop	Selenium	Total	0.32	mg/Kg	J
Disposable plastic scoop	Silver	Total	0.047	mg/Kg	J-
Disposable plastic scoop	Sodium	Total	320	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.15	mg/Kg	J
Disposable plastic scoop	Vanadium	Total	16	mg/Kg	J
Disposable plastic scoop	Zinc	Total	35	mg/Kg	J
Water Bottle	Alkalinity, total	Total	120	mg/L	
Water Bottle	Aluminum	Dissolved	83000	ug/L	J
Water Bottle	Aluminum	Dissolved	88000	ug/L	J
Water Bottle	Aluminum	Total	38000	ug/L	J
Water Bottle	Antimony	Dissolved		ug/L	UJ
Water Bottle	Arsenic	Dissolved	20	ug/L	J
Water Bottle	Arsenic	Total	11	ug/L	J
Water Bottle	Barium	Dissolved	1100	ug/L	J
Water Bottle	Barium	Total	720	ug/L	J
Water Bottle	Beryllium	Dissolved	12	ug/L	J
Water Bottle	Beryllium	Total	7.4	ug/L	J
Water Bottle	Cadmium	Dissolved	2	ug/L	J
Water Bottle	Cadmium	Total	1.6	ug/L	J
Water Bottle	Calcium	Dissolved	230000	ug/L	J
Water Bottle	Calcium	Total	230000	ug/L	J
Water Bottle	Chromium	Dissolved	48	ug/L	J
Water Bottle	Chromium	Total	19	ug/L	J
Water Bottle	Cobalt	Dissolved	65	ug/L	J
Water Bottle	Cobalt	Total	51	ug/L	J
Water Bottle	Copper	Dissolved	100	ug/L	J
Water Bottle	Copper	Total	61	ug/L	J
Water Bottle	Iron	Dissolved	67000	ug/L	J
Water Bottle	Iron	Total	26000	ug/L	J
Water Bottle	Lead	Dissolved	78	ug/L	J
Water Bottle	Lead	Total	43	ug/L	J
Water Bottle	Magnesium	Dissolved	48000	ug/L	J
Water Bottle	Magnesium	Total	40000	ug/L	J
Water Bottle	Manganese	Dissolved	3700	ug/L	J
Water Bottle	Manganese	Total	3400	ug/L	J
Water Bottle	Mercury	Dissolved	0.0026	ug/L	J
Water Bottle	Mercury	Total	0.051	ug/L	
Water Bottle	Molybdenum	Dissolved		ug/L	UJ
Water Bottle	Molybdenum	Total		ug/L	UJ
Water Bottle	Nickel	Dissolved	68	ug/L	J
Water Bottle	Nickel	Total	44	ug/L	J

	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	7471A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	APHA	2320-B
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8

ICP-MS	TestAmerica Savannah	9/9/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	9/6/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/10/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/16/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Alkalinity by Gran Titration	TestAmerica Savannah	9/6/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/14/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/14/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016

0.31	0.04	0.31	mg/Kg
0.024	0.0078	0.024	mg/Kg
0.24	0.022	0.24	mg/Kg
0.17	0.029	0.17	mg/Kg
4000	1700	4000	mg/Kg
360	50	360	mg/Kg
0.61	0.16	0.61	mg/Kg
0.12	0.025	0.12	mg/Kg
600	71	600	mg/Kg
0.12	0.0043	0.12	mg/Kg
0.61	0.047	0.61	mg/Kg
1.2	0.39	1.2	mg/Kg
5	5	5	mg/L
50	23	50	ug/L
200	24	200	ug/L
200	24	200	ug/L
1	0.4	1	ug/L
5	1.9	5	ug/L
5	1.9	5	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
2	0.75	2	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
10	5	10	ug/L
10	5	10	ug/L
2	0.6	2	ug/L
2	0.6	2	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
13	6	13	ug/L
13	6	13	ug/L
0.0005	0.0002	0.0005	ug/L
0.0025	0.001	0.0025	ug/L
5	2.3	5	ug/L
5	2.3	5	ug/L
25	2	25	ug/L
25	2	25	ug/L

37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.25822644	-109.3106036
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835

SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116	Sample-Routine
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs

Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM

Water Bottle	Organic carbon	Total	5.4	mg/L	
Water Bottle	Organic carbon	Total	8	mg/L	J
Water Bottle	Potassium	Dissolved	20000	ug/L	J-
Water Bottle	Potassium	Total	14000	ug/L	J+
Water Bottle	Selenium	Dissolved		ug/L	UJ
Water Bottle	Selenium	Total		ug/L	UJ
Water Bottle	Silver	Dissolved	0.34	ug/L	J
Water Bottle	Silver	Total	0.12	ug/L	J
Water Bottle	Sodium	Dissolved	88000	ug/L	J
Water Bottle	Sodium	Total	87000	ug/L	J
Water Bottle	Thallium	Dissolved	0.8	ug/L	J
Water Bottle	Thallium	Total	0.24	ug/L	J
Water Bottle	Total Hardness	Total	750	mg/L	
Water Bottle	Total Suspended Solids	Total	10000	mg/L	
Water Bottle	Vanadium	Dissolved	140	ug/L	J
Water Bottle	Vanadium	Total	87	ug/L	J
Water Bottle	Zinc	Dissolved	330	ug/L	J
Water Bottle	Zinc	Total	200	ug/L	J
Water Bottle	Alkalinity, total	Total	120	mg/L	
Water Bottle	Aluminum	Dissolved	3700	ug/L	
Water Bottle	Aluminum	Dissolved	4300	ug/L	
Water Bottle	Aluminum	Total	46000	ug/L	
Water Bottle	Antimony	Dissolved		ug/L	UJ
Water Bottle	Arsenic	Dissolved	1.4	ug/L	
Water Bottle	Arsenic	Total	11	ug/L	
Water Bottle	Barium	Dissolved	140	ug/L	
Water Bottle	Barium	Total	720	ug/L	
Water Bottle	Beryllium	Dissolved	0.17	ug/L	J
Water Bottle	Beryllium	Total	6.8	ug/L	
Water Bottle	Cadmium	Dissolved		ug/L	U
Water Bottle	Cadmium	Total	1.5	ug/L	
Water Bottle	Calcium	Dissolved	77000	ug/L	
Water Bottle	Calcium	Total	210000	ug/L	
Water Bottle	Chromium	Dissolved	1.9	ug/L	J
Water Bottle	Chromium	Total	22	ug/L	
Water Bottle	Cobalt	Dissolved	1.3	ug/L	
Water Bottle	Cobalt	Total	47	ug/L	
Water Bottle	Copper	Dissolved	7.3	ug/L	
Water Bottle	Copper	Total	64	ug/L	
Water Bottle	Iron	Dissolved	2900	ug/L	J
Water Bottle	Iron	Total	33000	ug/L	
Water Bottle	Lead	Dissolved	2.4	ug/L	
Water Bottle	Lead	Total	46	ug/L	
Water Bottle	Magnesium	Dissolved	14000	ug/L	
Water Bottle	Magnesium	Total	39000	ug/L	
Water Bottle	Manganese	Dissolved	43	ug/L	
Water Bottle	Manganese	Total	3000	ug/L	

	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2320-B
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8

Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/6/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/6/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Hardness by Calculation	TestAmerica Savannah	9/9/2016
Total Suspended Solids in Water	TestAmerica Savannah	9/4/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Alkalinity by Gran Titration	TestAmerica Savannah	9/6/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016

1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
10	2.9	10	ug/L
10	2.9	10	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
250	250	250	mg/L
5	1.5	5	ug/L
5	1.5	5	ug/L
100	14	100	ug/L
100	14	100	ug/L
5	5	5	mg/L
10	4.6	10	ug/L
200	24	200	ug/L
200	24	200	ug/L
1	0.4	1	ug/L
1	0.37	1	ug/L
5	1.9	5	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
0.4	0.15	0.4	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
2	1	2	ug/L
10	5	10	ug/L
0.4	0.12	0.4	ug/L
2	0.6	2	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L
50	17	50	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
2.5	1.2	2.5	ug/L
13	6	13	ug/L

37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835

SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_090116D	Quality Control Field Replicate Msr/Obs
SJMH	SJMH_SED_090116	Sample-Routine
SJMH	SJMH_SED_090116	Sample-Routine
SJMH	SJMH_SED_090116	Sample-Routine
SJMH	SJMH_SED_090116	Sample-Routine
SJMH	SJMH_SED_090116	Sample-Routine
SJMH	SJMH_SED_090116	Sample-Routine
SJMH	SJMH_SED_090116	Sample-Routine
SJMH	SJMH_SED_090116	Sample-Routine
SJMH	SJMH_SED_090116	Sample-Routine
SJMH	SJMH_SED_090116	Sample-Routine
SJMH	SJMH_SED_090116	Sample-Routine
SJMH	SJMH_SED_090116	Sample-Routine
SJMH	SJMH_SED_090116	Sample-Routine
SJMH	SJMH_SED_090116	Sample-Routine
SJMH	SJMH_SED_090116	Sample-Routine
SJMH	SJMH_SED_090116	Sample-Routine
SJMH	SJMH_SED_090116	Sample-Routine
SJMH	SJMH_SED_090116	Sample-Routine
SJMH	SJMH_SED_090116	Sample-Routine
SJMH	SJMH_SED_090116	Sample-Routine
SJMH	SJMH_SED_090116	Sample-Routine
SJMH	SJMH_SED_090116	Sample-Routine
SJMH	SJMH_SED_090116	Sample-Routine
SJMH	SJMH_SED_090116	Sample-Routine
SJMH	SJMH_SED_090116	Sample-Routine

Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM

Water Bottle	Mercury	Dissolved	0.0017	ug/L	J
Water Bottle	Mercury	Total	0.052	ug/L	
Water Bottle	Molybdenum	Dissolved	2.6	ug/L	
Water Bottle	Molybdenum	Total		ug/L	UJ
Water Bottle	Nickel	Dissolved	2.8	ug/L	J
Water Bottle	Nickel	Total	47	ug/L	
Water Bottle	Organic carbon	Total	5.6	mg/L	J
Water Bottle	Organic carbon	Total	5.9	mg/L	
Water Bottle	Potassium	Dissolved	6200	ug/L	J-
Water Bottle	Potassium	Total	14000	ug/L	J+
Water Bottle	Selenium	Dissolved	0.8	ug/L	J
Water Bottle	Selenium	Total		ug/L	U
Water Bottle	Silver	Dissolved		ug/L	U
Water Bottle	Silver	Total	0.14	ug/L	J
Water Bottle	Sodium	Dissolved	82000	ug/L	
Water Bottle	Sodium	Total	84000	ug/L	
Water Bottle	Thallium	Dissolved		ug/L	U
Water Bottle	Thallium	Total	0.32	ug/L	
Water Bottle	Total Hardness	Total	690	mg/L	
Water Bottle	Total Suspended Solids	Total	9000	mg/L	
Water Bottle	Vanadium	Dissolved	7.9	ug/L	
Water Bottle	Vanadium	Total	92	ug/L	
Water Bottle	Zinc	Dissolved	10	ug/L	J
Water Bottle	Zinc	Total	200	ug/L	
Disposable plastic scoop	Aluminum	Total	5200	mg/Kg	J
Disposable plastic scoop	Arsenic	Total	1.8	mg/Kg	J
Disposable plastic scoop	Barium	Total	440	mg/Kg	J
Disposable plastic scoop	Beryllium	Total	0.27	mg/Kg	J
Disposable plastic scoop	Cadmium	Total	0.08	mg/Kg	J
Disposable plastic scoop	Calcium	Total	21000	mg/Kg	J
Disposable plastic scoop	Chromium	Total	4.6	mg/Kg	J
Disposable plastic scoop	Cobalt	Total	2.8	mg/Kg	J
Disposable plastic scoop	Copper	Total	4.8	mg/Kg	J
Disposable plastic scoop	Iron	Total	7400	mg/Kg	J
Disposable plastic scoop	Lead	Total	5.8	mg/Kg	J
Disposable plastic scoop	Magnesium	Total	3500	mg/Kg	J
Disposable plastic scoop	Manganese	Total	200	mg/Kg	J
Disposable plastic scoop	Mercury	Total	0.011	mg/Kg	J
Disposable plastic scoop	Molybdenum	Total	0.21	mg/Kg	J
Disposable plastic scoop	Nickel	Total	5.3	mg/Kg	J
Disposable plastic scoop	Organic carbon	Total		mg/Kg	UJ
Disposable plastic scoop	Potassium	Total	1200	mg/Kg	J
Disposable plastic scoop	Selenium	Total		mg/Kg	UJ
Disposable plastic scoop	Silver	Total	0.03	mg/Kg	J-
Disposable plastic scoop	Sodium	Total	200	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.071	mg/Kg	J
Disposable plastic scoop	Vanadium	Total	10	mg/Kg	J

	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	7471A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
Not Detected	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A

Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/14/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/14/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/6/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/6/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Hardness by Calculation	TestAmerica Savannah	9/9/2016
Total Suspended Solids in Water	TestAmerica Savannah	9/4/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/10/2016
ICP-MS	TestAmerica Savannah	9/10/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	9/6/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/10/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/16/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016

0.0005	0.0002	0.0005	ug/L
0.0025	0.001	0.0025	ug/L
1	0.45	1	ug/L
5	2.3	5	ug/L
5	0.4	5	ug/L
25	2	25	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
2	0.58	2	ug/L
10	2.9	10	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
250	250	250	mg/L
1	0.3	1	ug/L
5	1.5	5	ug/L
20	2.8	20	ug/L
100	14	100	ug/L
9	1.4	9	mg/Kg
0.73	0.062	0.73	mg/Kg
0.24	0.086	0.24	mg/Kg
0.12	0.027	0.12	mg/Kg
0.12	0.011	0.12	mg/Kg
45	13	45	mg/Kg
0.24	0.093	0.24	mg/Kg
0.11	0.007	0.11	mg/Kg
0.27	0.076	0.27	mg/Kg
14	3.4	14	mg/Kg
0.18	0.022	0.18	mg/Kg
18	3.3	18	mg/Kg
0.3	0.04	0.3	mg/Kg
0.024	0.0078	0.024	mg/Kg
0.24	0.021	0.24	mg/Kg
0.16	0.027	0.16	mg/Kg
4000	1700	4000	mg/Kg
270	37	270	mg/Kg
0.61	0.16	0.61	mg/Kg
0.12	0.025	0.12	mg/Kg
450	53	450	mg/Kg
0.12	0.0043	0.12	mg/Kg
0.61	0.047	0.61	mg/Kg

37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835

SJMH	SJMH_SED_090116	Sample-Routine
SJMH	SJMH_SED_090116D	Sample-Routine
SJMH	SJMH_SED_090116D	Sample-Routine
SJMH	SJMH_SED_090116D	Sample-Routine
SJMH	SJMH_SED_090116D	Sample-Routine
SJMH	SJMH_SED_090116D	Sample-Routine
SJMH	SJMH_SED_090116D	Sample-Routine
SJMH	SJMH_SED_090116D	Sample-Routine
SJMH	SJMH_SED_090116D	Sample-Routine
SJMH	SJMH_SED_090116D	Sample-Routine
SJMH	SJMH_SED_090116D	Sample-Routine
SJMH	SJMH_SED_090116D	Sample-Routine
SJMH	SJMH_SED_090116D	Sample-Routine
SJMH	SJMH_SED_090116D	Sample-Routine
SJMH	SJMH_SED_090116D	Sample-Routine
SJMH	SJMH_SED_090116D	Sample-Routine
SJMH	SJMH_SED_090116D	Sample-Routine
SJMH	SJMH_SED_090116D	Sample-Routine
SJMH	SJMH_SED_090116D	Sample-Routine
SJMH	SJMH_SED_090116D	Sample-Routine
SJMH	SJMH_SED_090116D	Sample-Routine
SJMH	SJMH_SED_090116D	Sample-Routine
SJMH	SJMH_SED_090116D	Sample-Routine
SJMH	SJMH_SED_090116D	Sample-Routine
SJMH	SJMH_SED_090116D	Sample-Routine
SJMH	SJMH_SED_090116D	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine

Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Sediment		9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM

Disposable plastic scoop	Zinc	Total	26	mg/Kg	J
Disposable plastic scoop	Aluminum	Total	5500	mg/Kg	J
Disposable plastic scoop	Antimony	Total	0.034	mg/Kg	J-
Disposable plastic scoop	Arsenic	Total	1.9	mg/Kg	J
Disposable plastic scoop	Barium	Total	390	mg/Kg	J
Disposable plastic scoop	Beryllium	Total	0.35	mg/Kg	J
Disposable plastic scoop	Cadmium	Total	0.1	mg/Kg	J
Disposable plastic scoop	Calcium	Total	22000	mg/Kg	J
Disposable plastic scoop	Chromium	Total	5.2	mg/Kg	J
Disposable plastic scoop	Cobalt	Total	2.7	mg/Kg	J
Disposable plastic scoop	Copper	Total	4.8	mg/Kg	J
Disposable plastic scoop	Iron	Total	7800	mg/Kg	J
Disposable plastic scoop	Lead	Total	6.1	mg/Kg	J
Disposable plastic scoop	Magnesium	Total	3700	mg/Kg	J
Disposable plastic scoop	Manganese	Total	230	mg/Kg	J
Disposable plastic scoop	Mercury	Total		mg/Kg	UJ
Disposable plastic scoop	Molybdenum	Total	0.29	mg/Kg	J
Disposable plastic scoop	Nickel	Total	5.1	mg/Kg	J
Disposable plastic scoop	Organic carbon	Total		mg/Kg	UJ
Disposable plastic scoop	Potassium	Total	1300	mg/Kg	J
Disposable plastic scoop	Selenium	Total	0.18	mg/Kg	J
Disposable plastic scoop	Silver	Total	0.032	mg/Kg	J-
Disposable plastic scoop	Sodium	Total	210	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.085	mg/Kg	J
Disposable plastic scoop	Vanadium	Total	11	mg/Kg	J
Disposable plastic scoop	Zinc	Total	24	mg/Kg	J
Water Bottle	Alkalinity, total	Total	130	mg/L	
Water Bottle	Aluminum	Dissolved	71000	ug/L	J
Water Bottle	Aluminum	Dissolved	72000	ug/L	J
Water Bottle	Aluminum	Total	49000	ug/L	J
Water Bottle	Antimony	Dissolved		ug/L	UJ
Water Bottle	Arsenic	Dissolved	15	ug/L	J
Water Bottle	Arsenic	Total	6.6	ug/L	J
Water Bottle	Barium	Dissolved	600	ug/L	J
Water Bottle	Barium	Total	400	ug/L	J
Water Bottle	Beryllium	Dissolved	4.7	ug/L	J
Water Bottle	Beryllium	Total	2	ug/L	J
Water Bottle	Cadmium	Dissolved	0.65	ug/L	J
Water Bottle	Cadmium	Total	0.37	ug/L	J
Water Bottle	Calcium	Dissolved	97000	ug/L	J
Water Bottle	Calcium	Total	83000	ug/L	J
Water Bottle	Chromium	Dissolved	41	ug/L	J
Water Bottle	Chromium	Total	18	ug/L	J
Water Bottle	Cobalt	Dissolved	32	ug/L	J
Water Bottle	Cobalt	Total	14	ug/L	J
Water Bottle	Copper	Dissolved	73	ug/L	J
Water Bottle	Copper	Total	44	ug/L	J

	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Dry	USEPA	7471A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Wet	APHA	2320-B
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8

ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/10/2016
ICP-MS	TestAmerica Savannah	9/10/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	9/6/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/10/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/16/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/7/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Alkalinity by Gran Titration	TestAmerica Savannah	9/6/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016

1.2	0.38	1.2	mg/Kg
11	1.7	11	mg/Kg
0.25	0.018	0.25	mg/Kg
0.76	0.064	0.76	mg/Kg
0.25	0.09	0.25	mg/Kg
0.13	0.029	0.13	mg/Kg
0.13	0.012	0.13	mg/Kg
54	15	54	mg/Kg
0.25	0.097	0.25	mg/Kg
0.12	0.0081	0.12	mg/Kg
0.31	0.087	0.31	mg/Kg
16	4.1	16	mg/Kg
0.19	0.023	0.19	mg/Kg
22	4	22	mg/Kg
0.32	0.042	0.32	mg/Kg
0.025	0.0082	0.025	mg/Kg
0.25	0.022	0.25	mg/Kg
0.18	0.031	0.18	mg/Kg
4000	1700	4000	mg/Kg
330	45	330	mg/Kg
0.64	0.17	0.64	mg/Kg
0.13	0.026	0.13	mg/Kg
540	64	540	mg/Kg
0.13	0.0045	0.13	mg/Kg
0.64	0.049	0.64	mg/Kg
1.3	0.4	1.3	mg/Kg
5	5	5	mg/L
50	23	50	ug/L
200	24	200	ug/L
200	24	200	ug/L
1	0.4	1	ug/L
5	1.9	5	ug/L
1	0.37	1	ug/L
2	0.14	2	ug/L
2	0.14	2	ug/L
2	0.75	2	ug/L
0.4	0.15	0.4	ug/L
0.5	0.043	0.5	ug/L
0.5	0.043	0.5	ug/L
500	25	500	ug/L
500	25	500	ug/L
10	5	10	ug/L
2	1	2	ug/L
2	0.6	2	ug/L
0.4	0.12	0.4	ug/L
5	0.5	5	ug/L
5	0.5	5	ug/L

37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
37.14999307	-109.8662835
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838

SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_083016	Sample-Routine
SJSR	SJSR_SED_083016	Sample-Routine
SJSR	SJSR_SED_083016	Sample-Routine
SJSR	SJSR_SED_083016	Sample-Routine
SJSR	SJSR_SED_083016	Sample-Routine
SJSR	SJSR_SED_083016	Sample-Routine
SJSR	SJSR_SED_083016	Sample-Routine
SJSR	SJSR_SED_083016	Sample-Routine
SJSR	SJSR_SED_083016	Sample-Routine
SJSR	SJSR_SED_083016	Sample-Routine
SJSR	SJSR_SED_083016	Sample-Routine
SJSR	SJSR_SED_083016	Sample-Routine
SJSR	SJSR_SED_083016	Sample-Routine
SJSR	SJSR_SED_083016	Sample-Routine
SJSR	SJSR_SED_083016	Sample-Routine
SJSR	SJSR_SED_083016	Sample-Routine

Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Water	Surface Water	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Sediment		8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM

Water Bottle	Iron	Dissolved	56000	ug/L	J
Water Bottle	Iron	Total	37000	ug/L	J
Water Bottle	Lead	Dissolved	52	ug/L	J
Water Bottle	Lead	Total	35	ug/L	J
Water Bottle	Magnesium	Dissolved	23000	ug/L	J
Water Bottle	Magnesium	Total	17000	ug/L	J
Water Bottle	Manganese	Dissolved	1200	ug/L	J
Water Bottle	Manganese	Total	520	ug/L	J
Water Bottle	Mercury	Dissolved	0.0018	ug/L	
Water Bottle	Mercury	Total	0.062	ug/L	
Water Bottle	Molybdenum	Dissolved		ug/L	UJ
Water Bottle	Molybdenum	Total	0.89	ug/L	J-
Water Bottle	Nickel	Dissolved	40	ug/L	J
Water Bottle	Nickel	Total	17	ug/L	J
Water Bottle	Organic carbon	Total	3.2	mg/L	
Water Bottle	Organic carbon	Total	3.5	mg/L	
Water Bottle	Potassium	Dissolved	14000	ug/L	J-
Water Bottle	Potassium	Total	11000	ug/L	J+
Water Bottle	Selenium	Dissolved		ug/L	UJ
Water Bottle	Selenium	Total	0.93	ug/L	J
Water Bottle	Silver	Dissolved	0.27	ug/L	J
Water Bottle	Silver	Total	0.15	ug/L	J
Water Bottle	Sodium	Dissolved	53000	ug/L	J
Water Bottle	Sodium	Total	52000	ug/L	J
Water Bottle	Thallium	Dissolved	0.69	ug/L	J
Water Bottle	Thallium	Total	0.4	ug/L	J
Water Bottle	Total Hardness	Total	280	mg/L	
Water Bottle	Total Suspended Solids	Total	3600	mg/L	
Water Bottle	Vanadium	Dissolved	110	ug/L	J
Water Bottle	Vanadium	Total	50	ug/L	J
Water Bottle	Zinc	Dissolved	230	ug/L	J
Water Bottle	Zinc	Total	97	ug/L	J
Disposable plastic scoop	Aluminum	Total	5300	mg/Kg	
Disposable plastic scoop	Arsenic	Total	2.3	mg/Kg	
Disposable plastic scoop	Barium	Total	180	mg/Kg	
Disposable plastic scoop	Beryllium	Total	0.41	mg/Kg	
Disposable plastic scoop	Cadmium	Total	0.07	mg/Kg	J
Disposable plastic scoop	Calcium	Total	5300	mg/Kg	
Disposable plastic scoop	Chromium	Total	4.1	mg/Kg	
Disposable plastic scoop	Cobalt	Total	3.2	mg/Kg	
Disposable plastic scoop	Copper	Total	5.6	mg/Kg	
Disposable plastic scoop	Iron	Total	7300	mg/Kg	
Disposable plastic scoop	Lead	Total	6.7	mg/Kg	
Disposable plastic scoop	Magnesium	Total	1800	mg/Kg	
Disposable plastic scoop	Manganese	Total	230	mg/Kg	
Disposable plastic scoop	Mercury	Total	0.0079	mg/Kg	J
Disposable plastic scoop	Molybdenum	Total	0.24	mg/Kg	

	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	1631E
	Preliminary	Actual	Wet	USEPA	1631E
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	APHA	5310-B
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
Not Detected	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.7
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	APHA	2340B
	Preliminary	Actual	Wet	APHA	2540-D
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Wet	USEPA	200.8
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	7471A
	Preliminary	Actual	Dry	USEPA	6020A

Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/14/2016
Mercury in Water by Oxidation, Purge and Trap, and CVAFS	TestAmerica Savannah	9/14/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/6/2016
Total Organic Carbon by Combustion-Infrared Method	TestAmerica Savannah	9/6/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/9/2016
Metals in Water by ICP-AES	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Hardness by Calculation	TestAmerica Savannah	9/9/2016
Total Suspended Solids in Water	TestAmerica Savannah	9/4/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Metals in Waters by ICP/MS	TestAmerica Savannah	9/8/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/10/2016
ICP-MS	TestAmerica Savannah	9/10/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Mercury in Solid or Semisolid Waste	TestAmerica Savannah	9/6/2016
ICP-MS	TestAmerica Savannah	9/9/2016

50	17	50	ug/L
50	17	50	ug/L
0.3	0.06	0.3	ug/L
0.3	0.06	0.3	ug/L
500	33	500	ug/L
500	33	500	ug/L
13	6	13	ug/L
2.5	1.2	2.5	ug/L
0.0005	0.0002	0.0005	ug/L
0.0025	0.001	0.0025	ug/L
5	2.3	5	ug/L
1	0.45	1	ug/L
25	2	25	ug/L
5	0.4	5	ug/L
1	0.5	1	mg/L
1	0.5	1	mg/L
1000	17	1000	ug/L
1000	17	1000	ug/L
10	2.9	10	ug/L
2	0.58	2	ug/L
1	0.1	1	ug/L
1	0.1	1	ug/L
1000	480	1000	ug/L
1000	480	1000	ug/L
0.2	0.1	0.2	ug/L
0.2	0.1	0.2	ug/L
3.3	3.3	3.3	mg/L
100	100	100	mg/L
5	1.5	5	ug/L
1	0.3	1	ug/L
100	14	100	ug/L
20	2.8	20	ug/L
9	1.4	9	mg/Kg
0.67	0.057	0.67	mg/Kg
0.22	0.079	0.22	mg/Kg
0.11	0.025	0.11	mg/Kg
0.11	0.011	0.11	mg/Kg
45	13	45	mg/Kg
0.22	0.085	0.22	mg/Kg
0.094	0.0062	0.094	mg/Kg
0.23	0.067	0.23	mg/Kg
14	3.4	14	mg/Kg
0.17	0.02	0.17	mg/Kg
18	3.3	18	mg/Kg
0.28	0.037	0.28	mg/Kg
0.022	0.0071	0.022	mg/Kg
0.22	0.02	0.22	mg/Kg

36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838

SJSR	SJSR_SED_083016	Sample-Routine
SJSR	SJSR_SED_083016	Sample-Routine
SJSR	SJSR_SED_083016	Sample-Routine
SJSR	SJSR_SED_083016	Sample-Routine
SJSR	SJSR_SED_083016	Sample-Routine
SJSR	SJSR_SED_083016	Sample-Routine
SJSR	SJSR_SED_083016	Sample-Routine
SJSR	SJSR_SED_083016	Sample-Routine
SJSR	SJSR_SED_083016	Sample-Routine

Sediment	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Sediment	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Sediment	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Sediment	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Sediment	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Sediment	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Sediment	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Sediment	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM
Sediment	8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM

Disposable plastic scoop	Nickel	Total	4.1	mg/Kg	
Disposable plastic scoop	Organic carbon	Total		mg/Kg	U
Disposable plastic scoop	Potassium	Total	880	mg/Kg	
Disposable plastic scoop	Selenium	Total	0.17	mg/Kg	J
Disposable plastic scoop	Silver	Total	0.03	mg/Kg	J-
Disposable plastic scoop	Sodium	Total	230	mg/Kg	J
Disposable plastic scoop	Thallium	Total	0.1	mg/Kg	J
Disposable plastic scoop	Vanadium	Total	11	mg/Kg	
Disposable plastic scoop	Zinc	Total	28	mg/Kg	J

	Preliminary	Actual	Dry	USEPA	6020A
Not Detected	Preliminary	Actual	Wet	USEPA	9060A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6010C
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A
	Preliminary	Actual	Dry	USEPA	6020A

ICP-MS	TestAmerica Savannah	9/10/2016
Total Organic Carbon in water and wastes by Carbonaceous Analyzer	TestAmerica Savannah	9/16/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
Inductively Coupled Plasma - Atomic Emission Spectroscopy (ICP-AES)	TestAmerica Savannah	9/8/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016
ICP-MS	TestAmerica Savannah	9/9/2016

0.14	0.024	0.14	mg/Kg
4000	1700	4000	mg/Kg
270	37	270	mg/Kg
0.56	0.15	0.56	mg/Kg
0.11	0.023	0.11	mg/Kg
450	53	450	mg/Kg
0.11	0.0039	0.11	mg/Kg
0.56	0.043	0.56	mg/Kg
1.1	0.35	1.1	mg/Kg

36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838
36.78162422	-108.6927838

Monitoring Location	ActivityID	Activity Type	Media	Media Subdivision
32nd St Bridge	32nd St Bridge_082216P	Field Msr/Obs	Water	Surface Water
32nd St Bridge	32nd St Bridge_082216P	Field Msr/Obs	Water	Surface Water
32nd St Bridge	32nd St Bridge_082216P	Field Msr/Obs	Water	Surface Water
32nd St Bridge	32nd St Bridge_082216P	Field Msr/Obs	Water	Surface Water
32nd St Bridge	32nd St Bridge_082216P	Field Msr/Obs	Water	Surface Water
32nd St Bridge	32nd St Bridge_082216P	Field Msr/Obs	Water	Surface Water
32nd St Bridge	32nd St Bridge_082216P	Field Msr/Obs	Water	Surface Water
9426	9426_082216P	Field Msr/Obs	Water	Surface Water
9426	9426_082216P	Field Msr/Obs	Water	Surface Water
9426	9426_082216P	Field Msr/Obs	Water	Surface Water
9426	9426_082216P	Field Msr/Obs	Water	Surface Water
9426	9426_082216P	Field Msr/Obs	Water	Surface Water
9426	9426_082216P	Field Msr/Obs	Water	Surface Water
9426	9426_082216P	Field Msr/Obs	Water	Surface Water
A68	A68_082316P	Field Msr/Obs	Water	Surface Water
A68	A68_082316P	Field Msr/Obs	Water	Surface Water
A68	A68_082316P	Field Msr/Obs	Water	Surface Water
A68	A68_082316P	Field Msr/Obs	Water	Surface Water
A68	A68_082316P	Field Msr/Obs	Water	Surface Water
A68	A68_082316P	Field Msr/Obs	Water	Surface Water
A68	A68_082316P	Field Msr/Obs	Water	Surface Water
A72	A72_082316P	Field Msr/Obs	Water	Surface Water
A72	A72_082816P	Field Msr/Obs	Water	Surface Water
A72	A72_082816P	Field Msr/Obs	Water	Surface Water
A72	A72_082816P	Field Msr/Obs	Water	Surface Water
A72	A72_082316P	Field Msr/Obs	Water	Surface Water
A72	A72_082816P	Field Msr/Obs	Water	Surface Water
A72	A72_082816P	Field Msr/Obs	Water	Surface Water
A72	A72_082316P	Field Msr/Obs	Water	Surface Water
A72	A72_082316P	Field Msr/Obs	Water	Surface Water
A72	A72_082316P	Field Msr/Obs	Water	Surface Water
A72	A72_082316P	Field Msr/Obs	Water	Surface Water
A72	A72_082816P	Field Msr/Obs	Water	Surface Water
A72	A72_082316P	Field Msr/Obs	Water	Surface Water
A72	A72_082816P	Field Msr/Obs	Water	Surface Water
ADW-010	ADW-010_082416P	Field Msr/Obs	Water	Surface Water
ADW-010	ADW-010_082416P	Field Msr/Obs	Water	Surface Water
ADW-010	ADW-010_082416P	Field Msr/Obs	Water	Surface Water
ADW-010	ADW-010_082416P	Field Msr/Obs	Water	Surface Water
ADW-010	ADW-010_082416P	Field Msr/Obs	Water	Surface Water
ADW-010	ADW-010_082416P	Field Msr/Obs	Water	Surface Water
ADW-010	ADW-010_082416P	Field Msr/Obs	Water	Surface Water
ADW-021	ADW-021_082416P	Field Msr/Obs	Water	Surface Water
ADW-021	ADW-021_082416P	Field Msr/Obs	Water	Surface Water
ADW-021	ADW-021_082416P	Field Msr/Obs	Water	Surface Water
ADW-021	ADW-021_082416P	Field Msr/Obs	Water	Surface Water

Start Date	Time	Time Zone	Collection Method	Equipment Name	Equipment Comment
8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM	Probe/Sensor	
8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM	Probe/Sensor	
8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM	Probe/Sensor	
8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM	Probe/Sensor	
8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM	Probe/Sensor	
8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM	Probe/Sensor	
8/22/2016	12:10:00 PM	MST	FOLLOWUPGKM	Probe/Sensor	
8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM	Probe/Sensor	
8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM	Probe/Sensor	
8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM	Probe/Sensor	
8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM	Probe/Sensor	
8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM	Probe/Sensor	
8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM	Probe/Sensor	
8/22/2016	7:45:00 AM	MST	FOLLOWUPGKM	Probe/Sensor	
8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM	Probe/Sensor	
8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM	Probe/Sensor	
8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM	Probe/Sensor	
8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM	Probe/Sensor	
8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM	Probe/Sensor	
8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM	Probe/Sensor	
8/23/2016	8:30:00 AM	MST	FOLLOWUPGKM	Probe/Sensor	
8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM	Probe/Sensor	
8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM	Probe/Sensor	
8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM	Probe/Sensor	
8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM	Probe/Sensor	
8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM	Probe/Sensor	
8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM	Probe/Sensor	
8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM	Probe/Sensor	
8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM	Probe/Sensor	
8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM	Probe/Sensor	
8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM	Probe/Sensor	
8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM	Probe/Sensor	
8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM	Probe/Sensor	
8/23/2016	11:30:00 AM	MST	FOLLOWUPGKM	Probe/Sensor	
8/28/2016	11:15:00 AM	MST	FOLLOWUPGKM	Probe/Sensor	
8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM	Probe/Sensor	
8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM	Probe/Sensor	
8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM	Probe/Sensor	
8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM	Probe/Sensor	
8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM	Probe/Sensor	
8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM	Probe/Sensor	
8/24/2016	2:00:00 PM	MST	FOLLOWUPGKM	Probe/Sensor	
8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM	Probe/Sensor	
8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM	Probe/Sensor	
8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM	Probe/Sensor	
8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM	Probe/Sensor	

Characteristic Name	Result	Units	Result Status	Result Type	Latitude
Temperature, water	16.83	deg C	Preliminary	Actual	37.294805
pH	7.07	None	Preliminary	Actual	37.294805
Dissolved oxygen (DO)	8.06	mg/l	Preliminary	Actual	37.294805
Conductivity	0.6	mS/cm	Preliminary	Actual	37.294805
Oxidation reduction potential (ORP)	146.2	mV	Preliminary	Actual	37.294805
Salinity	0.349	PSU	Preliminary	Actual	37.294805
Turbidity	1.59	NTU	Preliminary	Actual	37.294805
Temperature, water	12.97	deg C	Preliminary	Actual	37.385148
Turbidity	1.44	NTU	Preliminary	Actual	37.385148
Salinity	0.354	PSU	Preliminary	Actual	37.385148
Oxidation reduction potential (ORP)	157.2	mV	Preliminary	Actual	37.385148
Conductivity	0.555	mS/cm	Preliminary	Actual	37.385148
pH	7.08	None	Preliminary	Actual	37.385148
Dissolved oxygen (DO)	7.31	mg/l	Preliminary	Actual	37.385148
Conductivity	0.324	mS/cm	Preliminary	Actual	37.810983
Salinity	0.237	PSU	Preliminary	Actual	37.810983
Turbidity	0.73	NTU	Preliminary	Actual	37.810983
Oxidation reduction potential (ORP)	30	mV	Preliminary	Actual	37.810983
pH	6.75	None	Preliminary	Actual	37.810983
Temperature, water	7.1	deg C	Preliminary	Actual	37.810983
Dissolved oxygen (DO)	8.47	mg/l	Preliminary	Actual	37.810983
Oxidation reduction potential (ORP)	-27.2	mV	Preliminary	Actual	37.790017
Turbidity	5.7	NTU	Preliminary	Actual	37.790017
Oxidation reduction potential (ORP)	71.4	mV	Preliminary	Actual	37.790017
Conductivity	0.471	mS/cm	Preliminary	Actual	37.790017
Temperature, water	8.3	deg C	Preliminary	Actual	37.790017
Dissolved oxygen (DO)	8.17	mg/l	Preliminary	Actual	37.790017
Salinity	0.341	PSU	Preliminary	Actual	37.790017
Salinity	0.322	PSU	Preliminary	Actual	37.790017
Conductivity	0.45	mS/cm	Preliminary	Actual	37.790017
Dissolved oxygen (DO)	8.14	mg/l	Preliminary	Actual	37.790017
pH	6.61	None	Preliminary	Actual	37.790017
Temperature, water	7.96	deg C	Preliminary	Actual	37.790017
Turbidity	13.5	NTU	Preliminary	Actual	37.790017
pH	6.57	None	Preliminary	Actual	37.790017
Oxidation reduction potential (ORP)	-51.7	mV	Preliminary	Actual	36.838545
Temperature, water	19.04	deg C	Preliminary	Actual	36.838545
pH	9.2	None	Preliminary	Actual	36.838545
Conductivity	0.59	mS/cm	Preliminary	Actual	36.838545
Salinity	0.326	PSU	Preliminary	Actual	36.838545
Turbidity	166	NTU	Preliminary	Actual	36.838545
Dissolved oxygen (DO)	7.96	mg/l	Preliminary	Actual	36.838545
pH	8.56	None	Preliminary	Actual	36.872838
Temperature, water	16.47	deg C	Preliminary	Actual	36.872838
Turbidity	130.4	NTU	Preliminary	Actual	36.872838
Salinity	0.329	PSU	Preliminary	Actual	36.872838

Longitude
-107.870469
-107.870469
-107.870469
-107.870469
-107.870469
-107.870469
-107.870469
-107.836946
-107.836946
-107.836946
-107.836946
-107.836946
-107.836946
-107.836946
-107.65936
-107.65936
-107.65936
-107.65936
-107.65936
-107.65936
-107.65936
-107.667536
-107.667536
-107.667536
-107.667536
-107.667536
-107.667536
-107.667536
-107.667536
-107.667536
-107.667536
-107.667536
-107.667536
-107.667536
-107.667536
-107.667536
-107.992183
-107.992183
-107.992183
-107.992183
-107.992183
-107.992183
-107.992183
-107.960741
-107.960741
-107.960741
-107.960741

ADW-021	ADW-021_082416P	Field Msr/Obs	Water	Surface Water
ADW-021	ADW-021_082416P	Field Msr/Obs	Water	Surface Water
ADW-021	ADW-021_082416P	Field Msr/Obs	Water	Surface Water
ADW-022	ADW-022_082416P	Field Msr/Obs	Water	Surface Water
ADW-022	ADW-022_082416P	Field Msr/Obs	Water	Surface Water
ADW-022	ADW-022_082816P	Field Msr/Obs	Water	Surface Water
ADW-022	ADW-022_082816P	Field Msr/Obs	Water	Surface Water
ADW-022	ADW-022_082816P	Field Msr/Obs	Water	Surface Water
ADW-022	ADW-022_082816P	Field Msr/Obs	Water	Surface Water
ADW-022	ADW-022_082816P	Field Msr/Obs	Water	Surface Water
ADW-022	ADW-022_082816P	Field Msr/Obs	Water	Surface Water
ADW-022	ADW-022_082416P	Field Msr/Obs	Water	Surface Water
ADW-022	ADW-022_082416P	Field Msr/Obs	Water	Surface Water
ADW-022	ADW-022_082816P	Field Msr/Obs	Water	Surface Water
ADW-022	ADW-022_082416P	Field Msr/Obs	Water	Surface Water
ADW-022	ADW-022_082416P	Field Msr/Obs	Water	Surface Water
ADW-022	ADW-022_082416P	Field Msr/Obs	Water	Surface Water
Bakers Bridge	Bakers Bridge_082216P	Field Msr/Obs	Water	Surface Water
Bakers Bridge	Bakers Bridge_082216P	Field Msr/Obs	Water	Surface Water
Bakers Bridge	Bakers Bridge_082216P	Field Msr/Obs	Water	Surface Water
Bakers Bridge	Bakers Bridge_082216P	Field Msr/Obs	Water	Surface Water
Bakers Bridge	Bakers Bridge_082216P	Field Msr/Obs	Water	Surface Water
Bakers Bridge	Bakers Bridge_082216P	Field Msr/Obs	Water	Surface Water
Bakers Bridge	Bakers Bridge_082216P	Field Msr/Obs	Water	Surface Water
CC48	CC48_082316P	Field Msr/Obs	Water	Surface Water
CC48	CC48_082316P	Field Msr/Obs	Water	Surface Water
CC48	CC48_082316P	Field Msr/Obs	Water	Surface Water
CC48	CC48_082316P	Field Msr/Obs	Water	Surface Water
CC48	CC48_082316P	Field Msr/Obs	Water	Surface Water
CC48	CC48_082316P	Field Msr/Obs	Water	Surface Water
CC48	CC48_082316P	Field Msr/Obs	Water	Surface Water
FW-012	FW-012_082716P	Field Msr/Obs	Water	Surface Water
FW-012	FW-012_082716P	Field Msr/Obs	Water	Surface Water
FW-012	FW-012_082716P	Field Msr/Obs	Water	Surface Water
FW-012	FW-012_082716P	Field Msr/Obs	Water	Surface Water
FW-012	FW-012_082716P	Field Msr/Obs	Water	Surface Water
FW-012	FW-012_082716P	Field Msr/Obs	Water	Surface Water
FW-012	FW-012_082716P	Field Msr/Obs	Water	Surface Water
FW-040	FW-040_082716P	Field Msr/Obs	Water	Surface Water
FW-040	FW-040_082716DP	Field Msr/Obs	Water	Surface Water
FW-040	FW-040_082716DP	Field Msr/Obs	Water	Surface Water
FW-040	FW-040_082716DP	Field Msr/Obs	Water	Surface Water
FW-040	FW-040_082716DP	Field Msr/Obs	Water	Surface Water
FW-040	FW-040_082716DP	Field Msr/Obs	Water	Surface Water
FW-040	FW-040_082716DP	Field Msr/Obs	Water	Surface Water
FW-040	FW-040_082716P	Field Msr/Obs	Water	Surface Water
FW-040	FW-040_082716P	Field Msr/Obs	Water	Surface Water

8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/24/2016	11:15:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/28/2016	4:20:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/24/2016	8:55:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/22/2016	9:40:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/23/2016	12:35:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/27/2016	8:15:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM	Probe/Sensor

Oxidation reduction potential (ORP)	-86.1	mV	Preliminary	Actual	36.872838
Conductivity	0.562	mS/cm	Preliminary	Actual	36.872838
Dissolved oxygen (DO)	7.93	mg/l	Preliminary	Actual	36.872838
Conductivity	0.551	mS/cm	Preliminary	Actual	36.933295
Oxidation reduction potential (ORP)	-32.7	mV	Preliminary	Actual	36.933295
Salinity	0.309	PSU	Preliminary	Actual	36.933295
Oxidation reduction potential (ORP)	-7.8	mV	Preliminary	Actual	36.933295
Conductivity	0.548	mS/cm	Preliminary	Actual	36.933295
Dissolved oxygen (DO)	8.76	mg/l	Preliminary	Actual	36.933295
pH	8.58	None	Preliminary	Actual	36.933295
Temperature, water	18	deg C	Preliminary	Actual	36.933295
Turbidity	58.2	NTU	Preliminary	Actual	36.933295
Temperature, water	15.62	deg C	Preliminary	Actual	36.933295
Turbidity	18.7	NTU	Preliminary	Actual	36.933295
Dissolved oxygen (DO)	7.89	mg/l	Preliminary	Actual	36.933295
pH	8.08	None	Preliminary	Actual	36.933295
Salinity	0.329	PSU	Preliminary	Actual	36.933295
pH	6.89	None	Preliminary	Actual	37.455731
Temperature, water	12.05	deg C	Preliminary	Actual	37.455731
Turbidity	2.78	NTU	Preliminary	Actual	37.455731
Salinity	0.202	PSU	Preliminary	Actual	37.455731
Oxidation reduction potential (ORP)	165.9	mV	Preliminary	Actual	37.455731
Dissolved oxygen (DO)	8.71	mg/l	Preliminary	Actual	37.455731
Conductivity	0.314	mS/cm	Preliminary	Actual	37.455731
Oxidation reduction potential (ORP)	465.1	mV	Preliminary	Actual	37.818115
Turbidity	8.4	NTU	Preliminary	Actual	37.818115
Conductivity	1.045	mS/cm	Preliminary	Actual	37.818115
Dissolved oxygen (DO)	8.31	mg/l	Preliminary	Actual	37.818115
pH	3.84	None	Preliminary	Actual	37.818115
Temperature, water	8.32	deg C	Preliminary	Actual	37.818115
Salinity	0.775	PSU	Preliminary	Actual	37.818115
Oxidation reduction potential (ORP)	-6.9	mV	Preliminary	Actual	36.783635
Salinity	1.006	PSU	Preliminary	Actual	36.783635
Conductivity	1.62	mS/cm	Preliminary	Actual	36.783635
Dissolved oxygen (DO)	7.75	mg/l	Preliminary	Actual	36.783635
pH	7.86	None	Preliminary	Actual	36.783635
Temperature, water	15.83	deg C	Preliminary	Actual	36.783635
Turbidity	39.4	NTU	Preliminary	Actual	36.783635
Oxidation reduction potential (ORP)	-78.2	mV	Preliminary	Actual	36.719664
Salinity	0.865	PSU	Preliminary	Actual	36.719664
Oxidation reduction potential (ORP)	-78.2	mV	Preliminary	Actual	36.719664
Conductivity	1.451	mS/cm	Preliminary	Actual	36.719664
Dissolved oxygen (DO)	8.58	mg/l	Preliminary	Actual	36.719664
Turbidity	37	NTU	Preliminary	Actual	36.719664
pH	8.2	None	Preliminary	Actual	36.719664
Salinity	0.865	PSU	Preliminary	Actual	36.719664
Conductivity	1.451	mS/cm	Preliminary	Actual	36.719664

-107.960741
-107.960741
-107.960741
-107.909073
-107.909073
-107.909073
-107.909073
-107.909073
-107.909073
-107.909073
-107.909073
-107.909073
-107.909073
-107.909073
-107.909073
-107.909073
-107.801095
-107.801095
-107.801095
-107.801095
-107.801095
-107.801095
-107.801095
-107.661678
-107.661678
-107.661678
-107.661678
-107.661678
-107.661678
-107.661678
-108.102111
-108.102111
-108.102111
-108.102111
-108.102111
-108.102111
-108.102111
-108.207125
-108.207125
-108.207125
-108.207125
-108.207125
-108.207125
-108.207125
-108.207125

FW-040	FW-040_082716P	Field Msr/Obs	Water	Surface Water
FW-040	FW-040_082716P	Field Msr/Obs	Water	Surface Water
FW-040	FW-040_082716P	Field Msr/Obs	Water	Surface Water
FW-040	FW-040_082716P	Field Msr/Obs	Water	Surface Water
FW-040	FW-040_082716DP	Field Msr/Obs	Water	Surface Water
AR19-3	AR19-3_090216P	Field Msr/Obs	Water	Surface Water
AR19-3	AR19-3_090216P	Field Msr/Obs	Water	Surface Water
AR19-3	AR19-3_090216P	Field Msr/Obs	Water	Surface Water
AR19-3	AR19-3_090216P	Field Msr/Obs	Water	Surface Water
AR19-3	AR19-3_090216P	Field Msr/Obs	Water	Surface Water
AR19-3	AR19-3_090216P	Field Msr/Obs	Water	Surface Water
AR19-3	AR19-3_082816P	Field Msr/Obs	Water	Surface Water
AR19-3	AR19-3_082816P	Field Msr/Obs	Water	Surface Water
AR19-3	AR19-3_082816P	Field Msr/Obs	Water	Surface Water
AR19-3	AR19-3_082816P	Field Msr/Obs	Water	Surface Water
AR19-3	AR19-3_082816P	Field Msr/Obs	Water	Surface Water
AR19-3	AR19-3_082816P	Field Msr/Obs	Water	Surface Water
AR19-3	AR19-3_082816P	Field Msr/Obs	Water	Surface Water
AR19-3	AR19-3_090216P	Field Msr/Obs	Water	Surface Water
GKM05	GKM05_082516P	Field Msr/Obs	Water	Surface Water
GKM05	GKM05_082516P	Field Msr/Obs	Water	Surface Water
GKM05	GKM05_082516P	Field Msr/Obs	Water	Surface Water
GKM05	GKM05_082516P	Field Msr/Obs	Water	Surface Water
GKM05	GKM05_082516P	Field Msr/Obs	Water	Surface Water
GKM05	GKM05_082516P	Field Msr/Obs	Water	Surface Water
GKM05	GKM05_082516P	Field Msr/Obs	Water	Surface Water
LVW-020	LVW-020_082716P	Field Msr/Obs	Water	Surface Water
LVW-020	LVW-020_082716P	Field Msr/Obs	Water	Surface Water
LVW-020	LVW-020_082716P	Field Msr/Obs	Water	Surface Water
LVW-020	LVW-020_082716P	Field Msr/Obs	Water	Surface Water
LVW-020	LVW-020_082716P	Field Msr/Obs	Water	Surface Water
LVW-020	LVW-020_082716P	Field Msr/Obs	Water	Surface Water
LVW-020	LVW-020_082716P	Field Msr/Obs	Water	Surface Water
M34	M34_082316P	Field Msr/Obs	Water	Surface Water
M34	M34_082316P	Field Msr/Obs	Water	Surface Water
M34	M34_082316P	Field Msr/Obs	Water	Surface Water
M34	M34_082316P	Field Msr/Obs	Water	Surface Water
M34	M34_082316P	Field Msr/Obs	Water	Surface Water
M34	M34_082316P	Field Msr/Obs	Water	Surface Water
M34	M34_082316P	Field Msr/Obs	Water	Surface Water
Rotary Park	Animas_RotaryPark_082816P	Field Msr/Obs	Water	Surface Water
Rotary Park	Animas_RotaryPark_082816P	Field Msr/Obs	Water	Surface Water
Rotary Park	Animas_RotaryPark_082816P	Field Msr/Obs	Water	Surface Water
Rotary Park	Animas_RotaryPark_082816P	Field Msr/Obs	Water	Surface Water
Rotary Park	Animas_RotaryPark_082816P	Field Msr/Obs	Water	Surface Water
Rotary Park	Animas_RotaryPark_082816P	Field Msr/Obs	Water	Surface Water
Rotary Park	Animas_RotaryPark_082216P	Field Msr/Obs	Water	Surface Water

8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/27/2016	11:00:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/28/2016	3:15:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
9/2/2016	8:50:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/25/2016	7:30:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/27/2016	1:30:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/23/2016	10:10:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM	Probe/Sensor

Dissolved oxygen (DO)	8.58	mg/l	Preliminary	Actual	36.719664
pH	8.2	None	Preliminary	Actual	36.719664
Temperature, water	17.32	deg C	Preliminary	Actual	36.719664
Turbidity	37	NTU	Preliminary	Actual	36.719664
Temperature, water	17.32	deg C	Preliminary	Actual	36.719664
Temperature, water	15.21	deg C	Preliminary	Actual	37.221297
Dissolved oxygen (DO)	8.96	mg/l	Preliminary	Actual	37.221297
Conductivity	1.053	mS/cm	Preliminary	Actual	37.221297
Oxidation reduction potential (ORP)	-47	mV	Preliminary	Actual	37.221297
Turbidity	39.1	NTU	Preliminary	Actual	37.221297
Salinity	0.651	PSU	Preliminary	Actual	37.221297
Salinity	0.322	PSU	Preliminary	Actual	37.221297
Oxidation reduction potential (ORP)	-6.3	mV	Preliminary	Actual	37.221297
Conductivity	0.548	mS/cm	Preliminary	Actual	37.221297
Dissolved oxygen (DO)	9.23	mg/l	Preliminary	Actual	37.221297
pH	8.66	None	Preliminary	Actual	37.221297
Temperature, water	16.34	deg C	Preliminary	Actual	37.221297
Turbidity	4.7	NTU	Preliminary	Actual	37.221297
pH	8.46	None	Preliminary	Actual	37.221297
pH	7.17	None	Preliminary	Actual	37.268704
Turbidity	4.9	NTU	Preliminary	Actual	37.268704
Salinity	0.577	PSU	Preliminary	Actual	37.268704
Oxidation reduction potential (ORP)	-5.4	mV	Preliminary	Actual	37.268704
Dissolved oxygen (DO)	8.46	mg/l	Preliminary	Actual	37.268704
Temperature, water	12.06	deg C	Preliminary	Actual	37.268704
Conductivity	0.868	mS/cm	Preliminary	Actual	37.268704
Oxidation reduction potential (ORP)	-58.6	mV	Preliminary	Actual	36.730556
Temperature, water	18.69	deg C	Preliminary	Actual	36.730556
Salinity	0.71	PSU	Preliminary	Actual	36.730556
Turbidity	75	NTU	Preliminary	Actual	36.730556
Conductivity	1.24	mS/cm	Preliminary	Actual	36.730556
pH	7.98	None	Preliminary	Actual	36.730556
Dissolved oxygen (DO)	8.25	mg/l	Preliminary	Actual	36.730556
Temperature, water	6.97	deg C	Preliminary	Actual	37.802921
pH	6.65	None	Preliminary	Actual	37.802921
Dissolved oxygen (DO)	8.63	mg/l	Preliminary	Actual	37.802921
Conductivity	0.389	mS/cm	Preliminary	Actual	37.802921
Oxidation reduction potential (ORP)	-5.1	mV	Preliminary	Actual	37.802921
Salinity	0.288	PSU	Preliminary	Actual	37.802921
Turbidity	6.7	NTU	Preliminary	Actual	37.802921
pH	7.81	None	Preliminary	Actual	37.280534
Temperature, water	14.44	deg C	Preliminary	Actual	37.280534
Turbidity	1.5	NTU	Preliminary	Actual	37.280534
Salinity	0.337	PSU	Preliminary	Actual	37.280534
Oxidation reduction potential (ORP)	31.5	mV	Preliminary	Actual	37.280534
Conductivity	0.549	mS/cm	Preliminary	Actual	37.280534
Temperature, water	17.38	deg C	Preliminary	Actual	37.280534

-108.207125
-108.207125
-108.207125
-108.207125
-108.207125
-107.859598
-107.859598
-107.859598
-107.859598
-107.859598
-107.859598
-107.859598
-107.859598
-107.859598
-107.859598
-107.859598
-107.859598
-107.859598
-107.859598
-107.885857
-107.885857
-107.885857
-107.885857
-107.885857
-107.885857
-107.885857
-108.251046
-108.251046
-108.251046
-108.251046
-108.251046
-108.251046
-108.251046
-107.672724
-107.672724
-107.672724
-107.672724
-107.672724
-107.672724
-107.672724
-107.876622
-107.876622
-107.876622
-107.876622
-107.876622
-107.876622
-107.876622

Rotary Park	Animas_RotaryPark_082216P	Field Msr/Obs	Water	Surface Water
Rotary Park	Animas_RotaryPark_082216P	Field Msr/Obs	Water	Surface Water
Rotary Park	Animas_RotaryPark_082216P	Field Msr/Obs	Water	Surface Water
Rotary Park	Animas_RotaryPark_082216P	Field Msr/Obs	Water	Surface Water
Rotary Park	Animas_RotaryPark_082216P	Field Msr/Obs	Water	Surface Water
Rotary Park	Animas_RotaryPark_082216P	Field Msr/Obs	Water	Surface Water
Rotary Park	Animas_RotaryPark_082816P	Field Msr/Obs	Water	Surface Water
SJ4C	SJ4C_083116P	Field Msr/Obs	Water	Surface Water
SJ4C	SJ4C_083116P	Field Msr/Obs	Water	Surface Water
SJ4C	SJ4C_083116P	Field Msr/Obs	Water	Surface Water
SJ4C	SJ4C_083116P	Field Msr/Obs	Water	Surface Water
SJ4C	SJ4C_083116P	Field Msr/Obs	Water	Surface Water
SJ4C	SJ4C_083116P	Field Msr/Obs	Water	Surface Water
SJ4C	SJ4C_083116P	Field Msr/Obs	Water	Surface Water
SJAR	SJAR_082916P	Field Msr/Obs	Water	Surface Water
SJAR	SJAR_082916P	Field Msr/Obs	Water	Surface Water
SJAR	SJAR_082916P	Field Msr/Obs	Water	Surface Water
SJAR	SJAR_082916P	Field Msr/Obs	Water	Surface Water
SJAR	SJAR_082916P	Field Msr/Obs	Water	Surface Water
SJAR	SJAR_082916P	Field Msr/Obs	Water	Surface Water
SJAR	SJAR_082916P	Field Msr/Obs	Water	Surface Water
SJBB	SJBB_090116P	Field Msr/Obs	Water	Surface Water
SJBB	SJBB_090116P	Field Msr/Obs	Water	Surface Water
SJBB	SJBB_090116P	Field Msr/Obs	Water	Surface Water
SJBB	SJBB_090116P	Field Msr/Obs	Water	Surface Water
SJBB	SJBB_090116P	Field Msr/Obs	Water	Surface Water
SJBB	SJBB_090116P	Field Msr/Obs	Water	Surface Water
SJBB	SJBB_090116P	Field Msr/Obs	Water	Surface Water
SJCH	SJCH_082516P	Field Msr/Obs	Water	Surface Water
SJCH	SJCH_082516P	Field Msr/Obs	Water	Surface Water
SJCH	SJCH_082516P	Field Msr/Obs	Water	Surface Water
SJCH	SJCH_082516P	Field Msr/Obs	Water	Surface Water
SJCH	SJCH_082516P	Field Msr/Obs	Water	Surface Water
SJCH	SJCH_082516P	Field Msr/Obs	Water	Surface Water
SJCH	SJCH_082516P	Field Msr/Obs	Water	Surface Water
SJFP	SJFP_083016P	Field Msr/Obs	Water	Surface Water
SJFP	SJFP_083016P	Field Msr/Obs	Water	Surface Water
SJFP	SJFP_083016P	Field Msr/Obs	Water	Surface Water
SJFP	SJFP_083016P	Field Msr/Obs	Water	Surface Water
SJFP	SJFP_083016P	Field Msr/Obs	Water	Surface Water
SJFP	SJFP_083016P	Field Msr/Obs	Water	Surface Water
SJFP	SJFP_083016P	Field Msr/Obs	Water	Surface Water
SJLP	SJLP_082916P	Field Msr/Obs	Water	Surface Water
SJLP	SJLP_082916P	Field Msr/Obs	Water	Surface Water
SJLP	SJLP_082916P	Field Msr/Obs	Water	Surface Water
SJLP	SJLP_082916P	Field Msr/Obs	Water	Surface Water
SJLP	SJLP_082916P	Field Msr/Obs	Water	Surface Water

8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/22/2016	1:30:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/28/2016	2:00:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/31/2016	9:45:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/29/2016	11:05:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
9/1/2016	1:10:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/25/2016	2:40:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/30/2016	8:40:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM	Probe/Sensor

Turbidity	1.55	NTU	Preliminary	Actual	37.280534
Salinity	0.345	PSU	Preliminary	Actual	37.280534
Oxidation reduction potential (ORP)	59.2	mV	Preliminary	Actual	37.280534
Conductivity	0.6	mS/cm	Preliminary	Actual	37.280534
Dissolved oxygen (DO)	8.71	mg/l	Preliminary	Actual	37.280534
pH	8.09	None	Preliminary	Actual	37.280534
Dissolved oxygen (DO)	8.8	mg/l	Preliminary	Actual	37.280534
Conductivity	1.234	mS/cm	Preliminary	Actual	36.99621613
Oxidation reduction potential (ORP)	0	mV	Preliminary	Actual	36.99621613
Turbidity	1268.6	NTU	Preliminary	Actual	36.99621613
Salinity	0.708	PSU	Preliminary	Actual	36.99621613
pH	7.67	None	Preliminary	Actual	36.99621613
Temperature, water	18.59	deg C	Preliminary	Actual	36.99621613
Dissolved oxygen (DO)	7.67	mg/l	Preliminary	Actual	36.99621613
Oxidation reduction potential (ORP)	-27.4	mV	Preliminary	Actual	36.707467
Salinity	0.462	PSU	Preliminary	Actual	36.707467
Conductivity	0.71	mS/cm	Preliminary	Actual	36.707467
Dissolved oxygen (DO)	9.36	mg/l	Preliminary	Actual	36.707467
pH	7.63	None	Preliminary	Actual	36.707467
Temperature, water	12.52	deg C	Preliminary	Actual	36.707467
Turbidity	787.2	NTU	Preliminary	Actual	36.707467
Temperature, water	22.47	deg C	Preliminary	Actual	37.25737015
pH	7.91	None	Preliminary	Actual	37.25737015
Dissolved oxygen (DO)	6.99	mg/l	Preliminary	Actual	37.25737015
Conductivity	1.545	mS/cm	Preliminary	Actual	37.25737015
Oxidation reduction potential (ORP)	-14.3	mV	Preliminary	Actual	37.25737015
Salinity	0.82	PSU	Preliminary	Actual	37.25737015
Turbidity	1308.2	NTU	Preliminary	Actual	37.25737015
Salinity	0.672	PSU	Preliminary	Actual	37.293336
Dissolved oxygen (DO)	7.1	mg/l	Preliminary	Actual	37.293336
Conductivity	1.31	mS/cm	Preliminary	Actual	37.293336
Temperature, water	23.68	deg C	Preliminary	Actual	37.293336
Oxidation reduction potential (ORP)	-41.5	mV	Preliminary	Actual	37.293336
Turbidity	1766.6	NTU	Preliminary	Actual	37.293336
pH	7.54	None	Preliminary	Actual	37.293336
pH	8.18	None	Preliminary	Actual	36.74815602
Temperature, water	16.56	deg C	Preliminary	Actual	36.74815602
Dissolved oxygen (DO)	8.05	mg/l	Preliminary	Actual	36.74815602
Conductivity	0.918	mS/cm	Preliminary	Actual	36.74815602
Oxidation reduction potential (ORP)	-28.4	mV	Preliminary	Actual	36.74815602
Salinity	0.546	PSU	Preliminary	Actual	36.74815602
Turbidity	270.5	NTU	Preliminary	Actual	36.74815602
Dissolved oxygen (DO)	8.68	mg/l	Preliminary	Actual	36.73588701
Turbidity	628.3	NTU	Preliminary	Actual	36.73588701
Salinity	0.452	PSU	Preliminary	Actual	36.73588701
Conductivity	0.775	mS/cm	Preliminary	Actual	36.73588701
pH	8.15	None	Preliminary	Actual	36.73588701

-107.876622
-107.876622
-107.876622
-107.876622
-107.876622
-107.876622
-107.876622
-109.0046838
-109.0046838
-109.0046838
-109.0046838
-109.0046838
-109.0046838
-109.0046838
-108.150813
-108.150813
-108.150813
-108.150813
-108.150813
-108.150813
-108.150813
-109.6185856
-109.6185856
-109.6185856
-109.6185856
-109.6185856
-109.6185856
-109.6185856
-110.399293
-110.399293
-110.399293
-110.399293
-110.399293
-110.399293
-110.399293
-108.4120157
-108.4120157
-108.4120157
-108.4120157
-108.4120157
-108.4120157
-108.4120157
-108.2539868
-108.2539868
-108.2539868
-108.2539868
-108.2539868

SJLP	SJLP_082916P	Field Msr/Obs	Water	Surface Water
SJLP	SJLP_082916P	Field Msr/Obs	Water	Surface Water
SJMC	SJMC_083116P	Field Msr/Obs	Water	Surface Water
SJMC	SJMC_083116P	Field Msr/Obs	Water	Surface Water
SJMC	SJMC_083116P	Field Msr/Obs	Water	Surface Water
SJMC	SJMC_083116P	Field Msr/Obs	Water	Surface Water
SJMC	SJMC_083116P	Field Msr/Obs	Water	Surface Water
SJMC	SJMC_083116P	Field Msr/Obs	Water	Surface Water
SJMC	SJMC_083116P	Field Msr/Obs	Water	Surface Water
SJSR	SJSR_083016P	Field Msr/Obs	Water	Surface Water
SJSR	SJSR_083016P	Field Msr/Obs	Water	Surface Water
SJSR	SJSR_083016P	Field Msr/Obs	Water	Surface Water
SJSR	SJSR_083016P	Field Msr/Obs	Water	Surface Water
SJSR	SJSR_083016P	Field Msr/Obs	Water	Surface Water
SJSR	SJSR_083016P	Field Msr/Obs	Water	Surface Water
SJSR	SJSR_083016P	Field Msr/Obs	Water	Surface Water
AR7-2	AR7-2_090216P	Field Msr/Obs	Water	Surface Water
AR7-2	AR7-2_090216P	Field Msr/Obs	Water	Surface Water
AR7-2	AR7-2_090216P	Field Msr/Obs	Water	Surface Water
AR7-2	AR7-2_090216P	Field Msr/Obs	Water	Surface Water
AR7-2	AR7-2_090216P	Field Msr/Obs	Water	Surface Water
AR7-2	AR7-2_090216P	Field Msr/Obs	Water	Surface Water
AR7-2	AR7-2_090216P	Field Msr/Obs	Water	Surface Water
A75D	A75D_082616P	Field Msr/Obs	Water	Surface Water
A75D	A75D_082616P	Field Msr/Obs	Water	Surface Water
A75D	A75D_082616P	Field Msr/Obs	Water	Surface Water
A75D	A75D_082616P	Field Msr/Obs	Water	Surface Water
A75D	A75D_082616P	Field Msr/Obs	Water	Surface Water
A75D	A75D_082616P	Field Msr/Obs	Water	Surface Water
A75D	A75D_082616P	Field Msr/Obs	Water	Surface Water
SJMH	SJMH_090116P	Field Msr/Obs	Water	Surface Water
SJMH	SJMH_090116P	Field Msr/Obs	Water	Surface Water
SJMH	SJMH_090116P	Field Msr/Obs	Water	Surface Water
SJMH	SJMH_090116P	Field Msr/Obs	Water	Surface Water
SJMH	SJMH_090116P	Field Msr/Obs	Water	Surface Water
SJMH	SJMH_090116P	Field Msr/Obs	Water	Surface Water
SJMH	SJMH_090116DP	Field Msr/Obs	Water	Surface Water
SJMH	SJMH_090116DP	Field Msr/Obs	Water	Surface Water
SJMH	SJMH_090116DP	Field Msr/Obs	Water	Surface Water
SJMH	SJMH_090116DP	Field Msr/Obs	Water	Surface Water
SJMH	SJMH_090116DP	Field Msr/Obs	Water	Surface Water
SJMH	SJMH_090116DP	Field Msr/Obs	Water	Surface Water
SJMH	SJMH_090116DP	Field Msr/Obs	Water	Surface Water
SJMH	SJMH_090116P	Field Msr/Obs	Water	Surface Water
AR2-7a	AR2-7a_090216DP	Field Msr/Obs	Water	Surface Water
AR2-7a	AR2-7a_090216P	Field Msr/Obs	Water	Surface Water
AR2-7a	AR2-7a_090216P	Field Msr/Obs	Water	Surface Water

8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/29/2016	1:30:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/31/2016	2:20:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/30/2016	12:00:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/2/2016	10:20:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/26/2016	8:45:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/1/2016	10:00:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM	Probe/Sensor

Temperature, water	17.08	deg C	Preliminary	Actual	36.73588701
Oxidation reduction potential (ORP)	-35	mV	Preliminary	Actual	36.73588701
Turbidity	1298.4	NTU	Preliminary	Actual	37.25822644
Temperature, water	21.7	deg C	Preliminary	Actual	37.25822644
pH	7.77	None	Preliminary	Actual	37.25822644
Dissolved oxygen (DO)	7.18	mg/l	Preliminary	Actual	37.25822644
Conductivity	1.731	mS/cm	Preliminary	Actual	37.25822644
Oxidation reduction potential (ORP)	5.4	mV	Preliminary	Actual	37.25822644
Salinity	0.939	PSU	Preliminary	Actual	37.25822644
Temperature, water	18.39	deg C	Preliminary	Actual	36.78162422
pH	8.2	None	Preliminary	Actual	36.78162422
Dissolved oxygen (DO)	7.85	mg/l	Preliminary	Actual	36.78162422
Conductivity	0.888	mS/cm	Preliminary	Actual	36.78162422
Oxidation reduction potential (ORP)	-11.8	mV	Preliminary	Actual	36.78162422
Turbidity	1265.6	NTU	Preliminary	Actual	36.78162422
Salinity	0.505	PSU	Preliminary	Actual	36.78162422
Turbidity	39.1	NTU	Preliminary	Actual	37.085161
pH	8.69	None	Preliminary	Actual	37.085161
Dissolved oxygen (DO)	9.94	mg/l	Preliminary	Actual	37.085161
Conductivity	1.037	mS/cm	Preliminary	Actual	37.085161
Oxidation reduction potential (ORP)	46.9	mV	Preliminary	Actual	37.085161
Salinity	0.627	PSU	Preliminary	Actual	37.085161
Temperature, water	16.07	deg C	Preliminary	Actual	37.085161
Conductivity	0.547	mS/cm	Preliminary	Actual	37.597779
Temperature, water	8	deg C	Preliminary	Actual	37.597779
pH	6.86	None	Preliminary	Actual	37.597779
Dissolved oxygen (DO)	8.59	mg/l	Preliminary	Actual	37.597779
Oxidation reduction potential (ORP)	-15.9	mV	Preliminary	Actual	37.597779
Turbidity	13.7	NTU	Preliminary	Actual	37.597779
Salinity	0.398	PSU	Preliminary	Actual	37.597779
Turbidity	1300	NTU	Preliminary	Actual	37.14999307
Temperature, water	21.62	deg C	Preliminary	Actual	37.14999307
pH	7.98	None	Preliminary	Actual	37.14999307
Dissolved oxygen (DO)	7.02	mg/l	Preliminary	Actual	37.14999307
Conductivity	1.747	mS/cm	Preliminary	Actual	37.14999307
Salinity	0.95	PSU	Preliminary	Actual	37.14999307
Temperature, water	21.62	deg C	Preliminary	Actual	37.14999307
pH	7.98	None	Preliminary	Actual	37.14999307
Dissolved oxygen (DO)	7.02	mg/l	Preliminary	Actual	37.14999307
Conductivity	1.747	mS/cm	Preliminary	Actual	37.14999307
Oxidation reduction potential (ORP)	-5.6	mV	Preliminary	Actual	37.14999307
Salinity	0.95	PSU	Preliminary	Actual	37.14999307
Turbidity	1300	NTU	Preliminary	Actual	37.14999307
Oxidation reduction potential (ORP)	-5.6	mV	Preliminary	Actual	37.14999307
Salinity	0.579	PSU	Preliminary	Actual	37.027585
pH	8.5	None	Preliminary	Actual	37.027585
Dissolved oxygen (DO)	9.16	mg/l	Preliminary	Actual	37.027585

-108.2539868
-108.2539868
-109.3106036
-109.3106036
-109.3106036
-109.3106036
-109.3106036
-109.3106036
-109.3106036
-108.6927838
-108.6927838
-108.6927838
-108.6927838
-108.6927838
-108.6927838
-108.6927838
-107.879233
-107.879233
-107.879233
-107.879233
-107.879233
-107.879233
-107.879233
-107.775621
-107.775621
-107.775621
-107.775621
-107.775621
-107.775621
-107.775621
-109.8662835
-109.8662835
-109.8662835
-109.8662835
-109.8662835
-109.8662835
-109.8662835
-109.8662835
-109.8662835
-109.8662835
-109.8662835
-109.8662835
-109.8662835
-109.8662835
-107.878177
-107.878177
-107.878177

AR2-7a	AR2-7a_090216P	Field Msr/Obs	Water	Surface Water
AR2-7a	AR2-7a_090216P	Field Msr/Obs	Water	Surface Water
AR2-7a	AR2-7a_090216P	Field Msr/Obs	Water	Surface Water
AR2-7a	AR2-7a_090216P	Field Msr/Obs	Water	Surface Water
AR2-7a	AR2-7a_090216DP	Field Msr/Obs	Water	Surface Water
AR2-7a	AR2-7a_090216DP	Field Msr/Obs	Water	Surface Water
AR2-7a	AR2-7a_090216DP	Field Msr/Obs	Water	Surface Water
AR2-7a	AR2-7a_090216DP	Field Msr/Obs	Water	Surface Water
AR2-7a	AR2-7a_090216DP	Field Msr/Obs	Water	Surface Water
AR2-7a	AR2-7a_090216P	Field Msr/Obs	Water	Surface Water
AR2-7a	AR2-7a_090216DP	Field Msr/Obs	Water	Surface Water
A73	A73_082616P	Field Msr/Obs	Water	Surface Water
A73	A73_082616P	Field Msr/Obs	Water	Surface Water
A73	A73_082616P	Field Msr/Obs	Water	Surface Water
A73	A73_082616P	Field Msr/Obs	Water	Surface Water
A73	A73_082616P	Field Msr/Obs	Water	Surface Water
A73	A73_082616P	Field Msr/Obs	Water	Surface Water
A73	A73_082616P	Field Msr/Obs	Water	Surface Water

9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
9/2/2016	11:50:00 AM	MST	FOLLOWUPGKM	Probe/Sensor
8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM	Probe/Sensor
8/26/2016	12:10:00 PM	MST	FOLLOWUPGKM	Probe/Sensor

Conductivity	0.981	mS/cm	Preliminary	Actual	37.027585
Oxidation reduction potential (ORP)	-45.1	mV	Preliminary	Actual	37.027585
Salinity	0.579	PSU	Preliminary	Actual	37.027585
Turbidity	48.5	NTU	Preliminary	Actual	37.027585
Temperature, water	16.99	deg C	Preliminary	Actual	37.027585
pH	8.5	None	Preliminary	Actual	37.027585
Dissolved oxygen (DO)	9.16	mg/l	Preliminary	Actual	37.027585
Oxidation reduction potential (ORP)	-45.1	mV	Preliminary	Actual	37.027585
Turbidity	48.5	NTU	Preliminary	Actual	37.027585
Temperature, water	16.99	deg C	Preliminary	Actual	37.027585
Conductivity	0.981	mS/cm	Preliminary	Actual	37.027585
Conductivity	0.683	mS/cm	Preliminary	Actual	37.72215833
Salinity	0.511	PSU	Preliminary	Actual	37.72215833
Temperature, water	7.35	deg C	Preliminary	Actual	37.72215833
Dissolved oxygen (DO)	8.45	mg/l	Preliminary	Actual	37.72215833
Oxidation reduction potential (ORP)	-66	mV	Preliminary	Actual	37.72215833
Turbidity	10	NTU	Preliminary	Actual	37.72215833
pH	6.98	None	Preliminary	Actual	37.72215833

-107.878177
-107.878177
-107.878177
-107.878177
-107.878177
-107.878177
-107.878177
-107.878177
-107.878177
-107.878177
-107.878177
-107.6548278
-107.6548278
-107.6548278
-107.6548278
-107.6548278
-107.6548278
-107.6548278