Message

From: Koffi, LaRonda [Koffi.LaRonda@epa.gov]
Sent: 5/19/2017 1:04:52 PM
To: Melvin, Karen [Melvin.Karen@epa.gov]
Subject: RE: Bishop Tube Control Correspondence - Due 5/19/2017

Okay.

From: Melvin, Karen
Sent: Friday, May 19, 2017 9:00 AM
To: Koffi, LaRonda <Koffi.LaRonda@epa.gov>
Subject: Re: Bishop Tube Control Correspondence - Due 5/19/2017

Ex. 6 Personal Privacy (PP) Can you let the 16th floor know? Paul's out too. I want to look at this.

Sent from my iPhone

On May 19, 2017, at 8:21 AM, Koffi, LaRonda <Koffi.LaRonda@epa.gov> wrote:

> This should be coming your way. It's on my desk if you'd like to sign it; I've asked Chris to give it to you.
>
> ---
>
> **From:** Koffi, LaRonda
> **Sent:** Friday, May 19, 2017 8:20 AM
> **To:** Vallone, Christopher <Vallone.Christopher@epa.gov>
> **Cc:** Yap-deffler, Yazmine <Yap-Deffler.Yazmine@epa.gov>
> **Subject:** RE: Bishop Tube Control Correspondence - Due 5/19/2017
>
> Please give it directly to Karen. I left early yesterday and this didn't go through a normal process.
>
> Thanks.
>
> ---
>
> **From:** Vallone, Christopher
> **Sent:** Thursday, May 18, 2017 1:09 PM
> **To:** Koffi, LaRonda <Koffi.LaRonda@epa.gov>
> **Cc:** Yap-deffler, Yazmine <Yap-Deffler.Yazmine@epa.gov>
> **Subject:** Bishop Tube Control Correspondence - Due 5/19/2017
> **Importance:** High
>
> Hi LaRonda,
>
> There is a control correspondence letter that is on your desk that needs to be signed by Karen by tomorrow 5/19/2017. I attached the document to this email so you may look at over and provide comments, if necessary. Yazmine, Steve, and Paul already reviewed the document and submitted minor comments already and this is the updated version. Please let me know if you have any questions/comments and I appreciate the quick turnaround.
>
> Thanks,
>
> Christopher Vallone
> Site Assessment Manager, HSCD

Environmental Protection Agency, Region 3
1650 Arch St., 3HS12
Philadelphia, PA 19103
215-814-3306 (desk)

<BishopTube_Control_Response.docx>