Message

From: Gettle, Jeaneanne [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=D8E72AA7E1894FAEA44006FD9F22B637-GETTLE, JEANEANNE]
Sent: 3/30/2020 9:15:37 PM
To: Hesterlee, Craig [Hesterlee.Craig@epa.gov]; Thomas, Chris [Thomas.Chris@epa.gov]; Allenbach, Becky [Allenbach.Becky@epa.gov]
CC: Jones, Erica [Jones.Erica@epa.gov]
Subject: RE: Kip requesting building access

Approved – Erica will put him on the list for Wed.

From: Hesterlee, Craig <Hesterlee.Craig@epa.gov>
Sent: Monday, March 30, 2020 5:15 PM
To: Gettle, Jeaneanne <Gettle.Jeaneanne@epa.gov>; Thomas, Chris <Thomas.Chris@epa.gov>; Allenbach, Becky <Allenbach.Becky@epa.gov>
Cc: Jones, Erica <Jones.Erica@epa.gov>
Subject: RE: Kip requesting building access

He said he needs access for about one hour to pack files and to print and pdf some files related to the Kampachi permit. He would like to go on Wednesday.

Craig Hesterlee, Chief
NPDES Permitting Section
EPA Region 4 Water Division
404.562.9749

From: Gettle, Jeaneanne <Gettle.Jeaneanne@epa.gov>
Sent: Monday, March 30, 2020 4:53 PM
To: Thomas, Chris <Thomas.Chris@epa.gov>; Allenbach, Becky <Allenbach.Becky@epa.gov>
Cc: Hesterlee, Craig <Hesterlee.Craig@epa.gov>; Jones, Erica <Jones.Erica@epa.gov>
Subject: RE: Kip requesting building access

He can go – what day does he plan to go in?

From: Thomas, Chris <Thomas.Chris@epa.gov>
Sent: Monday, March 30, 2020 4:03 PM
To: Gettle, Jeaneanne <Gettle.Jeaneanne@epa.gov>; Allenbach, Becky <Allenbach.Becky@epa.gov>
Cc: Hesterlee, Craig <Hesterlee.Craig@epa.gov>
Subject: FW: Kip requesting building access

Jeaneanne – Kip is requesting permission to enter the building to retrieve the written Kampachi comments. Please advise. Thanks!

Chris

From: Hesterlee, Craig <Hesterlee.Craig@epa.gov>
Sent: Monday, March 30, 2020 3:52 PM

To: Thomas, Chris <Thomas.Chris@epa.gov>
Subject: Kip requesting building access

Kip just sent me the following note- I told him to standby.

i need to retrieve the written public comments for kampachi from my desk. this includes the ones received via mail, fax, and submitted in person at the hearing. can i access the building sometime this week?

Craig Hesterlee, Chief
NPDES Permitting Section
EPA Region 4 Water Division
404.562.9749