Message

From: Herrera, Angeles [Herrera.Angeles@epa.gov]
Sent: 8/24/2016 3:41:04 PM
To: Levine, Herb [Levine.Herb@epa.gov]
CC: d'Almeida, Carolyn K. [dAlmeida.Carolyn@epa.gov]; Henning, Loren [Henning.Loren@epa.gov]; Butler, Thomas [Butler.Thomas@epa.gov]; Chesnutt, John [Chesnutt.John@epa.gov]; Brasaemle, Karla [KBrasaemle@TechLawInc.com]
Subject: Re: ST12 drive by

Oh no. I'm sorry. I hope it isn't anything serious. Feel better soon!

Sent from my iPhone

On Aug 24, 2016, at 6:10 AM, Levine, Herb <Levine.Herb@epa.gov> wrote:

In hospital, cannot participate today.

From: d'Almeida, Carolyn K.
Sent: Tuesday, August 23, 2016 9:35:12 PM
To: Herrera, Angeles; Henning, Loren; Butler, Thomas; Chesnutt, John; Levine, Herb
Cc: Brasaemle, Karla
Subject: ST12 drive by

<image001.gif>
Eva and I took a drive by ST12 this evening. True to their word, it appears the dismantling of the SEE system ended when we told them to stop. The aboveground piping has mostly all been removed but there is still a lot of equipment left on site. The cell phone lot where many wells were located has been reopened and all above ground structures are gone. The GAC tanks are still on site which probably could be used again for treatment for a new containment system. Terratherm still has a trailer on site. The eductor skids for operating the pump system has been removed (Terratherm purchased this equipment) but the pumps had not yet been pulled at the time of work stoppage.

Carolyn d'Almeida
Remedial Project Manager
Federal Facilites Branch (SFD 8-1)
US EPA Region 9
(415) 972-3150

"Because a waste is a terrible thing to mind..."