ST012 - GROUNDWATER SAMPLE ANALYTICAL RESULTS BY LOCATION, SAMPLE DATE, AND PARAMETER

Location ID	Sample Type	Sample Date	Name of Sampling Program	Sampling Method	Sample Depth (ft btoc)	Petroleum Hydrocarbons by EPA Method SW8015				Semi-Volatile Organics by EPA Method SW8270C								Volatile Organics by EPA Method SW8260B						Volatile Organics by EPA Method SW8260B			
						TPH(DRO) mg/L		TPH(GRO) mg/L		2-Methylnaphthalene ug/L		2-Methylphenol ug/L		4-Methylphenol ug/L		bis(2-Ethylhexyl)phthalate ug/L		Phenol ug/L		1,2,4-Trimethylbenzene ug/L		1,2-Dichloroethane ug/L		1,3,5-Trimethylbenzene ug/L		4-Isopropyltoluene ug/L		Benzene ug/L	
ST012-C01	Sample	9/1/2015	ST012-Monthly SEE Performance	LF	145	< 0.24	UJ	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-C01	Sample	9/1/2015	ST012-Monthly SEE Performance	LF	145	0.082	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-C01	Sample	11/9/2015	ST012-Annual GW Monitoring Event	LF	145	< 0.24	U	< 0.025	U	< 9.5	U	< 9.5	U	< 19	U	< 9.5	U	< 9.5	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-C02	Sample	1/5/2015	ST012-Monthly SEE Performance	LF	157	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-C02	Sample	1/26/2015	ST012-Monthly SEE Performance	LF	156.97	0.054	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-C02	Sample	3/9/2015	ST012-Monthly SEE Performance	LF	157	0.055	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-C02	Sample	4/4/2015	ST012-Monthly SEE Performance	LF	156.8	0.031	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-C02	Sample	5/18/2015	ST012-Monthly SEE Performance	LF	156.62	< 0.24	U	0.52	J	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.19	F
ST012-C02	Sample	6/15/2015	ST012-Monthly SEE Performance	LF	156.45	< 0.24	U	0.6	J	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-C02	Sample	7/13/2015	ST012-Monthly SEE Performance	LF	156.5	0.075	B	0.27	J	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-C02	Sample	8/3/2015	ST012-Monthly SEE Performance	LF	157	0.034	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-C02	Sample	8/31/2015	ST012-Monthly SEE Performance	LF	156.5	0.052	F	0.3		NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-C02	Sample	10/5/2015	ST012-Monthly SEE Performance	LF	156.26	< 0.24	U	0.49	J	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-C02	Sample	11/2/2015	ST012-Monthly SEE Performance	LF	156.4	< 0.24	U	0.015	F	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-C02	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	156.5	< 0.24	U	0.028		< 9.5	U	< 9.5	U	< 19	U	< 9.5	U	< 9.5	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.16	F
ST012-C02	Sample	12/1/2015	ST012-Monthly SEE Performance	LF	156.37	0.079	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-C02	Sample	1/5/2016	ST012-Monthly SEE Performance	LF	156.53	< 0.24	U	0.067		NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.21	F
ST012-C02	Sample	2/2/2016	ST012-Monthly SEE Performance	LF	156.51	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-C02	Sample	3/1/2016	ST012-Monthly SEE Performance	LF	156.25	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		0.16	F	< 1.0	UJ	< 1.0	UJ	< 1.0	UJ	< 1.0	UJ
ST012-C02	Sample	4/5/2016	ST012-Monthly SEE Performance	LF	157.53	< 0.24	U	0.11	J	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-C02	Sample	5/31/2016	ST012-Monthly SEE Performance	LF	156.35	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-C02	Sample	7/19/2016	ST012-Monthly SEE Performance	LF	155.62	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-C02	Sample	8/30/2016	ST012-Monthly Perimeter Monitoring	LF	155.28	0.039	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-C03	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	150	< 0.24	U	< 0.025	U	< 9.8	U	< 9.8	U	< 20	U	< 9.8	U	< 9.8	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-C04	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	151	< 0.24	U	< 0.025	U	< 9.7	U	< 9.7	U	< 19	U	< 9.7	U	< 9.7	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-C05	Sample	11/11/2015	ST012-Annual GW Monitoring Event	LF	155.8	< 0.24	U	< 0.025	U	< 9.5	U	< 9.5	U	< 19	U	< 9.5	U	< 9.5	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-CZ07	Sample	9/15/2016	ST012-Monthly Perimeter Monitoring	G	NA	20		44		NA		NA		NA		NA		NA		1600		< 40	U	470		39	F	1300	
ST012-CZ08	Sample	9/15/2016	ST012-Monthly Perimeter Monitoring	G	NA	73		44		NA		NA		NA		NA		NA		1100		< 40	U	330		34	F	2300	
ST012-CZ09	Sample	9/15/2016	ST012-Monthly Perimeter Monitoring	G	NA	24		24		NA		NA		NA		NA		NA		2100		< 10	U	490		57		180	
ST012-CZ22	Sample	10/10/2016	ST012-Monthly Perimeter Monitoring	G	150	NA		NA		NA		NA		NA		NA		NA		< 2.0	U	< 2.0	U	< 2.0	U	< 2.0	U	< 2.0	U
ST012-CZ22	Sample	10/10/2016	ST012-Monthly Perimeter Monitoring	G	NA	0.49		0.065	F	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-LSZ47	Sample	10/10/2016	ST012-Monthly Perimeter Monitoring	G	220	NA		NA		NA		NA		NA		NA		NA		0.4	F	< 2.0	U	< 2.0	U	< 2.0	U	6.7	
ST012-LSZ47	Sample	10/10/2016	ST012-Monthly Perimeter Monitoring	G	NA	3.3		1.6		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-LSZ52	Sample	9/13/2016	ST012-Monthly Perimeter Monitoring	G	216	0.05	F	0.11		NA		NA		NA		NA		NA		3.1		0.47	F	< 1.0	U	< 1.0	U	14	
ST012-RB-3A	Sample	1/5/2015	ST012-Monthly SEE Performance	LF	165	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	1/26/2015	ST012-Monthly SEE Performance	LF	165	< 0.25	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	3/9/2015	ST012-Monthly SEE Performance	LF	165	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	4/4/2015	ST012-Monthly SEE Performance	LF	165	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		0.18	F	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	5/18/2015	ST012-Monthly SEE Performance	LF	165	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	6/15/2015	ST012-Monthly SEE Performance	LF	165	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	7/13/2015	ST012-Monthly SEE Performance	LF	165	0.071	B	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	8/3/2015	ST012-Monthly SEE Performance	LF	165	0.031	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	8/31/2015	ST012-Monthly SEE Performance	LF	165	0.049	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	10/5/2015	ST012-Monthly SEE Performance	LF	165	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	11/2/2015	ST012-Monthly SEE Performance	LF	165	< 0.24	U	0.014	F	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	165	< 0.24	U	0.11	J	< 9.5	U	< 9.5	U	< 19	U	< 9.5	U	< 9.5	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	12/3/2015	ST012-Monthly SEE Performance	LF	165	0.033	F	0.012	F	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	1/5/2016	ST012-Monthly SEE Performance	LF	165	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	2/3/2016	ST012-Monthly SEE Performance	LF	165	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	3/7/2016	ST012-Monthly SEE Performance	LF	165	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	4/4/2016	ST012-Monthly SEE Performance	LF	165	< 0.24	U	< 0.025	UJ	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	6/3/2016	ST012-Monthly SEE Performance	LF	165	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	7/27/2016	ST012-Monthly SEE Performance	LF	165	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.2	F
ST012-RB-3A	Sample	9/6/2016	ST012-Monthly Perimeter Monitoring	LF	165	0.031	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U02	Sample	1/5/2015	ST012-Monthly SEE Performance	LF	165	1.1		0.19	J	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.59	F
ST012-U02	Sample	1/27/2015	ST012-Monthly SEE Performance	LF	165	0.7		0.38	J	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U02	Sample	3/9/2015	ST012-Monthly SEE Performance	LF	165	0.6		0.38	M	NA		NA		NA		NA		NA		< 2.0	U	< 2.0	U	< 2.0	U	< 2.0	U	0.76	F
ST012-U02	Sample	4/4/2015	ST012-Monthly SEE Performance	LF	165	0.55		0.62	J	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.78	F
ST012-U02	Sample	5/18/2015	ST012-Monthly SEE Performance	LF	165	0.27	B	2.5		NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.67	F
ST012-U02	Sample	6/15/2015	ST012-Monthly SEE Performance	LF	165	0.3		1.6		NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.89	F
ST012-U02	Sample	7/13/2015	ST012-Monthly SEE Performance	LF	165	0.28		3.0		NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U02	Sample	8/3/2015	ST012-Monthly SEE Performance	LF	165	0.21	F	3.6		NA		NA		NA		NA		NA		< 2.0	U	< 2.0	U	< 2.0	U	< 2.0	U	< 2.0	U
ST012-U02	Sample	8/31/2015	ST012-Monthly SEE Performance	LF	165	0.24	F	2.0		NA		NA		NA		NA		NA		0.24	F	< 1.0	U	0.21	F	0.2	F	0.87	F

ST012 - GROUNDWATER SAMPLE ANALYTICAL RESULTS BY LOCATION, SAMPLE DATE, AND PARAMETER

Location ID	Sample Type	Sample Date	Name of Sampling Program	Sampling Method	Sample Depth (ft btoc)	Petroleum Hydrocarbons by EPA Method SW8015				Semi-Volatile Organics by EPA Method SW8270C										Volatile Organics by EPA Method SW8260B						Volatile Organics by EPA Method SW8260B			
						TPH(DRO) mg/L		TPH(GRO) mg/L		2-Methylnaphthalene ug/L		2-Methylphenol ug/L		4-Methylphenol ug/L		bis(2-Ethylhexyl)phthalate ug/L		Phenol ug/L		1,2,4-Trimethylbenzene ug/L		1,2-Dichloroethane ug/L		1,3,5-Trimethylbenzene ug/L		4-Isopropyltoluene ug/L		Benzene ug/L	
ST012-U02	Sample	10/6/2015	ST012-Monthly SEE Performance	LF	165	0.23	F	1.6		NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	0.43	F	0.24	F	2.1	
ST012-U02	Sample	11/3/2015	ST012-Monthly SEE Performance	LF	165	0.31		0.94		NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	0.25	F	0.17	F	1.4	
ST012-U02	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	165	0.4		0.54	J	< 10	U	< 10	U	< 20	U	< 10	U	< 10	U	0.25	F	< 1.0	U	0.57	F	0.19	F	5.2	
ST012-U02	Sample	12/1/2015	ST012-Monthly SEE Performance	LF	165	0.31		2.4		NA		NA		NA		NA		NA		0.31	F	< 2.0	U	1.0	F	< 2.0	U	6.5	
ST012-U02	Sample	1/5/2016	ST012-Monthly SEE Performance	LF	165	0.47		1.7		NA		NA		NA		NA		NA		1.1	F	< 2.0	U	3.0		0.44	F	27	
ST012-U02	Sample	2/2/2016	ST012-Monthly SEE Performance	LF	165	0.58		2.4		NA		NA		NA		NA		NA		1.1	F	< 2.0	U	2.2		0.9	F	24	
ST012-U02	Sample	3/2/2016	ST012-Monthly SEE Performance	LF	165	1.1		5.3		NA		NA		NA		NA		NA		5.2	F	< 10	J	11	J	5.5	F	83	J
ST012-U02	Sample	4/5/2016	ST012-Monthly SEE Performance	LF	165	0.63		0.26	J	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	0.18	F	< 1.0	U	1.1	
ST012-U02	Sample	5/31/2016	ST012-Monthly SEE Performance	LF	165	2.3		0.088		NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.43	F
ST012-U02	Sample	7/19/2016	ST012-Monthly SEE Performance	LF	165	1.7		0.082		NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.55	F
ST012-U02	Sample	8/30/2016	ST012-Monthly Perimeter Monitoring	LF	165	0.39		0.053		NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.42	F
ST012-U11	Sample	1/5/2015	ST012-Monthly SEE Performance	LF	165	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U11	Sample	1/27/2015	ST012-Monthly SEE Performance	LF	165	< 0.25	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U11	Sample	3/10/2015	ST012-Monthly SEE Performance	LF	165	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U11	Sample	4/6/2015	ST012-Monthly SEE Performance	LF	165	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U11	Sample	5/19/2015	ST012-Monthly SEE Performance	LF	165	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U11	Sample	6/16/2015	ST012-Monthly SEE Performance	LF	165	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U11	Sample	7/13/2015	ST012-Monthly SEE Performance	LF	165	0.074	B	0.013	F	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U11	Sample	8/3/2015	ST012-Monthly SEE Performance	LF	165	0.032	F	0.032		NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U11	Sample	9/1/2015	ST012-Monthly SEE Performance	LF	165	0.042	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U11	Sample	9/2/2015	ST012-Monthly SEE Performance	LF	165	< 0.24	U	0.041		NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U11	Sample	10/6/2015	ST012-Monthly SEE Performance	LF	165	< 0.24	U	0.064	J	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U11	Sample	11/3/2015	ST012-Monthly SEE Performance	LF	165	0.064	F	0.2	J	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U11	Sample	11/11/2015	ST012-Annual GW Monitoring Event	LF	165	< 0.24	U	0.016	F	< 9.5	U	< 9.5	U	< 19	U	< 9.5	U	< 9.5	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U11	Sample	12/1/2015	ST012-Monthly SEE Performance	LF	165	0.064	F	0.21	J	NA		NA		NA		NA		NA		< 2.0	U	< 2.0	U	< 2.0	U	< 2.0	U	< 2.0	U
ST012-U11	Sample	1/6/2016	ST012-Monthly SEE Performance	LF	165	< 0.24	U	0.029		NA		NA		NA		NA		NA		0.18	F	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U11	Sample	2/2/2016	ST012-Monthly SEE Performance	LF	165	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U11	Sample	3/1/2016	ST012-Monthly SEE Performance	LF	165	< 0.24	U	0.029		NA		NA		NA		NA		NA		< 1.0	UJ	< 1.0	UJ	< 1.0	UJ	< 1.0	UJ	< 1.0	UJ
ST012-U11	Sample	4/6/2016	ST012-Monthly SEE Performance	LF	165	< 0.24	U	< 0.025	UJ	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U11	Sample	6/22/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	165	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U11	Duplicate	6/22/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	165	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U11	Sample	7/20/2016	ST012-Monthly SEE Performance	LF	165	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U11	Sample	9/7/2016	ST012-Monthly Perimeter Monitoring	LF	165	0.032	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	1/6/2015	ST012-Monthly SEE Performance	LF	165	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	1/27/2015	ST012-Monthly SEE Performance	LF	165	< 0.25	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	3/9/2015	ST012-Monthly SEE Performance	LF	165	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	4/6/2015	ST012-Monthly SEE Performance	LF	165	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	5/19/2015	ST012-Monthly SEE Performance	LF	165	< 0.24	U	0.043		NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	6/16/2015	ST012-Monthly SEE Performance	LF	165	< 0.24	U	0.065		NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	7/13/2015	ST012-Monthly SEE Performance	LF	165	0.098	B	0.042		NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	8/3/2015	ST012-Monthly SEE Performance	LF	165	0.033	F	0.015	F	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	9/3/2015	ST012-Monthly SEE Performance	LF	165	0.057	F	0.04		NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	10/6/2015	ST012-Monthly SEE Performance	LF	165	< 0.24	U	0.013	F	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	11/3/2015	ST012-Monthly SEE Performance	LF	165	< 0.24	U	0.036		NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	11/11/2015	ST012-Annual GW Monitoring Event	LF	165	< 0.24	U	0.17	J	< 9.5	U	< 9.5	U	< 19	U	< 9.5	U	< 9.5	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	12/2/2015	ST012-Monthly SEE Performance	LF	165	0.052	F	0.042		NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	1/6/2016	ST012-Monthly SEE Performance	LF	165	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U12	Duplicate	1/6/2016	ST012-Monthly SEE Performance	LF	165	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	2/2/2016	ST012-Monthly SEE Performance	LF	165	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	3/2/2016	ST012-Monthly SEE Performance	LF	165	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	4/6/2016	ST012-Monthly SEE Performance	LF	165	< 0.24	U	< 0.025	UJ	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	6/2/2016	ST012-Monthly SEE Performance	LF	165	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U12	Duplicate	6/2/2016	ST012-Monthly SEE Performance	LF	165	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	7/20/2016	ST012-Monthly SEE Performance	LF	165	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	9/7/2016	ST012-Monthly Perimeter Monitoring	LF	165	0.031	F	0.012	F	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U37	Sample	1/6/2015	ST012-Monthly SEE Performance	LF	164	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U37	Sample	1/27/2015	ST012-Monthly SEE Performance	LF	164	0.05	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U37	Sample	3/10/2015	ST012-Monthly SEE Performance	LF	164	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U37	Sample	4/6/2015	ST012-Monthly SEE Performance	LF	164	0.033	F	0.038		NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U37	Sample	5/19/2015	ST012-Monthly SEE Performance	LF	164	< 0.24	U	0.04		NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U37	Sample	6/16/2015	ST012-Monthly SEE Performance	LF	164	< 0.24	U	0.044		NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U37	Sample	7/14/2015	ST012-Monthly SEE Performance	LF	164	0.035	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U37	Sample	8/4/2015	ST012-Monthly SEE Performance	LF	164	0.037	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U37	Sample	9/3/2015	ST012-Monthly SEE Performance	LF	164	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U37	Sample	10/6/2015	ST012-Monthly SEE Performance	LF	164	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U37	Sample	11/3/2015	ST012-Monthly SEE Performance	LF	164	< 0.24	U	0.16		NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U37	Sample	11/11/2015	ST012-Annual GW Monitoring Event	LF	164	< 0.25	U	0.36		< 9.7	U	< 9.7	U	< 19	U	< 9.7	U	< 9.7	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U37	Sample	12/2/2015	ST012-Monthly SEE Performance	LF	164	0.042	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U37	Sample	1/6/2016	ST012-Monthly SEE Performance	LF	164	< 0.24	U	0.01	F	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U37	Sample	2/4/2016	ST012-Monthly SEE Performance	LF	164	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U37	Sample	3/2/2016	ST012-Monthly SEE Performance	LF	164	< 0.24	U	0.25	J	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U37	Sample	4/6/2016	ST012-Monthly SEE Performance	LF	164	< 0.25	U	< 0.025	UJ	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U37	Sample	6/3/2016	ST012-Monthly SEE Performance	LF	164	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.19	F
ST012-U37	Sample	7/26/2016	ST012-Monthly SEE Performance	LF	164	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U37	Sample	8/31/2016	ST012-Monthly Perimeter Monitoring	LF	164	0.041	F	0.01	F	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	1/6/2015	ST012-Monthly SEE Performance	LF	165	0.31		< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	1/28/2015	ST012-Monthly SEE Performance	LF	165	0.32		< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U

ST012 - GROUNDWATER SAMPLE ANALYTICAL RESULTS BY LOCATION, SAMPLE DATE, AND PARAMETER

Location ID	Sample Type	Sample Date	Name of Sampling Program	Sampling Method	Sample Depth (ft btoc)	Petroleum Hydrocarbons by EPA Method SW8015				Semi-Volatile Organics by EPA Method SW8270C										Volatile Organics by EPA Method SW8260B						Volatile Organics by EPA Method SW8260B			
						TPH(DRO) mg/L		TPH(GRO) mg/L		2-Methylnaphthalene ug/L		2-Methylphenol ug/L		4-Methylphenol ug/L		bis(2-Ethylhexyl)phthalate ug/L		Phenol ug/L		1,2,4-Trimethylbenzene ug/L		1,2-Dichloroethane ug/L		1,3,5-Trimethylbenzene ug/L		4-Isopropyltoluene ug/L		Benzene ug/L	
ST012-U38	Sample	3/10/2015	ST012-Monthly SEE Performance	LF	165	0.23	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	4/6/2015	ST012-Monthly SEE Performance	LF	165	0.24	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	5/19/2015	ST012-Monthly SEE Performance	LF	165	0.2	B	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	6/16/2015	ST012-Monthly SEE Performance	LF	165	0.22	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	7/14/2015	ST012-Monthly SEE Performance	LF	165	0.18	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	8/4/2015	ST012-Monthly SEE Performance	LF	165	0.16	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	9/9/2015	ST012-Monthly SEE Performance	LF	165	0.14	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	10/7/2015	ST012-Monthly SEE Performance	LF	165	0.14	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	11/4/2015	ST012-Monthly SEE Performance	LF	165	0.12	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	11/12/2015	ST012-Annual GW Monitoring Event	LF	165	0.14	F	< 0.025	U	< 9.5	U	< 9.5	U	< 19	U	< 9.5	U	< 9.5	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U38	Duplicate	11/12/2015	ST012-Annual GW Monitoring Event	LF	215	0.11	F	< 0.025	U	< 9.5	U	< 9.5	U	< 19	U	< 9.5	U	< 9.5	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	12/2/2015	ST012-Monthly SEE Performance	LF	165	0.11	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	1/7/2016	ST012-Monthly SEE Performance	LF	165	0.12	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	2/3/2016	ST012-Monthly SEE Performance	LF	165	0.065	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	3/3/2016	ST012-Monthly SEE Performance	LF	165	0.061	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	4/5/2016	ST012-Monthly SEE Performance	LF	165	0.063	F	< 0.025	UJ	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	6/1/2016	ST012-Monthly SEE Performance	LF	165	0.041	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U38	Duplicate	6/1/2016	ST012-Monthly SEE Performance	LF	165	0.037	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	7/25/2016	ST012-Monthly SEE Performance	LF	165	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	9/9/2016	ST012-Monthly Perimeter Monitoring	LF	165	0.051	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-UWBZ09	Sample	9/15/2016	ST012-Monthly Perimeter Monitoring	G	NA	260		10		NA		NA		NA		NA		NA		1000		< 4.0	U	350		54		60	
ST012-W11	Sample	1/8/2015	ST012-Monthly SEE Performance	LF	213	1.1		8.4		NA		NA		NA		NA		NA		140		< 10	U	28		3.8	F	1500	
ST012-W11	Sample	1/30/2015	ST012-Monthly SEE Performance	LF	213	1.0	B	16		NA		NA		NA		NA		NA		150		< 20	U	31		< 20	U	4000	
ST012-W11	Sample	3/12/2015	ST012-Monthly SEE Performance	LF	213	0.83		19		NA		NA		NA		NA		NA		86		< 10	U	22		1.9	F	3300	
ST012-W11	Sample	4/8/2015	ST012-Monthly SEE Performance	LF	213	0.91		30		NA		NA		NA		NA		NA		170		< 80	U	< 80	U	< 80	U	6900	
ST012-W11	Sample	6/13/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	213	4.0	J	21		NA		NA		NA		NA		NA		210		< 20	U	64		8.6	F	4100	
ST012-W11	Sample	8/1/2016	ST012-Monthly Perimeter Monitoring	LF	213	NA		NA		NA		NA		NA		NA		NA		220		< 10	U	73		6.8	F	2200	
ST012-W11	Sample	8/1/2016	ST012-Monthly Perimeter Monitoring	LF	213	2.1		340		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W11	Sample	9/7/2016	ST012-Monthly Perimeter Monitoring	LF	213	1.2		17		NA		NA		NA		NA		NA		230		< 10	U	< 10	U	13		2100	
ST012-W12	Sample	1/8/2015	ST012-Monthly SEE Performance	LF	214	< 0.25	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.63	F
ST012-W12	Sample	1/29/2015	ST012-Monthly SEE Performance	LF	214	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		0.17	F	< 1.0	U	< 1.0	U	< 1.0	U	0.62	F
ST012-W12	Sample	3/11/2015	ST012-Monthly SEE Performance	LF	214	0.057	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.98	F
ST012-W12	Sample	4/7/2015	ST012-Monthly SEE Performance	LF	214	0.046	JB	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.61	F
ST012-W12	Sample	5/21/2015	ST012-Monthly SEE Performance	LF	214	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.56	F
ST012-W12	Sample	6/18/2015	ST012-Monthly SEE Performance	LF	214	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	1.3	
ST012-W12	Sample	7/15/2015	ST012-Monthly SEE Performance	LF	214	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.23	F
ST012-W12	Sample	8/5/2015	ST012-Monthly SEE Performance	LF	214	0.044	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.51	F
ST012-W12	Sample	9/2/2015	ST012-Monthly SEE Performance	LF	214	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.22	F
ST012-W12	Sample	9/2/2015	ST012-Monthly SEE Performance	LF	214	0.2	F	1.0		NA		NA		NA		NA		NA		29		< 1.0	U	7.8		0.68	F	20	
ST012-W12	Sample	10/8/2015	ST012-Monthly SEE Performance	LF	214	0.044	F	< 0.025	U	NA		NA		NA		NA		NA		0.21	F	< 1.0	U	< 1.0	U	< 1.0	U	0.79	F
ST012-W12	Sample	11/5/2015	ST012-Monthly SEE Performance	LF	214	0.15	F	0.43	J	NA		NA		NA		NA		NA		12		< 1.0	U	2.9		0.35	F	32	
ST012-W12	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	214	0.053	F	0.028		0.35	F	< 9.5	U	< 19	U	< 9.5	U	< 9.5	U	0.85	F	< 1.0	U	0.23	F	< 1.0	U	4.0	
ST012-W12	Sample	12/4/2015	ST012-Monthly SEE Performance	LF	214	0.043	F	< 0.025	U	NA		NA		NA		NA		NA		0.17	F	< 1.0	U	< 1.0	U	< 1.0	U	2.4	
ST012-W12	Sample	1/8/2016	ST012-Monthly SEE Performance	LF	214	0.057	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.27	F
ST012-W12	Sample	2/4/2016	ST012-Monthly SEE Performance	LF	214	0.12	B	0.44	J	NA		NA		NA		NA		NA		21		< 1.0	U	5.5		0.33	F	35	
ST012-W12	Sample	3/8/2016	ST012-Monthly SEE Performance	LF	214	0.033	F	0.095	B	NA		NA		NA		NA		NA		3.9		< 1.0	U	1.1		< 1.0	U	8.2	
ST012-W12	Sample	4/6/2016	ST012-Monthly SEE Performance	LF	214	< 0.24	U	0.085	J	NA		NA		NA		NA		NA		2.6		< 1.0	U	0.76	F	< 1.0	U	11	
ST012-W12	Sample	6/2/2016	ST012-Monthly SEE Performance	LF	214	0.05	F	0.1		NA		NA		NA		NA		NA		3.8		< 1.0	U	0.95	F	< 1.0	U	12	
ST012-W12	Sample	7/20/2016	ST012-Monthly SEE Performance	LF	214	0.057	B	0.057		NA		NA		NA		NA		NA		1.6		< 1.0	U	0.54	F	< 1.0	U	7.1	
ST012-W12	Sample	9/7/2016	ST012-Monthly Perimeter Monitoring	LF	214	0.06	F	0.028		NA		NA		NA		NA		NA		0.5	F	< 1.0	U	0.22	F	< 1.0	U	3.9	
ST012-W24	Sample	1/8/2015	ST012-Monthly SEE Performance	LF	216	< 0.24	U	0.089	J	NA		NA		NA		NA		NA		2.5		< 1.0	U	1.0		< 1.0	U	0.37	F
ST012-W24	Sample	1/29/2015	ST012-Monthly SEE Performance	LF	216	0.044	B	0.068		NA		NA		NA		NA		NA		2.7		< 1.0	U	0.87	F	< 1.0	U	< 1.0	U
ST012-W24	Sample	3/11/2015	ST012-Monthly SEE Performance	LF	216	0.065	F	0.13		NA		NA		NA		NA		NA		1.5		< 1.0	U	0.65	F	< 1.0	U	0.28	F
ST012-W24	Sample	4/7/2015	ST012-Monthly SEE Performance	LF	216	0.031	F	0.012	F	NA		NA		NA		NA		NA		0.42	F	< 1.0	U	0.22	F	< 1.0	U	0.82	F
ST012-W24	Sample	5/20/2015	ST012-Monthly SEE Performance	LF	216	< 0.24	U	0.012	F	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	6.7	
ST012-W24	Sample	6/18/2015	ST012-Monthly SEE Performance	LF	216	< 0.24	U	0.039		NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	15	
ST012-W24	Sample	7/16/2015	ST012-Monthly SEE Performance	LF	216	< 0.24	U	0.035		NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.63	F
ST012-W24	Sample	8/7/2015	ST012-Monthly SEE Performance	LF	216	0.053	F	0.35		NA		NA		NA		NA		NA		< 4.0	U	< 4.0	U	< 4.0	U	< 4.0	U	< 4.0	U
ST012-W24	Sample	8/31/2015	ST012-Monthly SEE Performance	LF	216	0.059	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.58	F
ST012-W24	Sample	10/8/2015	ST012-Monthly SEE Performance	LF	216	0.041	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.48	F
ST012-W24	Sample	11/5/2015	ST012-Monthly SEE Performance	LF	216	< 0.24	U	0.3		NA		NA		NA		NA		NA		0.23	F	< 1.0	U	< 1.0	U	< 1.0	U	0.48	F
ST012-W24	Sample	11/9/2015	ST012-Annual GW Monitoring Event	LF	216	0.099	F	0.018	F	< 9.7	U	< 9.7	U	< 19	U	< 9.7	U	< 9.7	U	0.22	F	< 1.0	U	< 1.0	U	< 1.0	U	0.44	F
ST012-W24	Sample	12/3/2015	ST012-Monthly SEE Performance	LF	216	0.05	F	0.63	J	NA		NA		NA		NA		NA		< 2.0	U	< 2.0	U	< 2.0	U	< 2.0	U	0.63	F
ST012-W24	Sample	1/8/2016	ST012-Monthly SEE Performance	LF	216	0.1	F	0.61		NA		NA		NA		NA		NA		0.32	F	< 1.0	U	0.3	F	< 1.0	U	1.2	
ST012-W24	Sample	2/3/2016	ST012-Monthly SEE Performance	LF	216	< 0.24	U	0.044		NA		NA		NA		NA		NA		0.32	F	< 1.0	U	< 1.0	U	< 1.0	U	0.44	F
ST012-W24	Sample	3/7/2016	ST012-Monthly SEE Performance	LF	216	0.04	F	0.018	B	NA		NA		NA		NA		NA		0.15	F	< 1.0	U	< 1.0	U	< 1.0	U	0.52	F
ST012-W24	Sample	4/4/2016	ST012-Monthly SEE Performance	LF	216	0.034	F	< 0.025	UJ	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.48	F
ST012-W24	Sample	6/1/2016	ST012-Monthly SEE Performance	LF	216	0.038	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.52	F
ST012-W24	Sample	7/27/2016	ST012-Monthly SEE Performance	LF	216	0.031	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.59	F

ST012 - GROUNDWATER SAMPLE ANALYTICAL RESULTS BY LOCATION, SAMPLE DATE, AND PARAMETER

Location ID	Sample Type	Sample Date	Name of Sampling Program	Sampling Method	Sample Depth (ft btoc)	Petroleum Hydrocarbons by EPA Method SW8015				Semi-Volatile Organics by EPA Method SW8270C										Volatile Organics by EPA Method SW8260B						Volatile Organics by EPA Method SW8260B			
						TPH(DRO) mg/L		TPH(GRO) mg/L		2-Methylnaphthalene ug/L		2-Methylphenol ug/L		4-Methylphenol ug/L		bis(2-Ethylhexyl)phthalate ug/L		Phenol ug/L		1,2,4-Trimethylbenzene ug/L		1,2-Dichloroethane ug/L		1,3,5-Trimethylbenzene ug/L		4-Isopropyltoluene ug/L		Benzene ug/L	
ST012-W24	Sample	9/6/2016	ST012-Monthly Perimeter Monitoring	LF	216	0.062	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.55	F
ST012-W29	Sample	7/17/2015	ST012-Monthly SEE Performance	LF	215	0.032	B	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-W29	Sample	8/7/2015	ST012-Monthly SEE Performance	PDB	215	NA		NA		NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-W29	Sample	8/7/2015	ST012-Monthly SEE Performance	PDB	225	NA		NA		NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-W29	Sample	8/7/2015	ST012-Monthly SEE Performance	LF	215	0.033	F	0.01	F	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-W29	Sample	11/11/2015	ST012-Annual GW Monitoring Event	LF	215	< 0.24	U	< 0.025	U	< 9.5	U	< 9.5	U	< 19	U	< 9.5	U	< 9.5	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-W30	Sample	1/9/2015	ST012-Monthly SEE Performance	LF	216	1.4		13		NA		NA		NA		NA		NA		200		< 10	U	44		3.8	F	2300	
ST012-W30	Sample	1/29/2015	ST012-Monthly SEE Performance	LF	216	0.89	B	9.0		NA		NA		NA		NA		NA		170		< 10	U	40		3.4	F	1600	
ST012-W30	Sample	3/12/2015	ST012-Monthly SEE Performance	LF	216	0.92		8.6		NA		NA		NA		NA		NA		170		< 10	U	41		4.2	F	2200	
ST012-W30	Sample	4/8/2015	ST012-Monthly SEE Performance	LF	216	0.97		10		NA		NA		NA		NA		NA		220		< 20	U	64		7.6	F	2100	
ST012-W30	Sample	5/21/2015	ST012-Monthly SEE Performance	LF	216	0.99		8.4		NA		NA		NA		NA		NA		130		< 10	U	28		2.8	F	2100	
ST012-W30	Sample	6/19/2015	ST012-Monthly SEE Performance	LF	216	1.0		17		NA		NA		NA		NA		NA		140		< 20	U	< 20	U	5.5	F	3900	
ST012-W30	Sample	7/15/2015	ST012-Monthly SEE Performance	LF	216	1.0		18		NA		NA		NA		NA		NA		150		< 10	U	34		2.6	F	3700	
ST012-W30	Sample	8/5/2015	ST012-Monthly SEE Performance	LF	216	0.81		14		NA		NA		NA		NA		NA		160		< 20	U	25		< 20	U	3400	
ST012-W30	Sample	9/10/2015	ST012-Monthly SEE Performance	LF	216	1.0		14		NA		NA		NA		NA		NA		170		< 20	U	< 20	U	< 20	U	3400	
ST012-W30	Sample	10/8/2015	ST012-Monthly SEE Performance	LF	216	0.67		9.4		NA		NA		NA		NA		NA		160		< 10	U	< 10	U	2.9	F	2700	
ST012-W30	Sample	11/6/2015	ST012-Monthly SEE Performance	LF	216	1.1		12		NA		NA		NA		NA		NA		170		< 20	U	< 20	U	< 20	U	3000	
ST012-W30	Sample	11/11/2015	ST012-Annual GW Monitoring Event	LF	216	1.0		9.6		24	J	< 9.5	UJ	< 19	UJ	4.6	F	11	J	190		< 10	U	29		< 10	U	2000	
ST012-W30	Sample	12/7/2015	ST012-Monthly SEE Performance	LF	216	1.2		9.4		NA		NA		NA		NA		NA		140		< 10	U	10		3.0	F	2700	
ST012-W30	Sample	1/11/2016	ST012-Monthly SEE Performance	LF	216	0.74		6.4		NA		NA		NA		NA		NA		49		< 5.0	U	< 5.0	U	1.9	F	1400	
ST012-W30	Sample	2/5/2016	ST012-Monthly SEE Performance	LF	216	0.94		8.4		NA		NA		NA		NA		NA		140		< 10	U	10	F	3.7	F	2200	
ST012-W30	Sample	3/9/2016	ST012-Monthly SEE Performance	LF	216	0.91		9.5		NA		NA		NA		NA		NA		130		< 10	U	9.6	F	2.5	F	2100	
ST012-W30	Duplicate	3/9/2016	ST012-Monthly SEE Performance	LF	216	0.9		9.6		NA		NA		NA		NA		NA		120		< 10	U	9.4	F	2.4	F	2400	
ST012-W30	Sample	4/7/2016	ST012-Monthly SEE Performance	LF	216	0.85	J	4.0		NA		NA		NA		NA		NA		18		< 10	U	< 10	U	< 10	U	1100	
ST012-W30	Sample	6/3/2016	ST012-Monthly SEE Performance	LF	216	1.4		7.5	J	NA		NA		NA		NA		NA		130		< 10	U	34		2.3	F	2800	
ST012-W30	Sample	7/26/2016	ST012-Monthly SEE Performance	LF	216	1.4		8.2		NA		NA		NA		NA		NA		160		< 10	U	49		3.9	F	3400	
ST012-W30	Sample	9/13/2016	ST012-Monthly Perimeter Monitoring	LF	216	1.1		8.6		NA		NA		NA		NA		NA		150		< 10	U	14		3.3	F	3100	
ST012-W34	Sample	1/6/2015	ST012-Monthly SEE Performance	LF	214	0.21	F	0.074		NA		NA		NA		NA		NA		1.1		0.19	F	< 1.0	U	< 1.0	U	0.94	F
ST012-W34	Sample	1/28/2015	ST012-Monthly SEE Performance	LF	214	0.19	F	0.49		NA		NA		NA		NA		NA		3.8		< 1.0	U	< 1.0	U	< 1.0	U	130	
ST012-W34	Sample	3/10/2015	ST012-Monthly SEE Performance	LF	214	0.13	F	0.98		NA		NA		NA		NA		NA		< 2.0	U	< 2.0	U	< 2.0	U	< 2.0	U	470	
ST012-W34	Sample	4/7/2015	ST012-Monthly SEE Performance	LF	214	0.11	F	0.97		NA		NA		NA		NA		NA		0.84	F	< 2.0	U	< 2.0	U	< 2.0	U	420	
ST012-W34	Sample	5/20/2015	ST012-Monthly SEE Performance	LF	214	0.51		11		NA		NA		NA		NA		NA		22		< 20	U	5.0	F	< 20	U	4400	
ST012-W34	Sample	6/17/2015	ST012-Monthly SEE Performance	LF	214	0.59		15		NA		NA		NA		NA		NA		41		< 40	U	< 40	U	< 40	U	7200	
ST012-W34	Sample	7/14/2015	ST012-Monthly SEE Performance	LF	214	0.061	F	0.13		NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	32	
ST012-W34	Sample	8/4/2015	ST012-Monthly SEE Performance	LF	214	0.19	F	0.23		NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	92	
ST012-W34	Sample	9/9/2015	ST012-Monthly SEE Performance	LF	214	0.16	F	0.071		NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	21	
ST012-W34	Sample	10/7/2015	ST012-Monthly SEE Performance	LF	214	0.18	F	0.36		NA		NA		NA		NA		NA		0.4	F	1.4		< 1.0	U	< 1.0	U	37	
ST012-W34	Sample	11/5/2015	ST012-Monthly SEE Performance	LF	214	0.22	F	0.11		NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	13	
ST012-W34	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	214	0.4		2.8		0.56	F	< 9.6	U	< 19	U	< 9.6	U	< 9.6	U	0.82	F	< 4.0	U	< 4.0	U	< 4.0	U	1100	
ST012-W34	Sample	12/3/2015	ST012-Monthly SEE Performance	LF	214	0.12	F	0.078		NA		NA		NA		NA		NA		0.17	F	< 1.0	U	0.17	F	< 1.0	U	5.5	
ST012-W34	Sample	1/7/2016	ST012-Monthly SEE Performance	LF	214	0.16	F	0.14		NA		NA		NA		NA		NA		0.35	F	< 1.0	U	0.16	F	< 1.0	U	22	
ST012-W34	Sample	2/4/2016	ST012-Monthly SEE Performance	LF	214	0.047	B	< 0.025	U	NA		NA		NA		NA		NA		0.21	F	< 1.0	UJ	< 1.0	UJ	< 1.0	UJ	0.59	F
ST012-W34	Duplicate	2/4/2016	ST012-Monthly SEE Performance	LF	214	0.095	B	0.012	F	NA		NA		NA		NA		NA		0.22	F	< 1.0	U	< 1.0	U	< 1.0	U	0.64	F
ST012-W34	Sample	3/8/2016	ST012-Monthly SEE Performance	LF	214	0.06	F	0.026	B	NA		NA		NA		NA		NA		0.19	F	< 1.0	U	< 1.0	U	< 1.0	U	0.35	F
ST012-W34	Sample	4/7/2016	ST012-Monthly SEE Performance	LF	214	< 0.24	U	0.024	F	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.36	F
ST012-W34	Duplicate	4/7/2016	ST012-Monthly SEE Performance	LF	214	< 0.24	U	0.028		NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.37	F
ST012-W34	Sample	6/30/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	0.076		< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.24	F
ST012-W34	Sample	6/30/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Duplicate	6/30/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	0.053	F	< 0.025	U	NA		NA		NA		NA		NA		0.16	F	< 1.0	U	< 1.0	U	< 1.0	U	0.3	F
ST012-W34	Duplicate	6/30/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	7/19/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	< 0.24	U	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.21	F
ST012-W34	Sample	8/30/2016	ST012-Monthly Perimeter Monitoring	LF	214	0.045	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.32	F
ST012-W35	Sample	11/12/2015	ST012-Annual GW Monitoring Event	LF	214	< 0.24	U	< 0.025	U	< 9.5	U	< 9.5	U	< 19	U	< 9.5	U	< 9.5	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-W36	Sample	1/8/2015	ST012-Monthly SEE Performance	LF	215	0.36		6.8		NA		NA		NA		NA		NA		48	J	< 4.0	U	14	J	0.74	F	470	
ST012-W36	Duplicate	1/8/2015	ST012-Monthly SEE Performance	LF	215	0.45		7.6		NA		NA		NA		NA		NA		85	J	< 4.0	U	25	J	1.8	F	560	
ST012-W36	Sample	1/29/2015	ST012-Monthly SEE Performance	LF	215	0.49	B	11		NA		NA		NA		NA		NA		120		< 10	U	33		2.3	F	2600	
ST012-W36	Duplicate	1/29/2015	ST012-Monthly SEE Performance	LF	215	0.57	B	9.7		NA		NA		NA		NA		NA		110		< 10	U	31		2.1	F	2600	
ST012-W36	Sample	3/12/2015	ST012-Monthly SEE Performance	LF	215	0.47		8.0		NA		NA		NA		NA		NA		150		< 4.0	U	37		< 4.0	U	1000	
ST012-W36	Duplicate	3/12/2015	ST012-Monthly SEE Performance	LF	215	0.49		9.3		NA		NA		NA		NA		NA		170		< 4.0	U	38		3.3	F	1000	
ST012-W36	Sample	4/8/2015	ST012-Monthly SEE Performance	LF	215	0.82		26		NA		NA		NA		NA		NA		210		< 80	U	< 80	U	< 80	U	6000	
ST012-W36	Duplicate	4/8/2015	ST012-Monthly SEE Performance	LF	215	0.79		24		NA		NA		NA		NA		NA		160		< 80	U	< 80	U	< 80	U	5900	
ST012-W36	Sample	5/21/2015	ST012-Monthly SEE Performance	LF	215	1.2		28		NA		NA		NA		NA		NA		180		< 100	U	48	F	< 100	U	7400	
ST012-W36	Duplicate	5/21/2015	ST012-Monthly SEE Performance	LF	215	1.3		28		NA		NA		NA		NA		NA		180		< 20	U	46		< 20	U	6900	
ST012-W36	Sample	6/18/2015	ST012-Monthly SEE Performance	LF	215	0.84		18		NA		NA		NA		NA		NA		95		< 20	U	< 20	U	5.2	F	5300	
ST012-W36	Duplicate	6/18/2015	ST012-Monthly SEE Performance	LF	215	0.91		19		NA		NA		NA		NA		NA		110		< 20	U	< 20	U	5.3	F	5300	
ST012-W36	Sample	7/15/2015	ST012-Monthly SEE Performance	LF	215	0.41		4.7		NA		NA		NA		NA		NA		26		< 4.0	U	8.2		< 4.0	U	650	
ST012-W36	Duplicate	7/15/2015	ST012-Monthly SEE Performance	LF	215	0.39		4.6		NA		NA		NA		NA		NA		25		< 4.0	U	8.0		0.68	F	620	
ST012-W36	Sample	8/5/2015	ST012-Monthly SEE Performance	LF	215	0.5		14		NA		NA		NA		NA		NA		70		< 20	U	17	F	< 20	U	3600	
ST012-W36	Duplicate	8/5/2015	ST012-Monthly SEE Performance	LF	215	0.51		14		NA		NA		NA		NA		NA		60		< 20	U	14	F	< 20	U	3400	
ST012-W36	Sample	9/10/2015	ST012-Monthly SEE Performance	LF	215	0.26		1.8		NA		NA		NA		NA		NA		14		< 2.0	U	4.3		< 2.0	U	340	
ST012-W36	Duplicate	9/10/2015	ST012-Monthly SEE Performance	LF	215	0.27		1.9		NA		NA		NA		NA		NA		12		< 2.0	U	3.7		< 2.0	U	330	
ST012-W36	Sample	10/8/2015	ST012-Monthly SEE Performance	LF	215	0.19	F	2.4		NA		NA		NA		NA		NA		16		< 2.0	U	3.7	J	0.65	F	590	
ST012-W36	Duplicate	10/8/2015	ST012-Monthly SEE Performance	LF	215	0.2	F	2.5		NA		NA		NA		NA		NA		20		< 4.0	U	6.0	J	< 4.0	U	680	
ST012-W36	Sample	11/6/2015	ST012-Monthly SEE Performance	LF	215	0.51		15		NA		NA		NA		NA		NA		37		< 20	U	< 20	U	< 20	U	4300	
ST012-W36	Duplicate	11/6/2015	ST012-Monthly SEE Performance	LF	215	0.49		15		NA		NA		NA		NA		NA		42		< 20	U	< 20	U	< 20	U	3800	

ST012 - GROUNDWATER SAMPLE ANALYTICAL RESULTS BY LOCATION, SAMPLE DATE, AND PARAMETER

Location ID	Sample Type	Sample Date	Name of Sampling Program	Sampling Method	Sample Depth (ft btoc)	Petroleum Hydrocarbons by EPA Method SW8015				Semi-Volatile Organics by EPA Method SW8270C										Volatile Organics by EPA Method SW8260B						Volatile Organics by EPA Method SW8260B			
						TPH(DRO) mg/L		TPH(GRO) mg/L		2-Methylnaphthalene ug/L		2-Methylphenol ug/L		4-Methylphenol ug/L		bis(2-Ethylhexyl)phthalate ug/L		Phenol ug/L		1,2,4-Trimethylbenzene ug/L		1,2-Dichloroethane ug/L		1,3,5-Trimethylbenzene ug/L		4-Isopropyltoluene ug/L		Benzene ug/L	
ST012-W36	Sample	11/12/2015	ST012-Annual GW Monitoring Event	LF	215	0.52		8.2		4.8	F	2.8	F	32		< 9.7	U	30		23		< 10	U	6.9	F	< 10	U	2700	
ST012-W36	Sample	12/7/2015	ST012-Monthly SEE Performance	LF	215	0.2	F	3.7		NA		NA		NA		NA		NA		17		< 2.0	U	3.3		< 2.0	U	320	
ST012-W36	Duplicate	12/7/2015	ST012-Monthly SEE Performance	LF	215	0.19	F	3.7		NA		NA		NA		NA		NA		17		< 2.0	U	3.0		< 2.0	U	380	
ST012-W36	Sample	2/24/2016	ST012-Monthly SEE Performance	LF	215	0.061	F	0.31	J	1.4	F	< 9.5	U	< 19	U	2.9	B	< 9.5	U	4.1		< 1.0	U	1.0		< 1.0	U	8.6	
ST012-W36	Duplicate	2/24/2016	ST012-Monthly SEE Performance	LF	215	0.061	F	0.3	J	1.5	F	< 9.6	U	< 19	U	2.3	B	< 9.6	U	3.8		< 1.0	U	0.94	F	< 1.0	U	7.9	
ST012-W36	Sample	3/9/2016	ST012-Monthly SEE Performance	LF	215	0.11	F	0.47	J	NA		NA		NA		NA		NA		3.2	J	< 1.0	UJ	0.86	F	< 1.0	UJ	22	J
ST012-W36	Sample	4/7/2016	ST012-Monthly SEE Performance	LF	215	0.077	F	0.12		NA		NA		NA		NA		NA		0.82	F	< 1.0	U	0.27	F	< 1.0	U	4.4	
ST012-W36	Sample	6/23/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	215	0.14	F	0.55	J	NA		NA		NA		NA		NA		11	M	< 1.0	U	3.3		0.61	F	55	
ST012-W36	Duplicate	6/23/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	215	0.14	F	0.35	J	NA		NA		NA		NA		NA		10	M	< 1.0	U	2.6		0.58	F	45	
ST012-W36	Sample	7/25/2016	ST012-Monthly Perimeter Monitoring	LF	215	0.18	F	1.4	J	NA		NA		NA		NA		NA		33	J	< 1.0	UJ	7.8	J	0.63	F	360	J
ST012-W36	Duplicate	7/25/2016	ST012-Monthly Perimeter Monitoring	LF	215	0.17	F	1.4	J	NA		NA		NA		NA		NA		27	J	< 2.0	UJ	6.3	J	0.49	F	390	J
ST012-W36	Sample	8/31/2016	ST012-Monthly Perimeter Monitoring	LF	215	0.18	F	2.4	J	NA		NA		NA		NA		NA		27	J	< 2.0	UJ	31	J	1.2	F	810	J
ST012-W36	Duplicate	8/31/2016	ST012-Monthly Perimeter Monitoring	LF	215	0.16	F	2.6	J	NA		NA		NA		NA		NA		24	J	< 2.0	UJ	26	J	< 2.0	UJ	820	J
ST012-W37	Sample	1/9/2015	ST012-Monthly SEE Performance	LF	214	0.84		16		NA		NA		NA		NA		NA		140		< 10	U	41		3.0	F	2700	
ST012-W37	Sample	1/30/2015	ST012-Monthly SEE Performance	LF	214	1400		46		NA		NA		NA		NA		NA		700		< 40	U	200		17	F	4400	
ST012-W37	Sample	3/12/2015	ST012-Monthly SEE Performance	LF	214	6300		310		NA		NA		NA		NA		NA		1500		< 25	U	480		100	F	9700	
ST012-W37	Sample	4/9/2015	ST012-Monthly SEE Performance	LF	214	NA		170		NA		NA		NA		NA		NA		18000		< 400	U	7200	F	6700		18000	
ST012-W37	Sample	6/30/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	1.8	J	36	J	NA		NA		NA		NA		NA		140		< 20	U	63		10	F	11000	
ST012-W37	Sample	6/30/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W37	Sample	7/27/2016	ST012-Monthly Perimeter Monitoring	LF	214	1.1		33		NA		NA		NA		NA		NA		160		< 100	U	< 100	U	< 100	U	13000	
ST012-W37	Sample	9/13/2016	ST012-Monthly Perimeter Monitoring	LF	214	1.3		32		NA		NA		NA		NA		NA		150		< 40	U	61		8.2	F	10000	
ST012-W38	Sample	1/7/2015	ST012-Monthly SEE Performance	LF	215	0.14	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-W38	Duplicate	1/7/2015	ST012-Monthly SEE Performance	LF	215	0.14	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-W38	Sample	1/28/2015	ST012-Monthly SEE Performance	LF	215	0.17	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.21	F
ST012-W38	Duplicate	1/28/2015	ST012-Monthly SEE Performance	LF	215	0.17	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-W38	Sample	3/10/2015	ST012-Monthly SEE Performance	LF	215	0.14	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-W38	Duplicate	3/10/2015	ST012-Monthly SEE Performance	LF	215	0.16	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-W38	Sample	4/7/2015	ST012-Monthly SEE Performance	LF	215	0.11	F	< 0.025	U	NA		NA		NA		NA		NA		0.26	F	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-W38	Duplicate	4/7/2015	ST012-Monthly SEE Performance	LF	215	0.15	F	< 0.025	U	NA		NA		NA		NA		NA		0.25	F	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-W38	Sample	5/20/2015	ST012-Monthly SEE Performance	LF	215	0.11	B	0.57	J	NA		NA		NA		NA		NA		6.3	M	8.8	M	< 1.0	U	0.26	F	340	
ST012-W38	Duplicate	5/20/2015	ST012-Monthly SEE Performance	LF	215	0.12	B	0.83	J	NA		NA		NA		NA		NA		4.8		< 4.0	U	1.5	F	< 4.0	U	350	
ST012-W38	Sample	6/17/2015	ST012-Monthly SEE Performance	LF	215	0.21	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.22	F
ST012-W38	Duplicate	6/17/2015	ST012-Monthly SEE Performance	LF	215	0.14	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.23	F
ST012-W38	Sample	7/14/2015	ST012-Monthly SEE Performance	LF	215	0.051	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	UJ	< 1.0	UJ	< 1.0	UJ	< 1.0	UJ	0.22	F
ST012-W38	Duplicate	7/14/2015	ST012-Monthly SEE Performance	LF	215	0.13	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	UJ	< 1.0	UJ	< 1.0	UJ	< 1.0	UJ	0.23	F
ST012-W38	Sample	8/4/2015	ST012-Monthly SEE Performance	LF	215	0.097	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.26	F
ST012-W38	Duplicate	8/4/2015	ST012-Monthly SEE Performance	LF	215	0.12	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.24	F
ST012-W38	Sample	9/9/2015	ST012-Monthly SEE Performance	LF	215	0.08	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.21	F
ST012-W38	Duplicate	9/9/2015	ST012-Monthly SEE Performance	LF	215	0.087	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.22	F
ST012-W38	Sample	10/7/2015	ST012-Monthly SEE Performance	LF	215	0.088	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.18	F
ST012-W38	Duplicate	10/7/2015	ST012-Monthly SEE Performance	LF	215	0.092	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.19	F
ST012-W38	Sample	11/4/2015	ST012-Monthly SEE Performance	LF	215	0.11	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.16	F
ST012-W38	Duplicate	11/4/2015	ST012-Monthly SEE Performance	LF	215	0.11	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.17	F
ST012-W38	Sample	11/12/2015	ST012-Annual GW Monitoring Event	LF	215	0.1	F	< 0.025	U	< 9.5	U	< 9.5	U	< 19	U	< 9.5	U	< 9.5	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.17	F
ST012-W38	Duplicate	11/12/2015	ST012-Annual GW Monitoring Event	LF	215	0.099	F	< 0.025	U	< 9.7	U	< 9.7	U	< 19	U	< 9.7	U	< 9.7	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.2	F
ST012-W38	Sample	12/4/2015	ST012-Monthly SEE Performance	LF	215	0.074	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.17	F
ST012-W38	Duplicate	12/4/2015	ST012-Monthly SEE Performance	LF	215	0.072	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.16	F
ST012-W38	Sample	1/7/2016	ST012-Monthly SEE Performance	LF	215	0.09	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-W38	Duplicate	1/7/2016	ST012-Monthly SEE Performance	LF	215	0.083	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-W38	Sample	2/3/2016	ST012-Monthly SEE Performance	LF	215	0.081	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-W38	Duplicate	2/3/2016	ST012-Monthly SEE Performance	LF	215	0.07	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-W38	Sample	3/3/2016	ST012-Monthly SEE Performance	LF	215	0.21	F	< 0.025	U	NA		NA		NA		NA		NA		0.17	F	< 1.0	U	< 1.0	U	< 1.0	U	0.17	F
ST012-W38	Duplicate	3/3/2016	ST012-Monthly SEE Performance	LF	215	0.064	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-W38	Sample	4/5/2016	ST012-Monthly SEE Performance	LF	215	0.056	F	< 0.025	UJ	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-W38	Duplicate	4/5/2016	ST012-Monthly SEE Performance	LF	215	0.065	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-W38	Sample	6/1/2016	ST012-Monthly SEE Performance	LF	215	0.12	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-W38	Sample	7/25/2016	ST012-Monthly SEE Performance	LF	215	0.14	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-W38	Duplicate	7/25/2016	ST012-Monthly SEE Performance	LF	215	0.16	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-W38	Sample	9/9/2016	ST012-Monthly Perimeter Monitoring	LF	215	0.14	F	0.022	F	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U
ST012-W38	Duplicate	9/9/2016	ST012-Monthly Perimeter Monitoring	LF	215	0.15	F	< 0.025	U	NA		NA		NA		NA		NA		< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U

ST012 - GROUNDWATER SAMPLE ANALYTICAL RESULTS BY LOCATION, SAMPLE DATE, AND PARAMETE

Location ID	Sample Type	Sample Date	Name of Sampling Program	Sampling Method	Sample Depth (ft btoc)	Volatile Organics by EPA Method SW8260B																											
						Carbon disulfide ug/L		cis-1,2-Dichloroethene ug/L		Cyclohexane ug/L		Ethylbenzene ug/L		Isopropylbenzene ug/L		m+p-Xylenes ug/L		MTBE ug/L		Methylcyclohexane ug/L		Methylene chloride ug/L		Naphthalene ug/L		n-Butylbenzene ug/L		n-Hexane ug/L		n-Propylbenzene ug/L		o-Xylene ug/L	
ST012-C01	Sample	9/1/2015	ST012-Monthly SEE Performance	LF	145	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	0.26	F	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-C01	Sample	9/1/2015	ST012-Monthly SEE Performance	LF	145	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-C01	Sample	11/9/2015	ST012-Annual GW Monitoring Event	LF	145	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-C02	Sample	1/5/2015	ST012-Monthly SEE Performance	LF	157	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-C02	Sample	1/26/2015	ST012-Monthly SEE Performance	LF	156.97	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-C02	Sample	3/9/2015	ST012-Monthly SEE Performance	LF	157	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-C02	Sample	4/4/2015	ST012-Monthly SEE Performance	LF	156.8	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	1.1	B	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-C02	Sample	5/18/2015	ST012-Monthly SEE Performance	LF	156.62	< 2.0	U	< 1.0	U	43		< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	23		< 5.0	U	< 1.0	U	< 1.0	U	13		< 1.0	U	< 1.0	U
ST012-C02	Sample	6/15/2015	ST012-Monthly SEE Performance	LF	156.45	< 2.0	U	< 1.0	U	43		< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	16		< 5.0	U	< 1.0	U	< 1.0	U	11		< 1.0	U	< 1.0	U
ST012-C02	Sample	7/13/2015	ST012-Monthly SEE Performance	LF	156.5	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	10		< 5.0	U	< 1.0	U	< 1.0	U	9.5		< 1.0	U	< 1.0	U
ST012-C02	Sample	8/3/2015	ST012-Monthly SEE Performance	LF	157	< 2.0	U	< 1.0	U	1.0	F	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-C02	Sample	8/31/2015	ST012-Monthly SEE Performance	LF	156.5	< 2.0	U	< 1.0	U	20		< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	2.5		< 5.0	U	< 1.0	U	< 1.0	U	3.1		< 1.0	U	< 1.0	U
ST012-C02	Sample	10/5/2015	ST012-Monthly SEE Performance	LF	156.26	< 2.0	U	< 1.0	U	47		< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	9.9		1.2	B	0.35	F	< 1.0	U	5.3		< 1.0	U	< 1.0	U
ST012-C02	Sample	11/2/2015	ST012-Monthly SEE Performance	LF	156.4	< 2.0	U	< 1.0	U	0.68	F	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-C02	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	156.5	< 2.0	U	< 1.0	U	2.2		< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-C02	Sample	12/1/2015	ST012-Monthly SEE Performance	LF	156.37	< 2.0	U	< 1.0	U	0.36	F	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-C02	Sample	1/5/2016	ST012-Monthly SEE Performance	LF	156.53	< 2.0	U	< 1.0	U	8.5		< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-C02	Sample	2/2/2016	ST012-Monthly SEE Performance	LF	156.51	< 2.0	U	< 1.0	U	0.77	F	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-C02	Sample	3/1/2016	ST012-Monthly SEE Performance	LF	156.25	< 2.0	UJ	< 1.0	UJ	< 2.0	UJ	< 1.0	UJ	< 1.0	UJ	< 2.0	UJ	< 5.0	UJ	< 2.0	UJ	0.38	F	0.41	F	< 1.0	UJ	< 2.0	UJ	< 1.0	UJ	< 1.0	UJ
ST012-C02	Sample	4/5/2016	ST012-Monthly SEE Performance	LF	157.53	< 2.0	U	< 1.0	U	9.8		< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	0.93	B	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-C02	Sample	5/31/2016	ST012-Monthly SEE Performance	LF	156.35	< 2.0	U	< 1.0	U	0.45	F	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-C02	Sample	7/19/2016	ST012-Monthly SEE Performance	LF	155.62	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-C02	Sample	8/30/2016	ST012-Monthly Perimeter Monitoring	LF	155.28	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-C03	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	150	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-C04	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	151	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-C05	Sample	11/11/2015	ST012-Annual GW Monitoring Event	LF	155.8	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-CZ07	Sample	9/15/2016	ST012-Monthly Perimeter Monitoring	G	NA	< 80	U	< 40	U	160		2900		280		6900		< 200	U	280		33	F	300		45		19	F	370		3300	
ST012-CZ08	Sample	9/15/2016	ST012-Monthly Perimeter Monitoring	G	NA	< 80	U	< 40	U	490		2200		220		4700		< 200	U	340		23	F	420		41		33	F	270		2200	
ST012-CZ09	Sample	9/15/2016	ST012-Monthly Perimeter Monitoring	G	NA	< 20	U	< 10	U	88		1700		230		4000		< 50	U	150		10	F	840		68		4.8	F	340		2100	
ST012-CZ22	Sample	10/10/2016	ST012-Monthly Perimeter Monitoring	G	150	< 5.0	U	< 2.0	U	NA		< 2.0	U	< 2.0	U	< 5.0	U	< 1.0	U	NA		< 5.0	U	< 5.0	U	< 5.0	U	< 2.0	U	< 2.0	U	< 5.0	U
ST012-CZ22	Sample	10/10/2016	ST012-Monthly Perimeter Monitoring	G	NA	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-LSZ47	Sample	10/10/2016	ST012-Monthly Perimeter Monitoring	G	220	< 5.0	U	< 2.0	U	NA		2.3		< 2.0	U	8.6		< 1.0	U	NA		< 5.0	U	< 5.0	U	< 5.0	U	< 2.0	U	< 2.0	U	3.1	F
ST012-LSZ47	Sample	10/10/2016	ST012-Monthly Perimeter Monitoring	G	NA	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-LSZ52	Sample	9/13/2016	ST012-Monthly Perimeter Monitoring	G	216	< 2.0	U	< 1.0	U	12		16		1.2		5.5		< 5.0	U	3.0		< 5.0	U	1.4		< 1.0	U	< 2.0	U	0.86	F	0.27	F
ST012-RB-3A	Sample	1/5/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	1/26/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	3/9/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	4/4/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	0.34	F	< 5.0	U	< 2.0	U	0.95	B	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	5/18/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	6/15/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	7/13/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	8/3/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	8/31/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	10/5/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	0.41	F	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	0.42	B	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	11/2/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	0.28	F	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	165	< 2.0	U	< 1.0	U	5.4		< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	4.4		< 5.0	U	< 1.0	U	< 1.0	U	2.6		< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	12/3/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	0.48	F	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	1/5/2016	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	2/3/2016	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	0.39	F	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	3/7/2016	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	4/4/2016	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	0.9	B	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	6/3/2016	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	7/27/2016	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-RB-3A	Sample	9/6/2016	ST012-Monthly Perimeter Monitoring	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U02	Sample	1/5/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	17		< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	12		< 5.0	U	< 1.0	U	< 1.0	U	3.9		< 1.0	U	< 1.0	U
ST012-U02	Sample	1/27/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	44		< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	26		< 5.0	U	< 1.0	U	< 1.0	U	1.7	F	< 1.0	U	< 1.0	U
ST012-U02	Sample	3/9/2015	ST012-Monthly SEE Performance	LF	165	< 4.0	U	< 2.0	U	26		< 2.0	U	< 2.0	U	< 4.0	U	< 10	U	12		< 10	U	< 2.0	U	< 2.0	U	3.7	F	< 2.0	U	< 2.0	U
ST012-U02	Sample	4/4/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	89		< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	27		0.6	B	< 1.0	U	< 1.0	U	7.3		< 1.0	U	< 1.0	U
ST012-U02	Sample	5/18/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	420		< 1.0	U	0.33	F	< 2.0	U	< 5.0	U	93		< 5.0	U	< 1.0	U	< 1.0	U	57		< 1.0	U	< 1.0	U
ST012-U02	Sample	6/15/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	290		< 1.0	U	0.23	F	< 2.0	U	< 5.0	U	89		< 5.0	U	< 1.0	U	< 1.0	U	43		< 1.0	U	< 1.0	U
ST012-U02	Sample	7/13/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	500		< 1.0	U	0.29	F	< 2.0	U	< 5.0	U	190		< 5.0	U	< 1.0	U	< 1.0	U	62		< 1.0	U	< 1.0	U
ST012-U02	Sample	8/3/2015	ST012-Monthly SEE Performance	LF	165	< 4.0	U	< 2.0	U	660		< 2.0	U	< 2.0	U	< 4.0	U	< 10	U	180		< 10	U	< 2.0	U	< 2.0	U	84		< 2.0	U	< 2.0	U
ST012-U02	Sample	8/31/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	490		0.96	F	1.6		0.81	F	< 5.0	U	350		< 5.0	U	< 1.0	U	< 1.0	U	19		0.39	F	0.22	F

ST012 - GROUNDWATER SAMPLE ANALYTICAL RESULTS BY LOCATION, SAMPLE DATE, AND PARAMETE

Location ID	Sample Type	Sample Date	Name of Sampling Program	Sampling Method	Sample Depth (ft btoc)	Volatile Organics by EPA Method SW8260B																											
						Carbon disulfide ug/L		cis-1,2-Dichloroethene ug/L		Cyclohexane ug/L		Ethylbenzene ug/L		Isopropylbenzene ug/L		m+p-Xylenes ug/L		MTBE ug/L		Methylcyclohexane ug/L		Methylene chloride ug/L		Naphthalene ug/L		n-Butylbenzene ug/L		n-Hexane ug/L		n-Propylbenzene ug/L		o-Xylene ug/L	
ST012-U02	Sample	10/6/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	310		2.3		3.3		1.7	F	< 5.0	U	230		< 5.0	U	< 1.0	U	< 1.0	U	24		0.98	F	< 1.0	U
ST012-U02	Sample	11/3/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	200		1.3		2.0		1.0	F	< 5.0	U	100		< 5.0	U	< 1.0	U	< 1.0	U	14		0.58	F	< 1.0	U
ST012-U02	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	165	< 2.0	U	< 1.0	U	86		5.0		3.5		4.1		< 5.0	U	37		< 5.0	U	< 1.0	U	< 1.0	U	5.1		0.99	F	< 1.0	U
ST012-U02	Sample	12/1/2015	ST012-Monthly SEE Performance	LF	165	< 4.0	U	< 2.0	U	520		7.0		7.1		5.5		< 10	U	350		< 10	U	< 2.0	U	< 2.0	U	35		2.2		< 2.0	U
ST012-U02	Sample	1/5/2016	ST012-Monthly SEE Performance	LF	165	< 4.0	U	< 2.0	U	270		29		15		22		< 10	U	190		< 10	U	< 2.0	U	< 2.0	U	15		5.8		< 2.0	U
ST012-U02	Sample	2/2/2016	ST012-Monthly SEE Performance	LF	165	< 4.0	U	< 2.0	U	240		23		11		18		< 10	U	220		< 10	U	< 2.0	U	< 2.0	U	17		3.7		0.44	F
ST012-U02	Sample	3/2/2016	ST012-Monthly SEE Performance	LF	165	< 20	UJ	< 10	UJ	440	J	85	J	42	J	71	J	< 50	UJ	410	J	< 50	UJ	< 10	UJ	< 10	UJ	61	J	18	J	< 10	UJ
ST012-U02	Sample	4/5/2016	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	22		0.57	F	1.4		0.81	F	< 5.0	U	17		0.8	B	< 1.0	U	< 1.0	U	0.97	F	0.21	F	< 1.0	U
ST012-U02	Sample	5/31/2016	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	1.4	F	0.26	F	4.8		< 2.0	U	< 5.0	U	1.3	F	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U02	Sample	7/19/2016	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	5.7		< 1.0	U	1.6		< 2.0	U	< 5.0	U	4.3		0.47	B	< 1.0	U	< 1.0	U	1.2	F	< 1.0	U	< 1.0	U
ST012-U02	Sample	8/30/2016	ST012-Monthly Perimeter Monitoring	LF	165	< 2.0	U	< 1.0	U	4.5		< 1.0	U	0.29	F	< 2.0	U	< 5.0	U	2.5		< 5.0	U	< 1.0	U	< 1.0	U	0.62	F	< 1.0	U	< 1.0	U
ST012-U11	Sample	1/5/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U11	Sample	1/27/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U11	Sample	3/10/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U11	Sample	4/6/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	1.2	B	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U11	Sample	5/19/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U11	Sample	6/16/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	0.33	F	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	0.58	F	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U11	Sample	7/13/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	0.94	F	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	0.88	F	< 5.0	U	< 1.0	U	< 1.0	U	0.91	F	< 1.0	U	< 1.0	U
ST012-U11	Sample	8/3/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	1.4	F	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	1.4	F	< 5.0	U	< 1.0	U	< 1.0	U	1.0	F	< 1.0	U	< 1.0	U
ST012-U11	Sample	9/1/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	0.52	F	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	0.44	F	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U11	Sample	9/2/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	2.2		< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	2.1		< 5.0	U	< 1.0	U	< 1.0	U	1.7	F	< 1.0	U	< 1.0	U
ST012-U11	Sample	10/6/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	3.7		< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	2.8		4.3	B	< 1.0	U	< 1.0	U	2.1		< 1.0	U	< 1.0	U
ST012-U11	Sample	11/3/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	12		< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	7.7		< 5.0	U	< 1.0	U	< 1.0	U	2.7		< 1.0	U	< 1.0	U
ST012-U11	Sample	11/11/2015	ST012-Annual GW Monitoring Event	LF	165	< 2.0	U	< 1.0	U	0.8	F	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	0.59	F	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U11	Sample	12/1/2015	ST012-Monthly SEE Performance	LF	165	< 4.0	U	< 2.0	U	11		< 2.0	U	< 2.0	U	< 4.0	U	< 10	U	7.4		0.66	F	< 2.0	U	< 2.0	U	3.9	F	< 2.0	U	< 2.0	U
ST012-U11	Sample	1/6/2016	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	1.6	F	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	1.1	F	< 5.0	U	< 1.0	U	< 1.0	U	1.2	F	< 1.0	U	< 1.0	U
ST012-U11	Sample	2/2/2016	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	0.52	F	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	0.54	F	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U11	Sample	3/1/2016	ST012-Monthly SEE Performance	LF	165	< 2.0	UJ	< 1.0	UJ	1.2	F	< 1.0	UJ	< 1.0	UJ	< 2.0	UJ	< 5.0	UJ	1.0	F	< 5.0	UJ	< 1.0	UJ	< 1.0	UJ	< 2.0	UJ	< 1.0	UJ	< 1.0	UJ
ST012-U11	Sample	4/6/2016	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	0.56	F	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	0.46	F	< 5.0	U	< 1.0	U	< 1.0	U	0.94	F	< 1.0	U	< 1.0	U
ST012-U11	Sample	6/22/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U11	Duplicate	6/22/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U11	Sample	7/20/2016	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	0.33	B	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U11	Sample	9/7/2016	ST012-Monthly Perimeter Monitoring	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	1/6/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	1/27/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	3/9/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	0.6	F	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	4/6/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	0.85	B	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	5/19/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	1.5	F	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	0.9	F	< 5.0	U	< 1.0	U	< 1.0	U	1.5	F	< 1.0	U	< 1.0	U
ST012-U12	Sample	6/16/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	3.9		< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	2.3		< 5.0	U	< 1.0	U	< 1.0	U	1.7	F	< 1.0	U	< 1.0	U
ST012-U12	Sample	7/13/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	2.0		< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	1.4	F	< 5.0	U	< 1.0	U	< 1.0	U	1.4	F	< 1.0	U	< 1.0	U
ST012-U12	Sample	8/3/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	0.88	F	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	0.45	F	< 5.0	U	< 1.0	U	< 1.0	U	0.46	F	< 1.0	U	< 1.0	U
ST012-U12	Sample	9/3/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	3.1		< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	2.3		< 5.0	U	< 1.0	U	< 1.0	U	1.3	F	< 1.0	U	< 1.0	U
ST012-U12	Sample	10/6/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	0.88	F	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	0.62	F	0.71	B	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	11/3/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	2.5		< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	1.5	F	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	11/11/2015	ST012-Annual GW Monitoring Event	LF	165	< 2.0	U	< 1.0	U	15		< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	9.1		< 5.0	U	< 1.0	U	< 1.0	U	6.5		< 1.0	U	< 1.0	U
ST012-U12	Sample	12/2/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	3.3		< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	2.4		< 5.0	U	< 1.0	U	< 1.0	U	0.97	F	< 1.0	U	< 1.0	U
ST012-U12	Sample	1/6/2016	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U12	Duplicate	1/6/2016	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	2/2/2016	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	3/2/2016	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	4/6/2016	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	6/2/2016	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U12	Duplicate	6/2/2016	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	7/20/2016	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U12	Sample	9/7/2016	ST012-Monthly Perimeter Monitoring	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U37	Sample	1/6/2015	ST012-Monthly SEE Performance	LF	164	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U37	Sample	1/27/2015	ST012-Monthly SEE Performance	LF	164	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U37	Sample	3/10/2015	ST012-Monthly SEE Performance	LF	164	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	0.38	F	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U37	Sample	4/6/2015	ST012-Monthly SEE Performance	LF	164	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	1.1	B	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U37	Sample	5/19/2015	ST012-Monthly SEE Performance	LF	164	< 2.0	U	< 1.0	U	0.82	F	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	0.76	F	< 5.0	U	< 1.0	U	< 1.0	U	1.5	F	< 1.0	U	< 1.0	U
ST012-U37	Sample	6/16/2015	ST012-Monthly SEE Performance	LF	164	< 2.0	U	< 1.0	U	2.0		< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	1.4	F	< 5.0	U	< 1.0	U	< 1.0	U	1.4	F	< 1.0	U	< 1.0	U
ST012-U37	Sample	7/14/2015	ST012-Monthly SEE Performance	LF	164	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	0.42	F	< 1.0	U	< 1.0	U
ST012-U37	Sample	8/4/2015	ST012-Monthly SEE Performance	LF	164	< 2.0	U	< 1.0	U	0.43	F	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	0.47	F	< 1.0	U	< 1.0	U
ST012-U37	Sample	9/3/2015	ST012-Monthly SEE Performance	LF	164	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U37	Sample	10/6/2015	ST012-Monthly SEE Performance	LF	164	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	0.66	B	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U37	Sample	11/3/2015	ST012-Monthly SEE Performance	LF	164	< 2.0	U	< 1.0	U	4.3		< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	1.2	F	< 5.0	U	< 1.0	U	< 1.0	U	9.2		< 1.0	U	< 1.0	U
ST012-U37	Sample	11/11/2015	ST012-Annual GW Monitoring Event	LF	164	< 2.0	U	< 1.0	U	5.6		< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	1.0	F	< 5.0	U	< 1.0	U	< 1.0	U	7.6		< 1.0	U	< 1.0	U
ST012-U37	Sample	12/2/2015	ST012-Monthly SEE Performance	LF	164	< 2.0	U	< 1.0	U	0.3	F	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	0.5	F	< 1.0	U	< 1.0	U
ST012-U37	Sample	1/6/2016	ST012-Monthly SEE Performance	LF	164	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	0.74	F	< 1.0	U	< 1.0	U
ST012-U37	Sample	2/4/2016	ST012-Monthly SEE Performance	LF	164	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U37	Sample	3/2/2016	ST012-Monthly SEE Performance	LF	164	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U37	Sample	4/6/2016	ST012-Monthly SEE Performance	LF	164	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	0.34	B	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U37	Sample	6/3/2016	ST012-Monthly SEE Performance	LF	164	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U37	Sample	7/26/2016	ST012-Monthly SEE Performance	LF	164	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U37	Sample	8/31/2016	ST012-Monthly Perimeter Monitoring	LF	164	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	1/6/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	1/28/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U

ST012 - GROUNDWATER SAMPLE ANALYTICAL RESULTS BY LOCATION, SAMPLE DATE, AND PARAMETE

Location ID	Sample Type	Sample Date	Name of Sampling Program	Sampling Method	Sample Depth (ft btoc)	Volatile Organics by EPA Method SW8260B																											
						Carbon disulfide ug/L		cis-1,2-Dichloroethene ug/L		Cyclohexane ug/L		Ethylbenzene ug/L		Isopropylbenzene ug/L		m+p-Xylenes ug/L		MTBE ug/L		Methylcyclohexane ug/L		Methylene chloride ug/L		Naphthalene ug/L		n-Butylbenzene ug/L		n-Hexane ug/L		n-Propylbenzene ug/L		o-Xylene ug/L	
ST012-U38	Sample	3/10/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	0.77	F	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	4/6/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	2.0	B	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	5/19/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	6/16/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	7/14/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	8/4/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	9/9/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	10/7/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	0.84	B	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	11/4/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	11/12/2015	ST012-Annual GW Monitoring Event	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U38	Duplicate	11/12/2015	ST012-Annual GW Monitoring Event	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	12/2/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	1/7/2016	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	2/3/2016	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	3/3/2016	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	4/5/2016	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	1.0	B	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	6/1/2016	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U38	Duplicate	6/1/2016	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	7/25/2016	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	0.22	F	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-U38	Sample	9/9/2016	ST012-Monthly Perimeter Monitoring	LF	165	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	0.72	F	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-UWBZ09	Sample	9/15/2016	ST012-Monthly Perimeter Monitoring	G	NA	< 8.0	U	< 4.0	U	13		210		200		800		< 20	U	26		2.1	F	140		68		1.9	F	280		1100	
ST012-W11	Sample	1/8/2015	ST012-Monthly SEE Performance	LF	213	< 20	U	< 10	U	400		300		36		230		< 50	U	240		< 50	U	32		4.4	F	6.8	F	29		89	
ST012-W11	Sample	1/30/2015	ST012-Monthly SEE Performance	LF	213	< 40	U	< 20	U	220		430		32		640		< 100	U	120		8.6	B	41		< 20	U	12	F	26		410	
ST012-W11	Sample	3/12/2015	ST012-Monthly SEE Performance	LF	213	< 20	U	< 10	U	260		390		24		980		< 50	U	99		< 50	U	33		< 10	U	17	F	17		550	
ST012-W11	Sample	4/8/2015	ST012-Monthly SEE Performance	LF	213	< 160	U	< 80	U	610		740		46	F	1200		< 400	U	230		92	B	62	F	< 80	U	43	F	32	F	750	
ST012-W11	Sample	6/13/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	213	< 40	U	< 20	U	800		1000		64		1900		< 100	U	420		6.5	F	84		10	F	130		46		800	
ST012-W11	Sample	8/1/2016	ST012-Monthly Perimeter Monitoring	LF	213	< 20	U	< 10	U	530		800		54		1700		< 50	U	340		15	B	74		8.7	F	77		45		730	
ST012-W11	Sample	8/1/2016	ST012-Monthly Perimeter Monitoring	LF	213	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W11	Sample	9/7/2016	ST012-Monthly Perimeter Monitoring	LF	213	< 20	U	< 10	U	710		710		51		1400		< 50	U	350		< 50	U	67		7.0	F	98		46		730	
ST012-W12	Sample	1/8/2015	ST012-Monthly SEE Performance	LF	214	< 2.0	U	< 1.0	U	< 2.0	U	0.31	F	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W12	Sample	1/29/2015	ST012-Monthly SEE Performance	LF	214	< 2.0	U	< 1.0	U	< 2.0	U	0.31	F	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W12	Sample	3/11/2015	ST012-Monthly SEE Performance	LF	214	< 2.0	U	< 1.0	U	< 2.0	U	0.85	F	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W12	Sample	4/7/2015	ST012-Monthly SEE Performance	LF	214	< 2.0	U	< 1.0	U	< 2.0	U	0.24	F	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	1.0	B	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W12	Sample	5/21/2015	ST012-Monthly SEE Performance	LF	214	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W12	Sample	6/18/2015	ST012-Monthly SEE Performance	LF	214	< 2.0	U	< 1.0	U	0.31	F	0.5	F	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	0.38	B	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W12	Sample	7/15/2015	ST012-Monthly SEE Performance	LF	214	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W12	Sample	8/5/2015	ST012-Monthly SEE Performance	LF	214	< 2.0	U	< 1.0	U	< 2.0	U	0.16	F	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W12	Sample	9/2/2015	ST012-Monthly SEE Performance	LF	214	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W12	Sample	9/2/2015	ST012-Monthly SEE Performance	LF	214	< 2.0	U	< 1.0	U	69		92		11		66		< 5.0	U	38		< 5.0	U	8.8		0.9	F	9.7		8.9		35	
ST012-W12	Sample	10/8/2015	ST012-Monthly SEE Performance	LF	214	< 2.0	U	< 1.0	U	0.43	F	0.4	F	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	0.44	B	0.7	B	< 1.0	U	< 2.0	U	< 1.0	U	0.34	F
ST012-W12	Sample	11/5/2015	ST012-Monthly SEE Performance	LF	214	< 2.0	U	< 1.0	U	25		42		3.5		21		< 5.0	U	7.9		< 5.0	U	9.2		< 1.0	U	0.95	F	2.3		33	
ST012-W12	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	214	< 2.0	U	< 1.0	U	1.6	F	2.7		0.32	F	1.6	F	< 5.0	U	0.36	F	< 5.0	U	0.98	F	< 1.0	U	< 2.0	U	< 1.0	U	2.6	
ST012-W12	Sample	12/4/2015	ST012-Monthly SEE Performance	LF	214	< 2.0	U	< 1.0	U	< 2.0	U	0.34	F	< 1.0	U	0.34	F	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	0.48	F
ST012-W12	Sample	1/8/2016	ST012-Monthly SEE Performance	LF	214	< 2.0	U	< 1.0	U	0.41	F	0.22	F	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	0.21	F
ST012-W12	Sample	2/4/2016	ST012-Monthly SEE Performance	LF	214	< 2.0	U	< 1.0	U	43		56		5.2		36		< 5.0	U	14		< 5.0	U	11		0.58	F	2.2		3.2		39	
ST012-W12	Sample	3/8/2016	ST012-Monthly SEE Performance	LF	214	< 2.0	U	< 1.0	U	8.4		6.4		0.72	F	8.9		< 5.0	U	2.5		< 5.0	U	2.5		< 1.0	U	< 2.0	U	0.36	F	7.5	
ST012-W12	Sample	4/6/2016	ST012-Monthly SEE Performance	LF	214	< 2.0	U	< 1.0	U	5.9		4.6		0.79	F	7.3		< 5.0	U	2.0		< 5.0	U	2.6		< 1.0	U	< 2.0	U	0.49	F	5.8	
ST012-W12	Sample	6/2/2016	ST012-Monthly SEE Performance	LF	214	< 2.0	U	< 1.0	U	8.3		11		1.3		8.1		< 5.0	U	2.8		< 5.0	U	2.2		< 1.0	U	< 2.0	U	0.69	F	5.7	
ST012-W12	Sample	7/20/2016	ST012-Monthly SEE Performance	LF	214	< 2.0	U	< 1.0	U	4.2		7.0		0.65	F	5.5		< 5.0	U	1.2	F	< 5.0	U	0.91	F	< 1.0	U	< 2.0	U	0.4	F	3.2	
ST012-W12	Sample	9/7/2016	ST012-Monthly Perimeter Monitoring	LF	214	< 2.0	U	< 1.0	U	2.2		2.6		0.32	F	1.7	F	< 5.0	U	0.61	F	< 5.0	U	0.48	F	< 1.0	U	< 2.0	U	0.18	F	0.4	F
ST012-W24	Sample	1/8/2015	ST012-Monthly SEE Performance	LF	216	< 2.0	U	< 1.0	U	5.5		5.0		0.67	F	9.5		< 5.0	U	3.6		< 5.0	U	0.97	F	< 1.0	U	0.6	F	0.53	F	3.8	
ST012-W24	Sample	1/29/2015	ST012-Monthly SEE Performance	LF	216	< 2.0	U	< 1.0	U	5.5		3.1		0.58	F	5.6		< 5.0	U	3.9		< 5.0	U	0.74	F	< 1.0	U	< 2.0	U	0.47	F	3.0	
ST012-W24	Sample	3/11/2015	ST012-Monthly SEE Performance	LF	216	< 2.0	U	< 1.0	U	7.8		0.91	F	0.48	F	1.6	F	< 5.0	U	4.3		< 5.0	U	1.1		< 1.0	U	7.3		0.25	F	1.4	
ST012-W24	Sample	4/7/2015	ST012-Monthly SEE Performance	LF	216	< 2.0	U	< 1.0	U	2.2		< 1.0	U	< 1.0	U	0.37	F	< 5.0	U	1.5	F	1.9	B	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	0.25	F
ST012-W24	Sample	5/20/2015	ST012-Monthly SEE Performance	LF	216	< 2.0	U	< 1.0	U	0.55	F	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	0.45	F	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W24	Sample	6/18/2015	ST012-Monthly SEE Performance	LF	216	< 2.0	U	< 1.0	U	0.94	F	0.19	F	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	0.36	B	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W24	Sample	7/16/2015	ST012-Monthly SEE Performance	LF	216	< 2.0	U	< 1.0	U	1.7	F	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W24	Sample	8/7/2015	ST012-Monthly SEE Performance	LF	216	< 8.0	U	< 4.0	U	23		< 4.0	U	< 4.0	U	< 8.0	U	< 20	U	< 8.0	U	< 20	U	< 4.0	U	< 4.0	U	< 8.0	U	< 4.0	U	< 4.0	U
ST012-W24	Sample	8/31/2015	ST012-Monthly SEE Performance	LF	216	< 2.0	U	< 1.0	U	0.5	F	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W24	Sample	10/8/2015	ST012-Monthly SEE Performance	LF	216	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	0.41	B	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W24	Sample	11/5/2015	ST012-Monthly SEE Performance	LF	216	< 2.0	U	< 1.0	U	19		0.94	F	0.27	F	0.38	F	< 5.0	U	0.63	F	< 5.0	U	0.43	B	< 1.0	U	< 2.0	U	< 1.0	U	0.19	F
ST012-W24	Sample	11/9/2015	ST012-Annual GW Monitoring Event	LF	216	< 2.0	U	< 1.0	U	0.66	F	0.54	F	< 1.0	U	0.36	F	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	0.23	F
ST012-W24	Sample	12/3/2015	ST012-Monthly SEE Performance	LF	216	< 4.0	U	< 2.0	U	35		0.56	F	< 2.0	U	1.1	F	< 10	U	2.7	F	1.4	F	< 2.0	U	< 2.0	U	30		< 2.0	U	< 2.0	U
ST012-W24	Sample	1/8/2016	ST012-Monthly SEE Performance	LF	216	< 2.0	U	< 1.0	U	44		0.42	F	< 1.0	U	0.8	F	< 5.0	U	3.4		< 5.0	U	< 1.0	U	< 1.0	U	27		< 1.0	U	0.38	F
ST012-W24	Sample	2/3/2016	ST012-Monthly SEE Performance	LF	216	< 2.0	U	< 1.0	U	2.1		0.17	F	< 1.0	U	0.46	F	< 5.0	U	0.72	F	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	0.24	F
ST012-W24	Sample	3/7/2016	ST012-Monthly SEE Performance	LF	216	< 2.0	U	< 1.0	U	0.65	F	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W24	Sample	4/4/2016	ST012-Monthly SEE Performance	LF	216	< 2.0	U	< 1.0	U	0.45	F	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	0.89	B	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W24	Sample	6/1/2016	ST012-Monthly SEE Performance	LF	216	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W24	Sample	7/27/2016	ST012-Monthly SEE Performance	LF	216	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U

ST012 - GROUNDWATER SAMPLE ANALYTICAL RESULTS BY LOCATION, SAMPLE DATE, AND PARAMETE

Location ID	Sample Type	Sample Date	Name of Sampling Program	Sampling Method	Sample Depth (ft btoc)	Volatile Organics by EPA Method SW8260B																											
						Carbon disulfide ug/L		cis-1,2-Dichloroethene ug/L		Cyclohexane ug/L		Ethylbenzene ug/L		Isopropylbenzene ug/L		m+p-Xylenes ug/L		MTBE ug/L		Methylcyclohexane ug/L		Methylene chloride ug/L		Naphthalene ug/L		n-Butylbenzene ug/L		n-Hexane ug/L		n-Propylbenzene ug/L		o-Xylene ug/L	
ST012-W24	Sample	9/6/2016	ST012-Monthly Perimeter Monitoring	LF	216	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W29	Sample	7/17/2015	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W29	Sample	8/7/2015	ST012-Monthly SEE Performance	PDB	215	< 2.0	U	< 1.0	U	2.8		< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W29	Sample	8/7/2015	ST012-Monthly SEE Performance	PDB	225	< 2.0	U	< 1.0	U	0.45	F	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W29	Sample	8/7/2015	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	1.1	F	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W29	Sample	11/11/2015	ST012-Annual GW Monitoring Event	LF	215	< 2.0	U	< 1.0	U	0.4	F	0.22	F	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W30	Sample	1/9/2015	ST012-Monthly SEE Performance	LF	216	< 20	U	< 10	U	550		890		48		1400		< 50	U	240		< 50	U	83		6.2	F	9.2	F	43		< 100	U
ST012-W30	Sample	1/29/2015	ST012-Monthly SEE Performance	LF	216	< 20	U	< 10	U	370		530		35		910		< 50	U	180		8.2	B	52		< 10	U	6.0	F	31		< 10	U
ST012-W30	Sample	3/12/2015	ST012-Monthly SEE Performance	LF	216	< 20	U	< 10	U	380		570		41		900		< 50	U	170		< 50	U	66		5.7	F	7.0	F	36		< 100	U
ST012-W30	Sample	4/8/2015	ST012-Monthly SEE Performance	LF	216	< 40	U	< 20	U	600		760		51		970		< 100	U	260		33	B	71		< 20	U	< 40	U	41		< 20	U
ST012-W30	Sample	5/21/2015	ST012-Monthly SEE Performance	LF	216	< 20	U	< 10	U	280		470		30		550		< 50	U	140		< 50	U	43		< 10	U	4.2	F	25		14	
ST012-W30	Sample	6/19/2015	ST012-Monthly SEE Performance	LF	216	< 40	U	< 20	U	380		700		34		980		< 100	U	120		11	B	57		< 20	U	15	F	26		240	
ST012-W30	Sample	7/15/2015	ST012-Monthly SEE Performance	LF	216	< 20	U	< 10	U	370		760		38		940		< 50	U	150		< 50	U	54		4.7	F	21		28		360	
ST012-W30	Sample	8/5/2015	ST012-Monthly SEE Performance	LF	216	< 40	U	< 20	U	450		690		37		730		< 100	U	190		< 100	U	60		< 20	U	19	F	31		230	
ST012-W30	Sample	9/10/2015	ST012-Monthly SEE Performance	LF	216	< 40	U	< 20	U	460		810		44		850		< 100	U	170		< 100	U	58		< 20	U	26	F	31		320	
ST012-W30	Sample	10/8/2015	ST012-Monthly SEE Performance	LF	216	< 20	U	< 10	U	460		710		42		470		< 50	U	190		< 50	U	63		5.9	F	24		37		130	
ST012-W30	Sample	11/6/2015	ST012-Monthly SEE Performance	LF	216	< 40	U	< 20	U	430		690		39		580		< 100	U	200		< 100	U	59		< 20	U	20	F	32		140	
ST012-W30	Sample	11/11/2015	ST012-Annual GW Monitoring Event	LF	216	< 20	U	< 10	U	520		720		46		490		< 50	U	270		< 50	U	60		4.7	F	31		39		96	
ST012-W30	Sample	12/7/2015	ST012-Monthly SEE Performance	LF	216	< 20	U	< 10	U	330		720		39		240		< 50	U	160		5.9	F	69		7.1	F	16	F	32		33	
ST012-W30	Sample	1/11/2016	ST012-Monthly SEE Performance	LF	216	< 10	U	< 5.0	U	390		490		36		120		< 25	U	180		< 25	U	49		3.6	F	13		33		26	
ST012-W30	Sample	2/5/2016	ST012-Monthly SEE Performance	LF	216	< 20	U	< 10	U	420		700		40		310		< 50	U	170		< 50	U	55		3.2	F	13	F	34		18	
ST012-W30	Sample	3/9/2016	ST012-Monthly SEE Performance	LF	216	< 20	U	< 10	U	430		650		44		210		< 50	U	210		< 50	U	62		3.3	F	19	F	39		4.4	F
ST012-W30	Duplicate	3/9/2016	ST012-Monthly SEE Performance	LF	216	< 20	U	< 10	U	420		720		41		200		< 50	U	200		< 50	U	59		< 10	U	17	F	36		4.7	F
ST012-W30	Sample	4/7/2016	ST012-Monthly SEE Performance	LF	216	< 20	U	< 10	U	190		380		30		< 20	U	< 50	U	84		6.1	B	34		< 10	U	< 20	U	26		< 10	U
ST012-W30	Sample	6/3/2016	ST012-Monthly SEE Performance	LF	216	< 20	U	< 10	U	410		770		40		210		< 50	U	210		4.3	F	73		6.9	F	16	F	35		16	
ST012-W30	Sample	7/26/2016	ST012-Monthly SEE Performance	LF	216	< 20	U	< 10	U	570		800		47		260		< 50	U	290		< 50	U	72		5.2	F	20		40		41	
ST012-W30	Sample	9/13/2016	ST012-Monthly Perimeter Monitoring	LF	216	< 20	U	< 10	U	630		830		48		240		< 50	U	260		8.7	F	70		4.4	F	21		42		13	
ST012-W34	Sample	1/6/2015	ST012-Monthly SEE Performance	LF	214	< 2.0	U	< 1.0	U	5.4		5.5		1.1		0.8	F	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	0.22	F	< 1.0	U
ST012-W34	Sample	1/28/2015	ST012-Monthly SEE Performance	LF	214	< 2.0	U	< 1.0	U	26		26		4.2		7.0		< 5.0	U	3.4		< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	1.2		< 1.0	U
ST012-W34	Sample	3/10/2015	ST012-Monthly SEE Performance	LF	214	< 4.0	U	< 2.0	U	6.7		< 2.0	U	< 2.0	U	< 4.0	U	< 10	U	< 4.0	U	2.2	F	1.8	F	< 2.0	U	< 4.0	U	< 2.0	U	< 2.0	U
ST012-W34	Sample	4/7/2015	ST012-Monthly SEE Performance	LF	214	< 4.0	U	< 2.0	U	6.9		88		6.5		< 4.0	U	< 10	U	3.5	F	1.1	B	1.2	F	< 2.0	U	< 4.0	U	3.3		2.0	F
ST012-W34	Sample	5/20/2015	ST012-Monthly SEE Performance	LF	214	< 40	U	< 20	U	52		280		13	F	91		< 100	U	8.5	F	< 100	U	19	F	< 20	U	< 40	U	8.1	F	41	
ST012-W34	Sample	6/17/2015	ST012-Monthly SEE Performance	LF	214	< 80	U	< 40	U	110		560		31	F	90		< 200	U	31	F	21	B	39	F	< 40	U	< 80	U	24	F	< 40	U
ST012-W34	Sample	7/14/2015	ST012-Monthly SEE Performance	LF	214	< 2.0	U	< 1.0	U	< 2.0	U	11		1.7		< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	0.61	F	< 1.0	U	< 2.0	U	0.61	F	< 1.0	U
ST012-W34	Sample	8/4/2015	ST012-Monthly SEE Performance	LF	214	< 2.0	U	< 1.0	U	1.7	F	< 1.0	U	0.32	F	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W34	Sample	9/9/2015	ST012-Monthly SEE Performance	LF	214	< 2.0	U	< 1.0	U	< 2.0	U	1.4		1.3		< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	0.18	F	< 1.0	U
ST012-W34	Sample	10/7/2015	ST012-Monthly SEE Performance	LF	214	< 2.0	U	< 1.0	U	2.9		110		11		< 2.0	U	< 5.0	U	1.9	F	0.93	B	1.7		< 1.0	U	< 2.0	U	6.2		0.3	F
ST012-W34	Sample	11/5/2015	ST012-Monthly SEE Performance	LF	214	< 2.0	U	< 1.0	U	2.0		6.7		3.0		< 2.0	U	< 5.0	U	1.2	F	< 5.0	U	0.39	B	< 1.0	U	< 2.0	U	1.1		< 1.0	U
ST012-W34	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	214	< 8.0	U	< 4.0	U	3.6	F	440		23		< 8.0	U	< 20	U	2.6	F	< 20	U	7.7		< 4.0	U	< 8.0	U	16		< 4.0	U
ST012-W34	Sample	12/3/2015	ST012-Monthly SEE Performance	LF	214	< 2.0	U	< 1.0	U	< 2.0	U	16		3.9		0.5	F	< 5.0	U	< 2.0	U	< 5.0	U	0.39	F	< 1.0	U	< 2.0	U	1.1		< 1.0	U
ST012-W34	Sample	1/7/2016	ST012-Monthly SEE Performance	LF	214	< 2.0	U	< 1.0	U	0.62	F	32		6.3		< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	1.2		< 1.0	U	< 2.0	U	2.4		0.35	F
ST012-W34	Sample	2/4/2016	ST012-Monthly SEE Performance	LF	214	< 2.0	UJ	< 1.0	UJ	< 2.0	UJ	2.6	J	0.44	F	0.46	F	< 5.0	UJ	< 2.0	UJ	< 5.0	UJ	< 1.0	UJ	< 1.0	UJ	< 2.0	UJ	0.18	F	< 1.0	UJ
ST012-W34	Duplicate	2/4/2016	ST012-Monthly SEE Performance	LF	214	< 2.0	U	< 1.0	U	< 2.0	U	2.5		0.5	F	0.47	F	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	0.2	F	< 1.0	U
ST012-W34	Sample	3/8/2016	ST012-Monthly SEE Performance	LF	214	< 2.0	U	< 1.0	U	< 2.0	U	0.48	F	0.23	F	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W34	Sample	4/7/2016	ST012-Monthly SEE Performance	LF	214	< 2.0	U	< 1.0	U	0.74	F	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	0.47	F	< 5.0	U	0.23	F	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W34	Duplicate	4/7/2016	ST012-Monthly SEE Performance	LF	214	< 2.0	U	< 1.0	U	0.89	F	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	0.53	F	0.32	B	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W34	Sample	6/30/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	0.33	F	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W34	Sample	6/30/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Duplicate	6/30/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	0.36	F	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W34	Duplicate	6/30/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	7/19/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	0.35	B	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W34	Sample	8/30/2016	ST012-Monthly Perimeter Monitoring	LF	214	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W35	Sample	11/12/2015	ST012-Annual GW Monitoring Event	LF	214	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W36	Sample	1/8/2015	ST012-Monthly SEE Performance	LF	215	< 8.0	U	< 4.0	U	160	J	460	J	19	J	630	J	< 20	U	37	J	< 20	U	29	J	1.5	F	12	J	12	J	350	J
ST012-W36	Duplicate	1/8/2015	ST012-Monthly SEE Performance	LF	215	< 8.0	U	< 4.0	U	320	J	690	J	29	J	980	J	< 20	U	93	J	< 20	U	45	J	2.9	F	33	J	23	J	510	J
ST012-W36	Sample	1/29/2015	ST012-Monthly SEE Performance	LF	215	< 20	U	< 10	U	330		590		33		810		< 50	U	120		9.4	B	37		5.0	F	28		25		400	
ST012-W36	Duplicate	1/29/2015	ST012-Monthly SEE Performance	LF	215	< 20	U	< 10	U	300		560		30		800		< 50	U	110		8.7	B	36		< 10	U	27		24		380	
ST012-W36	Sample	3/12/2015	ST012-Monthly SEE Performance	LF	215	< 8.0	U	< 4.0	U	500		680		41		970		< 20	U	150		1.4	F	43		4.5		32		35		470	
ST012-W36	Duplicate	3/12/2015	ST012-Monthly SEE Performance	LF	215	< 8.0	U	< 4.0	U	560		750		42		1100		< 20	U	150		< 20	U	46		4.8		34		37		510	
ST012-W36	Sample	4/8/2015	ST012-Monthly SEE Performance	LF	215	< 160	U	< 80	U	580		1100		64	F	960		< 400	U	150	F	160	B	150		< 80	U	< 160	U	43	F	850	
ST012-W36	Duplicate	4/8/2015	ST012-Monthly SEE Performance	LF	215	< 160	U	< 80	U	460		920		50	F	820		< 400	U	110	F	94	B	110		< 80	U	< 160	U	32	F	750	
ST012-W36	Sample	5/21/2015	ST012-Monthly SEE Performance	LF	215	< 200	U	< 100	U	680		830		42	F	1100		< 500	U	120	F	< 500	U	140		< 100	U	130	F	32	F	790	
ST012-W36	Duplicate	5/21/2015	ST012-Monthly SEE Performance	LF	215	< 40	U	< 20	U	630		790		43		1000		< 100	U	110		< 100	U	140		< 20	U	110		34		790	
ST012-W36	Sample	6/18/2015	ST012-Monthly SEE Performance	LF	215	< 40	U	< 20	U	740		510		21		710		< 100	U	99		13	B	64		< 20	U	88		20	F	440	
ST012-W36	Duplicate	6/18/2015	ST012-Monthly SEE Performance	LF	215	< 40	U	< 20	U	750		550		25		780		< 100	U	100		14	B	64		< 20	U	99		21		470	
ST012-W36	Sample	7/15/2015	ST012-Monthly SEE Performance	LF	215	< 8.0	U	< 4.0	U	180		200		15		120		< 20	U	20		< 20	U	13		< 4.0	U	25		9.3		65	
ST012-W36	Duplicate	7/15/2015	ST012-Monthly SEE Performance	LF	215	< 8.0	U	< 4.0	U	180		190		14		110		< 20	U	22		< 20	U	13		< 4.0	U	25		8.7		61	
ST012-W36	Sample	8/5/2015	ST012-Monthly SEE Performance	LF	215	< 40	U	< 20	U	270		470		22		650		< 100	U	85		< 100	U	33		< 20	U	8.7	F	18	F	360	
ST012-W36	Duplicate	8/5/2015	ST012-Monthly SEE Performance	LF	215	< 40	U	< 20	U	230		430		19	F	590		< 100	U	69		< 100	U	29		< 20	U	< 40	U	15	F	330	
ST012-W36	Sample	9/10/2015	ST012-Monthly SEE Performance	LF	215	< 4.0	U	< 2.0	U	130		120		8.4		55		< 10	U	12		0.65	F	7.0		< 2.0	U	11		4.6		16	
ST012-W36	Duplicate	9/10/2015	ST012-Monthly SEE Performance	LF	215	< 4.0	U	< 2.0	U	110		110		7.1		44		< 10	U	11		< 10	U	5.6		< 2.0	U	9.5		4.0		12	
ST012-W36	Sample	10/8/2015	ST012-Monthly SEE Performance	LF	215	< 4.0	U	< 2.0	U	74	J	97	J	5.0	J	56	J	< 10	U	9.0	J	2.1	B	8.5		< 2.0	U	2.8	F	3.4	J	2.1	
ST012-W36	Duplicate	10/8/2015	ST012-Monthly SEE Performance	LF	215	< 8.0	U	< 4.0	U	120	J	140	J	7.1	J	76	J	< 20	U	14	J	< 20	U	11		< 4.0	U	5.7	F	5.1	J	1.7	F
ST012-W36	Sample	11/6/2015	ST012-Monthly SEE Performance	LF	215	< 40	U	< 20	U	250		300		13	F	350		< 100	U	28	F	< 100	U	30		< 20	U	21	F	8.0	F	220	
ST012-W36	Duplicate	11/6/2015	ST012-Monthly SEE Performance	LF	215	< 40	U	< 20	U	280		350		14	F	420		< 100	U	33	F	< 100	U	32		< 20	U	24	F	8.8	F	260	

ST012 - GROUNDWATER SAMPLE ANALYTICAL RESULTS BY LOCATION, SAMPLE DATE, AND PARAMETE

Location ID	Sample Type	Sample Date	Name of Sampling Program	Sampling Method	Sample Depth (ft btoc)	Volatile Organics by EPA Method SW8260B																											
						Carbon disulfide ug/L		cis-1,2-Dichloroethene ug/L		Cyclohexane ug/L		Ethylbenzene ug/L		Isopropylbenzene ug/L		m+p-Xylenes ug/L		MTBE ug/L		Methylcyclohexane ug/L		Methylene chloride ug/L		Naphthalene ug/L		n-Butylbenzene ug/L		n-Hexane ug/L		n-Propylbenzene ug/L		o-Xylene ug/L	
ST012-W36	Sample	11/12/2015	ST012-Annual GW Monitoring Event	LF	215	< 20	U	< 10	U	140		220		6.9	F	280		< 50	U	13	F	< 50	U	19		< 10	U	8.6	F	4.0	F	180	
ST012-W36	Sample	12/7/2015	ST012-Monthly SEE Performance	LF	215	< 4.0	U	< 2.0	U	410		110		6.5		86		< 10	U	25		1.3	F	9.8		< 2.0	U	22		4.0		47	
ST012-W36	Duplicate	12/7/2015	ST012-Monthly SEE Performance	LF	215	< 4.0	U	< 2.0	U	440		100		6.3		85		< 10	U	25		1.3	F	9.6		< 2.0	U	22		3.8		47	
ST012-W36	Sample	2/24/2016	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	52		7.5		1.4		8.8		< 5.0	U	5.0		< 5.0	U	2.5		< 1.0	U	1.6	F	0.62	F	11	
ST012-W36	Duplicate	2/24/2016	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	49		6.7		NA		7.7		< 5.0	U	4.8		< 5.0	U	2.3		< 1.0	U	1.5	F	0.58	F	9.0	
ST012-W36	Sample	3/9/2016	ST012-Monthly SEE Performance	LF	215	< 2.0	UJ	< 1.0	UJ	40	J	8.5	J	1.3	J	4.7	J	< 5.0	UJ	4.4	J	< 5.0	UJ	2.3	J	< 1.0	UJ	3.2	J	0.56	F	6.1	J
ST012-W36	Sample	4/7/2016	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	15		0.59	F	0.27	F	0.77	F	< 5.0	U	1.8	F	0.36	B	0.81	F	< 1.0	U	0.56	F	< 1.0	U	1.2	
ST012-W36	Sample	6/23/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	215	< 2.0	U	< 1.0	U	20	M	79		5.8		51		< 5.0	U	5.4		< 5.0	U	5.6		0.53	F	< 2.0	U	4.5		10	M
ST012-W36	Duplicate	6/23/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	215	< 2.0	U	< 1.0	U	19	M	75		5.4		49		< 5.0	U	5.2		0.32	B	6.1		0.5	F	< 2.0	U	4.2		9.6	M
ST012-W36	Sample	7/25/2016	ST012-Monthly Perimeter Monitoring	LF	215	< 2.0	UJ	< 1.0	UJ	81	J	230	J	14	J	220	J	< 5.0	UJ	23	J	< 5.0	UJ	14	J	1.1	J	1.2	F	9.9	J	42	J
ST012-W36	Duplicate	7/25/2016	ST012-Monthly Perimeter Monitoring	LF	215	< 4.0	UJ	< 2.0	UJ	78	J	230	J	11	J	220	J	< 10	UJ	18	J	< 10	UJ	12	J	0.82	F	0.93	F	8.0	J	43	J
ST012-W36	Sample	8/31/2016	ST012-Monthly Perimeter Monitoring	LF	215	< 4.0	UJ	< 2.0	UJ	81	J	220	J	13	J	200	J	< 10	UJ	18	J	0.66	B	7.1	J	0.82	F	1.1	F	7.5	J	16	F
ST012-W36	Duplicate	8/31/2016	ST012-Monthly Perimeter Monitoring	LF	215	< 4.0	UJ	< 2.0	UJ	76	J	220	J	11	J	200	J	< 10	UJ	16	J	0.68	B	8.8	J	< 2.0	UJ	0.98	F	6.4	J	15	F
ST012-W37	Sample	1/9/2015	ST012-Monthly SEE Performance	LF	214	< 20	U	< 10	U	440		920		46		1400		< 50	U	170		< 50	U	57		4.9	F	46		36		500	
ST012-W37	Sample	1/30/2015	ST012-Monthly SEE Performance	LF	214	< 80	U	< 40	U	1600		2400		160		3700		< 200	U	1000		31	B	130		< 40	U	460		160		1700	
ST012-W37	Sample	3/12/2015	ST012-Monthly SEE Performance	LF	214	< 50	U	< 25	U	< 50	U	3500		320		5700		< 130	U	3400		< 130	U	420		1300		1800		440		2000	
ST012-W37	Sample	4/9/2015	ST012-Monthly SEE Performance	LF	214	< 800	U	< 400	U	53000		24000		18000		38000		< 2000	U	84000		< 2000	U	12000		9800		35000		7000	F	12000	
ST012-W37	Sample	6/30/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	< 40	U	< 20	U	490		760		42		1400		< 100	U	240		8.0	B	62		< 20	U	61		28		790	
ST012-W37	Sample	6/30/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W37	Sample	7/27/2016	ST012-Monthly Perimeter Monitoring	LF	214	< 200	U	< 100	U	580		950		45	F	1500		< 500	U	170	F	< 500	U	43	F	< 100	U	< 200	U	37	F	800	
ST012-W37	Sample	9/13/2016	ST012-Monthly Perimeter Monitoring	LF	214	< 80	U	< 40	U	310		780		38	F	1300		< 200	U	150		< 200	U	50		< 40	U	52	F	31	F	690	
ST012-W38	Sample	1/7/2015	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	0.25	F	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Duplicate	1/7/2015	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	0.44	F	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Sample	1/28/2015	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Duplicate	1/28/2015	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W36	Sample	3/10/2015	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	0.26	F	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Duplicate	3/10/2015	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	0.35	F	< 2.0	U	0.63	F	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Sample	4/7/2015	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	0.38	F	0.33	F	< 2.0	U	0.4	B	0.23	F	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Duplicate	4/7/2015	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	0.39	F	0.37	F	< 2.0	U	0.42	B	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Sample	5/20/2015	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	15	M	95		4.7	M	34		< 5.0	U	1.9	F	0.41	B	4.7		< 1.0	U	< 2.0	U	3.0		14	M
ST012-W38	Duplicate	5/20/2015	ST012-Monthly SEE Performance	LF	215	< 8.0	U	< 4.0	U	15		91		4.1		30		< 20	U	2.0	F	< 20	U	5.4		< 4.0	U	< 8.0	U	2.2	F	13	
ST012-W38	Sample	6/17/2015	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	0.46	F	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Duplicate	6/17/2015	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	0.44	F	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Sample	7/14/2015	ST012-Monthly SEE Performance	LF	215	< 2.0	UJ	< 1.0	UJ	< 2.0	UJ	< 1.0	UJ	< 1.0	UJ	< 2.0	UJ	0.38	F	< 2.0	UJ	< 5.0	UJ	< 1.0	UJ	< 1.0	UJ	< 2.0	UJ	< 1.0	UJ	< 1.0	UJ
ST012-W38	Duplicate	7/14/2015	ST012-Monthly SEE Performance	LF	215	< 2.0	UJ	< 1.0	UJ	< 2.0	UJ	< 1.0	UJ	< 1.0	UJ	< 2.0	UJ	0.34	F	< 2.0	UJ	< 5.0	UJ	< 1.0	UJ	< 1.0	UJ	< 2.0	UJ	< 1.0	UJ	< 1.0	UJ
ST012-W38	Sample	8/4/2015	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	0.31	F	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Duplicate	8/4/2015	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	0.33	F	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Sample	9/9/2015	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Duplicate	9/9/2015	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Sample	10/7/2015	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	1.1	B	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Duplicate	10/7/2015	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	0.9	B	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Sample	11/4/2015	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	0.26	F	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Duplicate	11/4/2015	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	0.26	F	< 2.0	U	< 5.0	U	0.25	F	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Sample	11/12/2015	ST012-Annual GW Monitoring Event	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	0.32	F	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Duplicate	11/12/2015	ST012-Annual GW Monitoring Event	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	0.35	F	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Sample	12/4/2015	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Duplicate	12/4/2015	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	0.32	F	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Sample	1/7/2016	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Duplicate	1/7/2016	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Sample	2/3/2016	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Duplicate	2/3/2016	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	0.28	F	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Sample	3/3/2016	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	0.26	F	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Duplicate	3/3/2016	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Sample	4/5/2016	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	0.94	B	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Duplicate	4/5/2016	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	1.0	B	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Sample	6/1/2016	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 5.0	U	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Sample	7/25/2016	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	0.27	F	< 2.0	U	0.4	B	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Duplicate	7/25/2016	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	0.34	F	< 2.0	U	< 5.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Sample	9/9/2016	ST012-Monthly Perimeter Monitoring	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	0.3	F	< 2.0	U	1.2	F	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U
ST012-W38	Duplicate	9/9/2016	ST012-Monthly Perimeter Monitoring	LF	215	< 2.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U	< 2.0	U	0.32	F	< 2.0	U	0.88	F	< 1.0	U	< 1.0	U	< 2.0	U	< 1.0	U	< 1.0	U

ST012 - GROUNDWATER SAMPLE ANALYTICAL RESULTS BY LOCATION, SAMPLE DATE, AND PARAMETE

Location ID	Sample Type	Sample Date	Name of Sampling Program	Sampling Method	Sample Depth (ft btoc)	Volatile Organics by EPA Method SW8260B																Dissolved Metals by EPA Method SW6010C													
						sec-Butylbenzene ug/L		tert-Butylbenzene ug/L		Tetrachloroethene ug/L		Toluene ug/L		Trichloroethene ug/L		Trichlorofluoromethane ug/L		Vinyl Chloride ug/L		Xylenes, Total ug/L		Arsenic mg/L		Barium mg/L		Cadmium mg/L		Calcium mg/L		Chromium mg/L		Iron mg/L		Lead mg/L	
ST012-C01	Sample	9/1/2015	ST012-Monthly SEE Performance	LF	145	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	< 0.025	U	0.27		< 0.005	U	730		0.0016	F	0.026	F	< 0.015	U
ST012-C01	Sample	9/1/2015	ST012-Monthly SEE Performance	LF	145	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.37	F	< 2.0	U	< 1.5	U	< 2.0	U	< 0.025	UJ	0.29		< 0.005	U	790		0.0015	F	0.032	F	< 0.015	U
ST012-C01	Sample	11/9/2015	ST012-Annual GW Monitoring Event	LF	145	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	1/5/2015	ST012-Monthly SEE Performance	LF	157	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	1.0		< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	1/26/2015	ST012-Monthly SEE Performance	LF	156.97	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	1.1		< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	3/9/2015	ST012-Monthly SEE Performance	LF	157	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	1.1		< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	4/4/2015	ST012-Monthly SEE Performance	LF	156.8	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.88	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	5/18/2015	ST012-Monthly SEE Performance	LF	156.62	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	2.1	J	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	6/15/2015	ST012-Monthly SEE Performance	LF	156.45	< 1.0	U	< 1.0	U	< 1.0	U	0.19	F	1.3		< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	7/13/2015	ST012-Monthly SEE Performance	LF	156.5	< 1.0	U	< 1.0	U	< 1.0	U	0.26	F	0.74	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	8/3/2015	ST012-Monthly SEE Performance	LF	157	< 1.0	U	< 1.0	U	< 1.0	U	0.17	F	0.55	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	8/31/2015	ST012-Monthly SEE Performance	LF	156.5	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.6	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	10/5/2015	ST012-Monthly SEE Performance	LF	156.26	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.62	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	11/2/2015	ST012-Monthly SEE Performance	LF	156.4	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	1.2		< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	156.5	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.68	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	12/1/2015	ST012-Monthly SEE Performance	LF	156.37	< 1.0	U	< 1.0	U	< 1.0	U	0.2	F	1.1		< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	1/5/2016	ST012-Monthly SEE Performance	LF	156.53	< 1.0	U	< 1.0	U	< 1.0	U	0.19	F	1.9		< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	2/2/2016	ST012-Monthly SEE Performance	LF	156.51	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.55	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	3/1/2016	ST012-Monthly SEE Performance	LF	156.25	< 1.0	UJ	< 1.0	UJ	< 1.0	UJ	0.2	F	0.8	F	< 2.0	UJ	< 1.5	UJ	< 2.0	UJ	NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	4/5/2016	ST012-Monthly SEE Performance	LF	157.53	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	1.2		< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	5/31/2016	ST012-Monthly SEE Performance	LF	156.35	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.61	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	7/19/2016	ST012-Monthly SEE Performance	LF	155.62	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.5	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	8/30/2016	ST012-Monthly Perimeter Monitoring	LF	155.28	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	1.1		< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-C03	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	150	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-C04	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	151	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.31	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-C05	Sample	11/11/2015	ST012-Annual GW Monitoring Event	LF	155.8	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-CZ07	Sample	9/15/2016	ST012-Monthly Perimeter Monitoring	G	NA	64		< 40	U	< 40	U	7000		< 40	U	< 80	U	< 60	U	10000		NA		NA		NA		NA		NA		NA		NA	
ST012-CZ08	Sample	9/15/2016	ST012-Monthly Perimeter Monitoring	G	NA	54		< 40	U	< 40	U	8500		< 40	U	< 80	U	< 60	U	6900		NA		NA		NA		NA		NA		NA		NA	
ST012-CZ09	Sample	9/15/2016	ST012-Monthly Perimeter Monitoring	G	NA	88		< 10	U	< 10	U	2200		< 10	U	< 20	U	< 15	U	6100		NA		NA		NA		NA		NA		NA		NA	
ST012-CZ22	Sample	10/10/2016	ST012-Monthly Perimeter Monitoring	G	150	< 5.0	U	< 5.0	U	< 2.0	U	< 2.0	U	< 2.0	U	< 5.0	U	< 5.0	U	< 10	U	NA		NA		NA		NA		NA		NA		NA	
ST012-CZ22	Sample	10/10/2016	ST012-Monthly Perimeter Monitoring	G	NA	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-LSZ47	Sample	10/10/2016	ST012-Monthly Perimeter Monitoring	G	220	< 5.0	U	< 5.0	U	2.9		12		2.2		< 5.0	U	< 5.0	U	12		NA		NA		NA		NA		NA		NA		NA	
ST012-LSZ47	Sample	10/10/2016	ST012-Monthly Perimeter Monitoring	G	NA	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-LSZ52	Sample	9/13/2016	ST012-Monthly Perimeter Monitoring	G	216	< 1.0	U	< 1.0	U	< 1.0	U	0.32	F	< 1.0	U	< 2.0	U	< 1.5	U	5.8		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	1/5/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	0.24	F	0.5	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	1/26/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.97	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	3/9/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.67	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	4/4/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.82	F	< 2.0	U	< 1.5	U	0.34	F	NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	5/18/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	0.33	F	0.61	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	6/15/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	0.19	F	0.97	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	7/13/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	0.18	F	0.94	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	8/3/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	0.17	F	0.89	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	8/31/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.78	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	10/5/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.5	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	11/2/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.61	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	12/3/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	0.17	F	0.69	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	1/5/2016	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	0.2	F	0.77	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	2/3/2016	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.48	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	3/7/2016	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.64	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	4/4/2016	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	1.6		< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	6/3/2016	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	1.5		< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	7/27/2016	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	0.44	F	1.6		< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	9/6/2016	ST012-Monthly Perimeter Monitoring	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	0.25	F	1.3		< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	1/5/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.61	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	1/27/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.91	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	3/9/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 2.0	U	< 2.0	U	< 2.0	U	1.8	F	< 4.0	U	< 3.0	U	< 4.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	4/4/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	1.4		< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	5/18/2015	ST012-Monthly SEE Performance	LF	165	0.21	F	< 1.0	U	< 1.0	U	0.22	F	1.6		< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	6/15/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	0.17	F	3.6		< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	7/13/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	2.2		< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	8/3/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 2.0	U	< 2.0	U	< 2.0	U	2.4		< 4.0	U	< 3.0	U	< 4.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	8/31/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	0.77	F	2.1		< 2.0	U	< 1.5	U	1.0	F	NA		NA		NA		NA		NA		NA		NA	

ST012 - GROUNDWATER SAMPLE ANALYTICAL RESULTS BY LOCATION, SAMPLE DATE, AND PARAMETE

Location ID	Sample Type	Sample Date	Name of Sampling Program	Sampling Method	Sample Depth (ft btoc)	Volatile Organics by EPA Method SW8260B																Dissolved Metals by EPA Method SW6010C													
						sec-Butylbenzene ug/L		tert-Butylbenzene ug/L		Tetrachloroethene ug/L		Toluene ug/L		Trichloroethene ug/L		Trichlorofluoromethane ug/L		Vinyl Chloride ug/L		Xylenes, Total ug/L		Arsenic mg/L		Barium mg/L		Cadmium mg/L		Calcium mg/L		Chromium mg/L		Iron mg/L		Lead mg/L	
ST012-U02	Sample	10/6/2015	ST012-Monthly SEE Performance	LF	165	0.48	F	< 1.0	U	< 1.0	U	0.94	F	2.0		< 2.0	U	< 1.5	U	1.7	F	NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	11/3/2015	ST012-Monthly SEE Performance	LF	165	0.32	F	< 1.0	U	< 1.0	U	0.47	F	2.6		< 2.0	U	< 1.5	U	1.0	F	NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	165	0.27	F	< 1.0	U	< 1.0	U	1.7		0.61	F	< 2.0	U	< 1.5	U	4.1		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	12/1/2015	ST012-Monthly SEE Performance	LF	165	0.83	F	< 2.0	U	< 2.0	U	2.0	F	2.8		< 4.0	U	< 3.0	U	5.5		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	1/5/2016	ST012-Monthly SEE Performance	LF	165	1.7	F	< 2.0	U	< 2.0	U	10		1.4	F	< 4.0	U	< 3.0	U	22		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	2/2/2016	ST012-Monthly SEE Performance	LF	165	1.3	F	< 2.0	U	< 2.0	U	9.4		0.79	F	< 4.0	U	< 3.0	U	18		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	3/2/2016	ST012-Monthly SEE Performance	LF	165	9.1	F	< 10	UJ	< 10	UJ	41	J	< 10	UJ	< 20	UJ	< 15	UJ	71	J	NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	4/5/2016	ST012-Monthly SEE Performance	LF	165	0.25	F	< 1.0	U	< 1.0	U	0.43	F	2.7		< 2.0	U	< 1.5	U	0.81	F	NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	5/31/2016	ST012-Monthly SEE Performance	LF	165	0.49	F	< 1.0	U	< 1.0	U	0.19	F	0.31	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	7/19/2016	ST012-Monthly SEE Performance	LF	165	0.55	F	< 1.0	U	< 1.0	U	0.19	F	0.4	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	8/30/2016	ST012-Monthly Perimeter Monitoring	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.65	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	1/5/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	1/27/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	3/10/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	4/6/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	5/19/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	0.19	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	6/16/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	0.21	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	7/13/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	0.17	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	8/3/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	0.18	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	9/1/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	0.17	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	< 0.025	U	0.49		< 0.005	U	830		0.014	F	4.4		< 0.015	U
ST012-U11	Sample	9/2/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	< 0.025	U	0.15		< 0.005	U	280		0.00074	F	< 0.1	U	< 0.015	U
ST012-U11	Sample	10/6/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	0.19	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	11/3/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	0.21	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	11/11/2015	ST012-Annual GW Monitoring Event	LF	165	< 1.0	U	< 1.0	U	0.31	F	0.18	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	12/1/2015	ST012-Monthly SEE Performance	LF	165	< 2.0	U	< 2.0	U	< 2.0	U	< 2.0	U	< 2.0	U	< 4.0	U	< 3.0	U	< 4.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	1/6/2016	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	0.2	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	2/2/2016	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	0.22	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	3/1/2016	ST012-Monthly SEE Performance	LF	165	< 1.0	UJ	< 1.0	UJ	< 1.0	UJ	< 1.0	UJ	< 1.0	UJ	< 2.0	UJ	< 1.5	UJ	< 2.0	UJ	NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	4/6/2016	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	6/22/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Duplicate	6/22/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	7/20/2016	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	9/7/2016	ST012-Monthly Perimeter Monitoring	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	1/6/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	0.39	F	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	1/27/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	0.58	F	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	3/9/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	0.57	F	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	4/6/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	0.44	F	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	5/19/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	0.33	F	0.25	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	6/16/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	0.41	F	0.32	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	7/13/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	0.42	F	0.19	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	8/3/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	0.33	F	0.21	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	9/3/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	0.38	F	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	10/6/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	0.36	F	0.17	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	11/3/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	0.57	F	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	11/11/2015	ST012-Annual GW Monitoring Event	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	0.3	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	12/2/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	0.33	F	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	1/6/2016	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	0.31	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Duplicate	1/6/2016	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	0.31	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	2/2/2016	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	0.38	F	0.19	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	3/2/2016	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	0.67	F	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	4/6/2016	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	0.3	F	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	6/2/2016	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	0.67	F	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Duplicate	6/2/2016	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	0.67	F	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	7/20/2016	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	0.52	F	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	9/7/2016	ST012-Monthly Perimeter Monitoring	LF	165	< 1.0	U	< 1.0	U	0.44	F	0.26	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	1/6/2015	ST012-Monthly SEE Performance	LF	164	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.27	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	1/27/2015	ST012-Monthly SEE Performance	LF	164	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.35	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	3/10/2015	ST012-Monthly SEE Performance	LF	164	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.28	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	4/6/2015	ST012-Monthly SEE Performance	LF	164	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.38	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	5/19/2015	ST012-Monthly SEE Performance	LF	164	< 1.0	U	< 1.0	U	< 1.0	U	0.23	F	0.34	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	6/16/2015	ST012-Monthly SEE Performance	LF	164	< 1.0	U	< 1.0	U	< 1.0	U	0.3	F	0.37	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	7/14/2015	ST012-Monthly SEE Performance	LF	164	< 1.0	U	< 1.0	U	< 1.0	U	0.24	F	0.37	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	8/4/2015	ST012-Monthly SEE Performance	LF	164	< 1.0	U	< 1.0	U	< 1.0	U	0.22	F	0.32	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	9/3/2015	ST012-Monthly SEE Performance	LF	164	< 1.0	U	< 1.0	U	< 1.0	U	0.17	F	0.4	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	10/6/2015	ST012-Monthly SEE Performance	LF	164	< 1.0	U	< 1.0	U	< 1.0	U	0.21	F	0.26	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	11/3/2015	ST012-Monthly SEE Performance	LF	164	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.19	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	11/11/2015	ST012-Annual GW Monitoring Event	LF	164	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	12/2/2015	ST012-Monthly SEE Performance	LF	164	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.42	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	1/6/2016	ST012-Monthly SEE Performance	LF	164	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.33	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	2/4/2016	ST012-Monthly SEE Performance	LF	164	< 1.0	U	< 1.0	U	< 1.0	U	0.17	F	0.49	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	3/2/2016	ST012-Monthly SEE Performance	LF	164	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.17	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	4/6/2016	ST012-Monthly SEE Performance	LF	164	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.77	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	6/3/2016	ST012-Monthly SEE Performance	LF	164	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	1.2		< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	7/26/2016	ST012-Monthly SEE Performance	LF	164	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.79	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	8/31/2016	ST012-Monthly Perimeter Monitoring	LF	164	< 1.0	U	< 1.0	U	< 1.0	U	0.35	F	0.58	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	1/6/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	0.88	F	0.32	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	1/28/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.37	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	

ST012 - GROUNDWATER SAMPLE ANALYTICAL RESULTS BY LOCATION, SAMPLE DATE, AND PARAMETE

Location ID	Sample Type	Sample Date	Name of Sampling Program	Sampling Method	Sample Depth (ft btoc)	Volatile Organics by EPA Method SW8260B																Dissolved Metals by EPA Method SW6010C													
						sec-Butylbenzene ug/L		tert-Butylbenzene ug/L		Tetrachloroethene ug/L		Toluene ug/L		Trichloroethene ug/L		Trichlorofluoromethane ug/L		Vinyl Chloride ug/L		Xylenes, Total ug/L		Arsenic mg/L		Barium mg/L		Cadmium mg/L		Calcium mg/L		Chromium mg/L		Iron mg/L		Lead mg/L	
ST012-U38	Sample	3/10/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.4	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	4/6/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.43	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	5/19/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	0.21	F	0.35	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	6/16/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	0.19	F	0.41	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	7/14/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	0.17	F	0.39	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	8/4/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.38	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	9/9/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.45	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	10/7/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.41	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	11/4/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.38	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	11/12/2015	ST012-Annual GW Monitoring Event	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.48	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Duplicate	11/12/2015	ST012-Annual GW Monitoring Event	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.36	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	12/2/2015	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	0.17	F	0.47	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	1/7/2016	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	0.42	F	0.26	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	2/3/2016	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	0.2	F	0.38	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	3/3/2016	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.66	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	4/5/2016	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.64	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	6/1/2016	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.79	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Duplicate	6/1/2016	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.74	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	7/25/2016	ST012-Monthly SEE Performance	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.67	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	9/9/2016	ST012-Monthly Perimeter Monitoring	LF	165	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	0.92	F	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-UWBZ09	Sample	9/15/2016	ST012-Monthly Perimeter Monitoring	G	NA	53		< 4.0	U	< 4.0	U	350		< 4.0	U	< 8.0	U	< 6.0	U	1900		NA		NA		NA		NA		NA		NA		NA	
ST012-W11	Sample	1/8/2015	ST012-Monthly SEE Performance	LF	213	5.9	F	< 10	U	< 10	U	960		< 10	U	< 20	U	< 15	U	320		NA		NA		NA		NA		NA		NA		NA	
ST012-W11	Sample	1/30/2015	ST012-Monthly SEE Performance	LF	213	5.4	F	< 20	U	< 20	U	2900		< 20	U	< 40	U	< 30	U	1100		NA		NA		NA		NA		NA		NA		NA	
ST012-W11	Sample	3/12/2015	ST012-Monthly SEE Performance	LF	213	< 10	U	< 10	U	< 10	U	3500		< 10	U	< 20	U	< 15	U	1500		NA		NA		NA		NA		NA		NA		NA	
ST012-W11	Sample	4/8/2015	ST012-Monthly SEE Performance	LF	213	< 80	U	< 80	U	< 80	U	4800		< 80	U	< 160	U	< 120	U	2000		NA		NA		NA		NA		NA		NA		NA	
ST012-W11	Sample	6/13/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	213	12	F	< 20	U	< 20	U	2000		< 20	U	< 40	U	< 30	U	2700		NA		NA		NA		NA		NA		NA		NA	
ST012-W11	Sample	8/1/2016	ST012-Monthly Perimeter Monitoring	LF	213	11		< 10	U	< 10	U	3000		< 10	U	< 20	UJ	< 15	U	2400		NA		NA		NA		NA		NA		NA		NA	
ST012-W11	Sample	8/1/2016	ST012-Monthly Perimeter Monitoring	LF	213	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W11	Sample	9/7/2016	ST012-Monthly Perimeter Monitoring	LF	213	8.0	F	< 10	U	< 10	U	2600		< 10	U	< 20	U	< 15	U	2100		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	1/8/2015	ST012-Monthly SEE Performance	LF	214	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	1/29/2015	ST012-Monthly SEE Performance	LF	214	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	3/11/2015	ST012-Monthly SEE Performance	LF	214	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	4/7/2015	ST012-Monthly SEE Performance	LF	214	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	5/21/2015	ST012-Monthly SEE Performance	LF	214	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	6/18/2015	ST012-Monthly SEE Performance	LF	214	< 1.0	U	< 1.0	U	< 1.0	U	0.27	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	7/15/2015	ST012-Monthly SEE Performance	LF	214	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	8/5/2015	ST012-Monthly SEE Performance	LF	214	< 1.0	U	< 1.0	U	< 1.0	U	0.2	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	9/2/2015	ST012-Monthly SEE Performance	LF	214	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	< 0.025	U	0.24		< 0.005	U	440		< 0.015	U	< 0.1	U	< 0.015	U
ST012-W12	Sample	9/2/2015	ST012-Monthly SEE Performance	LF	214	1.7		< 1.0	U	< 1.0	U	0.51	F	< 1.0	U	< 2.0	U	< 1.5	U	100		< 0.025	U	0.15		< 0.005	U	280		0.0014	F	0.11		< 0.015	U
ST012-W12	Sample	10/8/2015	ST012-Monthly SEE Performance	LF	214	< 1.0	U	< 1.0	U	0.27	F	0.18	F	< 1.0	U	< 2.0	U	< 1.5	U	0.34	F	NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	11/5/2015	ST012-Monthly SEE Performance	LF	214	0.77	F	1.2		< 1.0	U	0.19	F	< 1.0	U	< 2.0	U	< 1.5	U	54		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	214	< 1.0	U	< 1.0	U	< 1.0	U	0.31	F	< 1.0	U	< 2.0	U	< 1.5	U	4.2		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	12/4/2015	ST012-Monthly SEE Performance	LF	214	< 1.0	U	< 1.0	U	< 1.0	U	0.22	F	< 1.0	U	< 2.0	U	< 1.5	U	0.82	F	NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	1/8/2016	ST012-Monthly SEE Performance	LF	214	< 1.0	U	< 1.0	U	0.23	F	0.24	F	< 1.0	U	< 2.0	U	< 1.5	U	0.21	F	NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	2/4/2016	ST012-Monthly SEE Performance	LF	214	1.1		< 1.0	U	0.22	F	0.22	F	< 1.0	U	< 2.0	U	< 1.5	U	75		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	3/8/2016	ST012-Monthly SEE Performance	LF	214	0.23	F	< 1.0	U	0.34	F	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	16		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	4/6/2016	ST012-Monthly SEE Performance	LF	214	0.22	F	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	13		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	6/2/2016	ST012-Monthly SEE Performance	LF	214	0.22	F	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	14		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	7/20/2016	ST012-Monthly SEE Performance	LF	214	0.18	F	< 1.0	U	0.25	F	0.19	F	< 1.0	U	< 2.0	U	< 1.5	U	8.7		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	9/7/2016	ST012-Monthly Perimeter Monitoring	LF	214	< 1.0	U	< 1.0	U	< 1.0	U	0.23	F	< 1.0	U	< 2.0	U	< 1.5	U	2.1		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	1/8/2015	ST012-Monthly SEE Performance	LF	216	< 1.0	U	< 1.0	U	< 1.0	U	2.1		< 1.0	U	< 2.0	U	< 1.5	U	13		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	1/29/2015	ST012-Monthly SEE Performance	LF	216	< 1.0	U	< 1.0	U	< 1.0	U	0.72	F	< 1.0	U	< 2.0	U	< 1.5	U	8.6		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	3/11/2015	ST012-Monthly SEE Performance	LF	216	0.17	F	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	3.0		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	4/7/2015	ST012-Monthly SEE Performance	LF	216	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	0.62	F	NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	5/20/2015	ST012-Monthly SEE Performance	LF	216	< 1.0	U	< 1.0	U	< 1.0	U	0.18	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	6/18/2015	ST012-Monthly SEE Performance	LF	216	< 1.0	U	< 1.0	U	< 1.0	U	0.19	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	7/16/2015	ST012-Monthly SEE Performance	LF	216	< 1.0	U	< 1.0	U	< 1.0	U	0.17	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	8/7/2015	ST012-Monthly SEE Performance	LF	216	< 4.0	U	< 4.0	U	< 4.0	U	< 4.0	U	< 4.0	U	< 8.0	U	< 6.0	U	< 8.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	8/31/2015	ST012-Monthly SEE Performance	LF	216	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	10/8/2015	ST012-Monthly SEE Performance	LF	216	< 1.0	U	< 1.0	U	< 1.0	U	0.28	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	11/5/2015	ST012-Monthly SEE Performance	LF	216	< 1.0	U	< 1.0	U	< 1.0	U	0.26	F	< 1.0	U	< 2.0	U	< 1.5	U	0.57	F	NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	11/9/2015	ST012-Annual GW Monitoring Event	LF	216	< 1.0	U	< 1.0	U	< 1.0	U	0.32	F	< 1.0	U	< 2.0	U	< 1.5	U	0.59	F	NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	12/3/2015	ST012-Monthly SEE Performance	LF	216	< 2.0	U	< 2.0	U	< 2.0	U	0.73	F	< 2.0	U	< 4.0	U	< 3.0	U	1.1	F	NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	1/8/2016	ST012-Monthly SEE Performance	LF	216	< 1.0	U	< 1.0	U	< 1.0	U	0.38	F	< 1.0	U	< 2.0	U	< 1.5	U	1.2	F	NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	2/3/2016	ST012-Monthly SEE Performance	LF	216	< 1.0	U	< 1.0	U	< 1.0	U	0.23	F	< 1.0	U	< 2.0	U	< 1.5	U	0.7	F	NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	3/7/2016	ST012-Monthly SEE Performance	LF	216	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	4/4/2016	ST012-Monthly SEE Performance	LF	216	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	6/1/2016	ST012-Monthly SEE Performance	LF	216	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	7/27/2016	ST012-Monthly SEE Performance	LF	216	< 1.0	U	< 1.0	U	< 1.0	U	0.32	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA		NA		NA		NA		NA		NA		NA	

ST012 - GROUNDWATER SAMPLE ANALYTICAL RESULTS BY LOCATION, SAMPLE DATE, AND PARAMETE

Location ID	Sample Type	Sample Date	Name of Sampling Program	Sampling Method	Sample Depth (ft btoc)	Volatile Organics by EPA Method SW8260B																Dissolved Metals by EPA Method SW6010C						
						sec-Butylbenzene ug/L		tert-Butylbenzene ug/L		Tetrachloroethene ug/L		Toluene ug/L		Trichloroethene ug/L		Trichlorofluoro methane ug/L		Vinyl Chloride ug/L		Xylenes, Total ug/L		Arsenic mg/L	Barium mg/L	Cadmium mg/L	Calcium mg/L	Chromium mg/L	Iron mg/L	Lead mg/L
ST012-W24	Sample	9/6/2016	ST012-Monthly Perimeter Monitoring	LF	216	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W29	Sample	7/17/2015	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	0.28	B	2.0		< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W29	Sample	8/7/2015	ST012-Monthly SEE Performance	PDB	215	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	3.6		< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W29	Sample	8/7/2015	ST012-Monthly SEE Performance	PDB	225	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	3.6		< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W29	Sample	8/7/2015	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	2.5		< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W29	Sample	11/11/2015	ST012-Annual GW Monitoring Event	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	0.28	F	2.4		< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W30	Sample	1/9/2015	ST012-Monthly SEE Performance	LF	216	6.2	F	< 10	U	< 10	U	< 10	U	< 10	U	< 20	U	< 15	U	1400		NA	NA	NA	NA	NA	NA	NA
ST012-W30	Sample	1/29/2015	ST012-Monthly SEE Performance	LF	216	5.5	F	< 10	U	< 10	U	< 10	U	< 10	U	< 20	U	< 15	U	800		NA	NA	NA	NA	NA	NA	NA
ST012-W30	Sample	3/12/2015	ST012-Monthly SEE Performance	LF	216	< 10	U	< 10	U	< 10	U	2.0	B	< 10	U	< 20	U	< 15	U	900		NA	NA	NA	NA	NA	NA	NA
ST012-W30	Sample	4/8/2015	ST012-Monthly SEE Performance	LF	216	7.7	F	< 20	U	< 20	U	< 20	U	< 20	U	< 40	U	< 30	U	970		NA	NA	NA	NA	NA	NA	NA
ST012-W30	Sample	5/21/2015	ST012-Monthly SEE Performance	LF	216	< 10	U	< 10	U	< 10	U	190		< 10	U	< 20	U	< 15	U	560		NA	NA	NA	NA	NA	NA	NA
ST012-W30	Sample	6/19/2015	ST012-Monthly SEE Performance	LF	216	< 20	U	< 20	U	< 20	U	1700		< 20	U	< 40	U	< 30	U	1200		NA	NA	NA	NA	NA	NA	NA
ST012-W30	Sample	7/15/2015	ST012-Monthly SEE Performance	LF	216	3.2	F	< 10	U	< 10	U	2700		< 10	U	< 20	U	< 15	U	1300		NA	NA	NA	NA	NA	NA	NA
ST012-W30	Sample	8/5/2015	ST012-Monthly SEE Performance	LF	216	4.4	F	< 20	U	< 20	U	1700		< 20	U	< 40	U	< 30	U	960		NA	NA	NA	NA	NA	NA	NA
ST012-W30	Sample	9/10/2015	ST012-Monthly SEE Performance	LF	216	4.5	F	< 20	U	< 20	U	1300		< 20	U	< 40	U	< 30	U	1200		NA	NA	NA	NA	NA	NA	NA
ST012-W30	Sample	10/8/2015	ST012-Monthly SEE Performance	LF	216	6.9	F	< 10	U	< 10	U	490		< 10	U	< 20	U	< 15	U	600		NA	NA	NA	NA	NA	NA	NA
ST012-W30	Sample	11/6/2015	ST012-Monthly SEE Performance	LF	216	5.7	F	< 20	U	< 20	U	370		< 20	U	< 40	U	< 30	U	720		NA	NA	NA	NA	NA	NA	NA
ST012-W30	Sample	11/11/2015	ST012-Annual GW Monitoring Event	LF	216	6.9	F	< 10	U	< 10	U	72		< 10	U	< 20	U	< 15	U	590		NA	NA	NA	NA	NA	NA	NA
ST012-W30	Sample	12/7/2015	ST012-Monthly SEE Performance	LF	216	6.5	F	< 10	U	< 10	U	41		< 10	U	< 20	U	< 15	U	270		NA	NA	NA	NA	NA	NA	NA
ST012-W30	Sample	1/11/2016	ST012-Monthly SEE Performance	LF	216	5.8		< 5.0	U	< 5.0	U	24		< 5.0	U	< 10	U	< 7.5	U	150		NA	NA	NA	NA	NA	NA	NA
ST012-W30	Sample	2/5/2016	ST012-Monthly SEE Performance	LF	216	5.9	F	< 10	U	< 10	U	8.8	F	< 10	U	< 20	U	< 15	U	330		NA	NA	NA	NA	NA	NA	NA
ST012-W30	Sample	3/9/2016	ST012-Monthly SEE Performance	LF	216	< 10	U	< 10	U	< 10	U	2.4	F	< 10	U	< 20	U	< 15	U	210		NA	NA	NA	NA	NA	NA	NA
ST012-W30	Duplicate	3/9/2016	ST012-Monthly SEE Performance	LF	216	< 10	U	< 10	U	< 10	U	2.6	F	< 10	U	< 20	U	< 15	U	200		NA	NA	NA	NA	NA	NA	NA
ST012-W30	Sample	4/7/2016	ST012-Monthly SEE Performance	LF	216	5.3	F	< 10	U	< 10	U	1.9	F	< 10	U	< 20	U	< 15	U	< 20	U	NA	NA	NA	NA	NA	NA	NA
ST012-W30	Sample	6/3/2016	ST012-Monthly SEE Performance	LF	216	6.3	F	< 10	U	< 10	U	140		< 10	U	< 20	U	< 15	U	230		NA	NA	NA	NA	NA	NA	NA
ST012-W30	Sample	7/26/2016	ST012-Monthly SEE Performance	LF	216	7.4	F	< 10	U	< 10	U	91		< 10	U	< 20	U	< 15	U	300		NA	NA	NA	NA	NA	NA	NA
ST012-W30	Sample	9/13/2016	ST012-Monthly Perimeter Monitoring	LF	216	6.4	F	< 10	U	< 10	U	6.8	F	< 10	U	< 20	U	< 15	U	250		NA	NA	NA	NA	NA	NA	NA
ST012-W34	Sample	1/6/2015	ST012-Monthly SEE Performance	LF	214	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	0.8	F	NA	NA	NA	NA	NA	NA	NA
ST012-W34	Sample	1/28/2015	ST012-Monthly SEE Performance	LF	214	0.45	F	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	7.0		NA	NA	NA	NA	NA	NA	NA
ST012-W34	Sample	3/10/2015	ST012-Monthly SEE Performance	LF	214	0.82	F	< 2.0	U	< 2.0	U	< 2.0	U	< 2.0	U	< 4.0	U	< 3.0	U	< 4.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W34	Sample	4/7/2015	ST012-Monthly SEE Performance	LF	214	0.79	F	< 2.0	U	< 2.0	U	< 2.0	U	< 2.0	U	< 4.0	U	< 3.0	U	2.0	F	NA	NA	NA	NA	NA	NA	NA
ST012-W34	Sample	5/20/2015	ST012-Monthly SEE Performance	LF	214	< 20	U	< 20	U	< 20	U	< 20	U	< 20	U	< 40	U	< 30	U	130		NA	NA	NA	NA	NA	NA	NA
ST012-W34	Sample	6/17/2015	ST012-Monthly SEE Performance	LF	214	< 40	U	< 40	U	< 40	U	< 40	U	< 40	U	< 80	U	< 60	U	90		NA	NA	NA	NA	NA	NA	NA
ST012-W34	Sample	7/14/2015	ST012-Monthly SEE Performance	LF	214	1.2		< 1.0	U	< 1.0	U	0.31	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W34	Sample	8/4/2015	ST012-Monthly SEE Performance	LF	214	0.61	F	< 1.0	U	< 1.0	U	0.21	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W34	Sample	9/9/2015	ST012-Monthly SEE Performance	LF	214	1.3		< 1.0	U	< 1.0	U	0.41	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W34	Sample	10/7/2015	ST012-Monthly SEE Performance	LF	214	1.9		0.19	F	< 1.0	U	0.24	F	< 1.0	U	< 2.0	U	< 1.5	U	0.3	F	NA	NA	NA	NA	NA	NA	NA
ST012-W34	Sample	11/5/2015	ST012-Monthly SEE Performance	LF	214	2.1		0.23	F	< 1.0	U	0.19	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W34	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	214	3.5	F	< 4.0	U	< 4.0	U	< 4.0	U	< 4.0	U	< 8.0	U	< 6.0	U	< 8.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W34	Sample	12/3/2015	ST012-Monthly SEE Performance	LF	214	0.79	F	< 1.0	U	< 1.0	U	0.43	F	< 1.0	U	< 2.0	U	< 1.5	U	0.5	F	NA	NA	NA	NA	NA	NA	NA
ST012-W34	Sample	1/7/2016	ST012-Monthly SEE Performance	LF	214	1.1		< 1.0	U	< 1.0	U	0.63	F	< 1.0	U	< 2.0	U	< 1.5	U	0.35	F	NA	NA	NA	NA	NA	NA	NA
ST012-W34	Sample	2/4/2016	ST012-Monthly SEE Performance	LF	214	< 1.0	UJ	< 1.0	UJ	< 1.0	UJ	0.32	F	< 1.0	UJ	< 2.0	UJ	< 1.5	UJ	0.46	F	NA	NA	NA	NA	NA	NA	NA
ST012-W34	Duplicate	2/4/2016	ST012-Monthly SEE Performance	LF	214	< 1.0	U	< 1.0	U	< 1.0	U	0.32	F	< 1.0	U	< 2.0	U	< 1.5	U	0.47	F	NA	NA	NA	NA	NA	NA	NA
ST012-W34	Sample	3/8/2016	ST012-Monthly SEE Performance	LF	214	< 1.0	U	< 1.0	U	< 1.0	U	0.27	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W34	Sample	4/7/2016	ST012-Monthly SEE Performance	LF	214	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W34	Duplicate	4/7/2016	ST012-Monthly SEE Performance	LF	214	< 1.0	U	< 1.0	U	< 1.0	U	0.17	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W34	Sample	6/30/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	< 1.0	U	< 1.0	U	< 1.0	U	0.26	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W34	Sample	6/30/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA	NA	NA	NA	NA	NA	NA
ST012-W34	Duplicate	6/30/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	< 1.0	U	< 1.0	U	< 1.0	U	0.31	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W34	Duplicate	6/30/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA	NA	NA	NA	NA	NA	NA
ST012-W34	Sample	7/19/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	< 1.0	U	< 1.0	U	< 1.0	U	0.26	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W34	Sample	8/30/2016	ST012-Monthly Perimeter Monitoring	LF	214	< 1.0	U	< 1.0	U	< 1.0	U	0.19	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W35	Sample	11/12/2015	ST012-Annual GW Monitoring Event	LF	214	< 1.0	U	< 1.0	U	< 1.0	U	0.25	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W36	Sample	1/8/2015	ST012-Monthly SEE Performance	LF	215	1.2	F	< 4.0	U	< 4.0	U	860		< 4.0	U	< 8.0	U	< 6.0	U	980	J	NA	NA	NA	NA	NA	NA	NA
ST012-W36	Duplicate	1/8/2015	ST012-Monthly SEE Performance	LF	215	3.1	F	< 4.0	U	< 4.0	U	1100		< 4.0	U	< 8.0	U	< 6.0	U	1500	J	NA	NA	NA	NA	NA	NA	NA
ST012-W36	Sample	1/29/2015	ST012-Monthly SEE Performance	LF	215	3.6	F	< 10	U	< 10	U	99		< 10	U	< 20	U	< 15	U	1200		NA	NA	NA	NA	NA	NA	NA
ST012-W36	Duplicate	1/29/2015	ST012-Monthly SEE Performance	LF	215	3.5	F	< 10	U	< 10	U	92		< 10	U	< 20	U	< 15	U	1100		NA	NA	NA	NA	NA	NA	NA
ST012-W36	Sample	3/12/2015	ST012-Monthly SEE Performance	LF	215	< 4.0	U	< 4.0	U	< 4.0	U	110		< 4.0	U	< 8.0	U	< 6.0	U	1400		NA	NA	NA	NA	NA	NA	NA
ST012-W36	Duplicate	3/12/2015	ST012-Monthly SEE Performance	LF	215	< 4.0	U	< 4.0	U	< 4.0	U	110		< 4.0	U	< 8.0	U	< 6.0	U	1600		NA	NA	NA	NA	NA	NA	NA
ST012-W36	Sample	4/8/2015	ST012-Monthly SEE Performance	LF	215	< 80	U	< 80	U	< 80	U	2000		< 80	U	< 160	U	< 120	U	1600	J	NA	NA	NA	NA	NA	NA	NA
ST012-W36	Duplicate	4/8/2015	ST012-Monthly SEE Performance	LF	215	< 80	U	< 80	U	< 80	U	1900		< 80	U	< 160	U	< 120	U	1600	J	NA	NA	NA	NA	NA	NA	NA
ST012-W36	Sample	5/21/2015	ST012-Monthly SEE Performance	LF	215	< 100	U	< 100	U	< 100	U	3800		< 100	U	< 200	U	< 150	U	1900		NA	NA	NA	NA	NA	NA	NA
ST012-W36	Duplicate	5/21/2015	ST012-Monthly SEE Performance	LF	215	< 20	U	< 20	U	< 20	U	3700		< 20	U	< 40	U	< 30	U	1800		NA	NA	NA	NA	NA	NA	NA
ST012-W36	Sample	6/18/2015	ST012-Monthly SEE Performance	LF	215	< 20	U	< 20	U	< 20	U	440		< 20	U	< 40	U	< 30	U	1200		NA	NA	NA	NA	NA	NA	NA
ST012-W36	Duplicate	6/18/2015	ST012-Monthly SEE Performance	LF	215	< 20	U	< 20	U	< 20	U	440		< 20	U	< 40	U	< 30	U	1300		NA	NA	NA	NA	NA	NA	NA
ST012-W36	Sample	7/15/2015	ST012-Monthly SEE Performance	LF	215	1.3	F	< 4.0	U	< 4.0	U	5.9		< 4.0	U	< 8.0	U	< 6.0	U	190		NA	NA	NA	NA	NA	NA	NA
ST012-W36	Duplicate	7/15/2015	ST012-Monthly SEE Performance	LF	215	1.6	F	< 4.0	U	< 4.0	U	5.8		< 4.0	U	< 8.0	U	< 6.0	U	170		NA	NA	NA	NA	NA	NA	NA
ST012-W36	Sample	8/5/2015	ST012-Monthly SEE Performance	LF	215	< 20	U	< 20	U	< 20	U	1800		< 20	U	< 40	U	< 30	U	1000		NA	NA	NA	NA	NA	NA	NA
ST012-W36	Duplicate	8/5/2015	ST012-Monthly SEE Performance	LF	215	< 20	U	< 20	U	< 20	U	1700		< 20	U	< 40	U	< 30	U	920		NA	NA	NA	NA	NA	NA	NA
ST012-W36	Sample	9/10/2015	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 2.0	U	< 2.0	U	14		< 2.0	U	< 4.0	U	< 3.0	U	71		NA	NA	NA	NA	NA	NA	NA
ST012-W36	Duplicate	9/10/2015	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 2.0	U	< 2.0	U	11		< 2.0	U	< 4.0	U	< 3.0	U	56		NA	NA	NA	NA	NA	NA	NA
ST012-W36	Sample	10/8/2015	ST012-Monthly SEE Performance	LF	215	< 2.0	U	< 2.0	U	< 2.0	U	3.0		< 2.0	U	< 4.0	U	< 3.0	U	58		NA	NA	NA	NA	NA	NA	NA
ST012-W36	Duplicate	10/8/2015	ST012-Monthly SEE Performance	LF	215	1.0	F	< 4.0	U	< 4.0	U	3.3	F	< 4.0	U	< 8.0	U	< 6.0	U	78		NA	NA	NA	NA	NA	NA	NA
ST012-W36	Sample	11/6/2015	ST012-Monthly SEE Performance	LF	215	< 20	U	< 20	U	< 20	U	2200		< 20	U	< 40	U	< 30	U	570		NA	NA	NA	NA	NA	NA	NA
ST012-W36	Duplicate	11/6/2015	ST012-Monthly SEE Performance	LF	215	< 20	U	< 20	U	< 20	U	1900		< 20	U	< 40	U	< 30	U	680		NA	NA	NA	NA	NA	NA	NA

ST012 - GROUNDWATER SAMPLE ANALYTICAL RESULTS BY LOCATION, SAMPLE DATE, AND PARAMETE

Location ID	Sample Type	Sample Date	Name of Sampling Program	Sampling Method	Sample Depth (ft btoc)	Volatile Organics by EPA Method SW8260B																Dissolved Metals by EPA Method SW6010C						
						sec-Butylbenzene ug/L		tert-Butylbenzene ug/L		Tetrachloroethene ug/L		Toluene ug/L		Trichloroethene ug/L		Trichlorofluoro methane ug/L		Vinyl Chloride ug/L		Xylenes, Total ug/L		Arsenic mg/L	Barium mg/L	Cadmium mg/L	Calcium mg/L	Chromium mg/L	Iron mg/L	Lead mg/L
ST012-W36	Sample	11/12/2015	ST012-Annual GW Monitoring Event	LF	215	< 10	U	< 10	U	< 10	U	990		< 10	U	< 20	U	< 15	U	460		NA	NA	NA	NA	NA	NA	NA
ST012-W36	Sample	12/7/2015	ST012-Monthly SEE Performance	LF	215	0.6	F	< 2.0	U	< 2.0	U	90		< 2.0	U	< 4.0	U	< 3.0	U	130		NA	NA	NA	NA	NA	NA	NA
ST012-W36	Duplicate	12/7/2015	ST012-Monthly SEE Performance	LF	215	0.56	F	< 2.0	U	< 2.0	U	93		< 2.0	U	< 4.0	U	< 3.0	U	130		NA	NA	NA	NA	NA	NA	NA
ST012-W36	Sample	2/24/2016	ST012-Monthly SEE Performance	LF	215	0.18	F	< 1.0	U	< 1.0	U	3.9		< 1.0	U	< 2.0	U	< 1.5	U	20		NA	NA	NA	NA	NA	NA	NA
ST012-W36	Duplicate	2/24/2016	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	3.6		< 1.0	U	< 2.0	U	< 1.5	U	17		NA	NA	NA	NA	NA	NA	NA
ST012-W36	Sample	3/9/2016	ST012-Monthly SEE Performance	LF	215	< 1.0	UJ	< 1.0	UJ	< 1.0	UJ	2.8	J	< 1.0	UJ	< 2.0	UJ	< 1.5	UJ	11	J	NA	NA	NA	NA	NA	NA	NA
ST012-W36	Sample	4/7/2016	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	0.91	F	< 1.0	U	< 2.0	U	< 1.5	U	2.0		NA	NA	NA	NA	NA	NA	NA
ST012-W36	Sample	6/23/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	215	0.92	F	< 1.0	U	< 1.0	U	1.7		< 1.0	U	< 2.0	U	< 1.5	U	61		NA	NA	NA	NA	NA	NA	NA
ST012-W36	Duplicate	6/23/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	215	0.86	F	< 1.0	U	< 1.0	U	1.4		< 1.0	U	< 2.0	U	< 1.5	U	59		NA	NA	NA	NA	NA	NA	NA
ST012-W36	Sample	7/25/2016	ST012-Monthly Perimeter Monitoring	LF	215	1.5	J	< 1.0	UJ	< 1.0	UJ	11	J	< 1.0	UJ	< 2.0	UJ	< 1.5	UJ	260	J	NA	NA	NA	NA	NA	NA	NA
ST012-W36	Duplicate	7/25/2016	ST012-Monthly Perimeter Monitoring	LF	215	1.2	F	< 2.0	UJ	< 2.0	UJ	10	J	< 2.0	UJ	< 4.0	UJ	< 3.0	UJ	260	J	NA	NA	NA	NA	NA	NA	NA
ST012-W36	Sample	8/31/2016	ST012-Monthly Perimeter Monitoring	LF	215	1.1	F	< 2.0	UJ	< 2.0	UJ	1.2	F	< 2.0	UJ	< 4.0	UJ	< 3.0	UJ	220	J	NA	NA	NA	NA	NA	NA	NA
ST012-W36	Duplicate	8/31/2016	ST012-Monthly Perimeter Monitoring	LF	215	< 2.0	UJ	< 2.0	UJ	< 2.0	UJ	1.2	F	< 2.0	UJ	< 4.0	UJ	< 3.0	UJ	220	J	NA	NA	NA	NA	NA	NA	NA
ST012-W37	Sample	1/9/2015	ST012-Monthly SEE Performance	LF	214	5.4	F	< 10	U	< 10	U	950		< 10	U	< 20	U	< 15	U	1900		NA	NA	NA	NA	NA	NA	NA
ST012-W37	Sample	1/30/2015	ST012-Monthly SEE Performance	LF	214	11	F	< 40	U	< 40	U	5300		< 40	U	< 80	U	< 60	U	5600		NA	NA	NA	NA	NA	NA	NA
ST012-W37	Sample	3/12/2015	ST012-Monthly SEE Performance	LF	214	< 25	U	1200		< 25	U	7600		< 25	U	< 50	U	< 38	U	7700		NA	NA	NA	NA	NA	NA	NA
ST012-W37	Sample	4/9/2015	ST012-Monthly SEE Performance	LF	214	11000		9300		< 400	U	36000		< 400	U	< 800	U	< 600	U	160000		NA	NA	NA	NA	NA	NA	NA
ST012-W37	Sample	6/30/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	7.1	F	< 20	U	< 20	U	7100		< 20	U	< 40	U	< 30	U	2200		NA	NA	NA	NA	NA	NA	NA
ST012-W37	Sample	6/30/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA	NA	NA	NA	NA	NA	NA
ST012-W37	Sample	7/27/2016	ST012-Monthly Perimeter Monitoring	LF	214	< 100	U	< 100	U	< 100	U	8200		< 100	U	< 200	U	< 150	U	2300		NA	NA	NA	NA	NA	NA	NA
ST012-W37	Sample	9/13/2016	ST012-Monthly Perimeter Monitoring	LF	214	< 40	U	< 40	U	< 40	U	5100		< 40	U	< 80	U	< 60	U	2000		NA	NA	NA	NA	NA	NA	NA
ST012-W38	Sample	1/7/2015	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Duplicate	1/7/2015	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	0.19	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Sample	1/28/2015	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	0.18	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Duplicate	1/28/2015	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	0.2	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W36	Sample	3/10/2015	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Duplicate	3/10/2015	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Sample	4/7/2015	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	0.38	F	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Duplicate	4/7/2015	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	0.39	F	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Sample	5/20/2015	ST012-Monthly SEE Performance	LF	215	0.36	F	< 1.0	U	< 1.0	U	0.36	F	< 1.0	U	< 2.0	U	< 1.5	U	48		NA	NA	NA	NA	NA	NA	NA
ST012-W38	Duplicate	5/20/2015	ST012-Monthly SEE Performance	LF	215	< 4.0	U	< 4.0	U	< 4.0	U	< 4.0	U	< 4.0	U	< 8.0	U	< 6.0	U	43		NA	NA	NA	NA	NA	NA	NA
ST012-W38	Sample	6/17/2015	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	0.4	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Duplicate	6/17/2015	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	0.38	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Sample	7/14/2015	ST012-Monthly SEE Performance	LF	215	< 1.0	UJ	< 1.0	UJ	< 1.0	UJ	0.21	F	< 1.0	UJ	< 2.0	UJ	< 1.5	UJ	< 2.0	UJ	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Duplicate	7/14/2015	ST012-Monthly SEE Performance	LF	215	< 1.0	UJ	< 1.0	UJ	< 1.0	UJ	0.24	F	< 1.0	UJ	< 2.0	UJ	< 1.5	UJ	< 2.0	UJ	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Sample	8/4/2015	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	0.22	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Duplicate	8/4/2015	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	0.22	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Sample	9/9/2015	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	0.28	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Duplicate	9/9/2015	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	0.26	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Sample	10/7/2015	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	0.17	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Duplicate	10/7/2015	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Sample	11/4/2015	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	0.2	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Duplicate	11/4/2015	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	0.22	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Sample	11/12/2015	ST012-Annual GW Monitoring Event	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	0.17	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Duplicate	11/12/2015	ST012-Annual GW Monitoring Event	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	0.2	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Sample	12/4/2015	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	0.28	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Duplicate	12/4/2015	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	0.31	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Sample	1/7/2016	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	0.21	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Duplicate	1/7/2016	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	0.23	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Sample	2/3/2016	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	0.26	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Duplicate	2/3/2016	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	0.3	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Sample	3/3/2016	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	0.37	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Duplicate	3/3/2016	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	0.32	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Sample	4/5/2016	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Duplicate	4/5/2016	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	0.44	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Sample	6/1/2016	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Sample	7/25/2016	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	0.21	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Duplicate	7/25/2016	ST012-Monthly SEE Performance	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	0.21	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Sample	9/9/2016	ST012-Monthly Perimeter Monitoring	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	0.22	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA
ST012-W38	Duplicate	9/9/2016	ST012-Monthly Perimeter Monitoring	LF	215	< 1.0	U	< 1.0	U	< 1.0	U	0.23	F	< 1.0	U	< 2.0	U	< 1.5	U	< 2.0	U	NA	NA	NA	NA	NA	NA	NA

ST012 - GROUNDWATER SAMPLE ANALYTICAL RESULTS BY LOCATION, SAMPLE DATE, AND PARAMETE

Location ID	Sample Type	Sample Date	Name of Sampling Program	Sampling Method	Sample Depth (ft btoc)	Dissolved Metals by EPA Method SW6010C				Dissolved Metals by EPA Method SW6010C										Mercury, Dissolved by EPA Method SW7470		Total Metals by EPA Method SW6020A												Total Metals by EPA Method SW6020A			
						Magnesium		Manganese		Potassium		Selenium		Silver		Sodium		Zinc				Antimony		Arsenic		Barium		Cadmium		Calcium		Chromium		Copper		Iron	
						mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L	
ST012-C01	Sample	9/1/2015	ST012-Monthly SEE Performance	LF	145	150		0.00083	F	9.9		0.006	F	< 0.015	U	110		< 0.15	U	< 0.0002	U	NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C01	Sample	9/1/2015	ST012-Monthly SEE Performance	LF	145	140		0.0031	F	9.7		< 0.022	U	< 0.015	U	110		0.025	F	< 0.0002	U	NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C01	Sample	11/9/2015	ST012-Annual GW Monitoring Event	LF	145	NA		NA		NA		NA		NA		NA		NA		NA		0.0007	F	NA		NA		NA		NA		0.0023	F	0.00072	F	NA	
ST012-C02	Sample	1/5/2015	ST012-Monthly SEE Performance	LF	157	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	1/26/2015	ST012-Monthly SEE Performance	LF	156.97	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	3/9/2015	ST012-Monthly SEE Performance	LF	157	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	4/4/2015	ST012-Monthly SEE Performance	LF	156.8	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	5/18/2015	ST012-Monthly SEE Performance	LF	156.62	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	6/15/2015	ST012-Monthly SEE Performance	LF	156.45	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	7/13/2015	ST012-Monthly SEE Performance	LF	156.5	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	8/3/2015	ST012-Monthly SEE Performance	LF	157	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	8/31/2015	ST012-Monthly SEE Performance	LF	156.5	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	10/5/2015	ST012-Monthly SEE Performance	LF	156.26	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	11/2/2015	ST012-Monthly SEE Performance	LF	156.4	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	156.5	NA		NA		NA		NA		NA		NA		NA		NA		< 0.006	U	NA		NA		NA		NA		0.00057	F	0.0027	J	NA	
ST012-C02	Sample	12/1/2015	ST012-Monthly SEE Performance	LF	156.37	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	1/5/2016	ST012-Monthly SEE Performance	LF	156.53	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	2/2/2016	ST012-Monthly SEE Performance	LF	156.51	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	3/1/2016	ST012-Monthly SEE Performance	LF	156.25	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	4/5/2016	ST012-Monthly SEE Performance	LF	157.53	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	5/31/2016	ST012-Monthly SEE Performance	LF	156.35	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	7/19/2016	ST012-Monthly SEE Performance	LF	155.62	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	8/30/2016	ST012-Monthly Perimeter Monitoring	LF	155.28	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C03	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	150	NA		NA		NA		NA		NA		NA		NA		NA		< 0.006	U	NA		NA		NA		NA		0.0033	F	0.0017	F	NA	
ST012-C04	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	151	NA		NA		NA		NA		NA		NA		NA		NA		< 0.006	U	NA		NA		NA		NA		0.0017	F	0.0016	F	NA	
ST012-C05	Sample	11/11/2015	ST012-Annual GW Monitoring Event	LF	155.8	NA		NA		NA		NA		NA		NA		NA		NA		< 0.006	U	NA		NA		NA		NA		0.0027	F	< 0.002	U	NA	
ST012-CZ07	Sample	9/15/2016	ST012-Monthly Perimeter Monitoring	G	NA	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-CZ08	Sample	9/15/2016	ST012-Monthly Perimeter Monitoring	G	NA	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-CZ09	Sample	9/15/2016	ST012-Monthly Perimeter Monitoring	G	NA	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-CZ22	Sample	10/10/2016	ST012-Monthly Perimeter Monitoring	G	150	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-CZ22	Sample	10/10/2016	ST012-Monthly Perimeter Monitoring	G	NA	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-LSZ47	Sample	10/10/2016	ST012-Monthly Perimeter Monitoring	G	220	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-LSZ47	Sample	10/10/2016	ST012-Monthly Perimeter Monitoring	G	NA	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-LSZ52	Sample	9/13/2016	ST012-Monthly Perimeter Monitoring	G	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	1/5/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	1/26/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	3/9/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	4/4/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	5/18/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	6/15/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	7/13/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	8/3/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	8/31/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	10/5/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	11/2/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		< 0.006	U	NA		NA		NA		NA		0.00087	F	0.0026	J	NA	
ST012-RB-3A	Sample	12/3/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	1/5/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	2/3/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	3/7/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	4/4/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	6/3/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	7/27/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	9/6/2016	ST012-Monthly Perimeter Monitoring	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	1/5/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	1/27/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	3/9/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	4/4/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	5/18/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	6/15/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	7/13/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	8/3/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	8/31/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	

ST012 - GROUNDWATER SAMPLE ANALYTICAL RESULTS BY LOCATION, SAMPLE DATE, AND PARAMETE

Location ID	Sample Type	Sample Date	Name of Sampling Program	Sampling Method	Sample Depth (ft btoc)	Dissolved Metals by EPA Method SW6010C				Dissolved Metals by EPA Method SW6010C										Mercury, Dissolved by EPA Method SW7470		Total Metals by EPA Method SW6020A												Total Metals by EPA Method SW6020A			
						Magnesium		Manganese		Potassium		Selenium		Silver		Sodium		Zinc				Antimony		Arsenic		Barium		Cadmium		Calcium		Chromium		Copper		Iron	
						mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L	
ST012-U02	Sample	10/6/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	11/3/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		< 0.006	U	NA		NA		NA		NA		0.005	F	0.0034	J	NA	
ST012-U02	Sample	12/1/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	1/5/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	2/2/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	3/2/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	4/5/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	5/31/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	7/19/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	8/30/2016	ST012-Monthly Perimeter Monitoring	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	1/5/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	1/27/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	3/10/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	4/6/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	5/19/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	6/16/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	7/13/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	8/3/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	9/1/2015	ST012-Monthly SEE Performance	LF	165	140		0.1		11		< 0.022	U	< 0.015	U	110		0.042	F	< 0.0002	U	NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	9/2/2015	ST012-Monthly SEE Performance	LF	165	58		0.0016	F	6.2		< 0.022	U	< 0.015	U	68		< 0.15	U	< 0.0002	U	NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	10/6/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	11/3/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	11/11/2015	ST012-Annual GW Monitoring Event	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		< 0.006	U	NA		NA		NA		NA		0.001	F	0.00065	F	NA	
ST012-U11	Sample	12/1/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	1/6/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	2/2/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	3/1/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	4/6/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	6/22/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		< 0.025	U	NA		NA		310		NA		NA		0.16	
ST012-U11	Duplicate	6/22/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		< 0.025	U	NA		NA		320		NA		NA		0.068	F
ST012-U11	Sample	7/20/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	9/7/2016	ST012-Monthly Perimeter Monitoring	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	1/6/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	1/27/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	3/9/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	4/6/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	5/19/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	6/16/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	7/13/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	8/3/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	9/3/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	10/6/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	11/3/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	11/11/2015	ST012-Annual GW Monitoring Event	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		< 0.006	U	NA		NA		NA		NA		0.00062	F	0.00069	F	NA	
ST012-U12	Sample	12/2/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	1/6/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Duplicate	1/6/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	2/2/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	3/2/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	4/6/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	6/2/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Duplicate	6/2/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	7/20/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	9/7/2016	ST012-Monthly Perimeter Monitoring	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	1/6/2015	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	1/27/2015	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	3/10/2015	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	4/6/2015	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	5/19/2015	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	6/16/2015	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	7/14/2015	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	8/4/2015	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	9/3/2015	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	10/6/2015	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	11/3/2015	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	11/11/2015	ST012-Annual GW Monitoring Event	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		0.00061	B	NA		NA		NA		NA		< 0.01	U	< 0.002	U	NA	
ST012-U37	Sample	12/2/2015	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	1/6/2016	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	2/4/2016	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	3/2/2016	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	4/6/2016	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	6/3/2016	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	7/26/2016	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	8/31/2016	ST012-Monthly Perimeter Monitoring	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	1/6/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	1/28/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	

ST012 - GROUNDWATER SAMPLE ANALYTICAL RESULTS BY LOCATION, SAMPLE DATE, AND PARAMETE

Location ID	Sample Type	Sample Date	Name of Sampling Program	Sampling Method	Sample Depth (ft btoc)	Dissolved Metals by EPA Method SW6010C				Dissolved Metals by EPA Method SW6010C										Mercury, Dissolved by EPA Method SW7470		Total Metals by EPA Method SW6020A												Total Metals by EPA Method SW6020A			
						Magnesium		Manganese		Potassium		Selenium		Silver		Sodium		Zinc				Antimony		Arsenic		Barium		Cadmium		Calcium		Chromium		Copper		Iron	
						mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L	
ST012-U38	Sample	3/10/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	4/6/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	5/19/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	6/16/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	7/14/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	8/4/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	9/9/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	10/7/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	11/4/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	11/12/2015	ST012-Annual GW Monitoring Event	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		< 0.006	U	NA		NA		NA		NA		< 0.01	U	0.00061	F	NA	
ST012-U38	Duplicate	11/12/2015	ST012-Annual GW Monitoring Event	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		< 0.006	U	NA		NA		NA		NA		< 0.01	U	< 0.002	U	NA	
ST012-U38	Sample	12/2/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	1/7/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	2/3/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	3/3/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	4/5/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	6/1/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Duplicate	6/1/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	7/25/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	9/9/2016	ST012-Monthly Perimeter Monitoring	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-UWBZ09	Sample	9/15/2016	ST012-Monthly Perimeter Monitoring	G	NA	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W11	Sample	1/8/2015	ST012-Monthly SEE Performance	LF	213	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W11	Sample	1/30/2015	ST012-Monthly SEE Performance	LF	213	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W11	Sample	3/12/2015	ST012-Monthly SEE Performance	LF	213	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W11	Sample	4/8/2015	ST012-Monthly SEE Performance	LF	213	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W11	Sample	6/13/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	213	NA		NA		NA		NA		NA		NA		NA		NA		NA		< 0.025	UJ	NA		NA		460		NA		NA		4.6	
ST012-W11	Sample	8/1/2016	ST012-Monthly Perimeter Monitoring	LF	213	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W11	Sample	8/1/2016	ST012-Monthly Perimeter Monitoring	LF	213	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W11	Sample	9/7/2016	ST012-Monthly Perimeter Monitoring	LF	213	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	1/8/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	1/29/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	3/11/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	4/7/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	5/21/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	6/18/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	7/15/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	8/5/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	9/2/2015	ST012-Monthly SEE Performance	LF	214	93		0.13		8.8		< 0.022	U	< 0.015	U	81		0.0054	F	< 0.0002	U	NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	9/2/2015	ST012-Monthly SEE Performance	LF	214	59		0.47		7.2		< 0.022	U	< 0.015	U	66		0.011	F	< 0.0002	U	NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	10/8/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	11/5/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		< 0.006	U	NA		NA		NA		NA		0.0009	F	0.003	J	NA	
ST012-W12	Sample	12/4/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	1/8/2016	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	2/4/2016	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	3/8/2016	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	4/6/2016	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	6/2/2016	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	7/20/2016	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	9/7/2016	ST012-Monthly Perimeter Monitoring	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	1/8/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	1/29/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	3/11/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	4/7/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	5/20/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	6/18/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	7/16/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	8/7/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	8/31/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	10/8/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	11/5/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	11/9/2015	ST012-Annual GW Monitoring Event	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		< 0.006	U	NA		NA		NA		NA		0.016		0.0021	J	NA	
ST012-W24	Sample	12/3/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	1/8/2016	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	2/3/2016	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	3/7/2016	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	4/4/2016	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	6/1/2016	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	7/27/2016	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	

ST012 - GROUNDWATER SAMPLE ANALYTICAL RESULTS BY LOCATION, SAMPLE DATE, AND PARAMETE

Location ID	Sample Type	Sample Date	Name of Sampling Program	Sampling Method	Sample Depth (ft btoc)	Dissolved Metals by EPA Method SW6010C				Dissolved Metals by EPA Method SW6010C								Mercury, Dissolved by EPA Method SW7470		Total Metals by EPA Method SW6020A												Total Metals by EPA Method SW6020A			
						Magnesium		Manganese		Potassium		Selenium		Silver		Sodium		Zinc				Antimony		Arsenic		Barium		Cadmium		Calcium		Chromium		Copper		Iron	
						mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L	
ST012-W24	Sample	9/6/2016	ST012-Monthly Perimeter Monitoring	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W29	Sample	7/17/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W29	Sample	8/7/2015	ST012-Monthly SEE Performance	PDB	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W29	Sample	8/7/2015	ST012-Monthly SEE Performance	PDB	225	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W29	Sample	8/7/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W29	Sample	11/11/2015	ST012-Annual GW Monitoring Event	LF	215	NA		NA		NA		NA		NA		NA		NA		< 0.006	U	NA		NA		NA		NA		NA		0.87		0.0045	J	NA	
ST012-W30	Sample	1/9/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	1/29/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	3/12/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	4/8/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	5/21/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	6/19/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	7/15/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	8/5/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	9/10/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	10/8/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	11/6/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	11/11/2015	ST012-Annual GW Monitoring Event	LF	216	NA		NA		NA		NA		NA		NA		NA		0.0011	B	NA		NA		NA		NA		NA		0.0012	F	0.00083	F	NA	
ST012-W30	Sample	12/7/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	1/11/2016	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	2/5/2016	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	3/9/2016	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Duplicate	3/9/2016	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	4/7/2016	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	6/3/2016	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		< 0.025	U	0.11		0.0008	F	220		0.0011	F	NA		7.3	
ST012-W30	Sample	7/26/2016	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	9/13/2016	ST012-Monthly Perimeter Monitoring	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	1/6/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	1/28/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	3/10/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	4/7/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	5/20/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	6/17/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	7/14/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	8/4/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	9/9/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	10/7/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	11/5/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	214	NA		NA		NA		NA		NA		NA		NA		< 0.006	U	NA		NA		NA		NA		NA		0.00053	F	0.001	F	NA	
ST012-W34	Sample	12/3/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	1/7/2016	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	2/4/2016	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Duplicate	2/4/2016	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	3/8/2016	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	4/7/2016	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Duplicate	4/7/2016	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	6/30/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		< 0.025	UJ	NA		NA		340		NA		NA		0.22	J
ST012-W34	Sample	6/30/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Duplicate	6/30/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		< 0.025	UJ	NA		NA		330		NA		NA		0.16	J
ST012-W34	Duplicate	6/30/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	7/19/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	8/30/2016	ST012-Monthly Perimeter Monitoring	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W35	Sample	11/12/2015	ST012-Annual GW Monitoring Event	LF	214	NA		NA		NA		NA		NA		NA		NA		< 0.006	U	NA		NA		NA		NA		NA		0.0032	F	< 0.002	U	NA	
ST012-W36	Sample	1/8/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Duplicate	1/8/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Sample	1/29/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Duplicate	1/29/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Sample	3/12/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Duplicate	3/12/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Sample	4/8/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Duplicate	4/8/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Sample	5/21/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Duplicate	5/21/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Sample	6/18/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Duplicate	6/18/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Sample	7/15/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Duplicate	7/15/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Sample	8/5/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Duplicate	8/5/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Sample	9/10/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Duplicate	9/10/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Sample	10/8/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Duplicate	10/8/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Sample	11/6/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Duplicate	11/6/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	

ST012 - GROUNDWATER SAMPLE ANALYTICAL RESULTS BY LOCATION, SAMPLE DATE, AND PARAMETE

Location ID	Sample Type	Sample Date	Name of Sampling Program	Sampling Method	Sample Depth (ft btoc)	Dissolved Metals by EPA Method SW6010C		Dissolved Metals by EPA Method SW6010C					Mercury, Dissolved by EPA Method SW7470	Total Metals by EPA Method SW6020A												Total Metals by EPA Method SW6020A			
						Magnesium	Manganese	Potassium	Selenium	Silver	Sodium	Zinc		Antimony		Arsenic		Barium	Cadmium	Calcium		Chromium		Copper		Iron	
						mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L	mg/L		mg/L		mg/L	mg/L	mg/L		mg/L		mg/L		mg/L	
ST012-W36	Sample	11/12/2015	ST012-Annual GW Monitoring Event	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	< 0.006	U	NA		NA	NA	NA		0.00066	F	< 0.002	U	NA	
ST012-W36	Sample	12/7/2015	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W36	Duplicate	12/7/2015	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W36	Sample	2/24/2016	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	0.00093	F	NA		NA	NA	NA		< 0.01	U	< 0.002	U	NA	
ST012-W36	Duplicate	2/24/2016	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	< 0.006	U	NA		NA	NA	NA		< 0.01	U	0.00061	F	NA	
ST012-W36	Sample	3/9/2016	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W36	Sample	4/7/2016	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W36	Sample	6/23/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		< 0.025	UJ	NA	NA	380		NA		NA		2.2	
ST012-W36	Duplicate	6/23/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		< 0.025	UJ	NA	NA	380		NA		NA		2.2	
ST012-W36	Sample	7/25/2016	ST012-Monthly Perimeter Monitoring	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W36	Duplicate	7/25/2016	ST012-Monthly Perimeter Monitoring	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W36	Sample	8/31/2016	ST012-Monthly Perimeter Monitoring	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W36	Duplicate	8/31/2016	ST012-Monthly Perimeter Monitoring	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W37	Sample	1/9/2015	ST012-Monthly SEE Performance	LF	214	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W37	Sample	1/30/2015	ST012-Monthly SEE Performance	LF	214	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W37	Sample	3/12/2015	ST012-Monthly SEE Performance	LF	214	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W37	Sample	4/9/2015	ST012-Monthly SEE Performance	LF	214	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W37	Sample	6/30/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	NA	NA	NA	NA	NA	NA	NA	NA	NA		0.0052	B	NA	NA	270		NA		NA		22	
ST012-W37	Sample	6/30/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W37	Sample	7/27/2016	ST012-Monthly Perimeter Monitoring	LF	214	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W37	Sample	9/13/2016	ST012-Monthly Perimeter Monitoring	LF	214	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Sample	1/7/2015	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Duplicate	1/7/2015	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Sample	1/28/2015	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Duplicate	1/28/2015	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W36	Sample	3/10/2015	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Duplicate	3/10/2015	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Sample	4/7/2015	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Duplicate	4/7/2015	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Sample	5/20/2015	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Duplicate	5/20/2015	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Sample	6/17/2015	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Duplicate	6/17/2015	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Sample	7/14/2015	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Duplicate	7/14/2015	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Sample	8/4/2015	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Duplicate	8/4/2015	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Sample	9/9/2015	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Duplicate	9/9/2015	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Sample	10/7/2015	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Duplicate	10/7/2015	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Sample	11/4/2015	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Duplicate	11/4/2015	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Sample	11/12/2015	ST012-Annual GW Monitoring Event	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	< 0.006	U	NA		NA	NA	NA		< 0.01	U	0.0035		NA	
ST012-W38	Duplicate	11/12/2015	ST012-Annual GW Monitoring Event	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	< 0.006	U	NA		NA	NA	NA		< 0.01	U	0.0023		NA	
ST012-W38	Sample	12/4/2015	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Duplicate	12/4/2015	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Sample	1/7/2016	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Duplicate	1/7/2016	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Sample	2/3/2016	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Duplicate	2/3/2016	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Sample	3/3/2016	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Duplicate	3/3/2016	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Sample	4/5/2016	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W36	Duplicate	4/5/2016	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Sample	6/1/2016	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W36	Sample	7/25/2016	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Duplicate	7/25/2016	ST012-Monthly SEE Performance	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W38	Sample	9/9/2016	ST012-Monthly Perimeter Monitoring	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	
ST012-W36	Duplicate	9/9/2016	ST012-Monthly Perimeter Monitoring	LF	215	NA	NA	NA	NA	NA	NA	NA	NA	NA		NA		NA	NA	NA		NA		NA		NA	

ST012 - GROUNDWATER SAMPLE ANALYTICAL RESULTS BY LOCATION, SAMPLE DATE, AND PARAMETE

Location ID	Sample Type	Sample Date	Name of Sampling Program	Sampling Method	Sample Depth (ft btoc)	Total Metals by EPA Method SW6020A																Mercury, Total by EPA Method SW7470		Anions by EPA Methods E300.0/SW9056								Alkalinity by EPA Method SM2320B		Total Dissolved Solids by EPA Method SM2540C	
						Lead		Magnesium		Manganese		Nickel		Potassium		Selenium		Silver		Sodium		Zinc				Chloride		Sulfate		Nitrogen, nitrate		Phosphorus, Total					
						mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L	
ST012-C01	Sample	9/1/2015	ST012-Monthly SEE Performance	LF	145	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		1700		310		13		< 0.1	U	100		4000	
ST012-C01	Sample	9/1/2015	ST012-Monthly SEE Performance	LF	145	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		1700		310		14		< 0.1	U	100		4100	
ST012-C01	Sample	11/9/2015	ST012-Annual GW Monitoring Event	LF	145	0.00023	F	NA		NA		0.0023	F	NA		NA		0.00021	F	NA		0.0028	F	NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	1/5/2015	ST012-Monthly SEE Performance	LF	157	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	1/26/2015	ST012-Monthly SEE Performance	LF	156.97	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	3/9/2015	ST012-Monthly SEE Performance	LF	157	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	4/4/2015	ST012-Monthly SEE Performance	LF	156.8	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	5/18/2015	ST012-Monthly SEE Performance	LF	156.62	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	6/15/2015	ST012-Monthly SEE Performance	LF	156.45	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	7/13/2015	ST012-Monthly SEE Performance	LF	156.5	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	8/3/2015	ST012-Monthly SEE Performance	LF	157	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	8/31/2015	ST012-Monthly SEE Performance	LF	156.5	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	10/5/2015	ST012-Monthly SEE Performance	LF	156.26	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	11/2/2015	ST012-Monthly SEE Performance	LF	156.4	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	156.5	0.00032	F	NA		NA		0.0027	F	NA		NA		0.00014	F	NA		0.0069	F	NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	12/1/2015	ST012-Monthly SEE Performance	LF	156.37	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	1/5/2016	ST012-Monthly SEE Performance	LF	156.53	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	2/2/2016	ST012-Monthly SEE Performance	LF	156.51	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	3/1/2016	ST012-Monthly SEE Performance	LF	156.25	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	4/5/2016	ST012-Monthly SEE Performance	LF	157.53	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	5/31/2016	ST012-Monthly SEE Performance	LF	156.35	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	7/19/2016	ST012-Monthly SEE Performance	LF	155.62	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C02	Sample	8/30/2016	ST012-Monthly Perimeter Monitoring	LF	155.28	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-C03	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	150	0.001	F	NA		NA		0.0019	F	NA		NA		0.000092	F	NA		0.015	F	NA		NA		NA		NA		NA		NA		NA	
ST012-C04	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	151	< 0.003	U	NA		NA		0.00072	F	NA		NA		0.0009	F	NA		0.0032	F	NA		NA		NA		NA		NA		NA		NA	
ST012-C05	Sample	11/11/2015	ST012-Annual GW Monitoring Event	LF	155.8	< 0.003	U	NA		NA		0.00095	F	NA		NA		0.000034	F	NA		< 0.02	U	NA		NA		NA		NA		NA		NA		NA	
ST012-CZ07	Sample	9/15/2016	ST012-Monthly Perimeter Monitoring	G	NA	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-CZ08	Sample	9/15/2016	ST012-Monthly Perimeter Monitoring	G	NA	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-CZ09	Sample	9/15/2016	ST012-Monthly Perimeter Monitoring	G	NA	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-CZ22	Sample	10/10/2016	ST012-Monthly Perimeter Monitoring	G	150	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-CZ22	Sample	10/10/2016	ST012-Monthly Perimeter Monitoring	G	NA	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-LSZ47	Sample	10/10/2016	ST012-Monthly Perimeter Monitoring	G	220	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-LSZ47	Sample	10/10/2016	ST012-Monthly Perimeter Monitoring	G	NA	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-LSZ52	Sample	9/13/2016	ST012-Monthly Perimeter Monitoring	G	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	1/5/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	1/26/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	3/9/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	4/4/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	5/18/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	6/15/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	7/13/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	8/3/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	8/31/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	10/5/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	11/2/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	165	0.00067	F	NA		NA		0.00071	F	NA		NA		0.000057	F	NA		0.046		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	12/3/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	1/5/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	2/3/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	3/7/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	4/4/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	6/3/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	7/27/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-RB-3A	Sample	9/6/2016	ST012-Monthly Perimeter Monitoring	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	1/5/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	1/27/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	3/9/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	4/4/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	5/18/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	6/15/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	7/13/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	8/3/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	8/31/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	

ST012 - GROUNDWATER SAMPLE ANALYTICAL RESULTS BY LOCATION, SAMPLE DATE, AND PARAMETE

Location ID	Sample Type	Sample Date	Name of Sampling Program	Sampling Method	Sample Depth (ft btoc)	Total Metals by EPA Method SW6020A																Mercury, Total by EPA Method SW7470		Anions by EPA Methods E300.0/SW9056								Alkalinity by EPA Method SM2320B		Total Dissolved Solids by EPA Method SM2540C	
						Lead		Magnesium		Manganese		Nickel		Potassium		Selenium		Silver		Sodium		Zinc				Chloride		Sulfate		Nitrogen, nitrate		Phosphorus, Total					
						mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L	
ST012-U02	Sample	10/6/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	11/3/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	165	0.0033	J	NA		NA		0.0074		NA		NA		0.000089	F	NA		0.014	F	NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	12/1/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	1/5/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	2/2/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	3/2/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	4/5/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	5/31/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	7/19/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U02	Sample	8/30/2016	ST012-Monthly Perimeter Monitoring	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	1/5/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	1/27/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	3/10/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	4/6/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	5/19/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	6/16/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	7/13/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	8/3/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	9/1/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		750		180		9.5		< 0.1	U	210		2100	
ST012-U11	Sample	9/2/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		540		120		6.3		< 0.1	U	210		1300	
ST012-U11	Sample	10/6/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	11/3/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	11/11/2015	ST012-Annual GW Monitoring Event	LF	165	0.00038	F	NA		NA		0.0015	F	NA		NA		0.00007	F	NA		0.004	F	NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	12/1/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	1/6/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	2/2/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	3/1/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	4/6/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	6/22/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	165	NA		66		0.0076	F	NA		6.9		NA		NA		71		NA		NA		620		150		6.1	J	NA		230		NA	
ST012-U11	Duplicate	6/22/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	165	NA		67		0.0055	F	NA		6.5		NA		NA		69		NA		NA		610		150		6.5	J	NA		220		NA	
ST012-U11	Sample	7/20/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U11	Sample	9/7/2016	ST012-Monthly Perimeter Monitoring	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	1/6/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	1/27/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	3/9/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	4/6/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	5/19/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	6/16/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	7/13/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	8/3/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	9/3/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	10/6/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	11/3/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	11/11/2015	ST012-Annual GW Monitoring Event	LF	165	< 0.003	U	NA		NA		0.0011	F	NA		NA		< 0.005	U	NA		0.0034	F	NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	12/2/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	1/6/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Duplicate	1/6/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	2/2/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	3/2/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	4/6/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	6/2/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Duplicate	6/2/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	7/20/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U12	Sample	9/7/2016	ST012-Monthly Perimeter Monitoring	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	1/6/2015	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	1/27/2015	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	3/10/2015	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	4/6/2015	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	5/19/2015	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	6/16/2015	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	7/14/2015	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	8/4/2015	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	9/3/2015	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	10/6/2015	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	11/3/2015	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	11/11/2015	ST012-Annual GW Monitoring Event	LF	164	< 0.015	U	NA		NA		< 0.003	U	NA		NA		0.000058	F	NA		< 0.02	U	NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	12/2/2015	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	1/6/2016	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	2/4/2016	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	3/2/2016	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	4/6/2016	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	6/3/2016	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	7/26/2016	ST012-Monthly SEE Performance	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U37	Sample	8/31/2016	ST012-Monthly Perimeter Monitoring	LF	164	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	1/6/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	1/28/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	

ST012 - GROUNDWATER SAMPLE ANALYTICAL RESULTS BY LOCATION, SAMPLE DATE, AND PARAMETE

Location ID	Sample Type	Sample Date	Name of Sampling Program	Sampling Method	Sample Depth (ft btoc)	Total Metals by EPA Method SW6020A																Mercury, Total by EPA Method SW7470		Anions by EPA Methods E300.0/SW9056								Alkalinity by EPA Method SM2320B		Total Dissolved Solids by EPA Method SM2540C	
						Lead		Magnesium		Manganese		Nickel		Potassium		Selenium		Silver		Sodium		Zinc				Chloride		Sulfate		Nitrogen, nitrate		Phosphorus, Total					
						mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L	
ST012-U38	Sample	3/10/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	4/6/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	5/19/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	6/16/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	7/14/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	8/4/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	9/9/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	10/7/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	11/4/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	11/12/2015	ST012-Annual GW Monitoring Event	LF	165	< 0.015	U	NA		NA		0.00052	F	NA		NA		< 0.005	U	NA		0.0029	F	NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Duplicate	11/12/2015	ST012-Annual GW Monitoring Event	LF	215	< 0.015	U	NA		NA		0.00056	F	NA		NA		< 0.005	U	NA		0.0022	F	NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	12/2/2015	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	1/7/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	2/3/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	3/3/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	4/5/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	6/1/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Duplicate	6/1/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	7/25/2016	ST012-Monthly SEE Performance	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-U38	Sample	9/9/2016	ST012-Monthly Perimeter Monitoring	LF	165	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-UWBZ09	Sample	9/15/2016	ST012-Monthly Perimeter Monitoring	G	NA	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W11	Sample	1/8/2015	ST012-Monthly SEE Performance	LF	213	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W11	Sample	1/30/2015	ST012-Monthly SEE Performance	LF	213	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W11	Sample	3/12/2015	ST012-Monthly SEE Performance	LF	213	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W11	Sample	4/8/2015	ST012-Monthly SEE Performance	LF	213	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W11	Sample	6/13/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	213	NA		100		3.7		NA		8.6		NA		NA		83		NA		NA		1200		46		0.4	F	< 0.5	U	170		NA	
ST012-W11	Sample	8/1/2016	ST012-Monthly Perimeter Monitoring	LF	213	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W11	Sample	8/1/2016	ST012-Monthly Perimeter Monitoring	LF	213	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W11	Sample	9/7/2016	ST012-Monthly Perimeter Monitoring	LF	213	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	1/8/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	1/29/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	3/11/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	4/7/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	5/21/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	6/18/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	7/15/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	8/5/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	9/2/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		960		180		3.6		< 0.1	U	130		2300	
ST012-W12	Sample	9/2/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		680		100		2.2	M	< 0.1	UM	130		1700	
ST012-W12	Sample	10/8/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	11/5/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	214	0.00024	F	NA		NA		0.0012	F	NA		NA		< 0.005	U	NA		0.0061	F	NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	12/4/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	1/8/2016	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	2/4/2016	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	3/8/2016	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	4/6/2016	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	6/2/2016	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	7/20/2016	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W12	Sample	9/7/2016	ST012-Monthly Perimeter Monitoring	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	1/8/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	1/29/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	3/11/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	4/7/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	5/20/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	6/18/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	7/16/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	8/7/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	8/31/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	10/8/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	11/5/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	11/9/2015	ST012-Annual GW Monitoring Event	LF	216	0.00066	F	NA		NA		0.061		NA		NA		0.000033	F	NA		0.023	J	NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	12/3/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	1/8/2016	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	2/3/2016	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	3/7/2016	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	4/4/2016	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	6/1/2016	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W24	Sample	7/27/2016	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	

ST012 - GROUNDWATER SAMPLE ANALYTICAL RESULTS BY LOCATION, SAMPLE DATE, AND PARAMETE

Location ID	Sample Type	Sample Date	Name of Sampling Program	Sampling Method	Sample Depth (ft btoc)	Total Metals by EPA Method SW6020A																Mercury, Total by EPA Method SW7470		Anions by EPA Methods E300.0/SW9056								Alkalinity by EPA Method SM2320B		Total Dissolved Solids by EPA Method SM2540C	
						Lead		Magnesium		Manganese		Nickel		Potassium		Selenium		Silver		Sodium		Zinc				Chloride		Sulfate		Nitrogen, nitrate		Phosphorus, Total					
						mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L	
ST012-W24	Sample	9/6/2016	ST012-Monthly Perimeter Monitoring	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W29	Sample	7/17/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W29	Sample	8/7/2015	ST012-Monthly SEE Performance	PDB	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W29	Sample	8/7/2015	ST012-Monthly SEE Performance	PDB	225	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W29	Sample	8/7/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W29	Sample	11/11/2015	ST012-Annual GW Monitoring Event	LF	215	< 0.003	U	NA		NA		0.15		NA		NA		< 0.005	U	NA		0.0024	F	NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	1/9/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	1/29/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	3/12/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	4/8/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	5/21/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	6/19/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	7/15/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	8/5/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	9/10/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	10/8/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	11/6/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	11/11/2015	ST012-Annual GW Monitoring Event	LF	216	< 0.015	U	NA		NA		0.0014	F	NA		NA		< 0.005	U	NA		0.01	F	NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	12/7/2015	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	1/11/2016	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	2/5/2016	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	3/9/2016	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Duplicate	3/9/2016	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	4/7/2016	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	6/3/2016	ST012-Monthly SEE Performance	LF	216	< 0.015	U	44		4.3		NA		8.3		< 0.022	U	0.0012	B	61		0.0064	F	< 0.0002	U	490		3.1	F	< 0.5	UJ	NA		160		NA	
ST012-W30	Sample	7/26/2016	ST012-Monthly SEE Performance	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W30	Sample	9/13/2016	ST012-Monthly Perimeter Monitoring	LF	216	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	1/6/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	1/28/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	3/10/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	4/7/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	5/20/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	6/17/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	7/14/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	8/4/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	9/9/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	10/7/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	11/5/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	11/10/2015	ST012-Annual GW Monitoring Event	LF	214	0.00026	F	NA		NA		0.0012	F	NA		NA		< 0.005	U	NA		0.009	F	NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	12/3/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	1/7/2016	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	2/4/2016	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Duplicate	2/4/2016	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	3/8/2016	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	4/7/2016	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Duplicate	4/7/2016	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	6/30/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	NA		70		8.5		NA		8.2		NA		NA		70		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	6/30/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		750	J	130	J	1.8	J	< 0.5	UJ	120	J	NA	
ST012-W34	Duplicate	6/30/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	NA		69		8.3		NA		8.1		NA		NA		69		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Duplicate	6/30/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		750	J	130	J	1.9	J	< 0.5	UJ	120	J	NA	
ST012-W34	Sample	7/19/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W34	Sample	8/30/2016	ST012-Monthly Perimeter Monitoring	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W35	Sample	11/12/2015	ST012-Annual GW Monitoring Event	LF	214	< 0.015	U	NA		NA		< 0.003	U	NA		NA		< 0.005	U	NA		< 0.02	U	NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Sample	1/8/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Duplicate	1/8/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Sample	1/29/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Duplicate	1/29/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Sample	3/12/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Duplicate	3/12/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Sample	4/8/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Duplicate	4/8/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Sample	5/21/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Duplicate	5/21/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Sample	6/18/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Duplicate	6/18/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Sample	7/15/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Duplicate	7/15/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Sample	8/5/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Duplicate	8/5/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Sample	9/10/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Duplicate	9/10/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Sample	10/8/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Duplicate	10/8/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Sample	11/6/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Duplicate	11/6/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	

ST012 - GROUNDWATER SAMPLE ANALYTICAL RESULTS BY LOCATION, SAMPLE DATE, AND PARAMETE

Location ID	Sample Type	Sample Date	Name of Sampling Program	Sampling Method	Sample Depth (ft btoc)	Total Metals by EPA Method SW6020A																Mercury, Total by EPA Method SW7470		Anions by EPA Methods E300.0/SW9056								Alkalinity by EPA Method SM2320B		Total Dissolved Solids by EPA Method SM2540C	
						Lead		Magnesium		Manganese		Nickel		Potassium		Selenium		Silver		Sodium		Zinc				Chloride		Sulfate		Nitrogen, nitrate		Phosphorus, Total					
						mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L		mg/L	
ST012-W36	Sample	11/12/2015	ST012-Annual GW Monitoring Event	LF	215	< 0.015	U	NA		NA		0.0016	F	NA		NA		< 0.005	U	NA		0.003	F	NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Sample	12/7/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Duplicate	12/7/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Sample	2/24/2016	ST012-Monthly SEE Performance	LF	215	< 0.003	U	NA		NA		0.0009	F	NA		NA		0.000034	F	NA		< 0.02	U	NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Duplicate	2/24/2016	ST012-Monthly SEE Performance	LF	215	0.0007	F	NA		NA		0.00073	F	NA		NA		< 0.005	U	NA		< 0.02	U	NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Sample	3/9/2016	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Sample	4/7/2016	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Sample	6/23/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	215	NA		86		7.3		NA		10		NA		NA		79		NA		NA		980		9.8		< 0.5	UJ	NA		190		NA	
ST012-W36	Duplicate	6/23/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	215	NA		86		7.0		NA		10		NA		NA		79		NA		NA		980		10		< 0.5	UJ	NA		190		NA	
ST012-W36	Sample	7/25/2016	ST012-Monthly Perimeter Monitoring	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Duplicate	7/25/2016	ST012-Monthly Perimeter Monitoring	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Sample	8/31/2016	ST012-Monthly Perimeter Monitoring	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W36	Duplicate	8/31/2016	ST012-Monthly Perimeter Monitoring	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W37	Sample	1/9/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W37	Sample	1/30/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W37	Sample	3/12/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W37	Sample	4/9/2015	ST012-Monthly SEE Performance	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W37	Sample	6/30/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	NA		69		6.4		NA		7.3		NA		NA		64		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W37	Sample	6/30/2016	ST012-EBR/Monthly Perimeter Monitoring	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		200		1.4	F	< 0.5	U	< 0.5	U	850		NA	
ST012-W37	Sample	7/27/2016	ST012-Monthly Perimeter Monitoring	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W37	Sample	9/13/2016	ST012-Monthly Perimeter Monitoring	LF	214	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Sample	1/7/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Duplicate	1/7/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Sample	1/28/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Duplicate	1/28/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Sample	3/10/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Duplicate	3/10/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Sample	4/7/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Duplicate	4/7/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Sample	5/20/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Duplicate	5/20/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Sample	6/17/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Duplicate	6/17/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Sample	7/14/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Duplicate	7/14/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Sample	8/4/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Duplicate	8/4/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Sample	9/9/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Duplicate	9/9/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Sample	10/7/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Duplicate	10/7/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Sample	11/4/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Duplicate	11/4/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Sample	11/12/2015	ST012-Annual GW Monitoring Event	LF	215	< 0.015	U	NA		NA		0.0022	F	NA		NA		< 0.005	U	NA		0.011	F	NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Duplicate	11/12/2015	ST012-Annual GW Monitoring Event	LF	215	< 0.015	U	NA		NA		0.014		NA		NA		< 0.005	U	NA		0.0085	F	NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Sample	12/4/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Duplicate	12/4/2015	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Sample	1/7/2016	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Duplicate	1/7/2016	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Sample	2/3/2016	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Duplicate	2/3/2016	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Sample	3/3/2016	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Duplicate	3/3/2016	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Sample	4/5/2016	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Duplicate	4/5/2016	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Sample	6/1/2016	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Sample	7/25/2016	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Duplicate	7/25/2016	ST012-Monthly SEE Performance	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Sample	9/9/2016	ST012-Monthly Perimeter Monitoring	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	
ST012-W38	Duplicate	9/9/2016	ST012-Monthly Perimeter Monitoring	LF	215	NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA		NA	

Notes:

DRO - Diesel Range Organics
ft btoc - feet, below top of casing
G - Grab
GRO - Gasoline Range Organics
LF - Low Flow
mg/L - milligrams per liter
PDB - Passive Diffusion Bag
TPH - Total Petroleum Hydrocarbons
ug/L - micrograms per liter

Data Qualifier Definitions:

B - The analyte was detected, blank contamination.
F - The analyte was detected, estimated above the MDL and below the RL.
J - The analyte was detected, estimated due to QC criteria.
M - The analyte was detected, matrix interference
U - The analyte was not detected above the RL.
UJ - The analyte was not detected, estimated due to QC criteria.
UM - The analyte was not detected, matrix interference
< - Not detected at or above the RL.