Message

From: Rogers, Rick [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=BCE033A9EDE7409D944D8AE868394548-RROGER04]
Sent: 6/19/2020 6:19:08 PM
To: Bebenek, Maria [mbebenek@pa.gov]
Subject: RE: [External] 6-25-20_CRWmeeting_general.docx

OK, thanks. I'll let you know if that works for my Division Director, Stacie and Steve.

Rick Rogers, Chief
Water Branch (3ED30)
Enforcement and Compliance Assurance Division
U.S. EPA Region III
1650 Arch Street
Philadelphia, PA 19103
rogers.rick@epa.gov
Office: 215.814.5711
Cell: 215.341.4762

From: Bebenek, Maria <mbebenek@pa.gov>
Sent: Friday, June 19, 2020 2:16 PM
To: Rogers, Rick <rogers.rick@epa.gov>
Subject: Re: [External] 6-25-20_CRWmeeting_general.docx

1:30 would work for me and Victor

Get Outlook for iOS

From: Rogers, Rick <rogers.rick@epa.gov>
Sent: Friday, June 19, 2020 2:13:46 PM
To: Bebenek, Maria <mbebenek@pa.gov>
Subject: RE: [External] 6-25-20_CRWmeeting_general.docx

Maria,

Contacting you to try to set up that pre-meeting on Tuesday. Do any of these times work for you and Victor?

9- 9:30 am

12-1 pm

1:30-3:30 pm

Thanks,

Rick

Rick Rogers, Chief
Water Branch (3ED30)
Enforcement and Compliance Assurance Division

U.S. EPA Region III
1650 Arch Street
Philadelphia, PA 19103
rogers.rick@epa.gov
Office: 215.814.5711
Cell: 215.341.4762

From: Bebenek, Maria <mbebenek@pa.gov>
Sent: Friday, June 19, 2020 8:54 AM
To: Rogers, Rick <rogers.rick@epa.gov>
Subject: Re: [External] 6-25-20_CRWmeeting_general.docx

Jenny was able to send me the invite and it showed up on both mine and Victors calendars. We also talked about a possible pre-meet on Tuesday. Do you know if that is happening?

Get Outlook for iOS

From: Rogers, Rick <rogers.rick@epa.gov>
Sent: Thursday, June 18, 2020 6:52:48 PM
To: Bebenek, Maria <mbebenek@pa.gov>
Cc: Landis, Victor <vlandis@pa.gov>; Pratt, Stacie <Pratt.Stacie@epa.gov>; Maslowski, Steven <Maslowski.Steven@epa.gov>
Subject: RE: [External] 6-25-20_CRWmeeting_general.docx

Thanks for the quick turnaround, Maria. I appreciate it.

The agenda was all Steve Maslowski, one of our attorneys and my Division Director. I was just the late afternoon mule. We appreciate Victor's input on this, too.

Ex. 5 Deliberative Process (DP)

Jen Fields told me that you and Victor didn't originally receive the calendar invite for the Thursday meeting. She said she resent it to you. Please let us know if still didn't receive it.

Thanks, again.

Rick

Rick Rogers, Chief
Water Branch (3ED30)
Enforcement and Compliance Assurance Division
U.S. EPA Region III
1650 Arch Street
Philadelphia, PA 19103
rogers.rick@epa.gov
Office: 215.814.5711
Cell: 215.341.4762

From: Bebenek, Maria <mbebenek@pa.gov>
Sent: Thursday, June 18, 2020 6:48 PM
To: Rogers, Rick <rogers.rick@epa.gov>

Cc: Landis, Victor <vlandis@pa.gov>; Pratt, Stacie <Pratt.Stacie@epa.gov>; Maslowski, Steven <Maslowski.Steven@epa.gov>
Subject: Re: [External] 6-25-20_CRWmeeting_general.docx

Rick
The Agenda looks fine to me. I think it asks appropriate questions and allows for discussion on a path forward. Thank you for putting it together.

Get Outlook for iOS

From: Rogers, Rick <rogers.rick@epa.gov>
Sent: Thursday, June 18, 2020 6:07:12 PM
To: Bebenek, Maria <mbebenek@pa.gov>
Cc: Landis, Victor <vlandis@pa.gov>; Pratt, Stacie <Pratt.Stacie@epa.gov>; Maslowski, Steven <Maslowski.Steven@epa.gov>
Subject: [External] 6-25-20_CRWmeeting_general.docx

ATTENTION: *This email message is from an external sender. Do not open links or attachments from unknown sources. To report suspicious email, forward the message as an attachment to CWOPA_SPAM@pa.gov.*

Good afternoon, Maria:

Attached is the draft agenda for the meeting with CRW next Thursday. We'd like to get your quick input on the agenda and add it to the meeting invite by Monday morning. I understand that Victor is not in the office. Could you take a look at this draft agenda and let me know if we are missing anything that PADEP feels would be a priority? The two sub-bullets at the end of Section 2 came from Victor, I believe.

Ex. 5 Deliberative Process (DP)

If you could get back to me by COB Friday, Jun 19th, I would appreciate it.

Thanks,

Rick

Rick Rogers, Chief
Water Branch (3ED30)
Enforcement and Compliance Assurance Division
U.S. EPA Region III
1650 Arch Street
Philadelphia, PA 19103
rogers.rick@epa.gov
Office: 215.814.5711
Cell: 215.341.4762