Laboratory ProjectNumber Project CLP_CaseNo R4DART_SiteCode R4DART_SiteName LabSampleNumber SampleName Station CLP_MDNo CLP_DNo LabMatrix ClientMatrix DateSampled DateReceived GeneralMethod AnalysisDescription Prepared Analyzed Method Dissolved_Analysis TIC CASNumber Analyte Result Qualifiers PrimaryQualifiers Units MRL

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL E162703-01 1084 RV_14_4438 Water Surface Water 06/19/2016 09:20:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016 08/17/2016 ASB 100S 375-73-5 PFBS 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL E162703-01 1084 RV_14_4438 Water Surface Water 06/19/2016 09:20:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016 08/17/2016 ASB 100S 335-76-2 PFDA 0.046 U U ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL E162703-01 1084 RV_14_4438 Water Surface Water 06/19/2016 09:20:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016 08/17/2016 ASB 100S 375-85-9 PFHpA 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL E162703-01 1084 RV_14_4438 Water Surface Water 06/19/2016 09:20:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016 08/17/2016 ASB 100S 307-24-4 PFHxA 0.046 U U ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL E162703-01 1084 RV_14_4438 Water Surface Water 06/19/2016 09:20:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016 08/17/2016 ASB 100S 355-46-4 PFHxS 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL E162703-01 1084 RV_14_4438 Water Surface Water 06/19/2016 09:20:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016 08/17/2016 ASB 100S 375-95-1 PFNA 0.046 U U ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL E162703-01 1084 RV_14_4438 Water Surface Water 06/19/2016 09:20:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016 08/17/2016 ASB 100S 335-67-1 PFOA 0.046 U U ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL E162703-01 1084 RV_14_4438 Water Surface Water 06/19/2016 09:20:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016 08/17/2016 ASB 100S 1763-23-1 PFOS 0.015 J,Q-2 J,O ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL E162703-02 1085 RV_14_16663 Water Surface Water 06/19/2016 12:45:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016 08/17/2016 ASB 100S 375-73-5 PFBS 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL E162703-02 1085 RV_14_16663 Water Surface Water 06/19/2016 12:45:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016 08/17/2016 ASB 100S 335-76-2 PFDA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL E162703-02 1085 RV_14_16663 Water Surface Water 06/19/2016 12:45:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016 08/17/2016 ASB 100S 375-85-9 PFHpA 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL E162703-02 1085 RV_14_16663 Water Surface Water 06/19/2016 12:45:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016 08/17/2016 ASB 100S 307-24-4 PFHxA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL E162703-02 1085 RV_14_16663 Water Surface Water 06/19/2016 12:45:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016 08/17/2016 ASB 100S 355-46-4 PFHxS 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-02 1085 RV_14_16663 Water Surface Water 06/19/2016
12:45:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-95-1 PFNA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-02 1085 RV_14_16663 Water Surface Water 06/19/2016
12:45:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 335-67-1 PFOA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-02 1085 RV_14_16663 Water Surface Water 06/19/2016
12:45:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 1763-23-1 PFOS 0.017 J,Q-2 J,O ug/L
0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-03 1086 RV_14_16664 Water Surface Water 06/19/2016
01:25:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-73-5 PFBS 0.081 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-03 1086 RV_14_16664 Water Surface Water 06/19/2016
01:25:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 335-76-2 PFDA 0.046 U U ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-03 1086 RV_14_16664 Water Surface Water 06/19/2016
01:25:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-85-9 PFHpA 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-03 1086 RV_14_16664 Water Surface Water 06/19/2016
01:25:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 307-24-4 PFHxA 0.046 U U ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-03 1086 RV_14_16664 Water Surface Water 06/19/2016
01:25:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 355-46-4 PFHxS 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-03 1086 RV_14_16664 Water Surface Water 06/19/2016
01:25:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-95-1 PFNA 0.046 U U ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-03 1086 RV_14_16664 Water Surface Water 06/19/2016
01:25:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 335-67-1 PFOA 0.046 U U ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-03 1086 RV_14_16664 Water Surface Water 06/19/2016
01:25:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 1763-23-1 PFOS 0.030 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-04 1087 RV_14_4457 Water Surface Water 06/19/2016
02:55:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-73-5 PFBS 0.037 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-04 1087 RV_14_4457 Water Surface Water 06/19/2016
02:55:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 335-76-2 PFDA 0.046 U U ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-04 1087 RV_14_4457 Water Surface Water 06/19/2016
02:55:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-85-9 PFHpA 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-04 1087 RV_14_4457 Water Surface Water 06/19/2016
02:55:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 307-24-4 PFHxA 0.046 U U ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-04 1087 RV_14_4457 Water Surface Water 06/19/2016
02:55:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 355-46-4 PFHxS 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-04 1087 RV_14_4457 Water Surface Water 06/19/2016
02:55:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-95-1 PFNA 0.046 U U ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-04 1087 RV_14_4457 Water Surface Water 06/19/2016
02:55:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 335-67-1 PFOA 0.046 U U ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-04 1087 RV_14_4457 Water Surface Water 06/19/2016
02:55:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 1763-23-1 PFOS 0.019 J,Q-2 J,O ug/L
0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-05 1088 RV_14_16665 Water Surface Water 06/19/2016
03:53:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-73-5 PFBS 0.53 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-05 1088 RV_14_16665 Water Surface Water 06/19/2016
03:53:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 335-76-2 PFDA 0.033 J,Q-2 J,O ug/L
0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-05 1088 RV_14_16665 Water Surface Water 06/19/2016
03:53:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-85-9 PFHpA 0.11 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-05 1088 RV_14_16665 Water Surface Water 06/19/2016
03:53:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 307-24-4 PFHxA 0.17 ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-05 1088 RV_14_16665 Water Surface Water 06/19/2016
03:53:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 355-46-4 PFHxS 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-05 1088 RV_14_16665 Water Surface Water 06/19/2016
03:53:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-95-1 PFNA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-05 1088 RV_14_16665 Water Surface Water 06/19/2016
03:53:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 335-67-1 PFOA 0.15 ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-05 1088 RV_14_16665 Water Surface Water 06/19/2016
03:53:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 1763-23-1 PFOS 0.32 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-06 1089 RV_14_16666 Water Surface Water 06/19/2016
04:40:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-73-5 PFBS 1.6 ug/L 0.26

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-06 1089 RV_14_16666 Water Surface Water 06/19/2016
04:40:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 335-76-2 PFDA 0.029 J,Q-2 J,O ug/L
0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-06 1089 RV_14_16666 Water Surface Water 06/19/2016
04:40:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-85-9 PFHpA 0.16 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-06 1089 RV_14_16666 Water Surface Water 06/19/2016
04:40:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 307-24-4 PFHxA 0.26 ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-06 1089 RV_14_16666 Water Surface Water 06/19/2016
04:40:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 355-46-4 PFHxS 0.060 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-06 1089 RV_14_16666 Water Surface Water 06/19/2016
04:40:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-95-1 PFNA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-06 1089 RV_14_16666 Water Surface Water 06/19/2016
04:40:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 335-67-1 PFOA 0.39 ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-06 1089 RV_14_16666 Water Surface Water 06/19/2016
04:40:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 1763-23-1 PFOS 0.43 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-07 1090 RV_14_4455 Water Surface Water 06/20/2016
08:45:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-73-5 PFBS 0.23 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-07 1090 RV_14_4455 Water Surface Water 06/20/2016
08:45:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 335-76-2 PFDA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-07 1090 RV_14_4455 Water Surface Water 06/20/2016
08:45:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-85-9 PFHpA 0.029 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-07 1090 RV_14_4455 Water Surface Water 06/20/2016
08:45:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 307-24-4 PFHxA 0.062 ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-07 1090 RV_14_4455 Water Surface Water 06/20/2016
08:45:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 355-46-4 PFHxS 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-07 1090 RV_14_4455 Water Surface Water 06/20/2016
08:45:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-95-1 PFNA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-07 1090 RV_14_4455 Water Surface Water 06/20/2016
08:45:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 335-67-1 PFOA 0.045 J,QM-3 J,O ug/L
0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-07 1090 RV_14_4455 Water Surface Water 06/20/2016
08:45:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 1763-23-1 PFOS 0.10 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-11 1094 RV_14_4458 Water Surface Water 06/20/2016
09:55:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-73-5 PFBS 0.28 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-11 1094 RV_14_4458 Water Surface Water 06/20/2016
09:55:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 335-76-2 PFDA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-11 1094 RV_14_4458 Water Surface Water 06/20/2016
09:55:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-85-9 PFHpA 0.057 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-11 1094 RV_14_4458 Water Surface Water 06/20/2016
09:55:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 307-24-4 PFHxA 0.076 ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-11 1094 RV_14_4458 Water Surface Water 06/20/2016
09:55:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 355-46-4 PFHxS 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-11 1094 RV_14_4458 Water Surface Water 06/20/2016
09:55:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-95-1 PFNA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-11 1094 RV_14_4458 Water Surface Water 06/20/2016
09:55:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 335-67-1 PFOA 0.096 ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-11 1094 RV_14_4458 Water Surface Water 06/20/2016
09:55:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 1763-23-1 PFOS 0.18 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-12 1095 RV_14_16667 Water Surface Water 06/20/2016
10:55:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-73-5 PFBS 0.38 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-12 1095 RV_14_16667 Water Surface Water 06/20/2016
10:55:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 335-76-2 PFDA 0.046 U U ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-12 1095 RV_14_16667 Water Surface Water 06/20/2016
10:55:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-85-9 PFHpA 0.074 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-12 1095 RV_14_16667 Water Surface Water 06/20/2016
10:55:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 307-24-4 PFHxA 0.12 ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-12 1095 RV_14_16667 Water Surface Water 06/20/2016
10:55:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 355-46-4 PFHxS 0.018 J,Q-2 J,O ug/L
0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-12 1095 RV_14_16667 Water Surface Water 06/20/2016
10:55:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-95-1 PFNA 0.046 U U ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-12 1095 RV_14_16667 Water Surface Water 06/20/2016
10:55:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 335-67-1 PFOA 0.15 ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-12 1095 RV_14_16667 Water Surface Water 06/20/2016
10:55:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 1763-23-1 PFOS 0.15 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-13 1096 POSSIBLE RUNOFF FROM LAS Water Surface Water
06/20/2016 11:10:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs
07/01/2016 08/17/2016 ASB 100S 375-73-5 PFBS 7.5 ug/L
0.26

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-13 1096 POSSIBLE RUNOFF FROM LAS Water Surface Water
06/20/2016 11:10:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs
07/01/2016 08/17/2016 ASB 100S 335-76-2 PFDA 0.31
ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-13 1096 POSSIBLE RUNOFF FROM LAS Water Surface Water
06/20/2016 11:10:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs
07/01/2016 08/17/2016 ASB 100S 375-85-9 PFHpA 2.7
ug/L 0.26

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-13 1096 POSSIBLE RUNOFF FROM LAS Water Surface Water
06/20/2016 11:10:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs
07/01/2016 08/17/2016 ASB 100S 307-24-4 PFHxA 4.8
ug/L 0.45

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-13 1096 POSSIBLE RUNOFF FROM LAS Water Surface Water
06/20/2016 11:10:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs
07/01/2016 08/17/2016 ASB 100S 355-46-4 PFHxS 0.085
ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-13 1096 POSSIBLE RUNOFF FROM LAS Water Surface Water
06/20/2016 11:10:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs
07/01/2016 08/17/2016 ASB 100S 375-95-1 PFNA 0.13
ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-13 1096 POSSIBLE RUNOFF FROM LAS Water Surface Water
06/20/2016 11:10:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs
07/01/2016 08/17/2016 ASB 100S 335-67-1 PFOA 0.88
ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-13 1096 POSSIBLE RUNOFF FROM LAS Water Surface Water
06/20/2016 11:10:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs
07/01/2016 08/17/2016 ASB 100S 1763-23-1 PFOS 2.3
ug/L 0.26

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-14 1097 RV_14_4460 Water Surface Water 06/21/2016
09:15:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-73-5 PFBS 0.36 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-14 1097 RV_14_4460 Water Surface Water 06/21/2016

09:15:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 335-76-2 PFDA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-14 1097 RV_14_4460 Water Surface Water 06/21/2016
09:15:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-85-9 PFHpA 0.067 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-14 1097 RV_14_4460 Water Surface Water 06/21/2016
09:15:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 307-24-4 PFHxA 0.14 ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-14 1097 RV_14_4460 Water Surface Water 06/21/2016
09:15:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 355-46-4 PFHxS 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-14 1097 RV_14_4460 Water Surface Water 06/21/2016
09:15:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-95-1 PFNA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-14 1097 RV_14_4460 Water Surface Water 06/21/2016
09:15:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 335-67-1 PFOA 0.15 ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-14 1097 RV_14_4460 Water Surface Water 06/21/2016
09:15:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 1763-23-1 PFOS 0.15 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-15 1098 RV_14_16671 Water Surface Water 06/21/2016
10:25:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-73-5 PFBS 7.6 ug/L 0.26

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-15 1098 RV_14_16671 Water Surface Water 06/21/2016
10:25:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 335-76-2 PFDA 0.21 ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-15 1098 RV_14_16671 Water Surface Water 06/21/2016
10:25:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-85-9 PFHpA 1.4 ug/L 0.26

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-15 1098 RV_14_16671 Water Surface Water 06/21/2016
10:25:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 307-24-4 PFHxA 2.7 ug/L 0.45

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-15 1098 RV_14_16671 Water Surface Water 06/21/2016
10:25:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 355-46-4 PFHxS 0.077 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-15 1098 RV_14_16671 Water Surface Water 06/21/2016
10:25:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-95-1 PFNA 0.11 ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-15 1098 RV_14_16671 Water Surface Water 06/21/2016
10:25:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 335-67-1 PFOA 0.63 ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-15 1098 RV_14_16671 Water Surface Water 06/21/2016
10:25:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016

08/17/2016 ASB 100S 1763-23-1 PFOS 1.2 ug/L 0.26

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-16 1099 PO_14_2439 Water Surface Water 06/21/2016
11:05:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-73-5 PFBS 0.14 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-16 1099 PO_14_2439 Water Surface Water 06/21/2016
11:05:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 335-76-2 PFDA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-16 1099 PO_14_2439 Water Surface Water 06/21/2016
11:05:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-85-9 PFHpA 0.034 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-16 1099 PO_14_2439 Water Surface Water 06/21/2016
11:05:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 307-24-4 PFHxA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-16 1099 PO_14_2439 Water Surface Water 06/21/2016
11:05:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 355-46-4 PFHxS 0.020 J,Q-2 J,O ug/L
0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-16 1099 PO_14_2439 Water Surface Water 06/21/2016
11:05:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-95-1 PFNA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-16 1099 PO_14_2439 Water Surface Water 06/21/2016
11:05:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 335-67-1 PFOA 0.052 ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-16 1099 PO_14_2439 Water Surface Water 06/21/2016
11:05:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 1763-23-1 PFOS 0.083 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-17 1100 RV_14_4463 Water Surface Water 06/21/2016
12:25:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-73-5 PFBS 0.33 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-17 1100 RV_14_4463 Water Surface Water 06/21/2016
12:25:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 335-76-2 PFDA 0.022 J,Q-2 J,O ug/L
0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-17 1100 RV_14_4463 Water Surface Water 06/21/2016
12:25:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-85-9 PFHpA 0.069 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-17 1100 RV_14_4463 Water Surface Water 06/21/2016
12:25:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 307-24-4 PFHxA 0.11 ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-17 1100 RV_14_4463 Water Surface Water 06/21/2016
12:25:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 355-46-4 PFHxS 0.022 J,Q-2 J,O ug/L
0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL

E162703-17 1100 RV_14_4463 Water Surface Water 06/21/2016
12:25:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-95-1 PFNA 0.046 U U ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-17 1100 RV_14_4463 Water Surface Water 06/21/2016
12:25:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 335-67-1 PFOA 0.16 ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-17 1100 RV_14_4463 Water Surface Water 06/21/2016
12:25:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 1763-23-1 PFOS 0.13 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-18 1101 RV_14_16672 Water Surface Water 06/21/2016
02:05:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-73-5 PFBS 5.7 ug/L 0.26

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-18 1101 RV_14_16672 Water Surface Water 06/21/2016
02:05:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 335-76-2 PFDA 0.48 ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-18 1101 RV_14_16672 Water Surface Water 06/21/2016
02:05:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-85-9 PFHpA 0.95 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-18 1101 RV_14_16672 Water Surface Water 06/21/2016
02:05:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 307-24-4 PFHxA 1.3 ug/L 0.45

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-18 1101 RV_14_16672 Water Surface Water 06/21/2016
02:05:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 355-46-4 PFHxS 0.11 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-18 1101 RV_14_16672 Water Surface Water 06/21/2016
02:05:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-95-1 PFNA 0.13 ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-18 1101 RV_14_16672 Water Surface Water 06/21/2016
02:05:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 335-67-1 PFOA 0.60 ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-18 1101 RV_14_16672 Water Surface Water 06/21/2016
02:05:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 1763-23-1 PFOS 2.1 ug/L 0.26

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-19 1102 RV_14_16673 Water Surface Water 06/21/2016
02:45:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-73-5 PFBS 0.35 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-19 1102 RV_14_16673 Water Surface Water 06/21/2016
02:45:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 335-76-2 PFDA 0.024 J,Q-2 J,O ug/L
0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-19 1102 RV_14_16673 Water Surface Water 06/21/2016
02:45:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-85-9 PFHpA 0.081 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL

E162703-19 1102 RV_14_16673 Water Surface Water 06/21/2016
02:45:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 307-24-4 PFHxA 0.098 ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-19 1102 RV_14_16673 Water Surface Water 06/21/2016
02:45:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 355-46-4 PFHxS 0.018 J,Q-2 J,O ug/L
0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-19 1102 RV_14_16673 Water Surface Water 06/21/2016
02:45:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-95-1 PFNA 0.046 U U ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-19 1102 RV_14_16673 Water Surface Water 06/21/2016
02:45:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 335-67-1 PFOA 0.14 ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-19 1102 RV_14_16673 Water Surface Water 06/21/2016
02:45:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 1763-23-1 PFOS 0.25 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-20 1103 RV_14_4419 Water Surface Water 06/21/2016
03:10:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-73-5 PFBS 0.20 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-20 1103 RV_14_4419 Water Surface Water 06/21/2016
03:10:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 335-76-2 PFDA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-20 1103 RV_14_4419 Water Surface Water 06/21/2016
03:10:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-85-9 PFHpA 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-20 1103 RV_14_4419 Water Surface Water 06/21/2016
03:10:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 307-24-4 PFHxA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-20 1103 RV_14_4419 Water Surface Water 06/21/2016
03:10:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 355-46-4 PFHxS 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-20 1103 RV_14_4419 Water Surface Water 06/21/2016
03:10:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 375-95-1 PFNA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-20 1103 RV_14_4419 Water Surface Water 06/21/2016
03:10:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 335-67-1 PFOA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-20 1103 RV_14_4419 Water Surface Water 06/21/2016
03:10:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/01/2016
08/17/2016 ASB 100S 1763-23-1 PFOS 0.013 J,Q-2 J,O ug/L
0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-21 1104 RV_14_16674 Water Surface Water 06/22/2016
09:05:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-73-5 PFBS 0.22 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-21 1104 RV_14_16674 Water Surface Water 06/22/2016
09:05:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 335-76-2 PFDA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-21 1104 RV_14_16674 Water Surface Water 06/22/2016
09:05:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-85-9 PFHpA 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-21 1104 RV_14_16674 Water Surface Water 06/22/2016
09:05:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 307-24-4 PFHxA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-21 1104 RV_14_16674 Water Surface Water 06/22/2016
09:05:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 355-46-4 PFHxS 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-21 1104 RV_14_16674 Water Surface Water 06/22/2016
09:05:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-95-1 PFNA 0.045 U,J,QR-1 U,J,O
ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-21 1104 RV_14_16674 Water Surface Water 06/22/2016
09:05:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 335-67-1 PFOA 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-21 1104 RV_14_16674 Water Surface Water 06/22/2016
09:05:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 1763-23-1 PFOS 0.085 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-22 1105 RV_14_4420 Water Surface Water 06/22/2016
10:05:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-73-5 PFBS 0.22 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-22 1105 RV_14_4420 Water Surface Water 06/22/2016
10:05:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 335-76-2 PFDA 0.046 U U ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-22 1105 RV_14_4420 Water Surface Water 06/22/2016
10:05:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-85-9 PFHpA 0.019 J,Q-2 J,O ug/L
0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-22 1105 RV_14_4420 Water Surface Water 06/22/2016
10:05:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 307-24-4 PFHxA 0.046 U U ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-22 1105 RV_14_4420 Water Surface Water 06/22/2016
10:05:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 355-46-4 PFHxS 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-22 1105 RV_14_4420 Water Surface Water 06/22/2016
10:05:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-95-1 PFNA 0.046 U,J,QR-1 U,J,O
ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-22 1105 RV_14_4420 Water Surface Water 06/22/2016
10:05:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016

08/16/2016 ASB 100S 335-67-1 PFOA 0.026 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-22 1105 RV_14_4420 Water Surface Water 06/22/2016
10:05:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 1763-23-1 PFOS 0.061 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-26 1109 RV_14_4423 Water Surface Water 06/22/2016
12:15:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-73-5 PFBS 0.23 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-26 1109 RV_14_4423 Water Surface Water 06/22/2016
12:15:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 335-76-2 PFDA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-26 1109 RV_14_4423 Water Surface Water 06/22/2016
12:15:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-85-9 PFHpA 0.020 J,Q-2 J,O ug/L
0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-26 1109 RV_14_4423 Water Surface Water 06/22/2016
12:15:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 307-24-4 PFHxA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-26 1109 RV_14_4423 Water Surface Water 06/22/2016
12:15:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 355-46-4 PFHxS 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-26 1109 RV_14_4423 Water Surface Water 06/22/2016
12:15:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-95-1 PFNA 0.045 U,J,QR-1 U,J,O
ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-26 1109 RV_14_4423 Water Surface Water 06/22/2016
12:15:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 335-67-1 PFOA 0.026 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-26 1109 RV_14_4423 Water Surface Water 06/22/2016
12:15:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 1763-23-1 PFOS 0.059 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-27 1110 RV_14_16676 Water Surface Water 06/22/2016
12:50:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-73-5 PFBS 0.029 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-27 1110 RV_14_16676 Water Surface Water 06/22/2016
12:50:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 335-76-2 PFDA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-27 1110 RV_14_16676 Water Surface Water 06/22/2016
12:50:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-85-9 PFHpA 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-27 1110 RV_14_16676 Water Surface Water 06/22/2016
12:50:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 307-24-4 PFHxA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-27 1110 RV_14_16676 Water Surface Water 06/22/2016

12:50:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 355-46-4 PFHxS 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-27 1110 RV_14_16676 Water Surface Water 06/22/2016
12:50:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-95-1 PFNA 0.045 U,J,QR-1 U,J,O
ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-27 1110 RV_14_16676 Water Surface Water 06/22/2016
12:50:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 335-67-1 PFOA 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-27 1110 RV_14_16676 Water Surface Water 06/22/2016
12:50:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 1763-23-1 PFOS 0.024 J,Q-2 J,O ug/L
0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-28 1111 RV_14_4426 Water Surface Water 06/22/2016
03:34:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-73-5 PFBS 0.22 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-28 1111 RV_14_4426 Water Surface Water 06/22/2016
03:34:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 335-76-2 PFDA 0.046 U U ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-28 1111 RV_14_4426 Water Surface Water 06/22/2016
03:34:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-85-9 PFHpA 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-28 1111 RV_14_4426 Water Surface Water 06/22/2016
03:34:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 307-24-4 PFHxA 0.046 U U ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-28 1111 RV_14_4426 Water Surface Water 06/22/2016
03:34:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 355-46-4 PFHxS 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-28 1111 RV_14_4426 Water Surface Water 06/22/2016
03:34:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-95-1 PFNA 0.046 U,J,QR-1 U,J,O
ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-28 1111 RV_14_4426 Water Surface Water 06/22/2016
03:34:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 335-67-1 PFOA 0.018 J,Q-2 J,O ug/L
0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-28 1111 RV_14_4426 Water Surface Water 06/22/2016
03:34:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 1763-23-1 PFOS 0.058 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-29 1112 RV_14_4427 Water Surface Water 06/23/2016
08:55:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-73-5 PFBS 0.22 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-29 1112 RV_14_4427 Water Surface Water 06/23/2016
08:55:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 335-76-2 PFDA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-29 1112 RV_14_4427 Water Surface Water 06/23/2016
08:55:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-85-9 PFHpA 0.019 J,Q-2 J,O ug/L
0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-29 1112 RV_14_4427 Water Surface Water 06/23/2016
08:55:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 307-24-4 PFHxA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-29 1112 RV_14_4427 Water Surface Water 06/23/2016
08:55:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 355-46-4 PFHxS 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-29 1112 RV_14_4427 Water Surface Water 06/23/2016
08:55:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-95-1 PFNA 0.045 U,J,QR-1 U,J,O
ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-29 1112 RV_14_4427 Water Surface Water 06/23/2016
08:55:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 335-67-1 PFOA 0.028 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-29 1112 RV_14_4427 Water Surface Water 06/23/2016
08:55:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 1763-23-1 PFOS 0.057 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-30 1113 RV_14_16679 Water Surface Water 06/23/2016
09:10:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-73-5 PFBS 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-30 1113 RV_14_16679 Water Surface Water 06/23/2016
09:10:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 335-76-2 PFDA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-30 1113 RV_14_16679 Water Surface Water 06/23/2016
09:10:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-85-9 PFHpA 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-30 1113 RV_14_16679 Water Surface Water 06/23/2016
09:10:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 307-24-4 PFHxA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-30 1113 RV_14_16679 Water Surface Water 06/23/2016
09:10:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 355-46-4 PFHxS 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-30 1113 RV_14_16679 Water Surface Water 06/23/2016
09:10:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-95-1 PFNA 0.045 U,J,QR-1 U,J,O
ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-30 1113 RV_14_16679 Water Surface Water 06/23/2016
09:10:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 335-67-1 PFOA 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-30 1113 RV_14_16679 Water Surface Water 06/23/2016
09:10:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016

08/16/2016 ASB 100S 1763-23-1 PFOS 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-31 1114 RV_14_4430 Water Surface Water 06/23/2016
01:40:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-73-5 PFBS 0.22 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-31 1114 RV_14_4430 Water Surface Water 06/23/2016
01:40:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 335-76-2 PFDA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-31 1114 RV_14_4430 Water Surface Water 06/23/2016
01:40:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-85-9 PFHpA 0.018 J,Q-2 J,O ug/L
0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-31 1114 RV_14_4430 Water Surface Water 06/23/2016
01:40:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 307-24-4 PFHxA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-31 1114 RV_14_4430 Water Surface Water 06/23/2016
01:40:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 355-46-4 PFHxS 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-31 1114 RV_14_4430 Water Surface Water 06/23/2016
01:40:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-95-1 PFNA 0.045 U,J,QR-1 U,J,O
ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-31 1114 RV_14_4430 Water Surface Water 06/23/2016
01:40:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 335-67-1 PFOA 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-31 1114 RV_14_4430 Water Surface Water 06/23/2016
01:40:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 1763-23-1 PFOS 0.050 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-32 1115 RV_14_4533 Water Surface Water 06/24/2016
11:20:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-73-5 PFBS 0.23 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-32 1115 RV_14_4533 Water Surface Water 06/24/2016
11:20:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 335-76-2 PFDA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-32 1115 RV_14_4533 Water Surface Water 06/24/2016
11:20:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-85-9 PFHpA 0.019 J,Q-2 J,O ug/L
0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-32 1115 RV_14_4533 Water Surface Water 06/24/2016
11:20:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 307-24-4 PFHxA 0.037 J,Q-2 J,O ug/L
0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-32 1115 RV_14_4533 Water Surface Water 06/24/2016
11:20:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 355-46-4 PFHxS 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-32 1115 RV_14_4533 Water Surface Water 06/24/2016
11:20:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-95-1 PFNA 0.045 U,J,QR-1 U,J,O
ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-32 1115 RV_14_4533 Water Surface Water 06/24/2016
11:20:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 335-67-1 PFOA 0.021 J,Q-2 J,O ug/L
0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-32 1115 RV_14_4533 Water Surface Water 06/24/2016
11:20:00 AM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 1763-23-1 PFOS 0.076 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-33 1116 RV_14_16685 Water Surface Water 06/24/2016
12:10:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-73-5 PFBS 0.041 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-33 1116 RV_14_16685 Water Surface Water 06/24/2016
12:10:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 335-76-2 PFDA 0.046 U U ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-33 1116 RV_14_16685 Water Surface Water 06/24/2016
12:10:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-85-9 PFHpA 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-33 1116 RV_14_16685 Water Surface Water 06/24/2016
12:10:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 307-24-4 PFHxA 0.046 U U ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-33 1116 RV_14_16685 Water Surface Water 06/24/2016
12:10:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 355-46-4 PFHxS 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-33 1116 RV_14_16685 Water Surface Water 06/24/2016
12:10:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-95-1 PFNA 0.046 U,J,QR-1 U,J,O
ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-33 1116 RV_14_16685 Water Surface Water 06/24/2016
12:10:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 335-67-1 PFOA 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-33 1116 RV_14_16685 Water Surface Water 06/24/2016
12:10:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 1763-23-1 PFOS 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-34 1117 RV_14_4534 Water Surface Water 06/24/2016
12:45:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-73-5 PFBS 0.24 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-34 1117 RV_14_4534 Water Surface Water 06/24/2016
12:45:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 335-76-2 PFDA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-34 1117 RV_14_4534 Water Surface Water 06/24/2016
12:45:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016

08/16/2016 ASB 100S 375-85-9 PFHpA 0.019 J,Q-2 J,O ug/L
0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-34 1117 RV_14_4534 Water Surface Water 06/24/2016
12:45:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 307-24-4 PFHxA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-34 1117 RV_14_4534 Water Surface Water 06/24/2016
12:45:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 355-46-4 PFHxS 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-34 1117 RV_14_4534 Water Surface Water 06/24/2016
12:45:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-95-1 PFNA 0.045 U,J,QR-1 U,J,O
ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-34 1117 RV_14_4534 Water Surface Water 06/24/2016
12:45:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 335-67-1 PFOA 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-34 1117 RV_14_4534 Water Surface Water 06/24/2016
12:45:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 1763-23-1 PFOS 0.059 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-35 1118 RV_14_16686 Water Surface Water 06/24/2016
01:15:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-73-5 PFBS 0.22 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-35 1118 RV_14_16686 Water Surface Water 06/24/2016
01:15:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 335-76-2 PFDA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-35 1118 RV_14_16686 Water Surface Water 06/24/2016
01:15:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-85-9 PFHpA 0.017 J,Q-2 J,O ug/L
0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-35 1118 RV_14_16686 Water Surface Water 06/24/2016
01:15:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 307-24-4 PFHxA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-35 1118 RV_14_16686 Water Surface Water 06/24/2016
01:15:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 355-46-4 PFHxS 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-35 1118 RV_14_16686 Water Surface Water 06/24/2016
01:15:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-95-1 PFNA 0.045 U,J,QR-1 U,J,O
ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-35 1118 RV_14_16686 Water Surface Water 06/24/2016
01:15:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 335-67-1 PFOA 0.020 J,Q-2 J,O ug/L
0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-35 1118 RV_14_16686 Water Surface Water 06/24/2016
01:15:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 1763-23-1 PFOS 0.066 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-36 1119 RV_14_16687 Water Surface Water 06/24/2016
01:30:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-73-5 PFBS 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-36 1119 RV_14_16687 Water Surface Water 06/24/2016
01:30:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 335-76-2 PFDA 0.046 U U ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-36 1119 RV_14_16687 Water Surface Water 06/24/2016
01:30:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-85-9 PFHpA 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-36 1119 RV_14_16687 Water Surface Water 06/24/2016
01:30:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 307-24-4 PFHxA 0.046 U U ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-36 1119 RV_14_16687 Water Surface Water 06/24/2016
01:30:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 355-46-4 PFHxS 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-36 1119 RV_14_16687 Water Surface Water 06/24/2016
01:30:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-95-1 PFNA 0.046 U,J,QR-1 U,J,O
ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-36 1119 RV_14_16687 Water Surface Water 06/24/2016
01:30:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 335-67-1 PFOA 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-36 1119 RV_14_16687 Water Surface Water 06/24/2016
01:30:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 1763-23-1 PFOS 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-37 1120 RV_14_4599 Water Surface Water 06/24/2016
01:45:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-73-5 PFBS 0.19 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-37 1120 RV_14_4599 Water Surface Water 06/24/2016
01:45:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 335-76-2 PFDA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-37 1120 RV_14_4599 Water Surface Water 06/24/2016
01:45:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-85-9 PFHpA 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-37 1120 RV_14_4599 Water Surface Water 06/24/2016
01:45:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 307-24-4 PFHxA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-37 1120 RV_14_4599 Water Surface Water 06/24/2016
01:45:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 355-46-4 PFHxS 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-37 1120 RV_14_4599 Water Surface Water 06/24/2016
01:45:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-95-1 PFNA 0.045 U,J,QR-1 U,J,O
ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-37 1120 RV_14_4599 Water Surface Water 06/24/2016
01:45:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 335-67-1 PFOA 0.022 J,Q-2 J,O ug/L
0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-37 1120 RV_14_4599 Water Surface Water 06/24/2016
01:45:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 1763-23-1 PFOS 0.045 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-38 1121 RV_14_4604 Water Surface Water 06/24/2016
02:35:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-73-5 PFBS 0.13 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-38 1121 RV_14_4604 Water Surface Water 06/24/2016
02:35:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 335-76-2 PFDA 0.046 U U ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-38 1121 RV_14_4604 Water Surface Water 06/24/2016
02:35:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-85-9 PFHpA 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-38 1121 RV_14_4604 Water Surface Water 06/24/2016
02:35:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 307-24-4 PFHxA 0.046 U U ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-38 1121 RV_14_4604 Water Surface Water 06/24/2016
02:35:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 355-46-4 PFHxS 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-38 1121 RV_14_4604 Water Surface Water 06/24/2016
02:35:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-95-1 PFNA 0.046 U,J,QR-1 U,J,O
ug/L 0.046

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-38 1121 RV_14_4604 Water Surface Water 06/24/2016
02:35:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 335-67-1 PFOA 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-38 1121 RV_14_4604 Water Surface Water 06/24/2016
02:35:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 1763-23-1 PFOS 0.034 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-39 1122 RV_14_4614 Water Surface Water 06/24/2016
03:05:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-73-5 PFBS 0.11 ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-39 1122 RV_14_4614 Water Surface Water 06/24/2016
03:05:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 335-76-2 PFDA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-39 1122 RV_14_4614 Water Surface Water 06/24/2016
03:05:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-85-9 PFHpA 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-39 1122 RV_14_4614 Water Surface Water 06/24/2016
03:05:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 307-24-4 PFHxA 0.045 U U ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-39 1122 RV_14_4614 Water Surface Water 06/24/2016
03:05:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 355-46-4 PFHxS 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-39 1122 RV_14_4614 Water Surface Water 06/24/2016
03:05:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 375-95-1 PFNA 0.045 U,J,QR-1 U,J,O
ug/L 0.045

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-39 1122 RV_14_4614 Water Surface Water 06/24/2016
03:05:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 335-67-1 PFOA 0.026 U U ug/L 0.026

US-EPA, Region 4, SESD 16-0451 North Georgia Surface Water PFC Study - MNEILL
E162703-39 1122 RV_14_4614 Water Surface Water 06/24/2016
03:05:00 PM 06/27/2016 09:50:00 AM Semi Volatile Organics PFCs 07/05/2016
08/16/2016 ASB 100S 1763-23-1 PFOS 0.033 ug/L 0.026