Message

From: Magnuson, Janet [Magnuson.Janet@epa.gov]
Sent: 3/7/2017 7:09:26 PM
To: Rodriguez, Roberto [Rodriguez.Roberto@epa.gov]; Hecht, Hillary [Hecht.Hillary@epa.gov]; Wells, Kimberly [wells.kimberly@epa.gov]; Chan, Patrick [Chan.Patrick@epa.gov]
Subject: RE: FMCV is asking to move the telecom to 1pm PT today. Does that work? Please let me know (eom).

That is ok with me. Thanks.

From: Rodriguez, Roberto
Sent: Tuesday, March 7, 2017 11:08 AM
To: Hecht, Hillary <Hecht.Hillary@epa.gov>; Magnuson, Janet <Magnuson.Janet@epa.gov>; Wells, Kimberly <wells.kimberly@epa.gov>; Chan, Patrick <Chan.Patrick@epa.gov>
Subject: RE: FMCV is asking to move the telecom to 1pm PT today. Does that work? Please let me know (eom).

Works for me. We should try to accommodate their request. They seem to be trying hard to coordinate this meeting.

Roberto Rodriguez, Manager
Safe Drinking Water Act Enforcement Office
Enforcement Division, EPA Region 9
75 Hawthorne Street (ENF-3-3)
San Francisco, CA 94105
415-972-3302

From: Hecht, Hillary
Sent: Tuesday, March 7, 2017 11:06 AM
To: Magnuson, Janet <Magnuson.Janet@epa.gov>; Rodriguez, Roberto <Rodriguez.Roberto@epa.gov>; Wells, Kimberly <wells.kimberly@epa.gov>; Chan, Patrick <Chan.Patrick@epa.gov>
Subject: FMCV is asking to move the telecom to 1pm PT today. Does that work? Please let me know (eom).

See below

From: Jeff Mansfield [mailto:jlmansfield1981@gmail.com]
Sent: Tuesday, March 07, 2017 10:55 AM
To: Rapicavoli, Emmanuelle <Rapicavoli.Emmanuelle@epa.gov>; Rodriguez, Roberto <Rodriguez.Roberto@epa.gov>; Hecht, Hillary <Hecht.Hillary@epa.gov>; Ivan FMCV <isfmcv@hopitelecom.net>; sgfmcv@hopitelecom.net; FIRST MESA FMVC <mofmcv@hopitelecom.net>; Catherine Wright <catherinemwright9@gmail.com>
Subject: Fwd: EPA FMCV Telecom tomorrow- Here's a dial in phone #

---------- Forwarded message ----------
From: **Jeff Mansfield** <jlmansfield1981@gmail.com>
Date: Tue, Mar 7, 2017 at 11:55 AM
Subject: Re: EPA FMCV Telecom tomorrow- Here's a dial in phone #
To: FIRST MESA FMVC <mofmcv@hopitelecom.net>

Hillary,
I would like to request that our conference call scheduled today for 1 pm be pushed 1hr to 2 pm. Mr. Sidney, who is our Village Administrator, has some slight car issues that are being addressed at his moment. I hope this can be done and if this not possible, we understand but stress that Mr. Sidney is very concerned and devoted to

FMCV's PWS#09-400106's EPA compliance and his presence is essential to FMCV's efforts at its compliance.
Thanks
Jeff Mansfield
FMCV Business Consultant/Grant Writer

On Tue, Mar 7, 2017 at 10:51 AM, FIRST MESA FMVC <mofmcv@hopitelecom.net> wrote:

Good Morning Jeff,

I just put info on my calendar re: your Conference Call Meeting.
And remember your 10 am Site Visit tomorrow, March 8, 2017.

Thanks.
Mary

From: "jlmansfield1981" <jlmansfield1981@gmail.com>
To: "FIRST MESA VLGS" <isfmcv@hopitelecom.net>, sgfmcv@hopitelecom.net, "FIRST MESA FMVC" <mofmcv@hopitelecom.net>
Sent: Tuesday, March 7, 2017 9:10:50 AM
Subject: Fwd: EPA FMCV Telecom tomorrow- Here's a dial in phone #

---------- Forwarded message ----------
From: **Hecht, Hillary** <Hecht.Hillary@epa.gov>
Date: Mon, Mar 6, 2017 at 1:50 PM
Subject: EPA FMCV Telecom tomorrow- Here's a dial in phone #
To: Jeff Mansfield <jlmansfield1981@gmail.com>, "Chan, Patrick" <Chan.Patrick@epa.gov>, "Magnuson, Janet" <Magnuson.Janet@epa.gov>, "Rodriguez, Roberto" <Rodriguez.Roberto@epa.gov>, "Wells, Kimberly" <wells.kimberly@epa.gov>

Hi all,

Here is a dial in # for those those joining remotely tomorrow (1 pm MT/12 pm PT) .

Dial – In Number (866) 299-3188

Conference code 4156817236

Thanks,

Hillary

From: Jeff Mansfield [mailto:jlmansfield1981@gmail.com]
Sent: Monday, March 06, 2017 12:31 PM
To: Hecht, Hillary <Hecht.Hillary@epa.gov>
Subject: Re: FMCV's PWS#09-400106 NOV

Mr. Rodriguez,

Yes 1pm MT on 3/7/17 will suit us. I will confirm on behalf of FMCV and will Mr. Sidney as well, thanks

Jeff Mansfield

On Mon, Mar 6, 2017 at 10:54 AM, Hecht, Hillary <Hecht.Hillary@epa.gov> wrote:

Hello Mr. Mansfield,

I assume you are proposing 1 pm MT? It does look like EPA can be available for a call at that time (1 pm MT/12 pm PT). Does that timeslot still work for you? Are there other timeslot options you would prefer?

Thank you,

Hillary Hecht, P.G.

Enforcement Officer

SDWA/FIFRA Section (ENF-3-3)

Enforcement Division

U.S. EPA Region 9

Phone: (415) 947-4266

Fax: (415) 947-3519

hecht.hillary@epa.gov

From: Rodriguez, Roberto
Sent: Friday, March 03, 2017 8:30 AM
To: Jeff Mansfield <jlmansfield1981@gmail.com>
Cc: Chan, Patrick <Chan.Patrick@epa.gov>; Hecht, Hillary <Hecht.Hillary@epa.gov>; Magnuson, Janet <Magnuson.Janet@epa.gov>; Wells, Kimberly <wells.kimberly@epa.gov>

Subject: RE: FMCV's PWS#09-400106 NOV

Mr. Mansfield,

Thank you for your email. I will check with my team regarding their availability for this proposed meeting. Hillary Hecht will coordinate directly with you to schedule the meeting. Also, I would like to inform you that we plan to invite our attorneys to the meeting and FMCV has the option to invite its own legal representatives. Please feel free to contact Hillary or myself if you have any questions.

Roberto Rodriguez, Manager

Safe Drinking Water Act Enforcement Office

Enforcement Division, EPA Region 9

75 Hawthorne Street (ENF-3-3)

San Francisco, CA 94105

415-972-3302

From: Jeff Mansfield [mailto:jlmansfield1981@gmail.com]
Sent: Thursday, March 2, 2017 4:07 PM
To: Rodriguez, Roberto <Rodriguez.Roberto@epa.gov>
Subject: Re: FMCV's PWS#09-400106 NOV

Mr. Rodriguez,

Jeff Mansfield of FMCV PWS#09-400106. I wanted to schedule a conference call with EPA Enforcement and FMCV on March 7th, 2017 @ 1pm to begin discussions concerning our PWS#09-400106 FOV as well as addressing provisions and terms for an Administrative Order of Consent for our PWS#09-400106. If that date is not available, please let me or Mr. Ivan Sidney know as soon as possible either by email or you may contact our office at 928-737-2672 or 928-737-2673. Thank you

Jeff Mansfield

FMCV Business Consultant/Grant Writer

On Thu, Mar 2, 2017 at 8:27 AM, Rodriguez, Roberto <Rodriguez.Roberto@epa.gov> wrote:

Mr. Mansfield,

Thank you for your email. Please contact Hillary Hecht of my staff to coordinate any meetings. Hillary is included in this message and his phone number is 415-947-4266.

Roberto Rodriguez, Manager

Safe Drinking Water Act Enforcement Office

Enforcement Division, EPA Region 9

75 Hawthorne Street (ENF-3-3)

San Francisco, CA 94105

415-972-3302

From: Jeff Mansfield [mailto:jlmansfield1981@gmail.com]
Sent: Wednesday, March 1, 2017 8:12 PM

To: Rodriguez, Roberto <Rodriguez.Roberto@epa.gov>
Subject: Re: FMCV's PWS#09-400106 NOV

Mr. Rodriguez,

I have relayed the message to Mr. Sidney and we will schedule a meeting sometime next week to begin discussions of the FOV on FMCV's PWS#09-400106. We have been included in several Tribal meetings pertaining to this Arsenic issue and we would like to have a better understanding of what other affected villages and their entities serviced by their PWS's, are planning to do to remedy this issue.

I will definitely notify you via email with a date to conduct conference call between FMCV and EPA region 9 enforcement. Thanks

Jeff Mansfield

FMCV Business Consultant/Grant Writer

On Wed, Mar 1, 2017 at 10:59 AM, Rodriguez, Roberto <Rodriguez.Roberto@epa.gov> wrote:

Thank you. We shall await your response.

Roberto Rodriguez, Manager

Safe Drinking Water Act Enforcement Office

Enforcement Division, EPA Region 9

75 Hawthorne Street (ENF-3-3)

San Francisco, CA 94105

415-972-3302

From: Jeff Mansfield [mailto:jlmansfield1981@gmail.com]
Sent: Wednesday, March 1, 2017 9:34 AM
To: Rodriguez, Roberto <Rodriguez.Roberto@epa.gov>
Subject: Re: FMCV's PWS#09-400106 NOV

Mr. Rodriguez,

Jeff Mansfield from First Mesa Consolidated Villages(FMCV), I will forward this email to our Village Administrator, Mr. Ivan Sidney and we shall contact you with very soon to begin discussion of our PWS#09-400106 FOV. We appreciate your quick response. Thank you

Jeff Mansfield

On Wed, Mar 1, 2017 at 9:29 AM, Rodriguez, Roberto <Rodriguez.Roberto@epa.gov> wrote:

Mr. Mansfield,

My name is Roberto Rodriguez and I manage SDWA Enforcement Officer in Region 9. Emmanuelle Rapicavoli of the Water Division forwarded your email to our office. Hillary Hecht of my staff is the lead enforcement officer assigned to this case. Per EPA's February 16, 2017 letter (attached), we invite FMCV to enter into discussions with EPA to address the ongoing

violations at the Polacca Public Water System. If FMCV is interested in entering into such discussions, please contact our office by March 16, 2017.

Thank you.

Roberto Rodriguez, Manager

Safe Drinking Water Act Enforcement Office

Enforcement Division, EPA Region 9

75 Hawthorne Street (ENF-3-3)

San Francisco, CA 94105

415-972-3302

From: Rapicavoli, Emmanuelle
Sent: Monday, February 27, 2017 4:26 PM

To: Jeff Mansfield <jlmansfield1981@gmail.com>
Cc: Hecht, Hillary <Hecht.Hillary@epa.gov>
Subject: RE: FMCV's PWS#09-400106 NOV

Hi Jeff,

Thanks for your email. I am going to have to refer all inquiries related to EPA's notice of violations for the FMCV water system to Hillary Hecht in our SDWA enforcement office. He's cced on this email and can also be reached at (415) 947-4266.

Thanks,

Emmanuelle

Emmanuelle Rapicavoli

Drinking Water Protection Section (WTR 3-2)

Environmental Protection Agency, Region 9

75 Hawthorne Street

San Francisco, Ca 94105

(415) 972-3969 (phone)

(415) 947-3545 (fax)

Please: All data submittals to our office should be sent by email to datamanager@epa.gov with a copy to me (or your project manager in the Drinking Water Office). Data reports are due no later than the **10th** of the month following the month that you receive results, or the **10th** of the month following the compliance period, whichever comes first. Please include the whole lab report and copy of the Chain of Custody. Label with PWS name and number; & source or distribution system location codes or names for data collection points.

From: Jeff Mansfield [mailto:jlmansfield1981@gmail.com]
Sent: Monday, February 27, 2017 4:00 PM
To: Rapicavoli, Emmanuelle <Rapicavoli.Emmanuelle@epa.gov>
Subject: FMCV's PWS#09-400106 NOV

Emmanuelle,

Jeff Mansfield from FMCV, I was curious to know what timeframe FMCV's PWS#09-400106 has in regards to "ACTUAL" administrative enforcement?

Lionel P. from Hopi Water Resource Program mentioned that the Hopi Tribal Government & EPA negotiated for almost 1year from the date that the Hopi Tribe was issued their Notice of Violation in regards to their own non-compliance for their commercial well at Hopi Cultural Center. Would that have some validity?

Lionel P. is very adamant that the Hopi Tribe's General Counsel/Attorney's will step in for all the 1st & 2nd Mesa Villages who all received their own NOV simultaneously? I am not totally convinced that this may be FMCV's PWS#09-400106 predicament.

FMCV is very adamant in pursuing its own Interim Measure via an "Arsenic Treatment Facility" which was originally intended through IHS Project 04-S63 with $800k devoted to pre-empt 2006's SDWA enforcement effectiveness back in 2004? I'd really appreciate an honest response so that we may have the luxury of knowing. Thanks

Jeff Mansfield

Roberto Rodriguez, Manager

Safe Drinking Water Act Enforcement Office

Enforcement Division, EPA Region 9

75 Hawthorne Street (ENF-3-3)

San Francisco, CA 94105

415-972-3302