Health-Based Arsenic Violations not Returned to Compliance and PWSs in Violation, FY14-FY:

Source: January 2018 SDWIS Federal Data Warehouse (violations reported through 9/30/2017)

HB As Violati	Begin Year					
	2013	2014	2015	2016	2017	Grand Total
Region						
01	1	7	7	37	21	73
02	3	12	15	18	3	51
03	3	8	3		1	15
04	1				1	2
05	3	18	32	86	33	172
06	61	258	292	318	141	1,070
07	5	21	23	28	4	81
08	4	16	14	17	8	59
09	113	483	487	484	149	1,716
10	9	30	45	54	12	150
Grand Total	**203**	**853**	**918**	**1,042**	**373**	**3,389**



Region	PWSs in Vio	
01	**29**	7%
02	**7**	2%
03	**3**	1%
04	**2**	0%
05	**51**	12%
06	**99**	23%
07	**16**	4%
08	**8**	2%
09	**187**	44%
10	**26**	6%
Grand Total	**428**	




Years
Quarters
COMPL_PER_BEGIN_DATE
2013
2014
2015
2016
2017
07
08
09
10

EPA_REGION	PRIMACY_AGENCY_CODE	PWS_ACTIVITY_CODE	PWS_TYPE_CODE
01	CT	A	CWS
01	ME	A	CWS
01	ME	A	CWS
01	ME	A	NTNCWS
01	ME	A	NTNCWS
01	ME	A	NTNCWS
01	ME	A	NTNCWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	NTNCWS
01	NH	A	NTNCWS
01	NH	A	NTNCWS
01	NH	A	NTNCWS
01	NH	A	NTNCWS
01	VT	A	CWS
01	VT	A	TNCWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	TNCWS
03	MD	A	CWS
03	PA	A	CWS
03	PA	A	CWS
03	PA	A	CWS
04	FL	A	CWS
04	FL	A	NTNCWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	NTNCWS
05	IL	A	NTNCWS
05	IL	A	NTNCWS

POPULATION_SERVED_COUNT	POP_CAT_11_CODE	POP_CAT_11_DESCRIPTION	PWSID
36	1	<=100	CT1699081
115	2	101-500	ME0007963
75	1	<=100	ME0002893
122	2	101-500	ME0400949
60	1	<=100	ME0094693
50	1	<=100	ME0094782
34	1	<=100	ME0000185
238	2	101-500	NH0262020
200	2	101-500	NH2452030
168	2	101-500	NH2232200
159	2	101-500	NH2563010
108	2	101-500	NH2232180
98	1	<=100	NH0882050
80	1	<=100	NH0612040
73	1	<=100	NH1913010
69	1	<=100	NH2232130
53	1	<=100	NH0762050
45	1	<=100	NH1712040
300	2	101-500	NH1196030
265	2	101-500	NH0455010
197	2	101-500	NH0705020
80	1	<=100	NH1525030
25	1	<=100	NH0775020
251	2	101-500	VT0005191
168	2	101-500	VT0008012
2000	4	1,001-3,300	NY5404412
85	1	<=100	NY1905404
75	1	<=100	NY2622401
54	1	<=100	NY3700939
49	1	<=100	NY2600976
40	1	<=100	NY0200862
25	1	<=100	NY3730196
164	2	101-500	MD0050205
186	2	101-500	PA7500030
150	2	101-500	PA2350062
40	1	<=100	PA7670128
978	3	501-1,000	FL6512018
40	1	<=100	FL6535730
1692	4	1,001-3,300	IL1070050
450	2	101-500	IL0390350
375	2	101-500	IL0195945
100	1	<=100	IL0735280
90	1	<=100	IL0195925
475	2	101-500	IL3147652
250	2	101-500	IL3133694
43	1	<=100	IL3155085

PWS_NAME	IS_HEALTH_BASED_IND	RULE_CODE
FAWN RIDGE ASSOCIATION INC.	Y	332
LIMERICK MOBILE HOME PARK	Y	332
CRYSTAL SPRING MOBILE HOME PK	Y	332
CHOP POINT (GREENHOUSE)	Y	332
THE TALARIA COMPANY LLC (BLDG 1)	Y	332
THE HINCKLEY CO - 44-PLANT-BLDG 2	Y	332
CHEBEAGUE ISLAND SCHOOL	Y	332
ABENAKI WATER/WHITE ROCK WATER	Y	332
SOUTH WEARE WATER	Y	332
CHISHOLM FARM	Y	332
BIRCH HILL ESTATES	Y	332
WIGGIN FARM WINTERBERRY	Y	332
BRAKE HILL ACRES	Y	332
BARKLAND ACRES	Y	332
GRIGGS MOBILE HOMES	Y	332
MUIRFIELD CLUSTER	Y	332
GOVERNORS GREEN	Y	332
WILDER VILLAGE CLUSTER	Y	332
MCLANE NORTHEAST	Y	332
CHICHESTER CENTRAL SCH	Y	332
E KINGSTON ELEMENTARY SCH	Y	332
LAKELAND SCH	Y	332
EPSOM MEDICAL CENTER	Y	332
COVENTRY FIRE DISTRICT 1	Y	332
WILGUS STATE PARK	Y	332
DRYDEN VILLAGE	Y	332
PINE TREE GARDEN APARTMENTS	Y	332
MOUNT PLEASANT (CAZ.CNTRY EST)	Y	332
WINNS TRAILER PARK	Y	332
WHITE PINES TRAILER PARK	Y	332
VAL-E-VUE COURT	Y	332
DOLLAR GENERAL PARISH	Y	332
CEDAR MOBILE HOME PARK	Y	332
SKYVIEW GARDENS HEIGHTS APTS	Y	332
FINCH HILL WATER CO	Y	332
STONEY RUN APT	Y	332
ZEPHYR SHORES MOBILE HOME EST	Y	332
SOUTH ATLANTIC GALVANIZING	Y	332
ATLANTA	Y	332
WELDON	Y	332
FOUNTAIN VALLEY MHP	Y	332
LYNWOOD 3RD ADDITION	Y	332
TRIANGLE MHP	Y	332
CORNERSTONE CHRISTIAN ACADEMY	Y	332
PRINCETON CHRISTIAN ACADEMY	Y	332
WE CARE DAYCARE	Y	332

RULE_NAME	VIOLATION_CATEGORY_CODE	VIOLATION_CODE
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02

VIOLATION_TYPE_DESCRIPTION	VIOLATION_CATEGORY_DESCRIPTION
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation

CONTAMINANT_NAME	COMPL_PER_BEGIN_DATE	COMPL_PER_END_DATE	RTC_DATE
Arsenic	7/1/2017	9/30/2017	
Arsenic	4/1/2016	6/30/2016	
Arsenic	7/1/2017	9/30/2017	
Arsenic	7/1/2017	9/30/2017	
Arsenic	10/1/2013	12/31/2013	
Arsenic	10/1/2016	12/31/2016	
Arsenic	1/1/2016	12/31/2016	
Arsenic	7/1/2017	9/30/2017	
Arsenic	7/1/2017	9/30/2017	
Arsenic	7/1/2017	9/30/2017	
Arsenic	7/1/2017	9/30/2017	
Arsenic	4/1/2017	6/30/2017	
Arsenic	7/1/2017	9/30/2017	
Arsenic	4/1/2017	6/30/2017	
Arsenic	10/1/2016	12/31/2016	
Arsenic	4/1/2017	6/30/2017	
Arsenic	7/1/2017	9/30/2017	
Arsenic	7/1/2017	9/30/2017	
Arsenic	7/1/2017	9/30/2017	
Arsenic	7/1/2017	9/30/2017	
Arsenic	7/1/2017	9/30/2017	
Arsenic	4/1/2017	6/30/2017	
Arsenic	7/1/2017	9/30/2017	
Arsenic	7/1/2016	9/30/2016	
Arsenic	7/1/2017	9/30/2017	
Arsenic	7/1/2016	9/30/2016	
Arsenic	4/1/2017	6/30/2017	
Arsenic	4/1/2016	6/30/2016	
Arsenic	7/1/2017	9/30/2017	
Arsenic	1/1/2017	3/31/2017	
Arsenic	1/1/2017	3/31/2017	
Arsenic	7/1/2017	9/30/2017	
Arsenic	7/1/2015	9/30/2015	
Arsenic	7/1/2014	9/30/2014	
Arsenic	7/1/2017	9/30/2017	
Arsenic	7/1/2017	9/30/2017	
Arsenic	10/1/2013	12/31/2013	
Arsenic	4/1/2017	6/30/2017	
Arsenic	7/1/2017	9/30/2017	
Arsenic	7/1/2016	9/30/2016	
Arsenic	7/1/2017	9/30/2017	
Arsenic	7/1/2017	9/30/2017	
Arsenic	7/1/2017	9/30/2017	
Arsenic	1/1/2017	3/31/2017	
Arsenic	1/1/2017	3/31/2017	
Arsenic	7/1/2017	9/30/2017	

VIOLATION_ID
399
51014
32051
119
155386
1373
1833
1700024
1700079
1700017
1700014
1700024
1700021
1700033
1700030
1700041
1700014
1700044
1700023
1700021
1700014
1700027
1700010
725733
2
126
2105
920
2618
417
15255
28
61
1440381
1734049
1737706
20140001099
20170007952
7144320
7117508
4410240
7093573
4171393
3625
636218
435

05	IN	A	CWS
05	IN	A	CWS
05	MI	A	CWS
05	MI	A	CWS
05	MI	A	CWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MN	A	CWS
05	MN	A	CWS
05	MN	A	CWS
05	MN	A	CWS
05	MN	A	NTNCWS
05	MN	A	NTNCWS
05	MN	A	NTNCWS
05	OH	A	CWS
05	OH	A	CWS
05	OH	A	NTNCWS
05	OH	A	NTNCWS
05	OH	A	NTNCWS
05	WI	A	CWS
05	WI	A	NTNCWS
05	WI	A	NTNCWS
05	WI	A	NTNCWS
05	WI	A	NTNCWS
05	WI	A	NTNCWS
05	WI	A	NTNCWS
05	WI	A	NTNCWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	NM	A	CWS
06	NM	A	CWS

500	2	101-500	IN5283009
39	1	<=100	IN5243063
238	2	101-500	MI0040453
73	1	<=100	MI0005395
65	1	<=100	MI0040018
400	2	101-500	MI7920846
284	2	101-500	MI2521475
200	2	101-500	MI4720655
150	2	101-500	MI6322604
103	2	101-500	MI6320565
100	1	<=100	MI8120432
70	1	<=100	MI2520415
60	1	<=100	MI4420440
55	1	<=100	MI1320428
55	1	<=100	MI6322910
50	1	<=100	MI1920168
41	1	<=100	MI4121001
25	1	<=100	MI7820088
269	2	101-500	MN1600001
226	2	101-500	MN1600013
150	2	101-500	MN1680004
40	1	<=100	MN1030022
50	1	<=100	MN5860182
28	1	<=100	MN5860385
25	1	<=100	MN5560996
70	1	<=100	OH5501912
40	1	<=100	OH4900312
295	2	101-500	OH7038212
181	2	101-500	OH7836712
40	1	<=100	OH2569412
240	2	101-500	WI1540135
610	3	501-1,000	WI2650399
290	2	101-500	WI2686118
135	2	101-500	WI1110826
103	2	101-500	WI2686655
48	1	<=100	WI2686588
35	1	<=100	WI2522803
35	1	<=100	WI6270286
4114	5	3,301-10,000	LA1099009
900	3	501-1,000	LA1079030
460	2	101-500	LA1099013
150	2	101-500	LA1099029
147	2	101-500	LA1099024
81	1	<=100	LA1055153
75	1	<=100	LA1099023
21000	6	10,001-50,000	NM3502507
9780	5	3,301-10,000	NM3524932

PERRYSVILLE WATER WORKS	Y	332
RILEY RESORT LAND TRUST	Y	332
NORTHWOODS COMMUNITY	Y	332
GREEN BROOK ESTATES	Y	332
LAKESIDE PARK MHP	Y	332
FOSTORIA BAPTIST CHURCH	Y	332
LINDEN FREE METHODIST CHURCH	Y	332
HARTLAND COMMERCE CENTER	Y	332
SZOTT FORD	Y	332
UPLAND HILLS SCHOOL	Y	332
TERRITORIAL PROFESSIONAL BUILDING	Y	332
MICHIGAN COMMUNITY SVCS. INC.	Y	332
LAPEER COUNTY PRESS	Y	332
Freedom Motors	Y	332
BARRON INDUSTRIES	Y	332
CLINTON CO ROAD COMMISSION	Y	332
SPEEDRACK MIDWEST	Y	332
Viron International Corp	Y	332
Climax	Y	332
Winger	Y	332
Oak Manor Mobile Home Park	Y	332
Brandy Lake Estates	Y	332
Village Ranch	Y	332
Sunset Ridge of Annandale, Inc.	Y	332
StoneL Corporation	Y	332
PARIS COURT MHP	Y	332
CORDLES MOBILE HOME PARK	Y	332
MILLIRON IRON AND METAL	Y	332
CURRIE ELEMENTARY SCHOOL	Y	332
CHEMCOTE INC PWS	Y	332
WRIGHTS MOBILE HOME PARK	Y	332
BIRDS EYE FOODS	Y	332
CITIZENS BANK	Y	332
ALSUM FARMS & PRODUCE INC DRINKING WATER SYSTEM	Y	332
NATURES CLASSROOM INSTITUTE PROPERTY LLC	Y	332
UPI MANUFACTURING	Y	332
ARBOR VIEW ASSISTED LIVING 2	Y	332
HI-CRUSH BLAIR	Y	332
UNITED WATER SYSTEM	Y	332
HAMMOCK WATER SUPPLY	Y	332
TESI ATCHAFALAYA ACRES	Y	332
ST MARTIN PARISH INDUSTRIAL PARK WS	Y	332
ELM POINT ESTATES WATER SYSTEM	Y	332
TESI LAKEVIEW ESTATES	Y	332
RIVER RIDGE ESTATES WATER SYSTEM	Y	332
CAMINO REAL REGIONAL UTILITY AUTHORITY	Y	332
BELEN WATER SYSTEM	Y	332

Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02

Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation

Arsenic	10/1/2015	12/31/2015
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	4/1/2016	6/30/2016
Arsenic	7/1/2016	9/30/2016
Arsenic	4/1/2017	6/30/2017
Arsenic	10/1/2016	12/31/2016
Arsenic	10/1/2016	12/31/2016
Arsenic	10/1/2016	12/31/2016
Arsenic	7/1/2016	9/30/2016
Arsenic	7/1/2017	9/30/2017
Arsenic	4/1/2017	6/30/2017
Arsenic	7/1/2016	9/30/2016
Arsenic	4/1/2016	6/30/2016
Arsenic	7/1/2017	9/30/2017
Arsenic	10/1/2016	12/31/2016
Arsenic	10/1/2016	12/31/2016
Arsenic	4/1/2017	6/30/2017
Arsenic	10/1/2015	12/31/2015
Arsenic	1/1/2017	3/31/2017
Arsenic	4/1/2017	6/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	4/1/2017	6/30/2017
Arsenic	4/1/2017	6/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	4/1/2017	6/30/2017
Arsenic	10/1/2016	12/31/2016
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	4/1/2017	6/30/2017
Arsenic	10/1/2017	11/14/2017
Arsenic	10/1/2017	11/14/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	10/1/2015	12/31/2015
Arsenic	7/1/2017	9/30/2017
Arsenic	4/1/2015	6/30/2015
Arsenic	7/1/2017	9/30/2017
Arsenic	4/1/2017	6/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017

13633
37
4000267
4000456
133
1630598
1640334
1730060
1711974
1711973
1711971
1640856
1740010
1730587
1640061
1630732
1740008
1711970
52070
53454
51013
52065
53420
53839
53837
8753847
6688828
8478604
5745567
3
1700006
1700029
1700010
1700008
1700006
1700009
1700027
1700006
428
6002744
4011835
138
132
4010739
4005357
169
22884

06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS

1500	4	1,001-3,300	NM3509123
1500	4	1,001-3,300	NM3535021
1275	4	1,001-3,300	NM3502421
450	2	101-500	NM3525033
411	2	101-500	NM3535123
355	2	101-500	NM3576723
270	2	101-500	NM3528322
126	2	101-500	NM3501901
60	1	<=100	NM3571026
50	1	<=100	NM3500432
2600	4	1,001-3,300	OK2000809
2000	4	1,001-3,300	OK2001702
591	3	501-1,000	OK2007501
277	2	101-500	OK2000808
275	2	101-500	OK2000802
170	2	101-500	OK2001483
147	2	101-500	OK2002711
16890	6	10,001-50,000	TX1080067
9900	5	3,301-10,000	TX1550001
5526	5	3,301-10,000	TX1240001
5013	5	3,301-10,000	TX0730004
3477	5	3,301-10,000	TX0200037
3400	5	3,301-10,000	TX0710019
3027	4	1,001-3,300	TX1550005
2492	4	1,001-3,300	TX1590001
2459	4	1,001-3,300	TX2350001
2370	4	1,001-3,300	TX0750002
2196	4	1,001-3,300	TX0830001
2100	4	1,001-3,300	TX1470011
2064	4	1,001-3,300	TX1250030
2025	4	1,001-3,300	TX0400001
1828	4	1,001-3,300	TX2040024
1780	4	1,001-3,300	TX1550016
1776	4	1,001-3,300	TX2350004
1735	4	1,001-3,300	TX1550025
1704	4	1,001-3,300	TX1870105
1611	4	1,001-3,300	TX1550027
1494	4	1,001-3,300	TX1960003
1481	4	1,001-3,300	TX2510002
1362	4	1,001-3,300	TX0660001
1009	4	1,001-3,300	TX1550040
822	3	501-1,000	TX2350006
744	3	501-1,000	TX1550037
598	3	501-1,000	TX2230002
474	2	101-500	TX1100010
471	2	101-500	TX1610016
462	2	101-500	TX0750014

JEMEZ SPRINGS DWUA	Y	332
ALCALDE MDWCA	Y	332
AGUA SANA WUA	Y	332
BLUEWATER WATER AND SANITATION DISTRICT	Y	332
ALGODONES WUA	Y	332
PLACITAS TRAILS WATER COOP	Y	332
ELIDA WATER SYSTEM	Y	332
PAAKWEREE VILLAGE WATER CO-OP ASSOC, INC	Y	332
JUNIPER HILLS MHP	Y	332
LOMA ESCONDIDA WATER ASSOCIATION	Y	332
HINTON	Y	332
COTTON CO RWD #2	Y	332
CORN PWA	Y	332
EAKLY DEVELOPMENT CORP	Y	332
CADDO CO RWD #1 (LOOKEBA)	Y	332
CLEARVIEW MHC	Y	332
DEER CREEK	Y	332
MILITARY HWY WSC LAS RUSIAS	Y	332
CITY OF BELLMEAD	Y	332
JIM HOGG COUNTY WCID 2	Y	332
TRI COUNTY SUD	Y	332
VILLAGE OF SURFSIDE BEACH	Y	332
EL PASO COUNTY TORNILLO WID	Y	332
CITY OF MART	Y	332
CITY OF STANTON	Y	332
VICTORIA COUNTY WCID 1	Y	332
CITY OF FLATONIA	Y	332
CITY OF SEAGRAVES	Y	332
PRAIRIE HILL WSC	Y	332
JIM WELLS COUNTY FWSD 1	Y	332
CITY OF MORTON	Y	332
POINT BLANK & STEPHENS CREEK WSC	Y	332
AXTELL WSC	Y	332
QUAIL CREEK MUD	Y	332
EOL WSC	Y	332
TEMPE WSC 1	Y	332
LEROY TOURS GERALD WSC	Y	332
TOWN OF WOODSBORO	Y	332
CITY OF PLAINS	Y	332
DUVAL COUNTY CRD BENAVIDES	Y	332
CITY OF RIESEL	Y	332
VICTORIA COUNTY WCID 2	Y	332
M S WSC	Y	332
CITY OF MEADOW	Y	332
CITY OF SMYER	Y	332
MATAGORDA COUNTY WCID 2	Y	332
ELLINGER SEWER AND WSC	Y	332

Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02

Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation

Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	10/1/2014	12/31/2014
Arsenic	1/1/2017	3/31/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	4/1/2016	6/30/2016
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2016	9/30/2016
Arsenic	1/1/2017	3/31/2017
Arsenic	1/1/2017	3/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	1/1/2017	3/31/2017
Arsenic	1/1/2017	3/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	4/1/2017	6/30/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017

156645
20655
407
51947
128857
3587
137745
8060
11594
410
143409
134349
300133
282113
278536
114174
275460
802
160
990009971
100068248
100068609
100068329
100068483
990010142
90065511
100068324
100068274
100068130
100067255
970009389
100068242
100068402
100069429
100069313
970009837
100068372
100068357
100068235
100068418
100068393
100069516
100068409
100068127
100068199
90064174
100068361

06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	TNCWS
07	IA	A	CWS
07	KS	A	CWS
07	KS	A	CWS
07	NE	A	CWS
07	NE	A	CWS
07	NE	A	CWS

460	2	101-500	TX1520199
420	2	101-500	TX0730016
350	2	101-500	TX2400003
335	2	101-500	TX1520094
334	2	101-500	TX1530004
315	2	101-500	TX0580013
300	2	101-500	TX0830011
296	2	101-500	TX0020015
273	2	101-500	TX1100030
271	2	101-500	TX1870149
265	2	101-500	TX0680012
252	2	101-500	TX1550127
240	2	101-500	TX1650084
231	2	101-500	TX0580025
225	2	101-500	TX2230003
210	2	101-500	TX1520152
161	2	101-500	TX0660015
156	2	101-500	TX0710050
141	2	101-500	TX0710066
132	2	101-500	TX0360004
111	2	101-500	TX1200008
108	2	101-500	TX1520039
102	2	101-500	TX1650022
84	1	<=100	TX1890011
72	1	<=100	TX1810034
70	1	<=100	TX1520192
70	1	<=100	TX1520198
60	1	<=100	TX1520149
55	1	<=100	TX1520247
55	1	<=100	TX1530005
50	1	<=100	TX0130058
45	1	<=100	TX1780050
0	1	<=100	TX1550136
350	2	101-500	TX1520301
149	2	101-500	TX1520147
100	1	<=100	TX0790424
100	1	<=100	TX0830031
45	1	<=100	TX0660024
40	1	<=100	TX1520265
29	1	<=100	TX0750044
75	1	<=100	TX1520283
43	1	<=100	IA5282306
482	2	101-500	KS2019116
73	1	<=100	KS2002503
983	3	501-1,000	NE3104901
960	3	501-1,000	NE3101910
800	3	501-1,000	NE3107906

WOLFFORTH PLACE	Y	332
PERRY WSC	Y	332
BRUNI RURAL WSC	Y	332
TOWN NORTH VILLAGE WATER SYSTEM	Y	332
CITY OF NEW HOME	Y	332
WELCH WSC	Y	332
LOOP WSC	Y	332
DEYS RV AND MOBILE PARK	Y	332
CITY OF OPDYKE WEST	Y	332
SPRING CREEK PURE UTILITIES	Y	332
CITY OF GOLDSMITH	Y	332
MOORES WATER SYSTEM	Y	332
WARREN ROAD SUBDIVISION WATER SUPPLY	Y	332
KLONDIKE ISD	Y	332
CITY OF WELLMAN	Y	332
TOWN NORTH ESTATES	Y	332
DUVAL COUNTY CRD CONCEPCION	Y	332
HILLSIDE WATER WORKS	Y	332
GREEN ACRES MOBILE HOME PARK	Y	332
COTTON BAYOU PARK	Y	332
LA SALLE LANDING WATER SYSTEM	Y	332
PECAN GROVE MOBILE HOME PARK	Y	332
SHERWOOD ESTATES MANUFACTURED TOWNHOME C	Y	332
CANDELARIA WSC	Y	332
SAWMILL ADDITION	Y	332
TERRELLS MOBILE HOME PARK	Y	332
VALLEY ESTATES	Y	332
WHORTON MOBILE HOME PARK	Y	332
COUNTRY VIEW MHP	Y	332
GRASSLAND WSC	Y	332
COUNTRY VILLA MOBILE HOME PARK	Y	332
CYNDIE PARK 2 WSC	Y	332
R M S WSC	Y	332
TEGA KIDS SUPERPLEX	Y	332
SHORT ROAD WATER SUPPLY	Y	332
KIDACIOUS ACADEMY	Y	332
SEMINOLE GAS PROCESSING PLANT	Y	332
RAMIREZ COMMON SCHOOL DISTRICT	Y	332
CASH REGISTER SERVICES	Y	332
WHISPERING HILLS ACHIEVEMENT CENTER	Y	332
NEW GENERATION COMMUNITY CHURCH	Y	332
GALLERY ACRES WEST	Y	332
ARGONIA, CITY OF	Y	332
ENGLEWOOD, CITY OF	Y	332
CHAPPELL, CITY OF	Y	332
SHELTON, VILLAGE OF	Y	332
CAIRO, VILLAGE OF	Y	332

Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02

Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation

Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	4/1/2017	6/30/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	4/1/2016	6/30/2016
Arsenic	7/1/2017	9/30/2017
Arsenic	1/1/2017	3/31/2017
Arsenic	1/1/2017	3/31/2017
Arsenic	7/1/2015	9/30/2015
Arsenic	4/1/2017	6/30/2017
Arsenic	1/1/2015	3/31/2015

930009509
100067855
980009840
980009819
780009631
990010160
100068158
69
100068243
100069379
100068987
100069669
100069553
100068326
960007193
980009789
90064049
100069049
100069072
100069524
100068182
100069523
100069414
100068419
100069420
90067026
980010089
100068501
100069515
780009754
100069032
90064966
100069313
63
100069306
70035287
123
16
95
123
101
191517
3407
4053
514914
492411
401112

07	NE	A	CWS
07	NE	A	CWS
07	NE	A	CWS
07	NE	A	CWS
07	NE	A	CWS
07	NE	A	NTNCWS
07	NE	A	NTNCWS
07	NE	A	NTNCWS
07	NE	A	NTNCWS
08	08	A	CWS
08	CO	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	NTNCWS
08	SD	A	CWS
08	SD	A	NTNCWS
08	UT	A	CWS
08	WY	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	NTNCWS
09	09	A	NTNCWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	NTNCWS
09	CA	A	CWS
09	CA	A	CWS

667	3	501-1,000	NE3100307
577	3	501-1,000	NE3102901
567	3	501-1,000	NE3106901
150	2	101-500	NE3114106
80	1	<=100	NE3114505
85	1	<=100	NE3120259
57	1	<=100	NE3120270
55	1	<=100	NE3150038
54	1	<=100	NE3150461
60	1	<=100	083090023
295	2	101-500	CO0138030
80	1	<=100	MT0003932
62	1	<=100	MT0004249
60	1	<=100	MT0004288
54	1	<=100	MT0000497
48	1	<=100	MT0002590
75	1	<=100	MT0001396
110	2	101-500	SD4602353
75	1	<=100	SD4600939
210	2	101-500	UTAH28003
6225	5	3,301-10,000	WY5680085
3917	5	3,301-10,000	090400106
2250	4	1,001-3,300	090600156
1500	4	1,001-3,300	090400259
523	3	501-1,000	090400107
450	2	101-500	090400394
185	2	101-500	090400237
325	2	101-500	090400260
50	1	<=100	090400662
1600	4	1,001-3,300	AZ0411100
1500	4	1,001-3,300	AZ0407700
1350	4	1,001-3,300	AZ0402033
816	3	501-1,000	AZ0414098
732	3	501-1,000	AZ0414314
600	3	501-1,000	AZ0415023
429	2	101-500	AZ0414014
400	2	101-500	AZ0410118
213	2	101-500	AZ0413425
200	2	101-500	AZ0414018
142	2	101-500	AZ0415038
125	2	101-500	AZ0413038
100	1	<=100	AZ0407671
35	1	<=100	AZ0414070
30	1	<=100	AZ0414107
219	2	101-500	AZ0404869
20499	6	10,001-50,000	CA1510001
19057	6	10,001-50,000	CA1510012

ELGIN, CITY OF	Y	332
WAUNETA, VILLAGE OF	Y	332
OSHKOSH, CITY OF	Y	332
COLLEGE VIEW PARK	Y	332
LEBANON, VILLAGE OF	Y	332
PRAIRIE HILL LEARNING CENTER	Y	332
SUPERIOR INDUSTRIES, INC	Y	332
ALLIANCE AIRPORT	Y	332
MCPHERSON CO DIST 4 - TRYON PUBLIC	Y	332
DIXON (OLD AGENCY)	Y	332
PEETZ TOWN OF	Y	332
HIDDEN LAKE COLONY	Y	332
CLARKS LOOKOUT	Y	332
BLUE CLOUD SUBDIVISION	Y	332
PINE CREST TR PK	Y	332
BEAVERHEAD JACKSON WATER AND SEWER DIST	Y	332
ASH GROVE CEMENT COMPANY	Y	332
WESTWOOD COLONY	Y	332
LAKEVIEW ELEMENTARY SCHOOL	Y	332
HANKSVILLE TOWN WATER SYSTEM	Y	332
YELLOWSTONE NP-OLD FAITHFUL	Y	332
Polacca	Y	332
Tule River Reservation Main	Y	332
Shungopavi	Y	332
Sipaulovi (Lower Sipaulovi/Lower Mishongnovi)	Y	332
Mishongnovi (Upper Sipaulovi/Upper Mishongnovi)	Y	332
SCUA Soda Canyon	Y	332
Hopi Cultural Center	Y	332
BIA San Carlos Forestry	Y	332
THUNDERBIRD FARMS DWID	Y	332
FEDERAL CORRECTION INSTITUTION	Y	332
TOMBSTONE CITY OF	Y	332
SIERRA PACIFIC MOBILE MANOR	Y	332
YUMA LAKES RESORT	Y	332
WENDEN DWID	Y	332
SHEPARD WATER COMPANY	Y	332
WHY DWID	Y	332
RIO VERDE RV PARK	Y	332
TACNA WATER MANAGEMENT COMPANY	Y	332
BOUSE WORLEY WATER SYSTEM	Y	332
LAKE VERDE WATER COMPANY	Y	332
PEEKABOO WATER COOP	Y	332
JONES COOP WATER ASSOC	Y	332
CITRUS PARK WATER COMPANY	Y	332
USDA TNF GRAPEVINE CAMPGROUND	Y	332
ARVIN COMMUNITY SERVICES DIST	Y	332
LAMONT PUBLIC UTILITY DIST	Y	332

Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02

Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation

Arsenic	4/1/2017	6/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	10/1/2016	12/31/2016
Arsenic	7/1/2017	9/30/2017
Arsenic	10/1/2016	12/31/2016
Arsenic	4/1/2014	6/30/2014
Arsenic	7/1/2017	9/30/2017
Arsenic	1/1/2016	3/31/2016
Arsenic	4/1/2017	6/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	4/1/2014	6/30/2014
Arsenic	10/1/2016	12/31/2016
Arsenic	10/1/2017	12/31/2017
Arsenic	10/1/2017	12/31/2017
Arsenic	4/1/2016	3/31/2018
Arsenic	1/1/2016	3/31/2016
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	1/1/2017	3/31/2017
Arsenic	1/1/2017	3/31/2017
Arsenic	4/1/2017	6/30/2017
Arsenic	4/1/2017	6/30/2017
Arsenic	1/1/2017	12/31/2019
Arsenic	4/1/2017	6/30/2017
Arsenic	1/1/2016	3/31/2016
Arsenic	4/1/2017	6/30/2017
Arsenic	10/1/2015	12/31/2015
Arsenic	4/1/2017	6/30/2017
Arsenic	4/1/2017	6/30/2017
Arsenic	10/1/2016	12/31/2016
Arsenic	4/1/2017	6/30/2017
Arsenic	4/1/2017	6/30/2017
Arsenic	1/1/2015	12/31/2017
Arsenic	4/1/2017	6/30/2017
Arsenic	4/1/2017	6/30/2017
Arsenic	4/1/2017	6/30/2017

15
623
456009
527388
495626
112410
203013
715
113609
15230
1006363
568230
62
2313
4376920
1269457
5341917
1800103
1800204
4012437
4000709
040010602100572017
060015602100572017
040025902100572017
040010702100572017
040039402100572017
040023702100572017
040026002100572017
040066202100572017
7766
3735
29858
5603
6269
7917
4163
8264
1846
10176
6656
4658
1536
11872
22
2913
9912039
9512011

09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS

9900	5	3,301-10,000	CA1510024
6082	5	3,301-10,000	CA5010008
4805	5	3,301-10,000	CA5010009
3818	5	3,301-10,000	CA2010007
3515	5	3,301-10,000	CA2010801
3310	5	3,301-10,000	CA5410009
2503	4	1,001-3,300	CA1010039
2253	4	1,001-3,300	CA1510002
1500	4	1,001-3,300	CA1910246
1500	4	1,001-3,300	CA5210003
1450	4	1,001-3,300	CA1610009
1026	4	1,001-3,300	CA5410050
1000	3	501-1,000	CA3601015
850	3	501-1,000	CA2610003
660	3	501-1,000	CA1000053
625	3	501-1,000	CA3600196
600	3	501-1,000	CA1510052
521	3	501-1,000	CA5400544
500	2	101-500	CA3600504
450	2	101-500	CA1510016
381	2	101-500	CA0600008
350	2	101-500	CA5100107
325	2	101-500	CA3210011
314	2	101-500	CA3303100
300	2	101-500	CA2000293
300	2	101-500	CA2010012
300	2	101-500	CA3301380
264	2	101-500	CA2000561
252	2	101-500	CA2700702
250	2	101-500	CA2000502
250	2	101-500	CA2000512
250	2	101-500	CA3400149
210	2	101-500	CA2701926
202	2	101-500	CA1000072
200	2	101-500	CA1500493
200	2	101-500	CA2000551
200	2	101-500	CA3701793
190	2	101-500	CA1500424
180	2	101-500	CA2000506
162	2	101-500	CA2700612
161	2	101-500	CA5000077
160	2	101-500	CA1000071
150	2	101-500	CA1500378
150	2	101-500	CA2000552
150	2	101-500	CA3400164
137	2	101-500	CA2000538
135	2	101-500	CA1900100

GREENFIELD COUNTY WD	Y	332
HUGHSON, CITY OF	Y	332
KEYES COMMUNITY SERVICES DIST.	Y	332
HILLVIEW WC-OAKHURST/SIERRA LAKES	Y	332
VALLEY STATE PRISON	Y	332
PIXLEY PUBLIC UTIL DIST	Y	332
CARUTHERS COMM SERV DIST	Y	332
BORON CSD	Y	332
LAND PROJECTS MUTUAL WATER CO.	Y	332
LOS MOLINOS COMM. SERVICES DIST.	Y	332
KETTLEMAN CITY CSD	Y	332
ALPAUGH COMMUNITY SERVICES DISTRICT	Y	332
IRONWOOD CAMP	Y	332
BRIDGEPORT PUD	Y	332
LANARE COMMUNITY SERVICES DIST	Y	332
CSA 70 W-4 PIONEERTOWN	Y	332
NORTH EDWARDS WD	Y	332
ALLENSWORTH CSD	Y	332
KNOLL ENTERPRISES	Y	332
RAND COMMUNITIES WATER DISTRICT	Y	332
COLUSA CO. WWD #1 - GRIMES	Y	332
SUTTER CO. WWD#1 (ROBBINS)	Y	332
PLUMAS EUREKA CSD	Y	332
OASIS GARDENS WATER CO.	Y	332
MD#46 AHWAHNEE RESORTS	Y	332
HILLVIEW WATER CO-RAYMOND	Y	332
SAINT ANTHONY TRAILER PARK	Y	332
MD#08 NORTH FORK WATER SYSTEM	Y	332
PRUNEDALE MWC	Y	332
BASS LAKE HEIGHTS MUTUAL WATER	Y	332
EAST ACRES MUTUAL WATER COMPANY	Y	332
RANCHO MARINA	Y	332
MORO RD WS #09	Y	332
SHAVER LAKE POINT #2	Y	332
EL ADOBE POA, INC.	Y	332
MD#07 MARINA VIEW HEIGHTS	Y	332
TWIN LAKES RESORT	Y	332
LANDS OF PROMISE MWC	Y	332
SIERRA LINDA MUTUAL WATER CO	Y	332
LAGUNA SECA WC	Y	332
CERES WEST MHP	Y	332
LAKEVIEW IMPROVEMENT ASSOCIATION #1	Y	332
MAHER MUTUAL WATER COMPANY	Y	332
MD#24 TEAFORD MEADOW LAKES	Y	332
VIEIRA'S RESORT, INC	Y	332
CEDAR VALLEY MUTUAL WATER CO	Y	332
METTLER VALLEY MUTUAL	Y	332

Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	01
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	02

Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation

Arsenic	4/1/2017	6/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	4/1/2014	6/30/2014
Arsenic	4/1/2017	6/30/2017
Arsenic	1/1/2017	3/31/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2014	9/30/2014
Arsenic	4/1/2017	6/30/2017
Arsenic	4/1/2017	6/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	4/1/2017	6/30/2017
Arsenic	1/1/2017	3/31/2017
Arsenic	7/1/2016	9/30/2016
Arsenic	7/1/2017	9/30/2017
Arsenic	4/1/2017	6/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	10/1/2015	12/31/2015
Arsenic	10/1/2015	12/31/2015
Arsenic	1/1/2017	3/31/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	9/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	1/1/2017	12/31/2017
Arsenic	7/1/2014	9/30/2014
Arsenic	9/1/2017	9/30/2017
Arsenic	1/1/2015	3/31/2015
Arsenic	7/1/2017	9/30/2017
Arsenic	4/1/2017	6/30/2017
Arsenic	1/1/2017	3/31/2017
Arsenic	4/1/2017	6/30/2017
Arsenic	10/1/2016	12/31/2016
Arsenic	4/1/2017	6/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	1/1/2016	12/31/2016
Arsenic	10/1/2013	12/31/2013
Arsenic	7/1/2017	9/30/2017
Arsenic	4/1/2017	6/30/2017
Arsenic	4/1/2017	6/30/2017
Arsenic	7/1/2016	9/30/2016
Arsenic	7/1/2017	9/30/2017
Arsenic	1/1/2017	3/31/2017
Arsenic	4/1/2016	6/30/2016

9512023
9810022
9610025
9911043
1111025
9912026
1223049
9919032
9507126
9821013
9912027
1212050
1700046
9913025
9600022
1700046
9712020
1400052
1700036
9912030
1221026
9921013
1202034
1700015
1400061
9611061
9900005
1500036
1500033
1400036
1400058
1700043
9700007
1123026
9619023
1500048
1705359
9712026
1400038
1400017
1680007
1123021
9812027
1500040
1700070
1400031
1600007

09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS

133	2	101-500	CA3500823
130	2	101-500	CA2000550
125	2	101-500	CA5000051
125	2	101-500	CA5200550
124	2	101-500	CA3600025
120	2	101-500	CA1500525
110	2	101-500	CA2000527
100	1	<=100	CA0900102
100	1	<=100	CA1500585
100	1	<=100	CA2000688
100	1	<=100	CA2000737
100	1	<=100	CA3400103
100	1	<=100	CA5000085
87	1	<=100	CA2700799
84	1	<=100	CA3900726
80	1	<=100	CA3400138
80	1	<=100	CA5201137
75	1	<=100	CA5000057
73	1	<=100	CA1500571
68	1	<=100	CA1500461
67	1	<=100	CA1500458
63	1	<=100	CA1502724
61	1	<=100	CA1900038
60	1	<=100	CA1400037
60	1	<=100	CA4000637
60	1	<=100	CA5000086
57	1	<=100	CA2701959
56	1	<=100	CA1500455
56	1	<=100	CA1900961
51	1	<=100	CA1500436
50	1	<=100	CA1009051
50	1	<=100	CA1400036
50	1	<=100	CA1900520
50	1	<=100	CA2000785
50	1	<=100	CA2600622
50	1	<=100	CA3900579
50	1	<=100	CA5000033
49	1	<=100	CA0707615
48	1	<=100	CA1502620
45	1	<=100	CA0707602
45	1	<=100	CA2000534
45	1	<=100	CA2700536
44	1	<=100	CA1502744
40	1	<=100	CA3400130
40	1	<=100	CA3400433
37	1	<=100	CA1500442
35	1	<=100	CA1502569

BEST ROAD MWC	Y	332
MD#06 LAKE SHORE PARK	Y	332
MOBILE PLAZA PARK	Y	332
NEW ORCHARD MOBILE HOME PARK LLC	Y	332
BAR-LEN MWC	Y	332
LAKEVIEW RANCHOS MUTUAL WATER COMPANY	Y	332
YOSEMITE FORKS EST MUTUAL	Y	332
GOLD BEACH PARK	Y	332
OASIS PROPERTY OWNERS ASSOCIATION	Y	332
ECCO	Y	332
MD#42 STILL MEADOW	Y	332
B & W RESORT MARINA	Y	332
GREEN RUN MOBILE ESTATES	Y	332
VISTA DEL TORO WS	Y	332
BENTLEY TRAILER COURT	Y	332
LOCKE WATER WORKS CO [SWS]	Y	332
MILLSTREAM MOBILE HOME PARK	Y	332
ORCHARD VILLAGE MHP	Y	332
LUCKY 18 ON ROSAMOND, LLC	Y	332
FOUNTAIN TRAILER PARK WATER	Y	332
R.S. MUTUAL WATER COMPANY	Y	332
QUAIL VALLEY WATER DIST-EASTSIDE SYSTEM	Y	332
LANCASTER PARK MOBILE HOME PARK	Y	332
FOOTHILL MOBILE HOME PARK	Y	332
COUNTRY HILLS ESTATES	Y	332
COUNTRYSIDE MHP	Y	332
TIERRA VISTA MWC	Y	332
WILLIAM FISHER MEMORIAL WATER COMPANY	Y	332
WINTERHAVEN MOBILE ESTATES	Y	332
HUNGRY GULCH MWC	Y	332
CANTUA CREEK VINEYARDS, IV, LLC.	Y	332
KEELER COMMUNITY SERVICE DISTRICT	Y	332
THE VILLAGE MOBILE HOME PARK	Y	332
VALLEY TEEN RANCH	Y	332
SIERRA EAST MOBILE HOME COMMUNITY	Y	332
CENTURY MOBILE HOME PARK	Y	332
COBLES CORNER	Y	332
DOUBLETREE RANCH WATER SYSTEM	Y	332
POND MUTUAL WATER COMPANY	Y	332
BEACON WEST	Y	332
LEISURE ACRES MUTUAL WATER COMPANY	Y	332
CORRAL DE TIERRA ESTATES WC	Y	332
60TH STREET ASSOC. WATER SYSTEM	Y	332
THE COURTLAND GROUP	Y	332
EDGEWATER MOBILE HOME PARK	Y	332
SUNSET APARTMENTS WS	Y	332
FIRST MUTUAL WATER SYSTEM	Y	332

Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	01
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	01
Arsenic	MCL	01
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	02
Arsenic	MCL	02

Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation

Arsenic	7/1/2017	9/30/2017
Arsenic	10/1/2016	12/31/2016
Arsenic	7/1/2017	9/30/2017
Arsenic	1/1/2017	3/31/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	1/1/2017	3/31/2017
Arsenic	10/1/2015	12/31/2015
Arsenic	4/1/2017	6/30/2017
Arsenic	9/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	1/1/2017	3/31/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	1/1/2014	3/31/2014
Arsenic	4/1/2017	6/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	1/1/2017	3/31/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	4/1/2016	6/30/2016
Arsenic	4/1/2016	6/30/2016
Arsenic	4/1/2017	6/30/2017
Arsenic	1/1/2017	3/31/2017
Arsenic	1/1/2017	3/31/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	4/1/2016	6/30/2016
Arsenic	7/1/2017	9/30/2017
Arsenic	1/1/2017	3/31/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	4/1/2016	6/30/2016
Arsenic	7/1/2016	9/30/2016
Arsenic	10/1/2014	12/31/2014
Arsenic	1/1/2015	3/31/2015
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	4/1/2017	6/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	1/1/2017	3/31/2017
Arsenic	10/1/2014	12/31/2014
Arsenic	4/1/2016	6/30/2016
Arsenic	4/1/2015	6/30/2015
Arsenic	7/1/2015	9/30/2015
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017

805012
1500078
1680007
1600013
1600027
9912026
1500023
1600006
9512018
1400015
1500059
1700009
9780004
1400026
1600011
9900002
1600018
1480002
9812029
9919033
9612032
1219049
1600007
1500064
900011
9780003
9700003
9912023
1600007
9919026
9600013
1500077
1600007
1500022
1500018
1400034
9780006
1600039
9619018
1600024
1500026
1500020
1119007
1500013
1500030
9612030
9619028

09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS

32	1	<=100	CA1502383
32	1	<=100	CA2000941
32	1	<=100	CA4900575
30	1	<=100	CA3901213
30	1	<=100	CA5000218
26	1	<=100	CA4900643
25	1	<=100	CA5000297
24	1	<=100	CA1900785
1340	4	1,001-3,300	CA2000150
1000	3	501-1,000	CA3600036
1000	3	501-1,000	CA3600062
940	3	501-1,000	CA1502231
804	3	501-1,000	CA3901169
800	3	501-1,000	CA1502154
650	3	501-1,000	CA5100149
500	2	101-500	CA2702009
465	2	101-500	CA3400271
410	2	101-500	CA5700652
350	2	101-500	CA1600048
350	2	101-500	CA2000612
337	2	101-500	CA4800561
320	2	101-500	CA1600008
304	2	101-500	CA2400206
280	2	101-500	CA1400526
280	2	101-500	CA1600050
250	2	101-500	CA2701221
250	2	101-500	CA3701010
205	2	101-500	CA1503664
200	2	101-500	CA2400165
200	2	101-500	CA2702030
100	1	<=100	CA4000774
75	1	<=100	CA5000465
69	1	<=100	CA5700514
60	1	<=100	CA1000604
60	1	<=100	CA2000641
60	1	<=100	CA2000866
55	1	<=100	CA2400343
53	1	<=100	CA1600601
53	1	<=100	CA2400248
50	1	<=100	CA2702370
50	1	<=100	CA3901290
47	1	<=100	CA1600605
47	1	<=100	CA3303092
45	1	<=100	CA5000484
43	1	<=100	CA2000619
40	1	<=100	CA1000584
40	1	<=100	CA3901334

NORD ROAD WATER ASSOCIATION	Y	332
BASS LAKE MHP	Y	332
LOCH HAVEN MUTUAL WATER COMPANY	Y	332
AVALOS, SILVIA	Y	332
COUNTRY VILLA APTS	Y	332
MOUNT WESKE ESTATES MUTUAL WATER COMPANY	Y	332
BUEHNER HOUSES	Y	332
MITCHELL'S AVENUE E MOBILE HOME PARK	Y	332
LIBERTY HIGH SCHOOL	Y	332
CALICO GHOST TOWN	Y	332
CALLIER WATER SYSTEM	Y	332
ROSAMOND SCHOOL WATER SYSTEM	Y	332
MUSD-NILE GARDEN SCHOOL	Y	332
LAKESIDE SCHOOL	Y	332
BARRY ELEMENTARY SCHOOL	Y	332
LAGUNA SECA RECREATION WS	Y	332
ARCOHE ELEM SCHOOL - MAIN CAMPUS	Y	332
YOLO FLIERS CLUB	Y	332
KETTLEMAN CITY ELEMENTARY	Y	332
NORTH FORK UNION SCHOOL	Y	332
SNUG HARBOR RESORT	Y	332
CENTRAL UNION ELEMENTARY	Y	332
JOSEPH GALLO CHEESE CO.	Y	332
EASTERN SIERRA COLLEGE CENTER - BISHOP	Y	332
CENTRAL VALLEY MEAT CO INC	Y	332
WASHINGTON SCHOOL WS	Y	332
WARNER UNIFIED SCHOOL DISTRICT	Y	332
SOLEDAD MOUNTAIN PROJECT WATER SYSTEM	Y	332
FOSTER FARMS DELHI FEEDMILL COLLIER ROAD	Y	332
CYPRESS COMMUNITY CHURCH WS	Y	332
PLEASANT VALLEY ELEMENTARY	Y	332
DUARTE NURSERY INC WATER SYSTEM	Y	332
BOGLE FAMILY LIMITED PARTNER	Y	332
JOHANN DAIRY	Y	332
ALMADEN - MADERA	Y	332
AGRILAND FARMING CO INC	Y	332
GEMPERLE EGG RANCH	Y	332
KWRA MRF	Y	332
YOSEMITE VALLEY BEEF PACKING CO INC	Y	332
SPCA WS	Y	332
FISHER NURSERY	Y	332
BAKER COMMODITIES INC.	Y	332
MECCA ARCO TRAVEL CENTER	Y	332
UNITED PALLET SERVICES INC WATER SYSTEM	Y	332
COLD SPRING GRANITE CO RAYMOND	Y	332
TRUE ORGANIC PRODUCTS	Y	332
BJJ COMPANY LLC	Y	332

Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02

Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation

Arsenic	4/1/2017	6/30/2017
Arsenic	4/1/2017	6/30/2017
Arsenic	7/1/2016	9/30/2016
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2016	9/30/2016
Arsenic	10/1/2013	12/31/2013
Arsenic	4/1/2016	6/30/2016
Arsenic	4/1/2017	6/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	4/1/2017	6/30/2017
Arsenic	10/1/2015	12/31/2015
Arsenic	1/1/2014	3/31/2014
Arsenic	10/1/2015	12/31/2015
Arsenic	1/1/2015	3/31/2015
Arsenic	7/1/2017	9/30/2017
Arsenic	4/1/2017	6/30/2017
Arsenic	1/1/2017	3/31/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	4/1/2017	6/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	1/1/2014	3/31/2014
Arsenic	4/1/2017	6/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	10/1/2013	12/31/2013
Arsenic	7/1/2017	9/30/2017
Arsenic	1/1/2014	3/31/2014
Arsenic	4/1/2016	6/30/2016
Arsenic	1/1/2017	3/31/2017
Arsenic	7/1/2016	9/30/2016
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	8/1/2017	10/31/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	6/1/2014	6/30/2014
Arsenic	1/1/2015	3/31/2015
Arsenic	8/1/2017	10/31/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	1/1/2017	3/31/2017
Arsenic	1/1/2017	3/31/2017
Arsenic	7/1/2017	9/30/2017

9912038
1500015
9803025
1600037
9880006
1218038
1480001
1600007
1500014
1700036
1700024
9812019
1600032
9712021
9521015
1400021
1600004
1500008
1600018
1400035
104042
9900008
1300004
1500057
9800004
1400023
1705360
7
9700012
1400024
900038
1480002
1600014
1223018
9800004
1500031
1
9700005
4
1500023
1400023
1700037
1700030
1680007
1500043
1223026
1600033

09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	NN	A	CWS
09	NN	A	CWS
09	NN	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	NTNCWS
10	AK	A	NTNCWS
10	ID	A	CWS
10	ID	A	CWS
10	ID	A	CWS
10	ID	A	NTNCWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	WA	A	CWS

38	1	<=100	CA5100145
35	1	<=100	CA4901267
35	1	<=100	CA5000498
32	1	<=100	CA5403054
30	1	<=100	CA3400364
25	1	<=100	CA2702550
25	1	<=100	CA2801011
25	1	<=100	CA5000570
1551	4	1,001-3,300	NN4900220
975	3	501-1,000	NN3503028
338	2	101-500	NN0400814
350	2	101-500	NV0000146
240	2	101-500	NV0005028
200	2	101-500	NV0000162
120	2	101-500	NV0004021
100	1	<=100	NV0000123
70	1	<=100	NV0000058
70	1	<=100	NV0000149
40	1	<=100	NV0000797
500	2	101-500	NV0002602
351	2	101-500	NV0000928
175	2	101-500	NV0004061
50	1	<=100	NV0002202
50	1	<=100	NV0004067
38	1	<=100	NV0001148
465	2	101-500	AK2220037
350	2	101-500	AK2271211
337	2	101-500	AK2241012
184	2	101-500	AK2340141
170	2	101-500	AK2243658
100	1	<=100	AK2223624
74	1	<=100	AK2224337
40	1	<=100	AK2216902
77	1	<=100	AK2220429
44	1	<=100	AK2260676
2500	4	1,001-3,300	ID5420021
100	1	<=100	ID1400004
48	1	<=100	ID3140133
50	1	<=100	ID3380038
3270	4	1,001-3,300	OR4100579
1875	4	1,001-3,300	OR4100917
250	2	101-500	OR4100611
88	1	<=100	OR4100756
88	1	<=100	OR4100962
60	1	<=100	OR4105364
28	1	<=100	OR4105854
600	3	501-1,000	WA5336705

WINSHIP ELEMENTARY SCHOOL	Y	332
TLC CHILD & FAMILY SERVICES	Y	332
PATCHETTS FORD MERCURY	Y	332
PFFJ, LLC	Y	332
JEAN HARVIE SCHOOL [SWS]	Y	332
GRANGE HALL WS	Y	332
DOMAINE CARNEROS	Y	332
INTERSTATE TRUCK CENTER VALLEY PETERBILT	Y	332
Aneth NTUA	Y	332
Toadlena NTUA	Y	332
Coppermine NTUA	Y	332
HITCHIN POST MOTEL AND RV PARK	Y	332
SHOSHONE ESTATES WATER CO INC	Y	332
MCDERMITT WATER SYSTEM	Y	332
SILVER KNOLLS MUTUAL WATER COMPANY	Y	332
SUNRISE MOUNTAIN TP	Y	332
WILDES MANOR	Y	332
DESERT PARADISE MHP	Y	332
OLD FORTY WEST MOTEL	Y	332
LOVES TRAVEL STOP AND COUNTRY STORE	Y	332
LAMOILLE VALLEY PLAZA	Y	332
SPRINGWOOD EQUESTRIAN CENTER	Y	332
GRANITE CONSTRUCTION	Y	332
NORTHWEST ACADEMY	Y	332
DIAMOND PLASTICS	Y	332
MEADOW BROOK SUBDIVISION	Y	332
TUNTUTULIAK WASHETERIA AND WATERING PT	Y	332
RIVER TERRACE TC	Y	332
LITTLE DIOMEDE WATER SUPPLY	Y	332
KB SUB. WATER SERVICE ASSOC.	Y	332
BLUFFVIEW ACRES WATER SYSTEM	Y	332
SHEENA MAY ESTATES	Y	332
ESTELL S/D, LOT 2	Y	332
WOLF EYE CENTER	Y	332
L&PSD PORT HEIDEN SCHOOL	Y	332
FILER WATER WORKS	Y	332
AVERY WATER AND SEWER DIST	Y	332
VANAL HEIGHTS WELL ASSN	Y	332
PARTNERS PRODUCE	Y	332
NYSSA, CITY OF	Y	332
VALE, CITY OF	Y	332
PAISLEY, CITY OF	Y	332
SLEEPY HOLLOW PHASE I WS	Y	332
DUNN COURT DUPLEXES	Y	332
MT TERRACE MHP	Y	332
RIVER VILLAGE MHP	Y	332
JEFFERSON COUNTY WATER DIST #1	Y	332

Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	01
Arsenic	MCL	02
Arsenic	MCL	01
Arsenic	MCL	01

Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Average	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation

Arsenic	10/1/2015	12/31/2015
Arsenic	7/1/2015	9/30/2015
Arsenic	10/1/2016	12/31/2016
Arsenic	7/1/2017	9/30/2017
Arsenic	4/1/2015	6/30/2015
Arsenic	4/1/2017	6/30/2017
Arsenic	4/1/2017	6/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	1/1/2017	3/31/2017
Arsenic	4/1/2017	6/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	4/1/2015	6/30/2015
Arsenic	1/1/2016	3/31/2016
Arsenic	4/1/2017	6/30/2017
Arsenic	4/1/2017	6/30/2017
Arsenic	1/1/2016	3/31/2016
Arsenic	4/1/2015	6/30/2015
Arsenic	1/1/2015	3/31/2015
Arsenic	1/1/2014	12/31/2014
Arsenic	7/1/2015	9/30/2015
Arsenic	7/1/2015	9/30/2015
Arsenic	7/1/2016	9/30/2016
Arsenic	4/1/2016	6/30/2016
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	1/1/2017	3/31/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	7/1/2017	9/30/2017
Arsenic	1/1/2015	3/31/2015

9
1218009
1680003
1400067
1500026
1600044
958027
1680006
490022002100572017
350302802100572017
040081402100512017
1003616
42338
1106081
1029430
194511
60900
1116567
4032
2
1953
1
25
133229
16
2810
6572613
6790061
3926146
6099554
6559665
6129422
6734020
9
6716454
3460
13386
5019
94
902193840
902597141
900636084
901586236
902823114
903177115
900740573
1584951

10	WA	A	CWS
10	WA	A	CWS
10	WA	A	CWS
10	WA	A	NTNCWS

460	2	101-500	WA5331569
99	1	<=100	WA5330434
55	1	<=100	WA5307200
940	3	501-1,000	WA5359575

HARTSTENE POINTE	Y	332
STEVENS CO PUD - MISSION RIDGE	Y	332
COLUMBIA CREST ESTATES	Y	332
NISQUALLY COMMERCIAL PARK	Y	332

Arsenic	MCL	01
Arsenic	MCL	01
Arsenic	MCL	01
Arsenic	MCL	01

Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation
Maximum Contaminant Level Violation, Single Sample	Maximum Contaminant Level Violation

Arsenic	1/1/2017	3/31/2017
Arsenic	7/1/2014	9/30/2014
Arsenic	7/1/2015	9/30/2015
Arsenic	4/1/2015	6/30/2015

1727326
1469781
1586192
1586196

EPA_REGION	PRIMACY_AGENCY_CODE	PWS_ACTIVITY_CODE	PWS_TYPE_CODE
01	CT	A	CWS
01	ME	A	CWS
01	ME	A	CWS
01	ME	A	CWS
01	ME	A	CWS
01	ME	A	NTNCWS
01	ME	A	NTNCWS
01	ME	A	NTNCWS
01	ME	A	NTNCWS
01	ME	A	NTNCWS
01	ME	A	NTNCWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS

POPULATION_SERVED_COUNT	POP_CAT_11_CODE	POP_CAT_11_DESCRIPTION	PWSID
36	1	<=100	CT1699081
115	2	101-500	ME0007963
75	1	<=100	ME0002893
75	1	<=100	ME0002893
75	1	<=100	ME0002893
122	2	101-500	ME0400949
122	2	101-500	ME0400949
122	2	101-500	ME0400949
60	1	<=100	ME0094693
50	1	<=100	ME0094782
34	1	<=100	ME0000185
238	2	101-500	NH0262020
200	2	101-500	NH2452030
168	2	101-500	NH2232200
168	2	101-500	NH2232200
159	2	101-500	NH2563010
159	2	101-500	NH2563010
108	2	101-500	NH2232180
108	2	101-500	NH2232180
108	2	101-500	NH2232180
108	2	101-500	NH2232180
108	2	101-500	NH2232180
108	2	101-500	NH2232180
98	1	<=100	NH0882050
98	1	<=100	NH0882050
98	1	<=100	NH0882050
98	1	<=100	NH0882050
80	1	<=100	NH0612040
80	1	<=100	NH0612040
80	1	<=100	NH0612040
80	1	<=100	NH0612040
80	1	<=100	NH0612040
80	1	<=100	NH0612040
80	1	<=100	NH0612040
80	1	<=100	NH0612040
80	1	<=100	NH0612040
80	1	<=100	NH0612040
80	1	<=100	NH0612040
80	1	<=100	NH0612040
80	1	<=100	NH0612040
73	1	<=100	NH1913010
73	1	<=100	NH1913010
73	1	<=100	NH1913010
73	1	<=100	NH1913010
69	1	<=100	NH2232130

PWS_NAME	IS_HEALTH_BASED_IND	RULE_CODE	RULE_NAME
FAWN RIDGE ASSOCIATION INC.	Y	332	Arsenic
LIMERICK MOBILE HOME PARK	Y	332	Arsenic
CRYSTAL SPRING MOBILE HOME PK	Y	332	Arsenic
CRYSTAL SPRING MOBILE HOME PK	Y	332	Arsenic
CRYSTAL SPRING MOBILE HOME PK	Y	332	Arsenic
CHOP POINT (GREENHOUSE)	Y	332	Arsenic
CHOP POINT (GREENHOUSE)	Y	332	Arsenic
CHOP POINT (GREENHOUSE)	Y	332	Arsenic
THE TALARIA COMPANY LLC (BLDG 1)	Y	332	Arsenic
THE HINCKLEY CO - 44-PLANT-BLDG 2	Y	332	Arsenic
CHEBEAGUE ISLAND SCHOOL	Y	332	Arsenic
ABENAKI WATER/WHITE ROCK WATER	Y	332	Arsenic
SOUTH WEARE WATER	Y	332	Arsenic
CHISHOLM FARM	Y	332	Arsenic
CHISHOLM FARM	Y	332	Arsenic
BIRCH HILL ESTATES	Y	332	Arsenic
BIRCH HILL ESTATES	Y	332	Arsenic
WIGGIN FARM WINTERBERRY	Y	332	Arsenic
WIGGIN FARM WINTERBERRY	Y	332	Arsenic
WIGGIN FARM WINTERBERRY	Y	332	Arsenic
WIGGIN FARM WINTERBERRY	Y	332	Arsenic
WIGGIN FARM WINTERBERRY	Y	332	Arsenic
WIGGIN FARM WINTERBERRY	Y	332	Arsenic
BRAKE HILL ACRES	Y	332	Arsenic
BRAKE HILL ACRES	Y	332	Arsenic
BRAKE HILL ACRES	Y	332	Arsenic
BRAKE HILL ACRES	Y	332	Arsenic
BARKLAND ACRES	Y	332	Arsenic
BARKLAND ACRES	Y	332	Arsenic
BARKLAND ACRES	Y	332	Arsenic
BARKLAND ACRES	Y	332	Arsenic
BARKLAND ACRES	Y	332	Arsenic
BARKLAND ACRES	Y	332	Arsenic
BARKLAND ACRES	Y	332	Arsenic
BARKLAND ACRES	Y	332	Arsenic
BARKLAND ACRES	Y	332	Arsenic
BARKLAND ACRES	Y	332	Arsenic
BARKLAND ACRES	Y	332	Arsenic
BARKLAND ACRES	Y	332	Arsenic
BARKLAND ACRES	Y	332	Arsenic
GRIGGS MOBILE HOMES	Y	332	Arsenic
GRIGGS MOBILE HOMES	Y	332	Arsenic
GRIGGS MOBILE HOMES	Y	332	Arsenic
GRIGGS MOBILE HOMES	Y	332	Arsenic
MUIRFIELD CLUSTER	Y	332	Arsenic

VIOLATION_CATEGORY_CODE	VIOLATION_CODE	VIOLATION_TYPE_DESCRIPTION
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

VIOLATION_CATEGORY_DESCRIPTION	CONTAMINANT_NAME	COMPL_PER_BEGIN_DATE
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017

COMPL_PER_END_DATE	RTC_DATE	VIOLATION_ID
9/30/2017		399
6/30/2016		51014
9/30/2017		32051
6/30/2017		32050
3/31/2017		32049
9/30/2017		119
6/30/2017		117
3/31/2017		116
12/31/2013		155386
12/31/2016		1373
12/31/2016		1833
9/30/2017		1700024
9/30/2017		1700079
9/30/2017		1700017
6/30/2017		1700015
9/30/2017		1700014
3/31/2017		1700013
6/30/2017		1700024
3/31/2017		1700023
12/31/2016		1700022
9/30/2016		1600021
6/30/2016		1600020
3/31/2016		1600019
9/30/2017		1700021
6/30/2017		1700020
3/31/2017		1700019
12/31/2016		1700018
6/30/2017		1700033
3/31/2017		1700032
12/31/2016		1700031
9/30/2016		1600030
6/30/2016		1600029
3/31/2016		1600028
12/31/2015		1600027
9/30/2015		1500026
6/30/2015		1500025
3/31/2015		1500024
12/31/2014		1500023
9/30/2014		1400022
6/30/2014		1400021
3/31/2014		1400020
12/31/2016		1700030
9/30/2017		1700033
6/30/2017		1700032
3/31/2017		1700031
6/30/2017		1700041

01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	CWS
01	NH	A	NTNCWS
01	NH	A	NTNCWS
01	NH	A	NTNCWS
01	NH	A	NTNCWS
01	NH	A	NTNCWS
01	NH	A	NTNCWS
01	NH	A	NTNCWS
01	NH	A	NTNCWS
01	NH	A	NTNCWS
01	NH	A	NTNCWS
01	NH	A	NTNCWS
01	NH	A	NTNCWS
01	NH	A	NTNCWS
01	NH	A	NTNCWS
01	VT	A	CWS
01	VT	A	TNCWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS

69	1	<=100	NH2232130
69	1	<=100	NH2232130
69	1	<=100	NH2232130
53	1	<=100	NH0762050
45	1	<=100	NH1712040
300	2	101-500	NH1196030
300	2	101-500	NH1196030
300	2	101-500	NH1196030
300	2	101-500	NH1196030
265	2	101-500	NH0455010
265	2	101-500	NH0455010
265	2	101-500	NH0455010
197	2	101-500	NH0705020
80	1	<=100	NH1525030
80	1	<=100	NH1525030
80	1	<=100	NH1525030
80	1	<=100	NH1525030
25	1	<=100	NH0775020
25	1	<=100	NH0775020
251	2	101-500	VT0005191
168	2	101-500	VT0008012
2000	4	1,001-3,300	NY5404412
2000	4	1,001-3,300	NY5404412
2000	4	1,001-3,300	NY5404412
2000	4	1,001-3,300	NY5404412
2000	4	1,001-3,300	NY5404412
2000	4	1,001-3,300	NY5404412
2000	4	1,001-3,300	NY5404412
2000	4	1,001-3,300	NY5404412
2000	4	1,001-3,300	NY5404412
2000	4	1,001-3,300	NY5404412
2000	4	1,001-3,300	NY5404412
2000	4	1,001-3,300	NY5404412
85	1	<=100	NY1905404
85	1	<=100	NY1905404
85	1	<=100	NY1905404
85	1	<=100	NY1905404
85	1	<=100	NY1905404
85	1	<=100	NY1905404
85	1	<=100	NY1905404
85	1	<=100	NY1905404
85	1	<=100	NY1905404
85	1	<=100	NY1905404
85	1	<=100	NY1905404
85	1	<=100	NY1905404
85	1	<=100	NY1905404

MUIRFIELD CLUSTER	Y	332	Arsenic
MUIRFIELD CLUSTER	Y	332	Arsenic
MUIRFIELD CLUSTER	Y	332	Arsenic
GOVERNORS GREEN	Y	332	Arsenic
WILDER VILLAGE CLUSTER	Y	332	Arsenic
MCLANE NORTHEAST	Y	332	Arsenic
MCLANE NORTHEAST	Y	332	Arsenic
MCLANE NORTHEAST	Y	332	Arsenic
MCLANE NORTHEAST	Y	332	Arsenic
CHICHESTER CENTRAL SCH	Y	332	Arsenic
CHICHESTER CENTRAL SCH	Y	332	Arsenic
CHICHESTER CENTRAL SCH	Y	332	Arsenic
E KINGSTON ELEMENTARY SCH	Y	332	Arsenic
LAKELAND SCH	Y	332	Arsenic
LAKELAND SCH	Y	332	Arsenic
LAKELAND SCH	Y	332	Arsenic
LAKELAND SCH	Y	332	Arsenic
EPSOM MEDICAL CENTER	Y	332	Arsenic
EPSOM MEDICAL CENTER	Y	332	Arsenic
COVENTRY FIRE DISTRICT 1	Y	332	Arsenic
WILGUS STATE PARK	Y	332	Arsenic
DRYDEN VILLAGE	Y	332	Arsenic
DRYDEN VILLAGE	Y	332	Arsenic
DRYDEN VILLAGE	Y	332	Arsenic
DRYDEN VILLAGE	Y	332	Arsenic
DRYDEN VILLAGE	Y	332	Arsenic
DRYDEN VILLAGE	Y	332	Arsenic
DRYDEN VILLAGE	Y	332	Arsenic
DRYDEN VILLAGE	Y	332	Arsenic
DRYDEN VILLAGE	Y	332	Arsenic
DRYDEN VILLAGE	Y	332	Arsenic
DRYDEN VILLAGE	Y	332	Arsenic
PINE TREE GARDEN APARTMENTS	Y	332	Arsenic
PINE TREE GARDEN APARTMENTS	Y	332	Arsenic
PINE TREE GARDEN APARTMENTS	Y	332	Arsenic
PINE TREE GARDEN APARTMENTS	Y	332	Arsenic
PINE TREE GARDEN APARTMENTS	Y	332	Arsenic
PINE TREE GARDEN APARTMENTS	Y	332	Arsenic
PINE TREE GARDEN APARTMENTS	Y	332	Arsenic
PINE TREE GARDEN APARTMENTS	Y	332	Arsenic
PINE TREE GARDEN APARTMENTS	Y	332	Arsenic
PINE TREE GARDEN APARTMENTS	Y	332	Arsenic
PINE TREE GARDEN APARTMENTS	Y	332	Arsenic
PINE TREE GARDEN APARTMENTS	Y	332	Arsenic
PINE TREE GARDEN APARTMENTS	Y	332	Arsenic
PINE TREE GARDEN APARTMENTS	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014

3/31/2017	1700040
12/31/2016	1700039
9/30/2016	1600038
9/30/2017	1700014
9/30/2017	1700044
9/30/2017	1700023
6/30/2017	1700022
3/31/2017	1700021
12/31/2016	1700020
9/30/2017	1700021
6/30/2017	1700020
3/31/2017	1700019
9/30/2017	1700014
6/30/2017	1700027
3/31/2017	1700026
12/31/2016	1700025
9/30/2016	1600024
9/30/2017	1700010
6/30/2017	1700009
9/30/2016	725733
9/30/2017	2
9/30/2016	126
6/30/2016	125
3/31/2016	124
12/31/2015	123
9/30/2015	122
6/30/2015	121
3/31/2015	120
12/31/2014	119
9/30/2014	118
6/30/2014	117
3/31/2014	116
12/31/2013	115
6/30/2017	2105
3/31/2017	2104
12/31/2016	2103
9/30/2016	2102
6/30/2016	2101
3/31/2016	2100
12/31/2015	2099
9/30/2015	2044
6/30/2015	2043
3/31/2015	2042
12/31/2014	2041
9/30/2014	2040
6/30/2014	2039
3/31/2014	2038

02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	CWS
02	NY	A	TNCWS
02	NY	A	TNCWS
02	NY	A	TNCWS
03	MD	A	CWS
03	MD	A	CWS
03	MD	A	CWS
03	MD	A	CWS
03	MD	A	CWS
03	MD	A	CWS
03	MD	A	CWS
03	MD	A	CWS
03	PA	A	CWS
03	PA	A	CWS
03	PA	A	CWS
03	PA	A	CWS
03	PA	A	CWS
03	PA	A	CWS
03	PA	A	CWS
03	PA	A	CWS
03	PA	A	CWS
03	PA	A	CWS
04	FL	A	CWS
04	FL	A	NTNCWS
04	FL	A	NTNCWS
05	IL	A	CWS
05	IL	A	CWS

85	1	<=100	NY1905404
75	1	<=100	NY2622401
54	1	<=100	NY3700939
54	1	<=100	NY3700939
49	1	<=100	NY2600976
49	1	<=100	NY2600976
49	1	<=100	NY2600976
49	1	<=100	NY2600976
40	1	<=100	NY0200862
40	1	<=100	NY0200862
40	1	<=100	NY0200862
40	1	<=100	NY0200862
40	1	<=100	NY0200862
40	1	<=100	NY0200862
40	1	<=100	NY0200862
40	1	<=100	NY0200862
40	1	<=100	NY0200862
40	1	<=100	NY0200862
40	1	<=100	NY0200862
40	1	<=100	NY0200862
40	1	<=100	NY0200862
40	1	<=100	NY0200862
25	1	<=100	NY3730196
25	1	<=100	NY3730196
25	1	<=100	NY3730196
164	2	101-500	MD0050205
164	2	101-500	MD0050205
164	2	101-500	MD0050205
164	2	101-500	MD0050205
164	2	101-500	MD0050205
164	2	101-500	MD0050205
164	2	101-500	MD0050205
164	2	101-500	MD0050205
186	2	101-500	PA7500030
186	2	101-500	PA7500030
186	2	101-500	PA7500030
186	2	101-500	PA7500030
186	2	101-500	PA7500030
186	2	101-500	PA7500030
150	2	101-500	PA2350062
40	1	<=100	PA7670128
40	1	<=100	PA7670128
40	1	<=100	PA7670128
978	3	501-1,000	FL6512018
40	1	<=100	FL6535730
40	1	<=100	FL6535730
1692	4	1,001-3,300	IL1070050
1692	4	1,001-3,300	IL1070050

PINE TREE GARDEN APARTMENTS	Y	332	Arsenic
MOUNT PLEASANT (CAZ.CNTRY EST)	Y	332	Arsenic
WINNS TRAILER PARK	Y	332	Arsenic
WINNS TRAILER PARK	Y	332	Arsenic
WHITE PINES TRAILER PARK	Y	332	Arsenic
WHITE PINES TRAILER PARK	Y	332	Arsenic
WHITE PINES TRAILER PARK	Y	332	Arsenic
WHITE PINES TRAILER PARK	Y	332	Arsenic
VAL-E-VUE COURT	Y	332	Arsenic
VAL-E-VUE COURT	Y	332	Arsenic
VAL-E-VUE COURT	Y	332	Arsenic
VAL-E-VUE COURT	Y	332	Arsenic
VAL-E-VUE COURT	Y	332	Arsenic
VAL-E-VUE COURT	Y	332	Arsenic
VAL-E-VUE COURT	Y	332	Arsenic
VAL-E-VUE COURT	Y	332	Arsenic
VAL-E-VUE COURT	Y	332	Arsenic
VAL-E-VUE COURT	Y	332	Arsenic
VAL-E-VUE COURT	Y	332	Arsenic
VAL-E-VUE COURT	Y	332	Arsenic
VAL-E-VUE COURT	Y	332	Arsenic
DOLLAR GENERAL PARISH	Y	332	Arsenic
DOLLAR GENERAL PARISH	Y	332	Arsenic
DOLLAR GENERAL PARISH	Y	332	Arsenic
CEDAR MOBILE HOME PARK	Y	332	Arsenic
CEDAR MOBILE HOME PARK	Y	332	Arsenic
CEDAR MOBILE HOME PARK	Y	332	Arsenic
CEDAR MOBILE HOME PARK	Y	332	Arsenic
CEDAR MOBILE HOME PARK	Y	332	Arsenic
CEDAR MOBILE HOME PARK	Y	332	Arsenic
CEDAR MOBILE HOME PARK	Y	332	Arsenic
CEDAR MOBILE HOME PARK	Y	332	Arsenic
SKYVIEW GARDENS HEIGHTS APTS	Y	332	Arsenic
SKYVIEW GARDENS HEIGHTS APTS	Y	332	Arsenic
SKYVIEW GARDENS HEIGHTS APTS	Y	332	Arsenic
SKYVIEW GARDENS HEIGHTS APTS	Y	332	Arsenic
SKYVIEW GARDENS HEIGHTS APTS	Y	332	Arsenic
SKYVIEW GARDENS HEIGHTS APTS	Y	332	Arsenic
FINCH HILL WATER CO	Y	332	Arsenic
STONEY RUN APT	Y	332	Arsenic
STONEY RUN APT	Y	332	Arsenic
STONEY RUN APT	Y	332	Arsenic
ZEPHYR SHORES MOBILE HOME EST	Y	332	Arsenic
SOUTH ATLANTIC GALVANIZING	Y	332	Arsenic
SOUTH ATLANTIC GALVANIZING	Y	332	Arsenic
ATLANTA	Y	332	Arsenic
ATLANTA	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017

12/31/2013	2037
6/30/2016	920
9/30/2017	2618
6/30/2017	2617
3/31/2017	417
12/31/2016	416
9/30/2016	414
6/30/2016	413
3/31/2017	15255
9/30/2016	15254
6/30/2016	15253
3/31/2016	15252
12/31/2015	15251
9/30/2015	15250
6/30/2015	15249
3/31/2015	15248
12/31/2014	15246
9/30/2014	15245
6/30/2014	15243
3/31/2014	15244
12/31/2013	15241
9/30/2017	28
6/30/2017	27
9/30/2016	25
9/30/2015	61
6/30/2015	57
3/31/2015	71
12/31/2014	59
9/30/2014	58
6/30/2014	62
3/31/2014	60
12/31/2013	54
9/30/2014	1440381
6/30/2014	1430324
6/30/2014	1430326
3/31/2014	1420840
12/31/2013	1412307
12/31/2013	1412309
9/30/2017	1734049
9/30/2017	1737706
6/30/2017	1729155
3/31/2017	1719505
12/31/2013	20140001099
6/30/2017	20170007952
3/31/2017	20170006913
9/30/2017	7144320
6/30/2017	7144319

05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	CWS
05	IL	A	NTNCWS
05	IL	A	NTNCWS
05	IL	A	NTNCWS
05	IL	A	NTNCWS
05	IL	A	NTNCWS
05	IL	A	NTNCWS

1692	4	1,001-3,300	IL1070050
450	2	101-500	IL0390350
450	2	101-500	IL0390350
375	2	101-500	IL0195945
375	2	101-500	IL0195945
375	2	101-500	IL0195945
375	2	101-500	IL0195945
375	2	101-500	IL0195945
375	2	101-500	IL0195945
100	1	<=100	IL0735280
100	1	<=100	IL0735280
100	1	<=100	IL0735280
100	1	<=100	IL0735280
100	1	<=100	IL0735280
100	1	<=100	IL0735280
100	1	<=100	IL0735280
100	1	<=100	IL0735280
100	1	<=100	IL0735280
100	1	<=100	IL0735280
100	1	<=100	IL0735280
100	1	<=100	IL0735280
100	1	<=100	IL0735280
100	1	<=100	IL0735280
100	1	<=100	IL0735280
100	1	<=100	IL0735280
100	1	<=100	IL0735280
90	1	<=100	IL0195925
90	1	<=100	IL0195925
90	1	<=100	IL0195925
90	1	<=100	IL0195925
90	1	<=100	IL0195925
90	1	<=100	IL0195925
90	1	<=100	IL0195925
90	1	<=100	IL0195925
90	1	<=100	IL0195925
90	1	<=100	IL0195925
90	1	<=100	IL0195925
90	1	<=100	IL0195925
90	1	<=100	IL0195925
90	1	<=100	IL0195925
90	1	<=100	IL0195925
90	1	<=100	IL0195925
475	2	101-500	IL3147652
475	2	101-500	IL3147652
475	2	101-500	IL3147652
475	2	101-500	IL3147652
475	2	101-500	IL3147652
475	2	101-500	IL3147652

ATLANTA	Y	332	Arsenic
WELDON	Y	332	Arsenic
WELDON	Y	332	Arsenic
FOUNTAIN VALLEY MHP	Y	332	Arsenic
FOUNTAIN VALLEY MHP	Y	332	Arsenic
FOUNTAIN VALLEY MHP	Y	332	Arsenic
FOUNTAIN VALLEY MHP	Y	332	Arsenic
FOUNTAIN VALLEY MHP	Y	332	Arsenic
FOUNTAIN VALLEY MHP	Y	332	Arsenic
LYNWOOD 3RD ADDITION	Y	332	Arsenic
LYNWOOD 3RD ADDITION	Y	332	Arsenic
LYNWOOD 3RD ADDITION	Y	332	Arsenic
LYNWOOD 3RD ADDITION	Y	332	Arsenic
LYNWOOD 3RD ADDITION	Y	332	Arsenic
LYNWOOD 3RD ADDITION	Y	332	Arsenic
LYNWOOD 3RD ADDITION	Y	332	Arsenic
LYNWOOD 3RD ADDITION	Y	332	Arsenic
LYNWOOD 3RD ADDITION	Y	332	Arsenic
LYNWOOD 3RD ADDITION	Y	332	Arsenic
LYNWOOD 3RD ADDITION	Y	332	Arsenic
LYNWOOD 3RD ADDITION	Y	332	Arsenic
LYNWOOD 3RD ADDITION	Y	332	Arsenic
LYNWOOD 3RD ADDITION	Y	332	Arsenic
LYNWOOD 3RD ADDITION	Y	332	Arsenic
LYNWOOD 3RD ADDITION	Y	332	Arsenic
TRIANGLE MHP	Y	332	Arsenic
TRIANGLE MHP	Y	332	Arsenic
TRIANGLE MHP	Y	332	Arsenic
TRIANGLE MHP	Y	332	Arsenic
TRIANGLE MHP	Y	332	Arsenic
TRIANGLE MHP	Y	332	Arsenic
TRIANGLE MHP	Y	332	Arsenic
TRIANGLE MHP	Y	332	Arsenic
TRIANGLE MHP	Y	332	Arsenic
TRIANGLE MHP	Y	332	Arsenic
TRIANGLE MHP	Y	332	Arsenic
TRIANGLE MHP	Y	332	Arsenic
TRIANGLE MHP	Y	332	Arsenic
TRIANGLE MHP	Y	332	Arsenic
TRIANGLE MHP	Y	332	Arsenic
TRIANGLE MHP	Y	332	Arsenic
CORNERSTONE CHRISTIAN ACADEMY	Y	332	Arsenic
CORNERSTONE CHRISTIAN ACADEMY	Y	332	Arsenic
CORNERSTONE CHRISTIAN ACADEMY	Y	332	Arsenic
CORNERSTONE CHRISTIAN ACADEMY	Y	332	Arsenic
CORNERSTONE CHRISTIAN ACADEMY	Y	332	Arsenic
CORNERSTONE CHRISTIAN ACADEMY	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015

3/31/2017	7144317
9/30/2016	7117508
6/30/2016	7117507
9/30/2017	4410240
6/30/2017	4410238
3/31/2017	4410237
12/31/2016	4410236
9/30/2016	4410235
6/30/2016	4410230
9/30/2017	7093573
6/30/2017	7093572
3/31/2017	7093571
12/31/2016	7093570
9/30/2016	7093569
6/30/2016	7093566
3/31/2016	7093564
12/31/2015	7093563
9/30/2015	7093562
6/30/2015	7093561
3/31/2015	7093560
12/31/2014	7093559
9/30/2014	7093558
6/30/2014	7093557
3/31/2014	7093556
12/31/2013	7093555
9/30/2017	4171393
6/30/2017	4171392
3/31/2017	4171391
12/31/2016	4171390
9/30/2016	4171387
6/30/2016	4171386
3/31/2016	4171383
12/31/2015	4171382
9/30/2015	4171380
6/30/2015	4171378
3/31/2015	4171377
12/31/2014	4171376
9/30/2014	4171375
6/30/2014	4171373
3/31/2014	4171371
12/31/2013	4171369
3/31/2017	3625
12/31/2016	3624
9/30/2016	3623
6/30/2016	3622
3/31/2016	3620
12/31/2015	3619

05	IL	A	NTNCWS
05	IL	A	NTNCWS
05	IL	A	NTNCWS
05	IL	A	NTNCWS
05	IL	A	NTNCWS
05	IL	A	NTNCWS
05	IN	A	CWS
05	IN	A	CWS
05	IN	A	CWS
05	IN	A	CWS
05	IN	A	CWS
05	IN	A	CWS
05	IN	A	CWS
05	IN	A	CWS
05	IN	A	CWS
05	IN	A	CWS
05	IN	A	CWS
05	IN	A	CWS
05	IN	A	CWS
05	IN	A	CWS
05	IN	A	CWS
05	IN	A	CWS
05	IN	A	CWS
05	MI	A	CWS
05	MI	A	CWS
05	MI	A	CWS
05	MI	A	CWS
05	MI	A	CWS
05	MI	A	CWS
05	MI	A	CWS
05	MI	A	CWS
05	MI	A	CWS
05	MI	A	CWS
05	MI	A	CWS
05	MI	A	CWS
05	MI	A	CWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS

475	2	101-500	IL3147652
475	2	101-500	IL3147652
250	2	101-500	IL3133694
250	2	101-500	IL3133694
250	2	101-500	IL3133694
43	1	<=100	IL3155085
500	2	101-500	IN5283009
39	1	<=100	IN5243063
39	1	<=100	IN5243063
39	1	<=100	IN5243063
39	1	<=100	IN5243063
39	1	<=100	IN5243063
39	1	<=100	IN5243063
39	1	<=100	IN5243063
39	1	<=100	IN5243063
39	1	<=100	IN5243063
39	1	<=100	IN5243063
39	1	<=100	IN5243063
39	1	<=100	IN5243063
39	1	<=100	IN5243063
39	1	<=100	IN5243063
39	1	<=100	IN5243063
238	2	101-500	MI0040453
238	2	101-500	MI0040453
238	2	101-500	MI0040453
238	2	101-500	MI0040453
238	2	101-500	MI0040453
238	2	101-500	MI0040453
238	2	101-500	MI0040453
238	2	101-500	MI0040453
73	1	<=100	MI0005395
73	1	<=100	MI0005395
65	1	<=100	MI0040018
65	1	<=100	MI0040018
65	1	<=100	MI0040018
400	2	101-500	MI7920846
284	2	101-500	MI2521475
200	2	101-500	MI4720655
200	2	101-500	MI4720655
200	2	101-500	MI4720655
150	2	101-500	MI6322604
103	2	101-500	MI6320565
103	2	101-500	MI6320565
100	1	<=100	MI8120432
100	1	<=100	MI8120432
70	1	<=100	MI2520415

CORNERSTONE CHRISTIAN ACADEMY	Y	332	Arsenic
CORNERSTONE CHRISTIAN ACADEMY	Y	332	Arsenic
PRINCETON CHRISTIAN ACADEMY	Y	332	Arsenic
PRINCETON CHRISTIAN ACADEMY	Y	332	Arsenic
PRINCETON CHRISTIAN ACADEMY	Y	332	Arsenic
WE CARE DAYCARE	Y	332	Arsenic
PERRYSVILLE WATER WORKS	Y	332	Arsenic
RILEY RESORT LAND TRUST	Y	332	Arsenic
RILEY RESORT LAND TRUST	Y	332	Arsenic
RILEY RESORT LAND TRUST	Y	332	Arsenic
RILEY RESORT LAND TRUST	Y	332	Arsenic
RILEY RESORT LAND TRUST	Y	332	Arsenic
RILEY RESORT LAND TRUST	Y	332	Arsenic
RILEY RESORT LAND TRUST	Y	332	Arsenic
RILEY RESORT LAND TRUST	Y	332	Arsenic
RILEY RESORT LAND TRUST	Y	332	Arsenic
RILEY RESORT LAND TRUST	Y	332	Arsenic
RILEY RESORT LAND TRUST	Y	332	Arsenic
RILEY RESORT LAND TRUST	Y	332	Arsenic
RILEY RESORT LAND TRUST	Y	332	Arsenic
RILEY RESORT LAND TRUST	Y	332	Arsenic
RILEY RESORT LAND TRUST	Y	332	Arsenic
NORTHWOODS COMMUNITY	Y	332	Arsenic
NORTHWOODS COMMUNITY	Y	332	Arsenic
NORTHWOODS COMMUNITY	Y	332	Arsenic
NORTHWOODS COMMUNITY	Y	332	Arsenic
NORTHWOODS COMMUNITY	Y	332	Arsenic
NORTHWOODS COMMUNITY	Y	332	Arsenic
NORTHWOODS COMMUNITY	Y	332	Arsenic
NORTHWOODS COMMUNITY	Y	332	Arsenic
GREEN BROOK ESTATES	Y	332	Arsenic
GREEN BROOK ESTATES	Y	332	Arsenic
LAKESIDE PARK MHP	Y	332	Arsenic
LAKESIDE PARK MHP	Y	332	Arsenic
LAKESIDE PARK MHP	Y	332	Arsenic
FOSTORIA BAPTIST CHURCH	Y	332	Arsenic
LINDEN FREE METHODIST CHURCH	Y	332	Arsenic
HARTLAND COMMERCE CENTER	Y	332	Arsenic
HARTLAND COMMERCE CENTER	Y	332	Arsenic
HARTLAND COMMERCE CENTER	Y	332	Arsenic
SZOTT FORD	Y	332	Arsenic
UPLAND HILLS SCHOOL	Y	332	Arsenic
UPLAND HILLS SCHOOL	Y	332	Arsenic
TERRITORIAL PROFESSIONAL BUILDING	Y	332	Arsenic
TERRITORIAL PROFESSIONAL BUILDING	Y	332	Arsenic
MICHIGAN COMMUNITY SVCS. INC.	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2016

9/30/2015	3618
6/30/2015	3617
3/31/2017	636218
12/31/2016	636217
9/30/2016	636216
9/30/2017	435
12/31/2015	13633
9/30/2017	37
6/30/2017	36
3/31/2017	35
12/31/2016	34
9/30/2016	33
6/30/2016	32
3/31/2016	31
12/31/2015	30
9/30/2015	28
6/30/2015	27
3/31/2015	26
12/31/2014	25
9/30/2014	24
6/30/2014	23
3/31/2014	22
12/31/2013	21
9/30/2017	4000267
6/30/2017	4000266
3/31/2017	4000265
12/31/2016	4000264
9/30/2016	4000263
6/30/2016	4000260
3/31/2016	4000259
12/31/2015	4000258
9/30/2017	4000456
6/30/2017	4000455
9/30/2017	133
6/30/2017	130
3/31/2017	129
6/30/2016	1630598
9/30/2016	1640334
6/30/2017	1730060
12/31/2015	1611281
12/31/2014	1510972
12/31/2016	1711974
12/31/2016	1711973
12/31/2015	1611282
12/31/2016	1711971
12/31/2015	1611280
9/30/2016	1640856

05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MI	A	NTNCWS
05	MN	A	CWS
05	MN	A	CWS
05	MN	A	CWS
05	MN	A	CWS
05	MN	A	CWS
05	MN	A	CWS
05	MN	A	CWS
05	MN	A	CWS
05	MN	A	CWS
05	MN	A	CWS
05	MN	A	CWS
05	MN	A	CWS
05	MN	A	CWS
05	MN	A	CWS
05	MN	A	CWS
05	MN	A	CWS
05	MN	A	NTNCWS
05	MN	A	NTNCWS
05	MN	A	NTNCWS
05	MN	A	NTNCWS
05	MN	A	NTNCWS
05	MN	A	NTNCWS
05	MN	A	NTNCWS
05	MN	A	NTNCWS
05	MN	A	NTNCWS
05	MN	A	NTNCWS
05	MN	A	NTNCWS
05	MN	A	NTNCWS
05	MN	A	NTNCWS
05	MN	A	NTNCWS
05	MN	A	NTNCWS

70	1	<=100	MI2520415
70	1	<=100	MI2520415
60	1	<=100	MI4420440
60	1	<=100	MI4420440
60	1	<=100	MI4420440
60	1	<=100	MI4420440
60	1	<=100	MI4420440
60	1	<=100	MI4420440
60	1	<=100	MI4420440
60	1	<=100	MI4420440
55	1	<=100	MI1320428
55	1	<=100	MI6322910
50	1	<=100	MI1920168
41	1	<=100	MI4121001
25	1	<=100	MI7820088
25	1	<=100	MI7820088
25	1	<=100	MI7820088
269	2	101-500	MN1600001
269	2	101-500	MN1600001
226	2	101-500	MN1600013
226	2	101-500	MN1600013
226	2	101-500	MN1600013
226	2	101-500	MN1600013
226	2	101-500	MN1600013
226	2	101-500	MN1600013
226	2	101-500	MN1600013
226	2	101-500	MN1600013
150	2	101-500	MN1680004
40	1	<=100	MN1030022
40	1	<=100	MN1030022
40	1	<=100	MN1030022
40	1	<=100	MN1030022
40	1	<=100	MN1030022
50	1	<=100	MN5860182
28	1	<=100	MN5860385
28	1	<=100	MN5860385
28	1	<=100	MN5860385
28	1	<=100	MN5860385
28	1	<=100	MN5860385
28	1	<=100	MN5860385
28	1	<=100	MN5860385
28	1	<=100	MN5860385
25	1	<=100	MN5560996
25	1	<=100	MN5560996
25	1	<=100	MN5560996
25	1	<=100	MN5560996
25	1	<=100	MN5560996

MICHIGAN COMMUNITY SVCS. INC.	Y	332	Arsenic
MICHIGAN COMMUNITY SVCS. INC.	Y	332	Arsenic
LAPEER COUNTY PRESS	Y	332	Arsenic
LAPEER COUNTY PRESS	Y	332	Arsenic
LAPEER COUNTY PRESS	Y	332	Arsenic
LAPEER COUNTY PRESS	Y	332	Arsenic
LAPEER COUNTY PRESS	Y	332	Arsenic
LAPEER COUNTY PRESS	Y	332	Arsenic
LAPEER COUNTY PRESS	Y	332	Arsenic
LAPEER COUNTY PRESS	Y	332	Arsenic
Freedom Motors	Y	332	Arsenic
BARRON INDUSTRIES	Y	332	Arsenic
CLINTON CO ROAD COMMISSION	Y	332	Arsenic
SPEEDRACK MIDWEST	Y	332	Arsenic
Viron International Corp	Y	332	Arsenic
Viron International Corp	Y	332	Arsenic
Viron International Corp	Y	332	Arsenic
Climax	Y	332	Arsenic
Climax	Y	332	Arsenic
Winger	Y	332	Arsenic
Winger	Y	332	Arsenic
Winger	Y	332	Arsenic
Winger	Y	332	Arsenic
Winger	Y	332	Arsenic
Winger	Y	332	Arsenic
Winger	Y	332	Arsenic
Winger	Y	332	Arsenic
Oak Manor Mobile Home Park	Y	332	Arsenic
Brandy Lake Estates	Y	332	Arsenic
Brandy Lake Estates	Y	332	Arsenic
Brandy Lake Estates	Y	332	Arsenic
Brandy Lake Estates	Y	332	Arsenic
Brandy Lake Estates	Y	332	Arsenic
Village Ranch	Y	332	Arsenic
Sunset Ridge of Annandale, Inc.	Y	332	Arsenic
Sunset Ridge of Annandale, Inc.	Y	332	Arsenic
Sunset Ridge of Annandale, Inc.	Y	332	Arsenic
Sunset Ridge of Annandale, Inc.	Y	332	Arsenic
Sunset Ridge of Annandale, Inc.	Y	332	Arsenic
Sunset Ridge of Annandale, Inc.	Y	332	Arsenic
Sunset Ridge of Annandale, Inc.	Y	332	Arsenic
Sunset Ridge of Annandale, Inc.	Y	332	Arsenic
StoneL Corporation	Y	332	Arsenic
StoneL Corporation	Y	332	Arsenic
StoneL Corporation	Y	332	Arsenic
StoneL Corporation	Y	332	Arsenic
StoneL Corporation	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	5/15/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	4/21/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016

3/31/2016	1620237
9/30/2015	1540192
9/30/2017	1740010
6/30/2017	1730059
3/31/2017	1720067
12/31/2016	1710401
9/30/2016	1640440
6/30/2016	1630599
3/31/2016	1620235
9/30/2015	1540474
6/30/2017	1730587
9/30/2016	1640061
6/30/2016	1630732
9/30/2017	1740008
12/31/2016	1711970
12/31/2015	1611279
12/31/2014	1510970
12/31/2016	52070
9/30/2016	51871
6/30/2017	53454
3/31/2017	53395
12/31/2016	52071
9/30/2016	51872
6/30/2016	51610
3/31/2016	51012
3/31/2015	48247
9/30/2014	47080
12/31/2015	51013
3/31/2017	52065
9/30/2016	51868
6/30/2015	49017
3/31/2015	48243
12/31/2014	48244
6/30/2017	53420
9/30/2017	53839
6/30/2017	53840
3/31/2017	53405
12/31/2016	52078
9/30/2016	51878
6/30/2016	51018
3/31/2015	48251
9/30/2014	47850
9/30/2017	53837
6/30/2017	53455
3/31/2017	53402
12/31/2016	52075
9/30/2016	51876

05	MN	A	NTNCWS
05	OH	A	CWS
05	OH	A	CWS
05	OH	A	CWS
05	OH	A	CWS
05	OH	A	CWS
05	OH	A	CWS
05	OH	A	CWS
05	OH	A	CWS
05	OH	A	CWS
05	OH	A	CWS
05	OH	A	CWS
05	OH	A	CWS
05	OH	A	CWS
05	OH	A	CWS
05	OH	A	NTNCWS
05	OH	A	NTNCWS
05	OH	A	NTNCWS
05	OH	A	NTNCWS
05	OH	A	NTNCWS
05	OH	A	NTNCWS
05	OH	A	NTNCWS
05	OH	A	NTNCWS
05	WI	A	CWS
05	WI	A	CWS
05	WI	A	NTNCWS
05	WI	A	NTNCWS
05	WI	A	NTNCWS
05	WI	A	NTNCWS
05	WI	A	NTNCWS
05	WI	A	NTNCWS
05	WI	A	NTNCWS
05	WI	A	NTNCWS
05	WI	A	NTNCWS
05	WI	A	NTNCWS
05	WI	A	NTNCWS
05	WI	A	NTNCWS
05	WI	A	NTNCWS
05	WI	A	NTNCWS
05	WI	A	NTNCWS
05	WI	A	NTNCWS
05	WI	A	NTNCWS
05	WI	A	NTNCWS
05	WI	A	NTNCWS
05	WI	A	NTNCWS
05	WI	A	NTNCWS
05	WI	A	NTNCWS

25	1	<=100	MN5560996
70	1	<=100	OH5501912
70	1	<=100	OH5501912
70	1	<=100	OH5501912
40	1	<=100	OH4900312
40	1	<=100	OH4900312
40	1	<=100	OH4900312
40	1	<=100	OH4900312
40	1	<=100	OH4900312
40	1	<=100	OH4900312
40	1	<=100	OH4900312
40	1	<=100	OH4900312
40	1	<=100	OH4900312
40	1	<=100	OH4900312
40	1	<=100	OH4900312
40	1	<=100	OH4900312
295	2	101-500	OH7038212
181	2	101-500	OH7836712
181	2	101-500	OH7836712
181	2	101-500	OH7836712
181	2	101-500	OH7836712
181	2	101-500	OH7836712
40	1	<=100	OH2569412
40	1	<=100	OH2569412
240	2	101-500	WI1540135
240	2	101-500	WI1540135
610	3	501-1,000	WI2650399
610	3	501-1,000	WI2650399
610	3	501-1,000	WI2650399
290	2	101-500	WI2686118
290	2	101-500	WI2686118
290	2	101-500	WI2686118
290	2	101-500	WI2686118
135	2	101-500	WI1110826
103	2	101-500	WI2686655
103	2	101-500	WI2686655
48	1	<=100	WI2686588
48	1	<=100	WI2686588
48	1	<=100	WI2686588
48	1	<=100	WI2686588
48	1	<=100	WI2686588
35	1	<=100	WI2522803
35	1	<=100	WI2522803
35	1	<=100	WI2522803
35	1	<=100	WI6270286
35	1	<=100	WI6270286
35	1	<=100	WI6270286
35	1	<=100	WI6270286

StoneL Corporation	Y	332	Arsenic
PARIS COURT MHP	Y	332	Arsenic
PARIS COURT MHP	Y	332	Arsenic
PARIS COURT MHP	Y	332	Arsenic
CORDLES MOBILE HOME PARK	Y	332	Arsenic
CORDLES MOBILE HOME PARK	Y	332	Arsenic
CORDLES MOBILE HOME PARK	Y	332	Arsenic
CORDLES MOBILE HOME PARK	Y	332	Arsenic
CORDLES MOBILE HOME PARK	Y	332	Arsenic
CORDLES MOBILE HOME PARK	Y	332	Arsenic
CORDLES MOBILE HOME PARK	Y	332	Arsenic
CORDLES MOBILE HOME PARK	Y	332	Arsenic
CORDLES MOBILE HOME PARK	Y	332	Arsenic
CORDLES MOBILE HOME PARK	Y	332	Arsenic
MILLIRON IRON AND METAL	Y	332	Arsenic
CURRIE ELEMENTARY SCHOOL	Y	332	Arsenic
CURRIE ELEMENTARY SCHOOL	Y	332	Arsenic
CURRIE ELEMENTARY SCHOOL	Y	332	Arsenic
CURRIE ELEMENTARY SCHOOL	Y	332	Arsenic
CURRIE ELEMENTARY SCHOOL	Y	332	Arsenic
CHEMCOTE INC PWS	Y	332	Arsenic
CHEMCOTE INC PWS	Y	332	Arsenic
WRIGHTS MOBILE HOME PARK	Y	332	Arsenic
WRIGHTS MOBILE HOME PARK	Y	332	Arsenic
BIRDS EYE FOODS	Y	332	Arsenic
BIRDS EYE FOODS	Y	332	Arsenic
BIRDS EYE FOODS	Y	332	Arsenic
CITIZENS BANK	Y	332	Arsenic
CITIZENS BANK	Y	332	Arsenic
CITIZENS BANK	Y	332	Arsenic
CITIZENS BANK	Y	332	Arsenic
ALSUM FARMS & PRODUCE INC DRINKING WATER SYSTEM	Y	332	Arsenic
NATURES CLASSROOM INSTITUTE PROPERTY LLC	Y	332	Arsenic
NATURES CLASSROOM INSTITUTE PROPERTY LLC	Y	332	Arsenic
UPI MANUFACTURING	Y	332	Arsenic
UPI MANUFACTURING	Y	332	Arsenic
UPI MANUFACTURING	Y	332	Arsenic
UPI MANUFACTURING	Y	332	Arsenic
UPI MANUFACTURING	Y	332	Arsenic
ARBOR VIEW ASSISTED LIVING 2	Y	332	Arsenic
ARBOR VIEW ASSISTED LIVING 2	Y	332	Arsenic
ARBOR VIEW ASSISTED LIVING 2	Y	332	Arsenic
HI-CRUSH BLAIR	Y	332	Arsenic
HI-CRUSH BLAIR	Y	332	Arsenic
HI-CRUSH BLAIR	Y	332	Arsenic
HI-CRUSH BLAIR	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016

6/30/2016	51613
6/30/2017	8753847
3/31/2017	8753846
12/31/2016	8753844
6/30/2017	6688828
3/31/2017	6688825
12/31/2016	6688824
9/30/2016	6688823
6/30/2016	6688821
3/31/2016	6688820
12/31/2015	6688819
9/30/2015	6688818
6/30/2015	6688817
3/31/2015	6688815
12/31/2014	6688814
9/30/2017	8478604
9/30/2017	5745567
6/30/2017	5745566
3/31/2017	5745565
12/31/2016	5745563
9/30/2016	5745562
6/30/2017	3
3/31/2017	1
12/31/2016	1700006
9/30/2016	1600005
9/30/2017	1700029
6/30/2017	1700027
3/31/2017	1700025
9/30/2017	1700010
6/30/2017	1700008
3/31/2017	1700006
9/30/2016	1600003
6/30/2017	1700008
11/14/2017	1700006
3/31/2017	1700004
11/14/2017	1700009
9/30/2017	1700007
6/30/2017	1700005
3/31/2017	1700003
12/31/2016	1700001
9/30/2017	1700027
6/30/2017	1700025
3/31/2017	1700022
9/30/2017	1700006
6/30/2017	1700004
3/31/2017	1700002
12/31/2016	1700001

06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS
06	LA	A	CWS

4114	5	3,301-10,000	LA1099009
4114	5	3,301-10,000	LA1099009
900	3	501-1,000	LA1079030
900	3	501-1,000	LA1079030
900	3	501-1,000	LA1079030
900	3	501-1,000	LA1079030
900	3	501-1,000	LA1079030
900	3	501-1,000	LA1079030
900	3	501-1,000	LA1079030
900	3	501-1,000	LA1079030
900	3	501-1,000	LA1079030
460	2	101-500	LA1099013
150	2	101-500	LA1099029
150	2	101-500	LA1099029
150	2	101-500	LA1099029
150	2	101-500	LA1099029
147	2	101-500	LA1099024
147	2	101-500	LA1099024
147	2	101-500	LA1099024
81	1	<=100	LA1055153
81	1	<=100	LA1055153
81	1	<=100	LA1055153
81	1	<=100	LA1055153
81	1	<=100	LA1055153
81	1	<=100	LA1055153
81	1	<=100	LA1055153
81	1	<=100	LA1055153
81	1	<=100	LA1055153
81	1	<=100	LA1055153
81	1	<=100	LA1055153
81	1	<=100	LA1055153
81	1	<=100	LA1055153
81	1	<=100	LA1055153
75	1	<=100	LA1099023
75	1	<=100	LA1099023
75	1	<=100	LA1099023
75	1	<=100	LA1099023
75	1	<=100	LA1099023
75	1	<=100	LA1099023
75	1	<=100	LA1099023
75	1	<=100	LA1099023
75	1	<=100	LA1099023
75	1	<=100	LA1099023
75	1	<=100	LA1099023
75	1	<=100	LA1099023
75	1	<=100	LA1099023
75	1	<=100	LA1099023

UNITED WATER SYSTEM	Y	332	Arsenic
UNITED WATER SYSTEM	Y	332	Arsenic
HAMMOCK WATER SUPPLY	Y	332	Arsenic
HAMMOCK WATER SUPPLY	Y	332	Arsenic
HAMMOCK WATER SUPPLY	Y	332	Arsenic
HAMMOCK WATER SUPPLY	Y	332	Arsenic
HAMMOCK WATER SUPPLY	Y	332	Arsenic
HAMMOCK WATER SUPPLY	Y	332	Arsenic
HAMMOCK WATER SUPPLY	Y	332	Arsenic
HAMMOCK WATER SUPPLY	Y	332	Arsenic
HAMMOCK WATER SUPPLY	Y	332	Arsenic
TESI ATCHAFALAYA ACRES	Y	332	Arsenic
ST MARTIN PARISH INDUSTRIAL PARK WS	Y	332	Arsenic
ST MARTIN PARISH INDUSTRIAL PARK WS	Y	332	Arsenic
ST MARTIN PARISH INDUSTRIAL PARK WS	Y	332	Arsenic
ST MARTIN PARISH INDUSTRIAL PARK WS	Y	332	Arsenic
ELM POINT ESTATES WATER SYSTEM	Y	332	Arsenic
ELM POINT ESTATES WATER SYSTEM	Y	332	Arsenic
ELM POINT ESTATES WATER SYSTEM	Y	332	Arsenic
TESI LAKEVIEW ESTATES	Y	332	Arsenic
TESI LAKEVIEW ESTATES	Y	332	Arsenic
TESI LAKEVIEW ESTATES	Y	332	Arsenic
TESI LAKEVIEW ESTATES	Y	332	Arsenic
TESI LAKEVIEW ESTATES	Y	332	Arsenic
TESI LAKEVIEW ESTATES	Y	332	Arsenic
TESI LAKEVIEW ESTATES	Y	332	Arsenic
TESI LAKEVIEW ESTATES	Y	332	Arsenic
TESI LAKEVIEW ESTATES	Y	332	Arsenic
TESI LAKEVIEW ESTATES	Y	332	Arsenic
TESI LAKEVIEW ESTATES	Y	332	Arsenic
TESI LAKEVIEW ESTATES	Y	332	Arsenic
TESI LAKEVIEW ESTATES	Y	332	Arsenic
RIVER RIDGE ESTATES WATER SYSTEM	Y	332	Arsenic
RIVER RIDGE ESTATES WATER SYSTEM	Y	332	Arsenic
RIVER RIDGE ESTATES WATER SYSTEM	Y	332	Arsenic
RIVER RIDGE ESTATES WATER SYSTEM	Y	332	Arsenic
RIVER RIDGE ESTATES WATER SYSTEM	Y	332	Arsenic
RIVER RIDGE ESTATES WATER SYSTEM	Y	332	Arsenic
RIVER RIDGE ESTATES WATER SYSTEM	Y	332	Arsenic
RIVER RIDGE ESTATES WATER SYSTEM	Y	332	Arsenic
RIVER RIDGE ESTATES WATER SYSTEM	Y	332	Arsenic
RIVER RIDGE ESTATES WATER SYSTEM	Y	332	Arsenic
RIVER RIDGE ESTATES WATER SYSTEM	Y	332	Arsenic
RIVER RIDGE ESTATES WATER SYSTEM	Y	332	Arsenic
RIVER RIDGE ESTATES WATER SYSTEM	Y	332	Arsenic
RIVER RIDGE ESTATES WATER SYSTEM	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014

9/30/2017	428
6/30/2017	427
12/31/2015	6002744
9/30/2015	6002743
6/30/2015	6002740
3/31/2015	6002739
12/31/2014	6002734
9/30/2014	6002733
6/30/2014	6002732
3/31/2014	6002729
12/31/2013	6002727
9/30/2017	4011835
6/30/2015	138
12/31/2014	136
9/30/2014	135
6/30/2014	134
9/30/2017	132
6/30/2017	131
3/31/2017	127
6/30/2017	4010739
3/31/2017	4010738
12/31/2016	4010737
9/30/2016	4010736
6/30/2016	4010734
3/31/2016	4010732
12/31/2015	4010730
9/30/2015	4010729
6/30/2015	4010728
3/31/2015	4010727
12/31/2014	4010726
6/30/2014	4010724
3/31/2014	4010721
12/31/2013	4010720
9/30/2017	4005357
6/30/2017	4005355
3/31/2017	4005353
12/31/2016	4005352
9/30/2016	4005349
6/30/2016	4005347
3/31/2016	4005346
12/31/2015	4005344
9/30/2015	4005343
6/30/2015	4005342
3/31/2015	4005341
12/31/2014	4005332
9/30/2014	4005331
6/30/2014	4005328

06	LA	A	CWS
06	LA	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS

75	1	<=100	LA1099023
75	1	<=100	LA1099023
21000	6	10,001-50,000	NM3502507
21000	6	10,001-50,000	NM3502507
21000	6	10,001-50,000	NM3502507
21000	6	10,001-50,000	NM3502507
21000	6	10,001-50,000	NM3502507
21000	6	10,001-50,000	NM3502507
21000	6	10,001-50,000	NM3502507
21000	6	10,001-50,000	NM3502507
21000	6	10,001-50,000	NM3502507
21000	6	10,001-50,000	NM3502507
21000	6	10,001-50,000	NM3502507
21000	6	10,001-50,000	NM3502507
21000	6	10,001-50,000	NM3502507
21000	6	10,001-50,000	NM3502507
21000	6	10,001-50,000	NM3502507
21000	6	10,001-50,000	NM3502507
21000	6	10,001-50,000	NM3502507
21000	6	10,001-50,000	NM3502507
21000	6	10,001-50,000	NM3502507
9780	5	3,301-10,000	NM3524932
9780	5	3,301-10,000	NM3524932
9780	5	3,301-10,000	NM3524932
9780	5	3,301-10,000	NM3524932
9780	5	3,301-10,000	NM3524932
1500	4	1,001-3,300	NM3509123
1500	4	1,001-3,300	NM3509123
1500	4	1,001-3,300	NM3509123
1500	4	1,001-3,300	NM3535021
1500	4	1,001-3,300	NM3535021
1500	4	1,001-3,300	NM3535021
1500	4	1,001-3,300	NM3535021
1500	4	1,001-3,300	NM3535021
1500	4	1,001-3,300	NM3535021
1500	4	1,001-3,300	NM3535021
1275	4	1,001-3,300	NM3502421
1275	4	1,001-3,300	NM3502421
1275	4	1,001-3,300	NM3502421
1275	4	1,001-3,300	NM3502421
1275	4	1,001-3,300	NM3502421
1275	4	1,001-3,300	NM3502421
1275	4	1,001-3,300	NM3502421
1275	4	1,001-3,300	NM3502421
1275	4	1,001-3,300	NM3502421
1275	4	1,001-3,300	NM3502421

RIVER RIDGE ESTATES WATER SYSTEM	Y	332	Arsenic
RIVER RIDGE ESTATES WATER SYSTEM	Y	332	Arsenic
CAMINO REAL REGIONAL UTILITY AUTHORITY	Y	332	Arsenic
CAMINO REAL REGIONAL UTILITY AUTHORITY	Y	332	Arsenic
CAMINO REAL REGIONAL UTILITY AUTHORITY	Y	332	Arsenic
CAMINO REAL REGIONAL UTILITY AUTHORITY	Y	332	Arsenic
CAMINO REAL REGIONAL UTILITY AUTHORITY	Y	332	Arsenic
CAMINO REAL REGIONAL UTILITY AUTHORITY	Y	332	Arsenic
CAMINO REAL REGIONAL UTILITY AUTHORITY	Y	332	Arsenic
CAMINO REAL REGIONAL UTILITY AUTHORITY	Y	332	Arsenic
CAMINO REAL REGIONAL UTILITY AUTHORITY	Y	332	Arsenic
CAMINO REAL REGIONAL UTILITY AUTHORITY	Y	332	Arsenic
CAMINO REAL REGIONAL UTILITY AUTHORITY	Y	332	Arsenic
CAMINO REAL REGIONAL UTILITY AUTHORITY	Y	332	Arsenic
CAMINO REAL REGIONAL UTILITY AUTHORITY	Y	332	Arsenic
CAMINO REAL REGIONAL UTILITY AUTHORITY	Y	332	Arsenic
CAMINO REAL REGIONAL UTILITY AUTHORITY	Y	332	Arsenic
CAMINO REAL REGIONAL UTILITY AUTHORITY	Y	332	Arsenic
CAMINO REAL REGIONAL UTILITY AUTHORITY	Y	332	Arsenic
CAMINO REAL REGIONAL UTILITY AUTHORITY	Y	332	Arsenic
CAMINO REAL REGIONAL UTILITY AUTHORITY	Y	332	Arsenic
BELEN WATER SYSTEM	Y	332	Arsenic
BELEN WATER SYSTEM	Y	332	Arsenic
BELEN WATER SYSTEM	Y	332	Arsenic
BELEN WATER SYSTEM	Y	332	Arsenic
BELEN WATER SYSTEM	Y	332	Arsenic
JEMEZ SPRINGS DWUA	Y	332	Arsenic
JEMEZ SPRINGS DWUA	Y	332	Arsenic
JEMEZ SPRINGS DWUA	Y	332	Arsenic
ALCALDE MDWCA	Y	332	Arsenic
ALCALDE MDWCA	Y	332	Arsenic
ALCALDE MDWCA	Y	332	Arsenic
ALCALDE MDWCA	Y	332	Arsenic
ALCALDE MDWCA	Y	332	Arsenic
ALCALDE MDWCA	Y	332	Arsenic
ALCALDE MDWCA	Y	332	Arsenic
AGUA SANA WUA	Y	332	Arsenic
AGUA SANA WUA	Y	332	Arsenic
AGUA SANA WUA	Y	332	Arsenic
AGUA SANA WUA	Y	332	Arsenic
AGUA SANA WUA	Y	332	Arsenic
AGUA SANA WUA	Y	332	Arsenic
AGUA SANA WUA	Y	332	Arsenic
AGUA SANA WUA	Y	332	Arsenic
AGUA SANA WUA	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015

3/31/2014	4005327
12/31/2013	4005324
9/30/2017	169
6/30/2017	168
3/31/2017	161
12/31/2016	148
9/30/2016	67
6/30/2016	59
3/31/2016	32
12/31/2015	33
9/30/2015	29
6/30/2015	35
3/31/2015	36
12/31/2014	20
9/30/2014	24
6/30/2014	18
6/30/2014	51
3/31/2014	12
3/31/2014	52
12/31/2013	10
12/31/2013	37
12/31/2013	53
9/30/2017	22884
6/30/2017	22885
3/31/2017	22883
12/31/2016	22879
9/30/2016	22880
9/30/2017	156645
6/30/2017	156644
3/31/2017	156646
9/30/2017	20655
6/30/2017	20654
3/31/2017	20652
12/31/2016	20649
9/30/2016	20648
6/30/2016	20647
3/31/2016	20637
9/30/2017	407
6/30/2017	406
3/31/2017	405
12/31/2016	402
12/31/2015	394
9/30/2015	389
6/30/2015	390
6/30/2015	391
3/31/2015	388
3/31/2015	392

06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS

1275	4	1,001-3,300	NM3502421
1275	4	1,001-3,300	NM3502421
1275	4	1,001-3,300	NM3502421
1275	4	1,001-3,300	NM3502421
1275	4	1,001-3,300	NM3502421
450	2	101-500	NM3525033
450	2	101-500	NM3525033
450	2	101-500	NM3525033
450	2	101-500	NM3525033
450	2	101-500	NM3525033
450	2	101-500	NM3525033
450	2	101-500	NM3525033
450	2	101-500	NM3525033
450	2	101-500	NM3525033
450	2	101-500	NM3525033
450	2	101-500	NM3525033
450	2	101-500	NM3525033
450	2	101-500	NM3525033
450	2	101-500	NM3525033
450	2	101-500	NM3525033
450	2	101-500	NM3525033
411	2	101-500	NM3535123
411	2	101-500	NM3535123
411	2	101-500	NM3535123
411	2	101-500	NM3535123
411	2	101-500	NM3535123
411	2	101-500	NM3535123
411	2	101-500	NM3535123
411	2	101-500	NM3535123
411	2	101-500	NM3535123
411	2	101-500	NM3535123
411	2	101-500	NM3535123
411	2	101-500	NM3535123
411	2	101-500	NM3535123
411	2	101-500	NM3535123
411	2	101-500	NM3535123
411	2	101-500	NM3535123
411	2	101-500	NM3535123
355	2	101-500	NM3576723
355	2	101-500	NM3576723
355	2	101-500	NM3576723
355	2	101-500	NM3576723
270	2	101-500	NM3528322
270	2	101-500	NM3528322
270	2	101-500	NM3528322
126	2	101-500	NM3501901
126	2	101-500	NM3501901
126	2	101-500	NM3501901

AGUA SANA WUA	Y	332	Arsenic
AGUA SANA WUA	Y	332	Arsenic
AGUA SANA WUA	Y	332	Arsenic
AGUA SANA WUA	Y	332	Arsenic
AGUA SANA WUA	Y	332	Arsenic
BLUEWATER WATER AND SANITATION DISTRICT	Y	332	Arsenic
BLUEWATER WATER AND SANITATION DISTRICT	Y	332	Arsenic
BLUEWATER WATER AND SANITATION DISTRICT	Y	332	Arsenic
BLUEWATER WATER AND SANITATION DISTRICT	Y	332	Arsenic
BLUEWATER WATER AND SANITATION DISTRICT	Y	332	Arsenic
BLUEWATER WATER AND SANITATION DISTRICT	Y	332	Arsenic
BLUEWATER WATER AND SANITATION DISTRICT	Y	332	Arsenic
BLUEWATER WATER AND SANITATION DISTRICT	Y	332	Arsenic
BLUEWATER WATER AND SANITATION DISTRICT	Y	332	Arsenic
BLUEWATER WATER AND SANITATION DISTRICT	Y	332	Arsenic
BLUEWATER WATER AND SANITATION DISTRICT	Y	332	Arsenic
BLUEWATER WATER AND SANITATION DISTRICT	Y	332	Arsenic
BLUEWATER WATER AND SANITATION DISTRICT	Y	332	Arsenic
BLUEWATER WATER AND SANITATION DISTRICT	Y	332	Arsenic
BLUEWATER WATER AND SANITATION DISTRICT	Y	332	Arsenic
ALGODONES WUA	Y	332	Arsenic
ALGODONES WUA	Y	332	Arsenic
ALGODONES WUA	Y	332	Arsenic
ALGODONES WUA	Y	332	Arsenic
ALGODONES WUA	Y	332	Arsenic
ALGODONES WUA	Y	332	Arsenic
ALGODONES WUA	Y	332	Arsenic
ALGODONES WUA	Y	332	Arsenic
ALGODONES WUA	Y	332	Arsenic
ALGODONES WUA	Y	332	Arsenic
ALGODONES WUA	Y	332	Arsenic
ALGODONES WUA	Y	332	Arsenic
ALGODONES WUA	Y	332	Arsenic
ALGODONES WUA	Y	332	Arsenic
ALGODONES WUA	Y	332	Arsenic
ALGODONES WUA	Y	332	Arsenic
PLACITAS TRAILS WATER COOP	Y	332	Arsenic
PLACITAS TRAILS WATER COOP	Y	332	Arsenic
PLACITAS TRAILS WATER COOP	Y	332	Arsenic
PLACITAS TRAILS WATER COOP	Y	332	Arsenic
ELIDA WATER SYSTEM	Y	332	Arsenic
ELIDA WATER SYSTEM	Y	332	Arsenic
ELIDA WATER SYSTEM	Y	332	Arsenic
PAAKWEREE VILLAGE WATER CO-OP ASSOC, INC	Y	332	Arsenic
PAAKWEREE VILLAGE WATER CO-OP ASSOC, INC	Y	332	Arsenic
PAAKWEREE VILLAGE WATER CO-OP ASSOC, INC	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017

12/31/2014	373
9/30/2014	395
6/30/2014	396
3/31/2014	393
12/31/2013	367
9/30/2017	51947
6/30/2017	51946
3/31/2017	51945
12/31/2016	51943
9/30/2016	51944
6/30/2016	51938
3/31/2016	51936
12/31/2015	51937
9/30/2015	51935
6/30/2015	51934
3/31/2015	51933
12/31/2014	51932
9/30/2014	51931
6/30/2014	51930
3/31/2014	51929
12/31/2013	51928
9/30/2017	128857
6/30/2017	128856
3/31/2017	128855
12/31/2016	128853
9/30/2016	128854
6/30/2016	128844
3/31/2016	128843
12/31/2015	128841
9/30/2015	128842
6/30/2015	128840
3/31/2015	128839
12/31/2014	128838
9/30/2014	128836
6/30/2014	128835
3/31/2014	128834
12/31/2013	128833
12/31/2014	3587
6/30/2014	3583
3/31/2014	3582
12/31/2013	3580
3/31/2017	137745
12/31/2016	137733
6/30/2016	137732
9/30/2017	8060
6/30/2017	8059
3/31/2017	8058

06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	NM	A	CWS
06	OK	A	CWS
06	OK	A	CWS

126	2	101-500	NM3501901
126	2	101-500	NM3501901
126	2	101-500	NM3501901
126	2	101-500	NM3501901
126	2	101-500	NM3501901
126	2	101-500	NM3501901
126	2	101-500	NM3501901
126	2	101-500	NM3501901
126	2	101-500	NM3501901
126	2	101-500	NM3501901
126	2	101-500	NM3501901
126	2	101-500	NM3501901
126	2	101-500	NM3501901
60	1	<=100	NM3571026
60	1	<=100	NM3571026
60	1	<=100	NM3571026
60	1	<=100	NM3571026
60	1	<=100	NM3571026
60	1	<=100	NM3571026
60	1	<=100	NM3571026
60	1	<=100	NM3571026
60	1	<=100	NM3571026
60	1	<=100	NM3571026
60	1	<=100	NM3571026
60	1	<=100	NM3571026
60	1	<=100	NM3571026
60	1	<=100	NM3571026
60	1	<=100	NM3571026
50	1	<=100	NM3500432
50	1	<=100	NM3500432
50	1	<=100	NM3500432
50	1	<=100	NM3500432
50	1	<=100	NM3500432
50	1	<=100	NM3500432
50	1	<=100	NM3500432
50	1	<=100	NM3500432
50	1	<=100	NM3500432
50	1	<=100	NM3500432
50	1	<=100	NM3500432
50	1	<=100	NM3500432
50	1	<=100	NM3500432
50	1	<=100	NM3500432
50	1	<=100	NM3500432
50	1	<=100	NM3500432
2600	4	1,001-3,300	OK2000809
2600	4	1,001-3,300	OK2000809

PAAKWEREE VILLAGE WATER CO-OP ASSOC, INC	Y	332	Arsenic
PAAKWEREE VILLAGE WATER CO-OP ASSOC, INC	Y	332	Arsenic
PAAKWEREE VILLAGE WATER CO-OP ASSOC, INC	Y	332	Arsenic
PAAKWEREE VILLAGE WATER CO-OP ASSOC, INC	Y	332	Arsenic
PAAKWEREE VILLAGE WATER CO-OP ASSOC, INC	Y	332	Arsenic
PAAKWEREE VILLAGE WATER CO-OP ASSOC, INC	Y	332	Arsenic
PAAKWEREE VILLAGE WATER CO-OP ASSOC, INC	Y	332	Arsenic
PAAKWEREE VILLAGE WATER CO-OP ASSOC, INC	Y	332	Arsenic
PAAKWEREE VILLAGE WATER CO-OP ASSOC, INC	Y	332	Arsenic
PAAKWEREE VILLAGE WATER CO-OP ASSOC, INC	Y	332	Arsenic
PAAKWEREE VILLAGE WATER CO-OP ASSOC, INC	Y	332	Arsenic
PAAKWEREE VILLAGE WATER CO-OP ASSOC, INC	Y	332	Arsenic
PAAKWEREE VILLAGE WATER CO-OP ASSOC, INC	Y	332	Arsenic
JUNIPER HILLS MHP	Y	332	Arsenic
JUNIPER HILLS MHP	Y	332	Arsenic
JUNIPER HILLS MHP	Y	332	Arsenic
JUNIPER HILLS MHP	Y	332	Arsenic
JUNIPER HILLS MHP	Y	332	Arsenic
JUNIPER HILLS MHP	Y	332	Arsenic
JUNIPER HILLS MHP	Y	332	Arsenic
JUNIPER HILLS MHP	Y	332	Arsenic
JUNIPER HILLS MHP	Y	332	Arsenic
JUNIPER HILLS MHP	Y	332	Arsenic
JUNIPER HILLS MHP	Y	332	Arsenic
JUNIPER HILLS MHP	Y	332	Arsenic
JUNIPER HILLS MHP	Y	332	Arsenic
JUNIPER HILLS MHP	Y	332	Arsenic
JUNIPER HILLS MHP	Y	332	Arsenic
LOMA ESCONDIDA WATER ASSOCIATION	Y	332	Arsenic
LOMA ESCONDIDA WATER ASSOCIATION	Y	332	Arsenic
LOMA ESCONDIDA WATER ASSOCIATION	Y	332	Arsenic
LOMA ESCONDIDA WATER ASSOCIATION	Y	332	Arsenic
LOMA ESCONDIDA WATER ASSOCIATION	Y	332	Arsenic
LOMA ESCONDIDA WATER ASSOCIATION	Y	332	Arsenic
LOMA ESCONDIDA WATER ASSOCIATION	Y	332	Arsenic
LOMA ESCONDIDA WATER ASSOCIATION	Y	332	Arsenic
LOMA ESCONDIDA WATER ASSOCIATION	Y	332	Arsenic
LOMA ESCONDIDA WATER ASSOCIATION	Y	332	Arsenic
LOMA ESCONDIDA WATER ASSOCIATION	Y	332	Arsenic
LOMA ESCONDIDA WATER ASSOCIATION	Y	332	Arsenic
LOMA ESCONDIDA WATER ASSOCIATION	Y	332	Arsenic
LOMA ESCONDIDA WATER ASSOCIATION	Y	332	Arsenic
LOMA ESCONDIDA WATER ASSOCIATION	Y	332	Arsenic
HINTON	Y	332	Arsenic
HINTON	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017

12/31/2016	8057
9/30/2016	8054
6/30/2016	8053
3/31/2016	8052
12/31/2015	8051
9/30/2015	8049
6/30/2015	8050
3/31/2015	8046
12/31/2014	8045
9/30/2014	8044
6/30/2014	8043
3/31/2014	8040
12/31/2013	8041
9/30/2017	11594
6/30/2017	11593
3/31/2017	11595
12/31/2016	11590
9/30/2016	11592
6/30/2016	11591
3/31/2016	11588
12/31/2015	11587
9/30/2015	11589
6/30/2015	11584
3/31/2015	11582
12/31/2014	11583
9/30/2014	11585
6/30/2014	11558
3/31/2014	11557
12/31/2013	11556
9/30/2017	410
6/30/2017	406
3/31/2017	401
12/31/2016	366
9/30/2016	367
6/30/2016	359
3/31/2016	358
12/31/2015	350
9/30/2015	355
6/30/2015	356
3/31/2015	341
12/31/2014	338
9/30/2014	339
6/30/2014	340
3/31/2014	336
12/31/2013	335
9/30/2017	143409
6/30/2017	143407

06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS

2600 4	1,001-3,300	OK2000809
2600 4	1,001-3,300	OK2000809
2600 4	1,001-3,300	OK2000809
2600 4	1,001-3,300	OK2000809
2600 4	1,001-3,300	OK2000809
2600 4	1,001-3,300	OK2000809
2000 4	1,001-3,300	OK2001702
2000 4	1,001-3,300	OK2001702
2000 4	1,001-3,300	OK2001702
2000 4	1,001-3,300	OK2001702
2000 4	1,001-3,300	OK2001702
2000 4	1,001-3,300	OK2001702
2000 4	1,001-3,300	OK2001702
2000 4	1,001-3,300	OK2001702
2000 4	1,001-3,300	OK2001702
2000 4	1,001-3,300	OK2001702
2000 4	1,001-3,300	OK2001702
2000 4	1,001-3,300	OK2001702
2000 4	1,001-3,300	OK2001702
2000 4	1,001-3,300	OK2001702
2000 4	1,001-3,300	OK2001702
2000 4	1,001-3,300	OK2001702
591 3	501-1,000	OK2007501
591 3	501-1,000	OK2007501
591 3	501-1,000	OK2007501
591 3	501-1,000	OK2007501
277 2	101-500	OK2000808
277 2	101-500	OK2000808
277 2	101-500	OK2000808
277 2	101-500	OK2000808
277 2	101-500	OK2000808
277 2	101-500	OK2000808
277 2	101-500	OK2000808
277 2	101-500	OK2000808
277 2	101-500	OK2000808
277 2	101-500	OK2000808
277 2	101-500	OK2000808
277 2	101-500	OK2000808
277 2	101-500	OK2000808
277 2	101-500	OK2000808
277 2	101-500	OK2000808
277 2	101-500	OK2000808
277 2	101-500	OK2000808
277 2	101-500	OK2000808
277 2	101-500	OK2000808
277 2	101-500	OK2000808
277 2	101-500	OK2000808

HINTON	Y	332	Arsenic
HINTON	Y	332	Arsenic
HINTON	Y	332	Arsenic
HINTON	Y	332	Arsenic
HINTON	Y	332	Arsenic
HINTON	Y	332	Arsenic
COTTON CO RWD #2	Y	332	Arsenic
COTTON CO RWD #2	Y	332	Arsenic
COTTON CO RWD #2	Y	332	Arsenic
COTTON CO RWD #2	Y	332	Arsenic
COTTON CO RWD #2	Y	332	Arsenic
COTTON CO RWD #2	Y	332	Arsenic
COTTON CO RWD #2	Y	332	Arsenic
COTTON CO RWD #2	Y	332	Arsenic
COTTON CO RWD #2	Y	332	Arsenic
COTTON CO RWD #2	Y	332	Arsenic
COTTON CO RWD #2	Y	332	Arsenic
COTTON CO RWD #2	Y	332	Arsenic
COTTON CO RWD #2	Y	332	Arsenic
COTTON CO RWD #2	Y	332	Arsenic
COTTON CO RWD #2	Y	332	Arsenic
COTTON CO RWD #2	Y	332	Arsenic
CORN PWA	Y	332	Arsenic
CORN PWA	Y	332	Arsenic
CORN PWA	Y	332	Arsenic
CORN PWA	Y	332	Arsenic
EAKLY DEVELOPMENT CORP	Y	332	Arsenic
EAKLY DEVELOPMENT CORP	Y	332	Arsenic
EAKLY DEVELOPMENT CORP	Y	332	Arsenic
EAKLY DEVELOPMENT CORP	Y	332	Arsenic
EAKLY DEVELOPMENT CORP	Y	332	Arsenic
EAKLY DEVELOPMENT CORP	Y	332	Arsenic
EAKLY DEVELOPMENT CORP	Y	332	Arsenic
EAKLY DEVELOPMENT CORP	Y	332	Arsenic
EAKLY DEVELOPMENT CORP	Y	332	Arsenic
EAKLY DEVELOPMENT CORP	Y	332	Arsenic
EAKLY DEVELOPMENT CORP	Y	332	Arsenic
EAKLY DEVELOPMENT CORP	Y	332	Arsenic
EAKLY DEVELOPMENT CORP	Y	332	Arsenic
EAKLY DEVELOPMENT CORP	Y	332	Arsenic
EAKLY DEVELOPMENT CORP	Y	332	Arsenic
EAKLY DEVELOPMENT CORP	Y	332	Arsenic
EAKLY DEVELOPMENT CORP	Y	332	Arsenic
EAKLY DEVELOPMENT CORP	Y	332	Arsenic
EAKLY DEVELOPMENT CORP	Y	332	Arsenic
EAKLY DEVELOPMENT CORP	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015

3/31/2017	143406
12/31/2016	143394
12/31/2015	143359
6/30/2015	143357
3/31/2014	143335
12/31/2013	143334
9/30/2017	134349
6/30/2017	134348
3/31/2017	134345
12/31/2016	134343
9/30/2016	134342
6/30/2016	134341
3/31/2016	134340
12/31/2015	134338
9/30/2015	134337
6/30/2015	134335
3/31/2015	134336
12/31/2014	134333
9/30/2014	134332
6/30/2014	134331
3/31/2014	134330
12/31/2013	134329
6/30/2016	300133
3/31/2016	300134
12/31/2015	300131
9/30/2015	300132
9/30/2017	282113
9/30/2017	282114
6/30/2017	282111
6/30/2017	282112
3/31/2017	282109
3/31/2017	282110
12/31/2016	282107
12/31/2016	282108
9/30/2016	282105
9/30/2016	282106
6/30/2016	282100
6/30/2016	282101
3/31/2016	282098
3/31/2016	282099
12/31/2015	282094
12/31/2015	282096
9/30/2015	282095
9/30/2015	282097
6/30/2015	282090
6/30/2015	282091
3/31/2015	282092

06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	OK	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS

277	2	101-500	OK2000808
277	2	101-500	OK2000808
277	2	101-500	OK2000808
277	2	101-500	OK2000808
277	2	101-500	OK2000808
277	2	101-500	OK2000808
277	2	101-500	OK2000808
277	2	101-500	OK2000808
277	2	101-500	OK2000808
277	2	101-500	OK2000808
277	2	101-500	OK2000808
275	2	101-500	OK2000802
275	2	101-500	OK2000802
275	2	101-500	OK2000802
275	2	101-500	OK2000802
275	2	101-500	OK2000802
275	2	101-500	OK2000802
275	2	101-500	OK2000802
275	2	101-500	OK2000802
275	2	101-500	OK2000802
275	2	101-500	OK2000802
170	2	101-500	OK2001483
170	2	101-500	OK2001483
170	2	101-500	OK2001483
170	2	101-500	OK2001483
170	2	101-500	OK2001483
170	2	101-500	OK2001483
147	2	101-500	OK2002711
147	2	101-500	OK2002711
147	2	101-500	OK2002711
147	2	101-500	OK2002711
16890	6	10,001-50,000	TX1080067
16890	6	10,001-50,000	TX1080067
16890	6	10,001-50,000	TX1080067
16890	6	10,001-50,000	TX1080067
16890	6	10,001-50,000	TX1080067
16890	6	10,001-50,000	TX1080067
16890	6	10,001-50,000	TX1080067
16890	6	10,001-50,000	TX1080067
9900	5	3,301-10,000	TX1550001
5526	5	3,301-10,000	TX1240001
5526	5	3,301-10,000	TX1240001
5526	5	3,301-10,000	TX1240001
5526	5	3,301-10,000	TX1240001
5526	5	3,301-10,000	TX1240001
5526	5	3,301-10,000	TX1240001
5526	5	3,301-10,000	TX1240001

EAKLY DEVELOPMENT CORP	Y	332	Arsenic
EAKLY DEVELOPMENT CORP	Y	332	Arsenic
EAKLY DEVELOPMENT CORP	Y	332	Arsenic
EAKLY DEVELOPMENT CORP	Y	332	Arsenic
EAKLY DEVELOPMENT CORP	Y	332	Arsenic
EAKLY DEVELOPMENT CORP	Y	332	Arsenic
EAKLY DEVELOPMENT CORP	Y	332	Arsenic
EAKLY DEVELOPMENT CORP	Y	332	Arsenic
EAKLY DEVELOPMENT CORP	Y	332	Arsenic
EAKLY DEVELOPMENT CORP	Y	332	Arsenic
EAKLY DEVELOPMENT CORP	Y	332	Arsenic
CADDO CO RWD #1 (LOOKEBA)	Y	332	Arsenic
CADDO CO RWD #1 (LOOKEBA)	Y	332	Arsenic
CADDO CO RWD #1 (LOOKEBA)	Y	332	Arsenic
CADDO CO RWD #1 (LOOKEBA)	Y	332	Arsenic
CADDO CO RWD #1 (LOOKEBA)	Y	332	Arsenic
CADDO CO RWD #1 (LOOKEBA)	Y	332	Arsenic
CADDO CO RWD #1 (LOOKEBA)	Y	332	Arsenic
CADDO CO RWD #1 (LOOKEBA)	Y	332	Arsenic
CADDO CO RWD #1 (LOOKEBA)	Y	332	Arsenic
CADDO CO RWD #1 (LOOKEBA)	Y	332	Arsenic
CLEARVIEW MHC	Y	332	Arsenic
CLEARVIEW MHC	Y	332	Arsenic
CLEARVIEW MHC	Y	332	Arsenic
CLEARVIEW MHC	Y	332	Arsenic
CLEARVIEW MHC	Y	332	Arsenic
CLEARVIEW MHC	Y	332	Arsenic
DEER CREEK	Y	332	Arsenic
DEER CREEK	Y	332	Arsenic
DEER CREEK	Y	332	Arsenic
DEER CREEK	Y	332	Arsenic
MILITARY HWY WSC LAS RUSIAS	Y	332	Arsenic
MILITARY HWY WSC LAS RUSIAS	Y	332	Arsenic
MILITARY HWY WSC LAS RUSIAS	Y	332	Arsenic
MILITARY HWY WSC LAS RUSIAS	Y	332	Arsenic
MILITARY HWY WSC LAS RUSIAS	Y	332	Arsenic
MILITARY HWY WSC LAS RUSIAS	Y	332	Arsenic
MILITARY HWY WSC LAS RUSIAS	Y	332	Arsenic
MILITARY HWY WSC LAS RUSIAS	Y	332	Arsenic
CITY OF BELLMEAD	Y	332	Arsenic
JIM HOGG COUNTY WCID 2	Y	332	Arsenic
JIM HOGG COUNTY WCID 2	Y	332	Arsenic
JIM HOGG COUNTY WCID 2	Y	332	Arsenic
JIM HOGG COUNTY WCID 2	Y	332	Arsenic
JIM HOGG COUNTY WCID 2	Y	332	Arsenic
JIM HOGG COUNTY WCID 2	Y	332	Arsenic
JIM HOGG COUNTY WCID 2	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016

3/31/2015	282093
12/31/2014	282087
12/31/2014	282088
9/30/2014	282083
9/30/2014	282084
6/30/2014	282081
6/30/2014	282082
3/31/2014	282079
3/31/2014	282080
12/31/2013	282077
12/31/2013	282078
9/30/2017	278536
6/30/2017	278534
3/31/2017	278533
12/31/2015	278531
9/30/2015	278530
3/31/2015	278529
12/31/2014	278528
9/30/2014	278527
6/30/2014	278525
3/31/2014	278524
9/30/2016	114174
6/30/2016	114152
3/31/2016	114151
12/31/2015	114129
9/30/2015	114128
6/30/2015	114125
3/31/2017	275460
12/31/2016	275459
9/30/2016	275458
6/30/2016	275456
3/31/2017	802
12/31/2016	780
9/30/2016	774
6/30/2016	767
3/31/2016	763
9/30/2015	751
6/30/2015	749
3/31/2015	747
12/31/2017	160
9/30/2017	990009971
9/30/2017	990009973
6/30/2017	990009965
3/31/2017	990009961
12/31/2016	990009956
9/30/2016	990009953
6/30/2016	990009949

06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS

5526 5	3,301-10,000	TX1240001
5526 5	3,301-10,000	TX1240001
5526 5	3,301-10,000	TX1240001
5526 5	3,301-10,000	TX1240001
5526 5	3,301-10,000	TX1240001
5526 5	3,301-10,000	TX1240001
5526 5	3,301-10,000	TX1240001
5526 5	3,301-10,000	TX1240001
5526 5	3,301-10,000	TX1240001
5526 5	3,301-10,000	TX1240001
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004
5013 5	3,301-10,000	TX0730004

JIM HOGG COUNTY WCID 2	Y	332	Arsenic
JIM HOGG COUNTY WCID 2	Y	332	Arsenic
JIM HOGG COUNTY WCID 2	Y	332	Arsenic
JIM HOGG COUNTY WCID 2	Y	332	Arsenic
JIM HOGG COUNTY WCID 2	Y	332	Arsenic
JIM HOGG COUNTY WCID 2	Y	332	Arsenic
JIM HOGG COUNTY WCID 2	Y	332	Arsenic
JIM HOGG COUNTY WCID 2	Y	332	Arsenic
JIM HOGG COUNTY WCID 2	Y	332	Arsenic
JIM HOGG COUNTY WCID 2	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014

3/31/2016	990009947
12/31/2015	990009944
9/30/2015	990009939
6/30/2015	990009936
3/31/2015	990009933
12/31/2014	990009928
9/30/2014	990009925
6/30/2014	990009923
3/31/2014	990009920
12/31/2013	990009917
12/31/2017	100068248
12/31/2017	100068249
12/31/2017	100068250
9/30/2017	100068241
9/30/2017	100068242
9/30/2017	100068243
6/30/2017	100068232
6/30/2017	100068233
6/30/2017	100068234
3/31/2017	100068218
3/31/2017	100068219
3/31/2017	100068220
12/31/2016	100068206
12/31/2016	100068207
12/31/2016	100068208
9/30/2016	100068193
9/30/2016	100068194
9/30/2016	100068195
6/30/2016	100068184
6/30/2016	100068185
6/30/2016	100068186
3/31/2016	100068178
3/31/2016	100068179
3/31/2016	100068180
12/31/2015	100068168
12/31/2015	100068169
12/31/2015	100068170
9/30/2015	100068159
9/30/2015	100068160
9/30/2015	100068161
6/30/2015	100068149
6/30/2015	100068150
6/30/2015	100068151
3/31/2015	100068143
3/31/2015	100068144
3/31/2015	100068145
12/31/2014	100068133

06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS

5013	5	3,301-10,000	TX0730004
5013	5	3,301-10,000	TX0730004
5013	5	3,301-10,000	TX0730004
5013	5	3,301-10,000	TX0730004
5013	5	3,301-10,000	TX0730004
5013	5	3,301-10,000	TX0730004
5013	5	3,301-10,000	TX0730004
5013	5	3,301-10,000	TX0730004
5013	5	3,301-10,000	TX0730004
5013	5	3,301-10,000	TX0730004
5013	5	3,301-10,000	TX0730004
5013	5	3,301-10,000	TX0730004
5013	5	3,301-10,000	TX0730004
5013	5	3,301-10,000	TX0730004
5013	5	3,301-10,000	TX0730004
3477	5	3,301-10,000	TX0200037
3477	5	3,301-10,000	TX0200037
3477	5	3,301-10,000	TX0200037
3400	5	3,301-10,000	TX0710019
3400	5	3,301-10,000	TX0710019
3400	5	3,301-10,000	TX0710019
3400	5	3,301-10,000	TX0710019
3400	5	3,301-10,000	TX0710019
3400	5	3,301-10,000	TX0710019
3400	5	3,301-10,000	TX0710019
3400	5	3,301-10,000	TX0710019
3400	5	3,301-10,000	TX0710019
3400	5	3,301-10,000	TX0710019
3400	5	3,301-10,000	TX0710019
3400	5	3,301-10,000	TX0710019
3400	5	3,301-10,000	TX0710019
3400	5	3,301-10,000	TX0710019
3027	4	1,001-3,300	TX1550005
3027	4	1,001-3,300	TX1550005
2492	4	1,001-3,300	TX1590001
2492	4	1,001-3,300	TX1590001
2459	4	1,001-3,300	TX2350001
2459	4	1,001-3,300	TX2350001
2370	4	1,001-3,300	TX0750002
2370	4	1,001-3,300	TX0750002
2370	4	1,001-3,300	TX0750002
2370	4	1,001-3,300	TX0750002
2196	4	1,001-3,300	TX0830001
2196	4	1,001-3,300	TX0830001
2196	4	1,001-3,300	TX0830001
2196	4	1,001-3,300	TX0830001
2196	4	1,001-3,300	TX0830001
2196	4	1,001-3,300	TX0830001

TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
TRI COUNTY SUD	Y	332	Arsenic
VILLAGE OF SURFSIDE BEACH	Y	332	Arsenic
VILLAGE OF SURFSIDE BEACH	Y	332	Arsenic
VILLAGE OF SURFSIDE BEACH	Y	332	Arsenic
EL PASO COUNTY TORNILLO WID	Y	332	Arsenic
EL PASO COUNTY TORNILLO WID	Y	332	Arsenic
EL PASO COUNTY TORNILLO WID	Y	332	Arsenic
EL PASO COUNTY TORNILLO WID	Y	332	Arsenic
EL PASO COUNTY TORNILLO WID	Y	332	Arsenic
EL PASO COUNTY TORNILLO WID	Y	332	Arsenic
EL PASO COUNTY TORNILLO WID	Y	332	Arsenic
EL PASO COUNTY TORNILLO WID	Y	332	Arsenic
EL PASO COUNTY TORNILLO WID	Y	332	Arsenic
EL PASO COUNTY TORNILLO WID	Y	332	Arsenic
EL PASO COUNTY TORNILLO WID	Y	332	Arsenic
EL PASO COUNTY TORNILLO WID	Y	332	Arsenic
EL PASO COUNTY TORNILLO WID	Y	332	Arsenic
EL PASO COUNTY TORNILLO WID	Y	332	Arsenic
CITY OF MART	Y	332	Arsenic
CITY OF MART	Y	332	Arsenic
CITY OF STANTON	Y	332	Arsenic
CITY OF STANTON	Y	332	Arsenic
VICTORIA COUNTY WCID 1	Y	332	Arsenic
VICTORIA COUNTY WCID 1	Y	332	Arsenic
CITY OF FLATONIA	Y	332	Arsenic
CITY OF FLATONIA	Y	332	Arsenic
CITY OF FLATONIA	Y	332	Arsenic
CITY OF FLATONIA	Y	332	Arsenic
CITY OF SEAGRAVES	Y	332	Arsenic
CITY OF SEAGRAVES	Y	332	Arsenic
CITY OF SEAGRAVES	Y	332	Arsenic
CITY OF SEAGRAVES	Y	332	Arsenic
CITY OF SEAGRAVES	Y	332	Arsenic
CITY OF SEAGRAVES	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017

12/31/2014	100068134
12/31/2014	100068135
9/30/2014	100068130
9/30/2014	100068131
9/30/2014	100068132
6/30/2014	100068126
6/30/2014	100068127
6/30/2014	100068128
3/31/2014	100068119
3/31/2014	100068120
3/31/2014	100068121
12/31/2013	100068110
12/31/2013	100068111
12/31/2013	100068112
9/30/2017	100068609
6/30/2017	100068601
3/31/2017	100068593
3/31/2017	100068329
12/31/2016	100068326
9/30/2016	100068323
6/30/2016	100068322
3/31/2016	100068319
12/31/2015	100068316
9/30/2015	100068315
6/30/2015	100068314
3/31/2015	100068313
12/31/2014	100068311
9/30/2014	100068310
6/30/2014	100068308
3/31/2014	100068307
12/31/2013	100068305
3/31/2017	100068483
12/31/2016	100068473
12/31/2017	990010142
3/31/2017	990010134
12/31/2017	90065511
9/30/2017	90065508
12/31/2017	100068324
9/30/2017	100068322
6/30/2017	100068321
3/31/2017	100068314
12/31/2017	100068274
9/30/2017	100068267
6/30/2017	100068253
6/30/2017	100068259
3/31/2017	100068234
3/31/2017	100068235

06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS

2196 4	1,001-3,300	TX0830001
2196 4	1,001-3,300	TX0830001
2196 4	1,001-3,300	TX0830001
2196 4	1,001-3,300	TX0830001
2196 4	1,001-3,300	TX0830001
2196 4	1,001-3,300	TX0830001
2196 4	1,001-3,300	TX0830001
2196 4	1,001-3,300	TX0830001
2196 4	1,001-3,300	TX0830001
2196 4	1,001-3,300	TX0830001
2196 4	1,001-3,300	TX0830001
2196 4	1,001-3,300	TX0830001
2196 4	1,001-3,300	TX0830001
2196 4	1,001-3,300	TX0830001
2196 4	1,001-3,300	TX0830001
2196 4	1,001-3,300	TX0830001
2196 4	1,001-3,300	TX0830001
2196 4	1,001-3,300	TX0830001
2196 4	1,001-3,300	TX0830001
2196 4	1,001-3,300	TX0830001
2196 4	1,001-3,300	TX0830001
2196 4	1,001-3,300	TX0830001
2196 4	1,001-3,300	TX0830001
2196 4	1,001-3,300	TX0830001
2196 4	1,001-3,300	TX0830001
2196 4	1,001-3,300	TX0830001
2196 4	1,001-3,300	TX0830001
2100 4	1,001-3,300	TX1470011
2100 4	1,001-3,300	TX1470011
2100 4	1,001-3,300	TX1470011
2100 4	1,001-3,300	TX1470011
2100 4	1,001-3,300	TX1470011
2100 4	1,001-3,300	TX1470011
2100 4	1,001-3,300	TX1470011
2100 4	1,001-3,300	TX1470011
2100 4	1,001-3,300	TX1470011
2100 4	1,001-3,300	TX1470011
2100 4	1,001-3,300	TX1470011
2100 4	1,001-3,300	TX1470011
2100 4	1,001-3,300	TX1470011
2064 4	1,001-3,300	TX1250030
2025 4	1,001-3,300	TX0400001
2025 4	1,001-3,300	TX0400001
1828 4	1,001-3,300	TX2040024
1828 4	1,001-3,300	TX2040024
1828 4	1,001-3,300	TX2040024
1828 4	1,001-3,300	TX2040024
1828 4	1,001-3,300	TX2040024

CITY OF SEAGRAVES	Y	332	Arsenic
CITY OF SEAGRAVES	Y	332	Arsenic
CITY OF SEAGRAVES	Y	332	Arsenic
CITY OF SEAGRAVES	Y	332	Arsenic
CITY OF SEAGRAVES	Y	332	Arsenic
CITY OF SEAGRAVES	Y	332	Arsenic
CITY OF SEAGRAVES	Y	332	Arsenic
CITY OF SEAGRAVES	Y	332	Arsenic
CITY OF SEAGRAVES	Y	332	Arsenic
CITY OF SEAGRAVES	Y	332	Arsenic
CITY OF SEAGRAVES	Y	332	Arsenic
CITY OF SEAGRAVES	Y	332	Arsenic
CITY OF SEAGRAVES	Y	332	Arsenic
CITY OF SEAGRAVES	Y	332	Arsenic
CITY OF SEAGRAVES	Y	332	Arsenic
CITY OF SEAGRAVES	Y	332	Arsenic
CITY OF SEAGRAVES	Y	332	Arsenic
CITY OF SEAGRAVES	Y	332	Arsenic
CITY OF SEAGRAVES	Y	332	Arsenic
CITY OF SEAGRAVES	Y	332	Arsenic
CITY OF SEAGRAVES	Y	332	Arsenic
CITY OF SEAGRAVES	Y	332	Arsenic
CITY OF SEAGRAVES	Y	332	Arsenic
CITY OF SEAGRAVES	Y	332	Arsenic
CITY OF SEAGRAVES	Y	332	Arsenic
CITY OF SEAGRAVES	Y	332	Arsenic
PRAIRIE HILL WSC	Y	332	Arsenic
PRAIRIE HILL WSC	Y	332	Arsenic
PRAIRIE HILL WSC	Y	332	Arsenic
PRAIRIE HILL WSC	Y	332	Arsenic
PRAIRIE HILL WSC	Y	332	Arsenic
PRAIRIE HILL WSC	Y	332	Arsenic
PRAIRIE HILL WSC	Y	332	Arsenic
PRAIRIE HILL WSC	Y	332	Arsenic
PRAIRIE HILL WSC	Y	332	Arsenic
PRAIRIE HILL WSC	Y	332	Arsenic
PRAIRIE HILL WSC	Y	332	Arsenic
PRAIRIE HILL WSC	Y	332	Arsenic
JIM WELLS COUNTY FWSD 1	Y	332	Arsenic
CITY OF MORTON	Y	332	Arsenic
CITY OF MORTON	Y	332	Arsenic
POINT BLANK & STEPHENS CREEK WSC	Y	332	Arsenic
POINT BLANK & STEPHENS CREEK WSC	Y	332	Arsenic
POINT BLANK & STEPHENS CREEK WSC	Y	332	Arsenic
POINT BLANK & STEPHENS CREEK WSC	Y	332	Arsenic
POINT BLANK & STEPHENS CREEK WSC	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017

12/31/2016	100068223
12/31/2016	100068224
9/30/2016	100068213
9/30/2016	100068214
6/30/2016	100068216
6/30/2016	100068217
3/31/2016	100068204
3/31/2016	100068205
12/31/2015	100068195
12/31/2015	100068196
9/30/2015	100068191
9/30/2015	100068192
6/30/2015	100068186
6/30/2015	100068187
3/31/2015	100068181
3/31/2015	100068182
12/31/2014	100068173
12/31/2014	100068174
9/30/2014	100068170
9/30/2014	100068171
6/30/2014	100068164
6/30/2014	100068166
3/31/2014	100068156
3/31/2014	100068157
12/31/2013	100068150
12/31/2013	100068153
12/31/2017	100068130
9/30/2017	100068127
6/30/2017	100068123
3/31/2017	100068119
12/31/2016	100068113
9/30/2016	100068110
6/30/2016	100068106
3/31/2016	100068103
12/31/2015	100068099
9/30/2015	100068095
6/30/2015	100068093
3/31/2015	100068091
12/31/2014	100068089
12/31/2017	100067255
12/31/2017	970009389
9/30/2017	970009386
9/30/2017	100068242
9/30/2017	100068243
6/30/2017	100068235
6/30/2017	100068236
3/31/2017	100068228

06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS

1828 4	1,001-3,300	TX2040024
1828 4	1,001-3,300	TX2040024
1780 4	1,001-3,300	TX1550016
1780 4	1,001-3,300	TX1550016
1780 4	1,001-3,300	TX1550016
1780 4	1,001-3,300	TX1550016
1780 4	1,001-3,300	TX1550016
1780 4	1,001-3,300	TX1550016
1780 4	1,001-3,300	TX1550016
1780 4	1,001-3,300	TX1550016
1780 4	1,001-3,300	TX1550016
1780 4	1,001-3,300	TX1550016
1780 4	1,001-3,300	TX1550016
1780 4	1,001-3,300	TX1550016
1780 4	1,001-3,300	TX1550016
1780 4	1,001-3,300	TX1550016
1780 4	1,001-3,300	TX1550016
1780 4	1,001-3,300	TX1550016
1776 4	1,001-3,300	TX2350004
1776 4	1,001-3,300	TX2350004
1735 4	1,001-3,300	TX1550025
1735 4	1,001-3,300	TX1550025
1735 4	1,001-3,300	TX1550025
1735 4	1,001-3,300	TX1550025
1735 4	1,001-3,300	TX1550025
1735 4	1,001-3,300	TX1550025
1735 4	1,001-3,300	TX1550025
1735 4	1,001-3,300	TX1550025
1735 4	1,001-3,300	TX1550025
1735 4	1,001-3,300	TX1550025
1735 4	1,001-3,300	TX1550025
1735 4	1,001-3,300	TX1550025
1735 4	1,001-3,300	TX1550025
1735 4	1,001-3,300	TX1550025
1735 4	1,001-3,300	TX1550025
1735 4	1,001-3,300	TX1550025
1704 4	1,001-3,300	TX1870105
1704 4	1,001-3,300	TX1870105
1704 4	1,001-3,300	TX1870105
1704 4	1,001-3,300	TX1870105
1704 4	1,001-3,300	TX1870105
1704 4	1,001-3,300	TX1870105
1704 4	1,001-3,300	TX1870105
1704 4	1,001-3,300	TX1870105

POINT BLANK & STEPHENS CREEK WSC	Y	332	Arsenic
POINT BLANK & STEPHENS CREEK WSC	Y	332	Arsenic
AXTELL WSC	Y	332	Arsenic
AXTELL WSC	Y	332	Arsenic
AXTELL WSC	Y	332	Arsenic
AXTELL WSC	Y	332	Arsenic
AXTELL WSC	Y	332	Arsenic
AXTELL WSC	Y	332	Arsenic
AXTELL WSC	Y	332	Arsenic
AXTELL WSC	Y	332	Arsenic
AXTELL WSC	Y	332	Arsenic
AXTELL WSC	Y	332	Arsenic
AXTELL WSC	Y	332	Arsenic
AXTELL WSC	Y	332	Arsenic
AXTELL WSC	Y	332	Arsenic
AXTELL WSC	Y	332	Arsenic
AXTELL WSC	Y	332	Arsenic
AXTELL WSC	Y	332	Arsenic
QUAIL CREEK MUD	Y	332	Arsenic
QUAIL CREEK MUD	Y	332	Arsenic
EOL WSC	Y	332	Arsenic
EOL WSC	Y	332	Arsenic
EOL WSC	Y	332	Arsenic
EOL WSC	Y	332	Arsenic
EOL WSC	Y	332	Arsenic
EOL WSC	Y	332	Arsenic
EOL WSC	Y	332	Arsenic
EOL WSC	Y	332	Arsenic
EOL WSC	Y	332	Arsenic
EOL WSC	Y	332	Arsenic
EOL WSC	Y	332	Arsenic
EOL WSC	Y	332	Arsenic
EOL WSC	Y	332	Arsenic
EOL WSC	Y	332	Arsenic
EOL WSC	Y	332	Arsenic
EOL WSC	Y	332	Arsenic
EOL WSC	Y	332	Arsenic
EOL WSC	Y	332	Arsenic
TEMPE WSC 1	Y	332	Arsenic
TEMPE WSC 1	Y	332	Arsenic
TEMPE WSC 1	Y	332	Arsenic
TEMPE WSC 1	Y	332	Arsenic
TEMPE WSC 1	Y	332	Arsenic
TEMPE WSC 1	Y	332	Arsenic
TEMPE WSC 1	Y	332	Arsenic
TEMPE WSC 1	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017

3/31/2017	100068229
12/31/2016	100068220
12/31/2017	100068402
9/30/2017	100068399
6/30/2017	100068396
3/31/2017	100068392
12/31/2016	100068386
9/30/2016	100068382
6/30/2016	100068376
3/31/2016	100068373
12/31/2015	100068367
9/30/2015	100068363
6/30/2015	100068362
3/31/2015	100068360
12/31/2014	100068355
9/30/2014	100068351
6/30/2014	100068348
3/31/2014	100068345
12/31/2013	100068342
9/30/2017	100069429
6/30/2017	100069427
12/31/2017	100069313
12/31/2017	100069314
9/30/2017	100069311
6/30/2017	100069307
3/31/2017	100069303
12/31/2016	100069298
9/30/2016	100069295
6/30/2016	100069287
3/31/2016	100069284
12/31/2015	100069282
9/30/2015	100069280
6/30/2015	100069279
3/31/2015	100069277
12/31/2014	100069274
9/30/2014	100069273
6/30/2014	100069270
3/31/2014	100069268
12/31/2013	100069262
12/31/2017	970009837
12/31/2017	970009841
9/30/2017	970009819
9/30/2017	970009820
6/30/2017	970009786
6/30/2017	970009800
3/31/2017	970009734
3/31/2017	970009735

06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS

1704 4	1,001-3,300	TX1870105
1704 4	1,001-3,300	TX1870105
1704 4	1,001-3,300	TX1870105
1704 4	1,001-3,300	TX1870105
1704 4	1,001-3,300	TX1870105
1704 4	1,001-3,300	TX1870105
1704 4	1,001-3,300	TX1870105
1704 4	1,001-3,300	TX1870105
1704 4	1,001-3,300	TX1870105
1704 4	1,001-3,300	TX1870105
1704 4	1,001-3,300	TX1870105
1704 4	1,001-3,300	TX1870105
1704 4	1,001-3,300	TX1870105
1704 4	1,001-3,300	TX1870105
1704 4	1,001-3,300	TX1870105
1704 4	1,001-3,300	TX1870105
1704 4	1,001-3,300	TX1870105
1704 4	1,001-3,300	TX1870105
1611 4	1,001-3,300	TX1550027
1611 4	1,001-3,300	TX1550027
1611 4	1,001-3,300	TX1550027
1611 4	1,001-3,300	TX1550027
1494 4	1,001-3,300	TX1960003
1494 4	1,001-3,300	TX1960003
1494 4	1,001-3,300	TX1960003
1481 4	1,001-3,300	TX2510002
1481 4	1,001-3,300	TX2510002
1481 4	1,001-3,300	TX2510002
1481 4	1,001-3,300	TX2510002
1481 4	1,001-3,300	TX2510002
1481 4	1,001-3,300	TX2510002
1481 4	1,001-3,300	TX2510002
1481 4	1,001-3,300	TX2510002
1481 4	1,001-3,300	TX2510002
1481 4	1,001-3,300	TX2510002
1481 4	1,001-3,300	TX2510002
1481 4	1,001-3,300	TX2510002
1481 4	1,001-3,300	TX2510002
1481 4	1,001-3,300	TX2510002
1481 4	1,001-3,300	TX2510002
1481 4	1,001-3,300	TX2510002
1362 4	1,001-3,300	TX0660001
1362 4	1,001-3,300	TX0660001
1362 4	1,001-3,300	TX0660001
1362 4	1,001-3,300	TX0660001
1362 4	1,001-3,300	TX0660001

TEMPE WSC 1	Y	332	Arsenic
TEMPE WSC 1	Y	332	Arsenic
TEMPE WSC 1	Y	332	Arsenic
TEMPE WSC 1	Y	332	Arsenic
TEMPE WSC 1	Y	332	Arsenic
TEMPE WSC 1	Y	332	Arsenic
TEMPE WSC 1	Y	332	Arsenic
TEMPE WSC 1	Y	332	Arsenic
TEMPE WSC 1	Y	332	Arsenic
TEMPE WSC 1	Y	332	Arsenic
TEMPE WSC 1	Y	332	Arsenic
TEMPE WSC 1	Y	332	Arsenic
TEMPE WSC 1	Y	332	Arsenic
TEMPE WSC 1	Y	332	Arsenic
TEMPE WSC 1	Y	332	Arsenic
TEMPE WSC 1	Y	332	Arsenic
TEMPE WSC 1	Y	332	Arsenic
TEMPE WSC 1	Y	332	Arsenic
LEROY TOURS GERALD WSC	Y	332	Arsenic
LEROY TOURS GERALD WSC	Y	332	Arsenic
LEROY TOURS GERALD WSC	Y	332	Arsenic
LEROY TOURS GERALD WSC	Y	332	Arsenic
TOWN OF WOODSBORO	Y	332	Arsenic
TOWN OF WOODSBORO	Y	332	Arsenic
TOWN OF WOODSBORO	Y	332	Arsenic
CITY OF PLAINS	Y	332	Arsenic
CITY OF PLAINS	Y	332	Arsenic
CITY OF PLAINS	Y	332	Arsenic
CITY OF PLAINS	Y	332	Arsenic
CITY OF PLAINS	Y	332	Arsenic
CITY OF PLAINS	Y	332	Arsenic
CITY OF PLAINS	Y	332	Arsenic
CITY OF PLAINS	Y	332	Arsenic
CITY OF PLAINS	Y	332	Arsenic
CITY OF PLAINS	Y	332	Arsenic
CITY OF PLAINS	Y	332	Arsenic
CITY OF PLAINS	Y	332	Arsenic
CITY OF PLAINS	Y	332	Arsenic
CITY OF PLAINS	Y	332	Arsenic
CITY OF PLAINS	Y	332	Arsenic
CITY OF PLAINS	Y	332	Arsenic
CITY OF PLAINS	Y	332	Arsenic
DUVAL COUNTY CRD BENAVIDES	Y	332	Arsenic
DUVAL COUNTY CRD BENAVIDES	Y	332	Arsenic
DUVAL COUNTY CRD BENAVIDES	Y	332	Arsenic
DUVAL COUNTY CRD BENAVIDES	Y	332	Arsenic
DUVAL COUNTY CRD BENAVIDES	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017

12/31/2016	970009698
12/31/2016	970009699
9/30/2016	970009676
9/30/2016	970009677
6/30/2016	970009636
6/30/2016	970009637
3/31/2016	970009616
3/31/2016	970009617
12/31/2015	970009601
12/31/2015	970009602
9/30/2015	970009583
6/30/2015	970009569
3/31/2015	970009560
12/31/2014	970009545
9/30/2014	970009538
6/30/2014	970009523
3/31/2014	970009510
12/31/2013	970009506
12/31/2017	100068372
12/31/2017	100068373
9/30/2017	100068371
6/30/2017	100068368
12/31/2017	100068357
9/30/2017	100068353
6/30/2017	100068350
12/31/2017	100068235
9/30/2017	100068232
6/30/2017	100068227
3/31/2017	100068222
12/31/2016	100068217
9/30/2016	100068212
6/30/2016	100068213
3/31/2016	100068207
12/31/2015	100068201
9/30/2015	100068198
6/30/2015	100068194
3/31/2015	100068192
12/31/2014	100068190
9/30/2014	100068188
6/30/2014	100068184
3/31/2014	100068181
12/31/2013	100068179
12/31/2017	100068418
12/31/2017	100068420
9/30/2017	100068414
9/30/2017	100068415
6/30/2017	100068402

06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS

1362 4	1,001-3,300	TX0660001
1362 4	1,001-3,300	TX0660001
1362 4	1,001-3,300	TX0660001
1362 4	1,001-3,300	TX0660001
1362 4	1,001-3,300	TX0660001
1362 4	1,001-3,300	TX0660001
1362 4	1,001-3,300	TX0660001
1362 4	1,001-3,300	TX0660001
1362 4	1,001-3,300	TX0660001
1362 4	1,001-3,300	TX0660001
1362 4	1,001-3,300	TX0660001
1362 4	1,001-3,300	TX0660001
1362 4	1,001-3,300	TX0660001
1362 4	1,001-3,300	TX0660001
1362 4	1,001-3,300	TX0660001
1362 4	1,001-3,300	TX0660001
1362 4	1,001-3,300	TX0660001
1362 4	1,001-3,300	TX0660001
1362 4	1,001-3,300	TX0660001
1362 4	1,001-3,300	TX0660001
1362 4	1,001-3,300	TX0660001
1362 4	1,001-3,300	TX0660001
1362 4	1,001-3,300	TX0660001
1362 4	1,001-3,300	TX0660001
1362 4	1,001-3,300	TX0660001
1362 4	1,001-3,300	TX0660001
1009 4	1,001-3,300	TX1550040
1009 4	1,001-3,300	TX1550040
1009 4	1,001-3,300	TX1550040
1009 4	1,001-3,300	TX1550040
1009 4	1,001-3,300	TX1550040
1009 4	1,001-3,300	TX1550040
1009 4	1,001-3,300	TX1550040
1009 4	1,001-3,300	TX1550040
1009 4	1,001-3,300	TX1550040
1009 4	1,001-3,300	TX1550040
1009 4	1,001-3,300	TX1550040
1009 4	1,001-3,300	TX1550040
822 3	501-1,000	TX2350006
822 3	501-1,000	TX2350006
822 3	501-1,000	TX2350006
822 3	501-1,000	TX2350006
822 3	501-1,000	TX2350006
822 3	501-1,000	TX2350006

DUVAL COUNTY CRD BENAVIDES	Y	332	Arsenic
DUVAL COUNTY CRD BENAVIDES	Y	332	Arsenic
DUVAL COUNTY CRD BENAVIDES	Y	332	Arsenic
DUVAL COUNTY CRD BENAVIDES	Y	332	Arsenic
DUVAL COUNTY CRD BENAVIDES	Y	332	Arsenic
DUVAL COUNTY CRD BENAVIDES	Y	332	Arsenic
DUVAL COUNTY CRD BENAVIDES	Y	332	Arsenic
DUVAL COUNTY CRD BENAVIDES	Y	332	Arsenic
DUVAL COUNTY CRD BENAVIDES	Y	332	Arsenic
DUVAL COUNTY CRD BENAVIDES	Y	332	Arsenic
DUVAL COUNTY CRD BENAVIDES	Y	332	Arsenic
DUVAL COUNTY CRD BENAVIDES	Y	332	Arsenic
DUVAL COUNTY CRD BENAVIDES	Y	332	Arsenic
DUVAL COUNTY CRD BENAVIDES	Y	332	Arsenic
DUVAL COUNTY CRD BENAVIDES	Y	332	Arsenic
DUVAL COUNTY CRD BENAVIDES	Y	332	Arsenic
DUVAL COUNTY CRD BENAVIDES	Y	332	Arsenic
DUVAL COUNTY CRD BENAVIDES	Y	332	Arsenic
DUVAL COUNTY CRD BENAVIDES	Y	332	Arsenic
DUVAL COUNTY CRD BENAVIDES	Y	332	Arsenic
DUVAL COUNTY CRD BENAVIDES	Y	332	Arsenic
DUVAL COUNTY CRD BENAVIDES	Y	332	Arsenic
DUVAL COUNTY CRD BENAVIDES	Y	332	Arsenic
DUVAL COUNTY CRD BENAVIDES	Y	332	Arsenic
DUVAL COUNTY CRD BENAVIDES	Y	332	Arsenic
DUVAL COUNTY CRD BENAVIDES	Y	332	Arsenic
DUVAL COUNTY CRD BENAVIDES	Y	332	Arsenic
CITY OF RIESEL	Y	332	Arsenic
CITY OF RIESEL	Y	332	Arsenic
CITY OF RIESEL	Y	332	Arsenic
CITY OF RIESEL	Y	332	Arsenic
CITY OF RIESEL	Y	332	Arsenic
CITY OF RIESEL	Y	332	Arsenic
CITY OF RIESEL	Y	332	Arsenic
CITY OF RIESEL	Y	332	Arsenic
CITY OF RIESEL	Y	332	Arsenic
CITY OF RIESEL	Y	332	Arsenic
CITY OF RIESEL	Y	332	Arsenic
CITY OF RIESEL	Y	332	Arsenic
VICTORIA COUNTY WCID 2	Y	332	Arsenic
VICTORIA COUNTY WCID 2	Y	332	Arsenic
VICTORIA COUNTY WCID 2	Y	332	Arsenic
VICTORIA COUNTY WCID 2	Y	332	Arsenic
VICTORIA COUNTY WCID 2	Y	332	Arsenic
VICTORIA COUNTY WCID 2	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016

6/30/2017	100068403
3/31/2017	100068394
3/31/2017	100068395
12/31/2016	100068385
12/31/2016	100068386
9/30/2016	100068377
9/30/2016	100068378
6/30/2016	100068367
6/30/2016	100068368
3/31/2016	100068358
3/31/2016	100068359
12/31/2015	100068351
12/31/2015	100068352
9/30/2015	100068343
9/30/2015	100068344
6/30/2015	100068341
6/30/2015	100068342
3/31/2015	100068338
3/31/2015	100068339
12/31/2014	100068332
12/31/2014	100068333
9/30/2014	100068330
9/30/2014	100068331
6/30/2014	100068328
6/30/2014	100068329
3/31/2014	100068326
3/31/2014	100068327
12/31/2013	100068322
12/31/2013	100068323
12/31/2017	100068393
9/30/2017	100068389
6/30/2017	100068384
3/31/2017	100068379
12/31/2016	100068373
9/30/2016	100068370
6/30/2016	100068366
3/31/2016	100068361
12/31/2015	100068360
9/30/2015	100068356
6/30/2015	100068354
3/31/2015	100068352
12/31/2017	100069516
9/30/2017	100069504
6/30/2017	100069498
3/31/2017	100069492
12/31/2016	100069489
9/30/2016	100069479

06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS

822 3	501-1,000	TX2350006
822 3	501-1,000	TX2350006
822 3	501-1,000	TX2350006
822 3	501-1,000	TX2350006
822 3	501-1,000	TX2350006
822 3	501-1,000	TX2350006
822 3	501-1,000	TX2350006
822 3	501-1,000	TX2350006
822 3	501-1,000	TX2350006
822 3	501-1,000	TX2350006
822 3	501-1,000	TX2350006
744 3	501-1,000	TX1550037
744 3	501-1,000	TX1550037
744 3	501-1,000	TX1550037
744 3	501-1,000	TX1550037
744 3	501-1,000	TX1550037
744 3	501-1,000	TX1550037
744 3	501-1,000	TX1550037
744 3	501-1,000	TX1550037
744 3	501-1,000	TX1550037
744 3	501-1,000	TX1550037
744 3	501-1,000	TX1550037
744 3	501-1,000	TX1550037
744 3	501-1,000	TX1550037
744 3	501-1,000	TX1550037
598 3	501-1,000	TX2230002
474 2	101-500	TX1100010
474 2	101-500	TX1100010
474 2	101-500	TX1100010
474 2	101-500	TX1100010
474 2	101-500	TX1100010
474 2	101-500	TX1100010
474 2	101-500	TX1100010
474 2	101-500	TX1100010
474 2	101-500	TX1100010
474 2	101-500	TX1100010
474 2	101-500	TX1100010
474 2	101-500	TX1100010
474 2	101-500	TX1100010
474 2	101-500	TX1100010
474 2	101-500	TX1100010
474 2	101-500	TX1100010
471 2	101-500	TX1610016
471 2	101-500	TX1610016
471 2	101-500	TX1610016
471 2	101-500	TX1610016

VICTORIA COUNTY WCID 2	Y	332	Arsenic
VICTORIA COUNTY WCID 2	Y	332	Arsenic
VICTORIA COUNTY WCID 2	Y	332	Arsenic
VICTORIA COUNTY WCID 2	Y	332	Arsenic
VICTORIA COUNTY WCID 2	Y	332	Arsenic
VICTORIA COUNTY WCID 2	Y	332	Arsenic
VICTORIA COUNTY WCID 2	Y	332	Arsenic
VICTORIA COUNTY WCID 2	Y	332	Arsenic
VICTORIA COUNTY WCID 2	Y	332	Arsenic
VICTORIA COUNTY WCID 2	Y	332	Arsenic
VICTORIA COUNTY WCID 2	Y	332	Arsenic
M S WSC	Y	332	Arsenic
M S WSC	Y	332	Arsenic
M S WSC	Y	332	Arsenic
M S WSC	Y	332	Arsenic
M S WSC	Y	332	Arsenic
M S WSC	Y	332	Arsenic
M S WSC	Y	332	Arsenic
M S WSC	Y	332	Arsenic
M S WSC	Y	332	Arsenic
M S WSC	Y	332	Arsenic
M S WSC	Y	332	Arsenic
M S WSC	Y	332	Arsenic
M S WSC	Y	332	Arsenic
M S WSC	Y	332	Arsenic
M S WSC	Y	332	Arsenic
CITY OF MEADOW	Y	332	Arsenic
CITY OF SMYER	Y	332	Arsenic
CITY OF SMYER	Y	332	Arsenic
CITY OF SMYER	Y	332	Arsenic
CITY OF SMYER	Y	332	Arsenic
CITY OF SMYER	Y	332	Arsenic
CITY OF SMYER	Y	332	Arsenic
CITY OF SMYER	Y	332	Arsenic
CITY OF SMYER	Y	332	Arsenic
CITY OF SMYER	Y	332	Arsenic
CITY OF SMYER	Y	332	Arsenic
CITY OF SMYER	Y	332	Arsenic
CITY OF SMYER	Y	332	Arsenic
CITY OF SMYER	Y	332	Arsenic
CITY OF SMYER	Y	332	Arsenic
CITY OF SMYER	Y	332	Arsenic
CITY OF SMYER	Y	332	Arsenic
MATAGORDA COUNTY WCID 2	Y	332	Arsenic
MATAGORDA COUNTY WCID 2	Y	332	Arsenic
MATAGORDA COUNTY WCID 2	Y	332	Arsenic
MATAGORDA COUNTY WCID 2	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017

6/30/2016	100069475
3/31/2016	100069469
12/31/2015	100069460
9/30/2015	100069456
6/30/2015	100069454
3/31/2015	100069453
12/31/2014	100069449
9/30/2014	100069446
6/30/2014	100069445
3/31/2014	100069443
12/31/2013	100069440
12/31/2017	100068409
12/31/2017	100068410
9/30/2017	100068403
6/30/2017	100068399
3/31/2017	100068398
12/31/2016	100068391
9/30/2016	100068388
6/30/2016	100068380
3/31/2016	100068373
12/31/2015	100068370
9/30/2015	100068364
6/30/2015	100068362
3/31/2015	100068359
12/31/2014	100068356
6/30/2017	100068127
12/31/2017	100068199
9/30/2017	100068193
6/30/2017	100068185
3/31/2017	100068174
12/31/2016	100068169
9/30/2016	100068160
6/30/2016	100068157
3/31/2016	100068156
12/31/2015	100068151
9/30/2015	100068146
6/30/2015	100068144
3/31/2015	100068141
12/31/2014	100068138
9/30/2014	100068131
6/30/2014	100068136
3/31/2014	100068123
12/31/2013	100068134
12/31/2017	90064174
9/30/2017	90064173
6/30/2017	90064170
3/31/2017	90064166

06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS

471 2	101-500	TX1610016
471 2	101-500	TX1610016
471 2	101-500	TX1610016
471 2	101-500	TX1610016
471 2	101-500	TX1610016
471 2	101-500	TX1610016
462 2	101-500	TX0750014
462 2	101-500	TX0750014
462 2	101-500	TX0750014
462 2	101-500	TX0750014
462 2	101-500	TX0750014
462 2	101-500	TX0750014
462 2	101-500	TX0750014
462 2	101-500	TX0750014
462 2	101-500	TX0750014
462 2	101-500	TX0750014
462 2	101-500	TX0750014
462 2	101-500	TX0750014
462 2	101-500	TX0750014
462 2	101-500	TX0750014
462 2	101-500	TX0750014
462 2	101-500	TX0750014
462 2	101-500	TX0750014
460 2	101-500	TX1520199
460 2	101-500	TX1520199
460 2	101-500	TX1520199
460 2	101-500	TX1520199
460 2	101-500	TX1520199
460 2	101-500	TX1520199
460 2	101-500	TX1520199
460 2	101-500	TX1520199
460 2	101-500	TX1520199
460 2	101-500	TX1520199
460 2	101-500	TX1520199
460 2	101-500	TX1520199
460 2	101-500	TX1520199
460 2	101-500	TX1520199
460 2	101-500	TX1520199
460 2	101-500	TX1520199
420 2	101-500	TX0730016
420 2	101-500	TX0730016
420 2	101-500	TX0730016
420 2	101-500	TX0730016
420 2	101-500	TX0730016
420 2	101-500	TX0730016
420 2	101-500	TX0730016

MATAGORDA COUNTY WCID 2	Y	332	Arsenic
MATAGORDA COUNTY WCID 2	Y	332	Arsenic
MATAGORDA COUNTY WCID 2	Y	332	Arsenic
MATAGORDA COUNTY WCID 2	Y	332	Arsenic
MATAGORDA COUNTY WCID 2	Y	332	Arsenic
MATAGORDA COUNTY WCID 2	Y	332	Arsenic
ELLINGER SEWER AND WSC	Y	332	Arsenic
ELLINGER SEWER AND WSC	Y	332	Arsenic
ELLINGER SEWER AND WSC	Y	332	Arsenic
ELLINGER SEWER AND WSC	Y	332	Arsenic
ELLINGER SEWER AND WSC	Y	332	Arsenic
ELLINGER SEWER AND WSC	Y	332	Arsenic
ELLINGER SEWER AND WSC	Y	332	Arsenic
ELLINGER SEWER AND WSC	Y	332	Arsenic
ELLINGER SEWER AND WSC	Y	332	Arsenic
ELLINGER SEWER AND WSC	Y	332	Arsenic
ELLINGER SEWER AND WSC	Y	332	Arsenic
ELLINGER SEWER AND WSC	Y	332	Arsenic
ELLINGER SEWER AND WSC	Y	332	Arsenic
ELLINGER SEWER AND WSC	Y	332	Arsenic
ELLINGER SEWER AND WSC	Y	332	Arsenic
ELLINGER SEWER AND WSC	Y	332	Arsenic
WOLFFORTH PLACE	Y	332	Arsenic
WOLFFORTH PLACE	Y	332	Arsenic
WOLFFORTH PLACE	Y	332	Arsenic
WOLFFORTH PLACE	Y	332	Arsenic
WOLFFORTH PLACE	Y	332	Arsenic
WOLFFORTH PLACE	Y	332	Arsenic
WOLFFORTH PLACE	Y	332	Arsenic
WOLFFORTH PLACE	Y	332	Arsenic
WOLFFORTH PLACE	Y	332	Arsenic
WOLFFORTH PLACE	Y	332	Arsenic
WOLFFORTH PLACE	Y	332	Arsenic
WOLFFORTH PLACE	Y	332	Arsenic
WOLFFORTH PLACE	Y	332	Arsenic
WOLFFORTH PLACE	Y	332	Arsenic
WOLFFORTH PLACE	Y	332	Arsenic
WOLFFORTH PLACE	Y	332	Arsenic
PERRY WSC	Y	332	Arsenic
PERRY WSC	Y	332	Arsenic
PERRY WSC	Y	332	Arsenic
PERRY WSC	Y	332	Arsenic
PERRY WSC	Y	332	Arsenic
PERRY WSC	Y	332	Arsenic
PERRY WSC	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016

12/31/2016	90064164
9/30/2016	90064157
6/30/2016	90064151
3/31/2016	90064149
12/31/2015	90064145
9/30/2015	90064143
12/31/2017	100068361
9/30/2017	100068360
6/30/2017	100068355
3/31/2017	100068351
12/31/2016	100068345
9/30/2016	100068342
6/30/2016	100068337
3/31/2016	100068334
12/31/2015	100068332
9/30/2015	100068329
6/30/2015	100068327
3/31/2015	100068325
12/31/2014	100068322
9/30/2014	100068321
6/30/2014	100068319
3/31/2014	100068316
12/31/2013	100068313
12/31/2017	930009509
9/30/2017	930009505
6/30/2017	930009498
3/31/2017	930009489
12/31/2016	930009478
9/30/2016	930009473
6/30/2016	930009471
3/31/2016	930009466
12/31/2015	930009461
9/30/2015	930009459
6/30/2015	930009453
3/31/2015	930009452
12/31/2014	930009447
9/30/2014	930009443
6/30/2014	930009436
3/31/2014	930009414
12/31/2013	930009408
12/31/2017	100067855
9/30/2017	100067852
6/30/2017	100067849
3/31/2017	100067845
12/31/2016	100067841
9/30/2016	100067837
6/30/2016	100067834

06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS

420 2	101-500	TX0730016
420 2	101-500	TX0730016
420 2	101-500	TX0730016
420 2	101-500	TX0730016
420 2	101-500	TX0730016
420 2	101-500	TX0730016
420 2	101-500	TX0730016
420 2	101-500	TX0730016
420 2	101-500	TX0730016
420 2	101-500	TX0730016
350 2	101-500	TX2400003
350 2	101-500	TX2400003
350 2	101-500	TX2400003
350 2	101-500	TX2400003
350 2	101-500	TX2400003
350 2	101-500	TX2400003
350 2	101-500	TX2400003
350 2	101-500	TX2400003
350 2	101-500	TX2400003
350 2	101-500	TX2400003
350 2	101-500	TX2400003
350 2	101-500	TX2400003
350 2	101-500	TX2400003
350 2	101-500	TX2400003
350 2	101-500	TX2400003
350 2	101-500	TX2400003
350 2	101-500	TX2400003
335 2	101-500	TX1520094
335 2	101-500	TX1520094
335 2	101-500	TX1520094
335 2	101-500	TX1520094
335 2	101-500	TX1520094
335 2	101-500	TX1520094
335 2	101-500	TX1520094
335 2	101-500	TX1520094
335 2	101-500	TX1520094
335 2	101-500	TX1520094
335 2	101-500	TX1520094
335 2	101-500	TX1520094
335 2	101-500	TX1520094
335 2	101-500	TX1520094
335 2	101-500	TX1520094
335 2	101-500	TX1520094
335 2	101-500	TX1520094
335 2	101-500	TX1520094
335 2	101-500	TX1520094
335 2	101-500	TX1520094
335 2	101-500	TX1520094

PERRY WSC	Y	332	Arsenic
PERRY WSC	Y	332	Arsenic
PERRY WSC	Y	332	Arsenic
PERRY WSC	Y	332	Arsenic
PERRY WSC	Y	332	Arsenic
PERRY WSC	Y	332	Arsenic
PERRY WSC	Y	332	Arsenic
PERRY WSC	Y	332	Arsenic
PERRY WSC	Y	332	Arsenic
PERRY WSC	Y	332	Arsenic
BRUNI RURAL WSC	Y	332	Arsenic
BRUNI RURAL WSC	Y	332	Arsenic
BRUNI RURAL WSC	Y	332	Arsenic
BRUNI RURAL WSC	Y	332	Arsenic
BRUNI RURAL WSC	Y	332	Arsenic
BRUNI RURAL WSC	Y	332	Arsenic
BRUNI RURAL WSC	Y	332	Arsenic
BRUNI RURAL WSC	Y	332	Arsenic
BRUNI RURAL WSC	Y	332	Arsenic
BRUNI RURAL WSC	Y	332	Arsenic
BRUNI RURAL WSC	Y	332	Arsenic
BRUNI RURAL WSC	Y	332	Arsenic
BRUNI RURAL WSC	Y	332	Arsenic
BRUNI RURAL WSC	Y	332	Arsenic
BRUNI RURAL WSC	Y	332	Arsenic
BRUNI RURAL WSC	Y	332	Arsenic
TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic
TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic
TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic
TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic
TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic
TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic
TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic
TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic
TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic
TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic
TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic
TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic
TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic
TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic
TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic
TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic
TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic
TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic
TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic
TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015

3/31/2016	100067832
12/31/2015	100067830
9/30/2015	100067827
6/30/2015	100067824
3/31/2015	100067821
12/31/2014	100067814
9/30/2014	100067812
6/30/2014	100067806
3/31/2014	100067803
12/31/2013	100067800
9/30/2017	980009840
6/30/2017	980009834
3/31/2017	980009828
12/31/2016	980009818
9/30/2016	980009807
6/30/2016	980009799
3/31/2016	980009792
12/31/2015	980009786
9/30/2015	980009778
6/30/2015	980009770
3/31/2015	980009766
12/31/2014	980009759
9/30/2014	980009753
6/30/2014	980009749
3/31/2014	980009742
12/31/2013	980009734
12/31/2017	980009819
12/31/2017	980009820
9/30/2017	980009808
9/30/2017	980009810
6/30/2017	980009795
6/30/2017	980009796
3/31/2017	980009785
3/31/2017	980009786
12/31/2016	980009775
12/31/2016	980009776
9/30/2016	980009767
9/30/2016	980009768
6/30/2016	980009759
6/30/2016	980009760
3/31/2016	980009745
3/31/2016	980009746
12/31/2015	980009736
12/31/2015	980009737
9/30/2015	980009727
9/30/2015	980009728
6/30/2015	980009719

06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS

335 2	101-500	TX1520094
335 2	101-500	TX1520094
335 2	101-500	TX1520094
335 2	101-500	TX1520094
335 2	101-500	TX1520094
335 2	101-500	TX1520094
335 2	101-500	TX1520094
335 2	101-500	TX1520094
335 2	101-500	TX1520094
335 2	101-500	TX1520094
335 2	101-500	TX1520094
335 2	101-500	TX1520094
335 2	101-500	TX1520094
334 2	101-500	TX1530004
334 2	101-500	TX1530004
334 2	101-500	TX1530004
334 2	101-500	TX1530004
334 2	101-500	TX1530004
334 2	101-500	TX1530004
334 2	101-500	TX1530004
334 2	101-500	TX1530004
334 2	101-500	TX1530004
334 2	101-500	TX1530004
334 2	101-500	TX1530004
334 2	101-500	TX1530004
334 2	101-500	TX1530004
334 2	101-500	TX1530004
334 2	101-500	TX1530004
334 2	101-500	TX1530004
334 2	101-500	TX1530004
315 2	101-500	TX0580013
315 2	101-500	TX0580013
315 2	101-500	TX0580013
315 2	101-500	TX0580013
315 2	101-500	TX0580013
315 2	101-500	TX0580013
315 2	101-500	TX0580013
315 2	101-500	TX0580013
315 2	101-500	TX0580013
315 2	101-500	TX0580013
315 2	101-500	TX0580013
315 2	101-500	TX0580013
315 2	101-500	TX0580013
315 2	101-500	TX0580013
315 2	101-500	TX0580013
315 2	101-500	TX0580013
315 2	101-500	TX0580013
315 2	101-500	TX0580013

TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic
TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic
TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic
TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic
TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic
TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic
TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic
TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic
TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic
TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic
TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic
TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic
TOWN NORTH VILLAGE WATER SYSTEM	Y	332	Arsenic
CITY OF NEW HOME	Y	332	Arsenic
CITY OF NEW HOME	Y	332	Arsenic
CITY OF NEW HOME	Y	332	Arsenic
CITY OF NEW HOME	Y	332	Arsenic
CITY OF NEW HOME	Y	332	Arsenic
CITY OF NEW HOME	Y	332	Arsenic
CITY OF NEW HOME	Y	332	Arsenic
CITY OF NEW HOME	Y	332	Arsenic
CITY OF NEW HOME	Y	332	Arsenic
CITY OF NEW HOME	Y	332	Arsenic
CITY OF NEW HOME	Y	332	Arsenic
CITY OF NEW HOME	Y	332	Arsenic
CITY OF NEW HOME	Y	332	Arsenic
CITY OF NEW HOME	Y	332	Arsenic
CITY OF NEW HOME	Y	332	Arsenic
CITY OF NEW HOME	Y	332	Arsenic
WELCH WSC	Y	332	Arsenic
WELCH WSC	Y	332	Arsenic
WELCH WSC	Y	332	Arsenic
WELCH WSC	Y	332	Arsenic
WELCH WSC	Y	332	Arsenic
WELCH WSC	Y	332	Arsenic
WELCH WSC	Y	332	Arsenic
WELCH WSC	Y	332	Arsenic
WELCH WSC	Y	332	Arsenic
WELCH WSC	Y	332	Arsenic
WELCH WSC	Y	332	Arsenic
WELCH WSC	Y	332	Arsenic
WELCH WSC	Y	332	Arsenic
WELCH WSC	Y	332	Arsenic
WELCH WSC	Y	332	Arsenic
WELCH WSC	Y	332	Arsenic
WELCH WSC	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013

6/30/2015	980009720
3/31/2015	980009717
3/31/2015	980009718
12/31/2014	980009706
12/31/2014	980009707
9/30/2014	980009693
9/30/2014	980009694
6/30/2014	980009681
6/30/2014	980009682
3/31/2014	980009672
3/31/2014	980009674
12/31/2013	980009663
12/31/2013	980009664
12/31/2017	780009631
9/30/2017	780009629
6/30/2017	780009626
3/31/2017	780009623
12/31/2016	780009619
9/30/2016	780009613
6/30/2016	780009609
3/31/2016	780009608
12/31/2015	780009604
9/30/2015	780009601
6/30/2015	780009596
3/31/2015	780009594
12/31/2014	780009587
9/30/2014	780009585
6/30/2014	780009582
3/31/2014	780009579
12/31/2013	780009575
12/31/2017	990010160
9/30/2017	990010158
6/30/2017	990010153
3/31/2017	990010146
12/31/2016	990010142
9/30/2016	990010138
6/30/2016	990010134
3/31/2016	990010131
12/31/2015	990010127
9/30/2015	990010124
6/30/2015	990010122
3/31/2015	990010120
12/31/2014	990010116
9/30/2014	990010114
6/30/2014	990010111
3/31/2014	990010109
12/31/2013	990010106

06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS

300 2	101-500	TX0830011
300 2	101-500	TX0830011
300 2	101-500	TX0830011
300 2	101-500	TX0830011
300 2	101-500	TX0830011
300 2	101-500	TX0830011
300 2	101-500	TX0830011
300 2	101-500	TX0830011
300 2	101-500	TX0830011
300 2	101-500	TX0830011
300 2	101-500	TX0830011
300 2	101-500	TX0830011
300 2	101-500	TX0830011
300 2	101-500	TX0830011
300 2	101-500	TX0830011
300 2	101-500	TX0830011
300 2	101-500	TX0830011
296 2	101-500	TX0020015
296 2	101-500	TX0020015
296 2	101-500	TX0020015
273 2	101-500	TX1100030
273 2	101-500	TX1100030
273 2	101-500	TX1100030
273 2	101-500	TX1100030
273 2	101-500	TX1100030
273 2	101-500	TX1100030
273 2	101-500	TX1100030
273 2	101-500	TX1100030
273 2	101-500	TX1100030
273 2	101-500	TX1100030
273 2	101-500	TX1100030
273 2	101-500	TX1100030
273 2	101-500	TX1100030
273 2	101-500	TX1100030
273 2	101-500	TX1100030
273 2	101-500	TX1100030
271 2	101-500	TX1870149
271 2	101-500	TX1870149
271 2	101-500	TX1870149
271 2	101-500	TX1870149
271 2	101-500	TX1870149
271 2	101-500	TX1870149
271 2	101-500	TX1870149
271 2	101-500	TX1870149
271 2	101-500	TX1870149

LOOP WSC	Y	332	Arsenic
LOOP WSC	Y	332	Arsenic
LOOP WSC	Y	332	Arsenic
LOOP WSC	Y	332	Arsenic
LOOP WSC	Y	332	Arsenic
LOOP WSC	Y	332	Arsenic
LOOP WSC	Y	332	Arsenic
LOOP WSC	Y	332	Arsenic
LOOP WSC	Y	332	Arsenic
LOOP WSC	Y	332	Arsenic
LOOP WSC	Y	332	Arsenic
LOOP WSC	Y	332	Arsenic
LOOP WSC	Y	332	Arsenic
LOOP WSC	Y	332	Arsenic
LOOP WSC	Y	332	Arsenic
LOOP WSC	Y	332	Arsenic
LOOP WSC	Y	332	Arsenic
DEYS RV AND MOBILE PARK	Y	332	Arsenic
DEYS RV AND MOBILE PARK	Y	332	Arsenic
DEYS RV AND MOBILE PARK	Y	332	Arsenic
CITY OF OPDYKE WEST	Y	332	Arsenic
CITY OF OPDYKE WEST	Y	332	Arsenic
CITY OF OPDYKE WEST	Y	332	Arsenic
CITY OF OPDYKE WEST	Y	332	Arsenic
CITY OF OPDYKE WEST	Y	332	Arsenic
CITY OF OPDYKE WEST	Y	332	Arsenic
CITY OF OPDYKE WEST	Y	332	Arsenic
CITY OF OPDYKE WEST	Y	332	Arsenic
CITY OF OPDYKE WEST	Y	332	Arsenic
CITY OF OPDYKE WEST	Y	332	Arsenic
CITY OF OPDYKE WEST	Y	332	Arsenic
CITY OF OPDYKE WEST	Y	332	Arsenic
CITY OF OPDYKE WEST	Y	332	Arsenic
CITY OF OPDYKE WEST	Y	332	Arsenic
CITY OF OPDYKE WEST	Y	332	Arsenic
CITY OF OPDYKE WEST	Y	332	Arsenic
CITY OF OPDYKE WEST	Y	332	Arsenic
SPRING CREEK PURE UTILITIES	Y	332	Arsenic
SPRING CREEK PURE UTILITIES	Y	332	Arsenic
SPRING CREEK PURE UTILITIES	Y	332	Arsenic
SPRING CREEK PURE UTILITIES	Y	332	Arsenic
SPRING CREEK PURE UTILITIES	Y	332	Arsenic
SPRING CREEK PURE UTILITIES	Y	332	Arsenic
SPRING CREEK PURE UTILITIES	Y	332	Arsenic
SPRING CREEK PURE UTILITIES	Y	332	Arsenic
SPRING CREEK PURE UTILITIES	Y	332	Arsenic
SPRING CREEK PURE UTILITIES	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015

12/31/2017	100068158
9/30/2017	100068156
6/30/2017	100068147
3/31/2017	100068141
12/31/2016	100068136
9/30/2016	100068133
6/30/2016	100068128
3/31/2016	100068127
12/31/2015	100068121
9/30/2015	100068117
6/30/2015	100068114
3/31/2015	100068110
12/31/2014	100068101
9/30/2014	100068097
6/30/2014	100068094
3/31/2014	100068092
12/31/2013	100068088
9/30/2017	69
6/30/2017	64
3/31/2017	59
12/31/2017	100068243
9/30/2017	100068240
6/30/2017	100068227
3/31/2017	100068215
12/31/2016	100068203
9/30/2016	100068194
6/30/2016	100068196
3/31/2016	100068188
12/31/2015	100068174
9/30/2015	100068166
6/30/2015	100068159
3/31/2015	100068156
12/31/2014	100068146
9/30/2014	100068140
6/30/2014	100068141
3/31/2014	100068129
12/31/2013	100068144
12/31/2017	100069379
9/30/2017	100069377
6/30/2017	100069374
3/31/2017	100069370
12/31/2016	100069368
9/30/2016	100069364
6/30/2016	100069359
3/31/2016	100069361
12/31/2015	100069355
9/30/2015	100069351

06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS

271 2	101-500	TX1870149
271 2	101-500	TX1870149
271 2	101-500	TX1870149
271 2	101-500	TX1870149
271 2	101-500	TX1870149
271 2	101-500	TX1870149
265 2	101-500	TX0680012
265 2	101-500	TX0680012
252 2	101-500	TX1550127
252 2	101-500	TX1550127
252 2	101-500	TX1550127
252 2	101-500	TX1550127
252 2	101-500	TX1550127
252 2	101-500	TX1550127
252 2	101-500	TX1550127
252 2	101-500	TX1550127
252 2	101-500	TX1550127
252 2	101-500	TX1550127
252 2	101-500	TX1550127
252 2	101-500	TX1550127
252 2	101-500	TX1550127
252 2	101-500	TX1550127
252 2	101-500	TX1550127
240 2	101-500	TX1650084
231 2	101-500	TX0580025
231 2	101-500	TX0580025
231 2	101-500	TX0580025
231 2	101-500	TX0580025
231 2	101-500	TX0580025
231 2	101-500	TX0580025
231 2	101-500	TX0580025
231 2	101-500	TX0580025
231 2	101-500	TX0580025
231 2	101-500	TX0580025
231 2	101-500	TX0580025
231 2	101-500	TX0580025
231 2	101-500	TX0580025
231 2	101-500	TX0580025
231 2	101-500	TX0580025
231 2	101-500	TX0580025
225 2	101-500	TX2230003
225 2	101-500	TX2230003
225 2	101-500	TX2230003
225 2	101-500	TX2230003
225 2	101-500	TX2230003
225 2	101-500	TX2230003

SPRING CREEK PURE UTILITIES	Y	332	Arsenic
SPRING CREEK PURE UTILITIES	Y	332	Arsenic
SPRING CREEK PURE UTILITIES	Y	332	Arsenic
SPRING CREEK PURE UTILITIES	Y	332	Arsenic
SPRING CREEK PURE UTILITIES	Y	332	Arsenic
SPRING CREEK PURE UTILITIES	Y	332	Arsenic
CITY OF GOLDSMITH	Y	332	Arsenic
CITY OF GOLDSMITH	Y	332	Arsenic
MOORES WATER SYSTEM	Y	332	Arsenic
MOORES WATER SYSTEM	Y	332	Arsenic
MOORES WATER SYSTEM	Y	332	Arsenic
MOORES WATER SYSTEM	Y	332	Arsenic
MOORES WATER SYSTEM	Y	332	Arsenic
MOORES WATER SYSTEM	Y	332	Arsenic
MOORES WATER SYSTEM	Y	332	Arsenic
MOORES WATER SYSTEM	Y	332	Arsenic
MOORES WATER SYSTEM	Y	332	Arsenic
MOORES WATER SYSTEM	Y	332	Arsenic
MOORES WATER SYSTEM	Y	332	Arsenic
MOORES WATER SYSTEM	Y	332	Arsenic
MOORES WATER SYSTEM	Y	332	Arsenic
MOORES WATER SYSTEM	Y	332	Arsenic
MOORES WATER SYSTEM	Y	332	Arsenic
WARREN ROAD SUBDIVISION WATER SUPPLY	Y	332	Arsenic
KLONDIKE ISD	Y	332	Arsenic
KLONDIKE ISD	Y	332	Arsenic
KLONDIKE ISD	Y	332	Arsenic
KLONDIKE ISD	Y	332	Arsenic
KLONDIKE ISD	Y	332	Arsenic
KLONDIKE ISD	Y	332	Arsenic
KLONDIKE ISD	Y	332	Arsenic
KLONDIKE ISD	Y	332	Arsenic
KLONDIKE ISD	Y	332	Arsenic
KLONDIKE ISD	Y	332	Arsenic
KLONDIKE ISD	Y	332	Arsenic
KLONDIKE ISD	Y	332	Arsenic
KLONDIKE ISD	Y	332	Arsenic
KLONDIKE ISD	Y	332	Arsenic
KLONDIKE ISD	Y	332	Arsenic
KLONDIKE ISD	Y	332	Arsenic
KLONDIKE ISD	Y	332	Arsenic
CITY OF WELLMAN	Y	332	Arsenic
CITY OF WELLMAN	Y	332	Arsenic
CITY OF WELLMAN	Y	332	Arsenic
CITY OF WELLMAN	Y	332	Arsenic
CITY OF WELLMAN	Y	332	Arsenic
CITY OF WELLMAN	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016

3/31/2015	100069347
12/31/2014	100069344
9/30/2014	100069342
6/30/2014	100069336
3/31/2014	100069334
12/31/2013	100069332
9/30/2017	100068987
6/30/2017	100068984
9/30/2017	100069669
6/30/2017	100069652
3/31/2017	100069627
12/31/2016	100069604
9/30/2016	100069594
6/30/2016	100069589
3/31/2016	100069588
12/31/2015	100069587
9/30/2015	100069586
6/30/2015	100069459
12/31/2014	100069403
9/30/2014	100069401
6/30/2014	100069392
3/31/2014	100069391
12/31/2013	100069390
9/30/2017	100069553
12/31/2017	100068326
9/30/2017	100068319
6/30/2017	100068307
3/31/2017	100068295
12/31/2016	100068286
9/30/2016	100068277
6/30/2016	100068266
3/31/2016	100068264
12/31/2015	100068247
9/30/2015	100068242
6/30/2015	100068239
3/31/2015	100068231
12/31/2014	100068223
9/30/2014	100068214
6/30/2014	100068204
3/31/2014	100068191
12/31/2013	100068180
12/31/2017	960007193
9/30/2017	960007190
6/30/2017	960007182
3/31/2017	960007177
12/31/2016	960007172
9/30/2016	960007170

06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS

225 2	101-500	TX2230003
225 2	101-500	TX2230003
225 2	101-500	TX2230003
210 2	101-500	TX1520152
210 2	101-500	TX1520152
210 2	101-500	TX1520152
210 2	101-500	TX1520152
210 2	101-500	TX1520152
210 2	101-500	TX1520152
210 2	101-500	TX1520152
210 2	101-500	TX1520152
210 2	101-500	TX1520152
210 2	101-500	TX1520152
210 2	101-500	TX1520152
210 2	101-500	TX1520152
210 2	101-500	TX1520152
210 2	101-500	TX1520152
210 2	101-500	TX1520152
210 2	101-500	TX1520152
161 2	101-500	TX0660015
161 2	101-500	TX0660015
161 2	101-500	TX0660015
161 2	101-500	TX0660015
161 2	101-500	TX0660015
161 2	101-500	TX0660015
161 2	101-500	TX0660015
161 2	101-500	TX0660015
156 2	101-500	TX0710050
141 2	101-500	TX0710066
141 2	101-500	TX0710066
141 2	101-500	TX0710066
141 2	101-500	TX0710066
141 2	101-500	TX0710066
141 2	101-500	TX0710066
141 2	101-500	TX0710066
141 2	101-500	TX0710066
141 2	101-500	TX0710066
141 2	101-500	TX0710066
141 2	101-500	TX0710066
141 2	101-500	TX0710066
141 2	101-500	TX0710066
141 2	101-500	TX0710066
141 2	101-500	TX0710066
141 2	101-500	TX0710066
132 2	101-500	TX0360004
132 2	101-500	TX0360004

CITY OF WELLMAN	Y	332	Arsenic
CITY OF WELLMAN	Y	332	Arsenic
CITY OF WELLMAN	Y	332	Arsenic
TOWN NORTH ESTATES	Y	332	Arsenic
TOWN NORTH ESTATES	Y	332	Arsenic
TOWN NORTH ESTATES	Y	332	Arsenic
TOWN NORTH ESTATES	Y	332	Arsenic
TOWN NORTH ESTATES	Y	332	Arsenic
TOWN NORTH ESTATES	Y	332	Arsenic
TOWN NORTH ESTATES	Y	332	Arsenic
TOWN NORTH ESTATES	Y	332	Arsenic
TOWN NORTH ESTATES	Y	332	Arsenic
TOWN NORTH ESTATES	Y	332	Arsenic
TOWN NORTH ESTATES	Y	332	Arsenic
TOWN NORTH ESTATES	Y	332	Arsenic
TOWN NORTH ESTATES	Y	332	Arsenic
TOWN NORTH ESTATES	Y	332	Arsenic
TOWN NORTH ESTATES	Y	332	Arsenic
TOWN NORTH ESTATES	Y	332	Arsenic
DUVAL COUNTY CRD CONCEPCION	Y	332	Arsenic
DUVAL COUNTY CRD CONCEPCION	Y	332	Arsenic
DUVAL COUNTY CRD CONCEPCION	Y	332	Arsenic
DUVAL COUNTY CRD CONCEPCION	Y	332	Arsenic
DUVAL COUNTY CRD CONCEPCION	Y	332	Arsenic
DUVAL COUNTY CRD CONCEPCION	Y	332	Arsenic
DUVAL COUNTY CRD CONCEPCION	Y	332	Arsenic
DUVAL COUNTY CRD CONCEPCION	Y	332	Arsenic
HILLSIDE WATER WORKS	Y	332	Arsenic
GREEN ACRES MOBILE HOME PARK	Y	332	Arsenic
GREEN ACRES MOBILE HOME PARK	Y	332	Arsenic
GREEN ACRES MOBILE HOME PARK	Y	332	Arsenic
GREEN ACRES MOBILE HOME PARK	Y	332	Arsenic
GREEN ACRES MOBILE HOME PARK	Y	332	Arsenic
GREEN ACRES MOBILE HOME PARK	Y	332	Arsenic
GREEN ACRES MOBILE HOME PARK	Y	332	Arsenic
GREEN ACRES MOBILE HOME PARK	Y	332	Arsenic
GREEN ACRES MOBILE HOME PARK	Y	332	Arsenic
GREEN ACRES MOBILE HOME PARK	Y	332	Arsenic
GREEN ACRES MOBILE HOME PARK	Y	332	Arsenic
GREEN ACRES MOBILE HOME PARK	Y	332	Arsenic
GREEN ACRES MOBILE HOME PARK	Y	332	Arsenic
GREEN ACRES MOBILE HOME PARK	Y	332	Arsenic
GREEN ACRES MOBILE HOME PARK	Y	332	Arsenic
COTTON BAYOU PARK	Y	332	Arsenic
COTTON BAYOU PARK	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017

6/30/2016	960007169
3/31/2016	960007162
12/31/2015	960007156
12/31/2017	980009789
9/30/2017	980009779
6/30/2017	980009766
3/31/2017	980009747
12/31/2016	980009734
9/30/2016	980009727
6/30/2016	980009711
3/31/2016	980009704
12/31/2015	980009693
9/30/2015	980009681
6/30/2015	980009674
3/31/2015	980009666
12/31/2014	980009658
9/30/2014	980009646
6/30/2014	980009635
3/31/2014	980009629
12/31/2013	980009616
12/31/2017	90064049
9/30/2017	90064046
6/30/2017	90064039
3/31/2017	90064035
9/30/2016	90064028
6/30/2016	90064023
3/31/2016	90064017
12/31/2015	90064013
9/30/2017	100069049
9/30/2017	100069072
6/30/2017	100069067
3/31/2017	100069063
12/31/2016	100069057
9/30/2016	100069053
6/30/2016	100069052
3/31/2016	100069050
12/31/2015	100069048
9/30/2015	100069045
6/30/2015	100069042
3/31/2015	100069041
12/31/2014	100069038
9/30/2014	100069031
6/30/2014	100069030
3/31/2014	100069029
12/31/2013	100069028
12/31/2017	100069524
6/30/2017	100069523

06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS

132 2	101-500	TX0360004
132 2	101-500	TX0360004
132 2	101-500	TX0360004
132 2	101-500	TX0360004
132 2	101-500	TX0360004
132 2	101-500	TX0360004
132 2	101-500	TX0360004
132 2	101-500	TX0360004
132 2	101-500	TX0360004
132 2	101-500	TX0360004
132 2	101-500	TX0360004
132 2	101-500	TX0360004
132 2	101-500	TX0360004
111 2	101-500	TX1200008
111 2	101-500	TX1200008
111 2	101-500	TX1200008
111 2	101-500	TX1200008
111 2	101-500	TX1200008
111 2	101-500	TX1200008
111 2	101-500	TX1200008
111 2	101-500	TX1200008
111 2	101-500	TX1200008
111 2	101-500	TX1200008
111 2	101-500	TX1200008
111 2	101-500	TX1200008
111 2	101-500	TX1200008
111 2	101-500	TX1200008
108 2	101-500	TX1520039
108 2	101-500	TX1520039
108 2	101-500	TX1520039
108 2	101-500	TX1520039
108 2	101-500	TX1520039
108 2	101-500	TX1520039
108 2	101-500	TX1520039
108 2	101-500	TX1520039
108 2	101-500	TX1520039
108 2	101-500	TX1520039
108 2	101-500	TX1520039
108 2	101-500	TX1520039
108 2	101-500	TX1520039
108 2	101-500	TX1520039
108 2	101-500	TX1520039
108 2	101-500	TX1520039
102 2	101-500	TX1650022
102 2	101-500	TX1650022

COTTON BAYOU PARK	Y	332	Arsenic
COTTON BAYOU PARK	Y	332	Arsenic
COTTON BAYOU PARK	Y	332	Arsenic
COTTON BAYOU PARK	Y	332	Arsenic
COTTON BAYOU PARK	Y	332	Arsenic
COTTON BAYOU PARK	Y	332	Arsenic
COTTON BAYOU PARK	Y	332	Arsenic
COTTON BAYOU PARK	Y	332	Arsenic
COTTON BAYOU PARK	Y	332	Arsenic
COTTON BAYOU PARK	Y	332	Arsenic
COTTON BAYOU PARK	Y	332	Arsenic
COTTON BAYOU PARK	Y	332	Arsenic
COTTON BAYOU PARK	Y	332	Arsenic
LA SALLE LANDING WATER SYSTEM	Y	332	Arsenic
LA SALLE LANDING WATER SYSTEM	Y	332	Arsenic
LA SALLE LANDING WATER SYSTEM	Y	332	Arsenic
LA SALLE LANDING WATER SYSTEM	Y	332	Arsenic
LA SALLE LANDING WATER SYSTEM	Y	332	Arsenic
LA SALLE LANDING WATER SYSTEM	Y	332	Arsenic
LA SALLE LANDING WATER SYSTEM	Y	332	Arsenic
LA SALLE LANDING WATER SYSTEM	Y	332	Arsenic
LA SALLE LANDING WATER SYSTEM	Y	332	Arsenic
LA SALLE LANDING WATER SYSTEM	Y	332	Arsenic
LA SALLE LANDING WATER SYSTEM	Y	332	Arsenic
LA SALLE LANDING WATER SYSTEM	Y	332	Arsenic
LA SALLE LANDING WATER SYSTEM	Y	332	Arsenic
LA SALLE LANDING WATER SYSTEM	Y	332	Arsenic
PECAN GROVE MOBILE HOME PARK	Y	332	Arsenic
PECAN GROVE MOBILE HOME PARK	Y	332	Arsenic
PECAN GROVE MOBILE HOME PARK	Y	332	Arsenic
PECAN GROVE MOBILE HOME PARK	Y	332	Arsenic
PECAN GROVE MOBILE HOME PARK	Y	332	Arsenic
PECAN GROVE MOBILE HOME PARK	Y	332	Arsenic
PECAN GROVE MOBILE HOME PARK	Y	332	Arsenic
PECAN GROVE MOBILE HOME PARK	Y	332	Arsenic
PECAN GROVE MOBILE HOME PARK	Y	332	Arsenic
PECAN GROVE MOBILE HOME PARK	Y	332	Arsenic
PECAN GROVE MOBILE HOME PARK	Y	332	Arsenic
PECAN GROVE MOBILE HOME PARK	Y	332	Arsenic
PECAN GROVE MOBILE HOME PARK	Y	332	Arsenic
PECAN GROVE MOBILE HOME PARK	Y	332	Arsenic
PECAN GROVE MOBILE HOME PARK	Y	332	Arsenic
PECAN GROVE MOBILE HOME PARK	Y	332	Arsenic
SHERWOOD ESTATES MANUFACTURED TOWNHOME C	Y	332	Arsenic
SHERWOOD ESTATES MANUFACTURED TOWNHOME C	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017

3/31/2017	100069521
12/31/2016	100069518
9/30/2016	100069514
6/30/2016	100069509
3/31/2016	100069507
12/31/2015	100069504
9/30/2015	100069501
6/30/2015	100069498
3/31/2015	100069496
12/31/2014	100069490
9/30/2014	100069489
6/30/2014	100069486
3/31/2014	100069485
6/30/2017	100068182
3/31/2017	100068179
12/31/2016	100068176
9/30/2016	100068171
6/30/2016	100068167
3/31/2016	100068165
12/31/2015	100068162
9/30/2015	100068159
6/30/2015	100068157
3/31/2015	100068155
12/31/2014	100068152
9/30/2014	100068149
6/30/2014	100068146
3/31/2014	100068145
12/31/2013	100068142
12/31/2017	100069523
9/30/2017	100069513
6/30/2017	100069499
3/31/2017	100069472
12/31/2016	100069456
9/30/2016	100069435
6/30/2016	100069428
3/31/2016	100069427
12/31/2015	100069406
9/30/2015	100069395
6/30/2015	100069386
3/31/2015	100069375
12/31/2014	100069363
9/30/2014	100069349
6/30/2014	100069356
3/31/2014	100069337
12/31/2013	100069324
12/31/2017	100069414
9/30/2017	100069404

06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS

84	1	<=100	TX1890011
84	1	<=100	TX1890011
84	1	<=100	TX1890011
84	1	<=100	TX1890011
84	1	<=100	TX1890011
84	1	<=100	TX1890011
84	1	<=100	TX1890011
84	1	<=100	TX1890011
84	1	<=100	TX1890011
84	1	<=100	TX1890011
84	1	<=100	TX1890011
84	1	<=100	TX1890011
84	1	<=100	TX1890011
84	1	<=100	TX1890011
84	1	<=100	TX1890011
84	1	<=100	TX1890011
84	1	<=100	TX1890011
72	1	<=100	TX1810034
72	1	<=100	TX1810034
72	1	<=100	TX1810034
72	1	<=100	TX1810034
72	1	<=100	TX1810034
72	1	<=100	TX1810034
72	1	<=100	TX1810034
72	1	<=100	TX1810034
72	1	<=100	TX1810034
72	1	<=100	TX1810034
72	1	<=100	TX1810034
72	1	<=100	TX1810034
72	1	<=100	TX1810034
72	1	<=100	TX1810034
70	1	<=100	TX1520192
70	1	<=100	TX1520192
70	1	<=100	TX1520192
70	1	<=100	TX1520192
70	1	<=100	TX1520192
70	1	<=100	TX1520192
70	1	<=100	TX1520192
70	1	<=100	TX1520192
70	1	<=100	TX1520192
70	1	<=100	TX1520192
70	1	<=100	TX1520192
70	1	<=100	TX1520192
70	1	<=100	TX1520192
70	1	<=100	TX1520192
70	1	<=100	TX1520192
70	1	<=100	TX1520192
70	1	<=100	TX1520192

CANDELARIA WSC	Y	332	Arsenic
CANDELARIA WSC	Y	332	Arsenic
CANDELARIA WSC	Y	332	Arsenic
CANDELARIA WSC	Y	332	Arsenic
CANDELARIA WSC	Y	332	Arsenic
CANDELARIA WSC	Y	332	Arsenic
CANDELARIA WSC	Y	332	Arsenic
CANDELARIA WSC	Y	332	Arsenic
CANDELARIA WSC	Y	332	Arsenic
CANDELARIA WSC	Y	332	Arsenic
CANDELARIA WSC	Y	332	Arsenic
CANDELARIA WSC	Y	332	Arsenic
CANDELARIA WSC	Y	332	Arsenic
CANDELARIA WSC	Y	332	Arsenic
CANDELARIA WSC	Y	332	Arsenic
CANDELARIA WSC	Y	332	Arsenic
SAWMILL ADDITION	Y	332	Arsenic
SAWMILL ADDITION	Y	332	Arsenic
SAWMILL ADDITION	Y	332	Arsenic
SAWMILL ADDITION	Y	332	Arsenic
SAWMILL ADDITION	Y	332	Arsenic
SAWMILL ADDITION	Y	332	Arsenic
SAWMILL ADDITION	Y	332	Arsenic
SAWMILL ADDITION	Y	332	Arsenic
SAWMILL ADDITION	Y	332	Arsenic
SAWMILL ADDITION	Y	332	Arsenic
SAWMILL ADDITION	Y	332	Arsenic
SAWMILL ADDITION	Y	332	Arsenic
SAWMILL ADDITION	Y	332	Arsenic
TERRELLS MOBILE HOME PARK	Y	332	Arsenic
TERRELLS MOBILE HOME PARK	Y	332	Arsenic
TERRELLS MOBILE HOME PARK	Y	332	Arsenic
TERRELLS MOBILE HOME PARK	Y	332	Arsenic
TERRELLS MOBILE HOME PARK	Y	332	Arsenic
TERRELLS MOBILE HOME PARK	Y	332	Arsenic
TERRELLS MOBILE HOME PARK	Y	332	Arsenic
TERRELLS MOBILE HOME PARK	Y	332	Arsenic
TERRELLS MOBILE HOME PARK	Y	332	Arsenic
TERRELLS MOBILE HOME PARK	Y	332	Arsenic
TERRELLS MOBILE HOME PARK	Y	332	Arsenic
TERRELLS MOBILE HOME PARK	Y	332	Arsenic
TERRELLS MOBILE HOME PARK	Y	332	Arsenic
TERRELLS MOBILE HOME PARK	Y	332	Arsenic
TERRELLS MOBILE HOME PARK	Y	332	Arsenic
TERRELLS MOBILE HOME PARK	Y	332	Arsenic
TERRELLS MOBILE HOME PARK	Y	332	Arsenic
TERRELLS MOBILE HOME PARK	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013

9/30/2017	100068419
6/30/2017	100068420
3/31/2017	100068331
12/31/2016	100068297
9/30/2016	100068294
6/30/2016	100068293
3/31/2016	100068292
12/31/2015	100068291
9/30/2015	100068249
6/30/2015	100068236
3/31/2015	100068227
12/31/2014	100068210
9/30/2014	100068211
6/30/2014	100068197
3/31/2014	100068196
12/31/2013	100068195
9/30/2017	100069420
6/30/2017	100069414
3/31/2017	100069408
12/31/2016	100069405
9/30/2016	100069397
6/30/2016	100069391
3/31/2016	100069389
12/31/2015	100069385
9/30/2015	100069381
6/30/2015	100069383
3/31/2015	100069376
12/31/2014	100069365
9/30/2014	100069364
6/30/2014	100069363
12/31/2017	90067026
9/30/2017	90067021
6/30/2017	90067016
3/31/2017	90067007
12/31/2016	90066997
9/30/2016	90066990
6/30/2016	90066985
3/31/2016	90066980
12/31/2015	90066976
9/30/2015	90066970
6/30/2015	90066966
3/31/2015	90066961
12/31/2014	90066957
9/30/2014	90066951
6/30/2014	90066912
3/31/2014	90066907
12/31/2013	90066902

06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS

70 1	<=100	TX1520198
70 1	<=100	TX1520198
70 1	<=100	TX1520198
70 1	<=100	TX1520198
70 1	<=100	TX1520198
70 1	<=100	TX1520198
70 1	<=100	TX1520198
70 1	<=100	TX1520198
70 1	<=100	TX1520198
70 1	<=100	TX1520198
70 1	<=100	TX1520198
70 1	<=100	TX1520198
70 1	<=100	TX1520198
70 1	<=100	TX1520198
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149
60 1	<=100	TX1520149

VALLEY ESTATES	Y	332	Arsenic
VALLEY ESTATES	Y	332	Arsenic
VALLEY ESTATES	Y	332	Arsenic
VALLEY ESTATES	Y	332	Arsenic
VALLEY ESTATES	Y	332	Arsenic
VALLEY ESTATES	Y	332	Arsenic
VALLEY ESTATES	Y	332	Arsenic
VALLEY ESTATES	Y	332	Arsenic
VALLEY ESTATES	Y	332	Arsenic
VALLEY ESTATES	Y	332	Arsenic
VALLEY ESTATES	Y	332	Arsenic
VALLEY ESTATES	Y	332	Arsenic
VALLEY ESTATES	Y	332	Arsenic
VALLEY ESTATES	Y	332	Arsenic
WHORTON MOBILE HOME PARK	Y	332	Arsenic
WHORTON MOBILE HOME PARK	Y	332	Arsenic
WHORTON MOBILE HOME PARK	Y	332	Arsenic
WHORTON MOBILE HOME PARK	Y	332	Arsenic
WHORTON MOBILE HOME PARK	Y	332	Arsenic
WHORTON MOBILE HOME PARK	Y	332	Arsenic
WHORTON MOBILE HOME PARK	Y	332	Arsenic
WHORTON MOBILE HOME PARK	Y	332	Arsenic
WHORTON MOBILE HOME PARK	Y	332	Arsenic
WHORTON MOBILE HOME PARK	Y	332	Arsenic
WHORTON MOBILE HOME PARK	Y	332	Arsenic
WHORTON MOBILE HOME PARK	Y	332	Arsenic
WHORTON MOBILE HOME PARK	Y	332	Arsenic
WHORTON MOBILE HOME PARK	Y	332	Arsenic
WHORTON MOBILE HOME PARK	Y	332	Arsenic
WHORTON MOBILE HOME PARK	Y	332	Arsenic
WHORTON MOBILE HOME PARK	Y	332	Arsenic
WHORTON MOBILE HOME PARK	Y	332	Arsenic
WHORTON MOBILE HOME PARK	Y	332	Arsenic
WHORTON MOBILE HOME PARK	Y	332	Arsenic
WHORTON MOBILE HOME PARK	Y	332	Arsenic
WHORTON MOBILE HOME PARK	Y	332	Arsenic
WHORTON MOBILE HOME PARK	Y	332	Arsenic
WHORTON MOBILE HOME PARK	Y	332	Arsenic
WHORTON MOBILE HOME PARK	Y	332	Arsenic
WHORTON MOBILE HOME PARK	Y	332	Arsenic
WHORTON MOBILE HOME PARK	Y	332	Arsenic
WHORTON MOBILE HOME PARK	Y	332	Arsenic
WHORTON MOBILE HOME PARK	Y	332	Arsenic
WHORTON MOBILE HOME PARK	Y	332	Arsenic
WHORTON MOBILE HOME PARK	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013

12/31/2017	980010089
9/30/2017	980010076
6/30/2017	980010052
3/31/2017	980010029
12/31/2016	980009990
9/30/2016	980009965
6/30/2016	980009954
3/31/2016	980009953
12/31/2015	980009925
9/30/2015	980009914
6/30/2015	980009911
3/31/2015	980009892
12/31/2014	980009875
9/30/2014	980009854
12/31/2017	100068501
12/31/2017	100068503
9/30/2017	100068492
9/30/2017	100068493
6/30/2017	100068482
6/30/2017	100068483
3/31/2017	100068459
3/31/2017	100068460
12/31/2016	100068439
12/31/2016	100068440
9/30/2016	100068424
9/30/2016	100068425
6/30/2016	100068414
6/30/2016	100068415
3/31/2016	100068402
3/31/2016	100068403
12/31/2015	100068386
12/31/2015	100068387
9/30/2015	100068374
9/30/2015	100068375
6/30/2015	100068365
6/30/2015	100068366
3/31/2015	100068347
3/31/2015	100068349
12/31/2014	100068336
12/31/2014	100068337
9/30/2014	100068330
9/30/2014	100068333
6/30/2014	100068319
6/30/2014	100068321
3/31/2014	100068306
3/31/2014	100068307
12/31/2013	100068288

06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS

60	1	<=100	TX1520149
55	1	<=100	TX1520247
55	1	<=100	TX1520247
55	1	<=100	TX1520247
55	1	<=100	TX1520247
55	1	<=100	TX1520247
55	1	<=100	TX1520247
55	1	<=100	TX1520247
55	1	<=100	TX1520247
55	1	<=100	TX1520247
55	1	<=100	TX1520247
55	1	<=100	TX1520247
55	1	<=100	TX1520247
55	1	<=100	TX1520247
55	1	<=100	TX1520247
55	1	<=100	TX1520247
55	1	<=100	TX1530005
55	1	<=100	TX1530005
55	1	<=100	TX1530005
55	1	<=100	TX1530005
55	1	<=100	TX1530005
55	1	<=100	TX1530005
55	1	<=100	TX1530005
55	1	<=100	TX1530005
55	1	<=100	TX1530005
55	1	<=100	TX1530005
55	1	<=100	TX1530005
55	1	<=100	TX1530005
55	1	<=100	TX1530005
55	1	<=100	TX1530005
55	1	<=100	TX1530005
55	1	<=100	TX1530005
55	1	<=100	TX1530005
50	1	<=100	TX0130058
50	1	<=100	TX0130058
50	1	<=100	TX0130058
50	1	<=100	TX0130058
50	1	<=100	TX0130058
50	1	<=100	TX0130058
50	1	<=100	TX0130058
50	1	<=100	TX0130058
50	1	<=100	TX0130058
50	1	<=100	TX0130058
50	1	<=100	TX0130058
50	1	<=100	TX0130058
50	1	<=100	TX0130058
50	1	<=100	TX0130058

WHORTON MOBILE HOME PARK	Y	332	Arsenic
COUNTRY VIEW MHP	Y	332	Arsenic
COUNTRY VIEW MHP	Y	332	Arsenic
COUNTRY VIEW MHP	Y	332	Arsenic
COUNTRY VIEW MHP	Y	332	Arsenic
COUNTRY VIEW MHP	Y	332	Arsenic
COUNTRY VIEW MHP	Y	332	Arsenic
COUNTRY VIEW MHP	Y	332	Arsenic
COUNTRY VIEW MHP	Y	332	Arsenic
COUNTRY VIEW MHP	Y	332	Arsenic
COUNTRY VIEW MHP	Y	332	Arsenic
COUNTRY VIEW MHP	Y	332	Arsenic
COUNTRY VIEW MHP	Y	332	Arsenic
COUNTRY VIEW MHP	Y	332	Arsenic
COUNTRY VIEW MHP	Y	332	Arsenic
COUNTRY VIEW MHP	Y	332	Arsenic
GRASSLAND WSC	Y	332	Arsenic
GRASSLAND WSC	Y	332	Arsenic
GRASSLAND WSC	Y	332	Arsenic
GRASSLAND WSC	Y	332	Arsenic
GRASSLAND WSC	Y	332	Arsenic
GRASSLAND WSC	Y	332	Arsenic
GRASSLAND WSC	Y	332	Arsenic
GRASSLAND WSC	Y	332	Arsenic
GRASSLAND WSC	Y	332	Arsenic
GRASSLAND WSC	Y	332	Arsenic
GRASSLAND WSC	Y	332	Arsenic
GRASSLAND WSC	Y	332	Arsenic
GRASSLAND WSC	Y	332	Arsenic
GRASSLAND WSC	Y	332	Arsenic
GRASSLAND WSC	Y	332	Arsenic
GRASSLAND WSC	Y	332	Arsenic
GRASSLAND WSC	Y	332	Arsenic
COUNTRY VILLA MOBILE HOME PARK	Y	332	Arsenic
COUNTRY VILLA MOBILE HOME PARK	Y	332	Arsenic
COUNTRY VILLA MOBILE HOME PARK	Y	332	Arsenic
COUNTRY VILLA MOBILE HOME PARK	Y	332	Arsenic
COUNTRY VILLA MOBILE HOME PARK	Y	332	Arsenic
COUNTRY VILLA MOBILE HOME PARK	Y	332	Arsenic
COUNTRY VILLA MOBILE HOME PARK	Y	332	Arsenic
COUNTRY VILLA MOBILE HOME PARK	Y	332	Arsenic
COUNTRY VILLA MOBILE HOME PARK	Y	332	Arsenic
COUNTRY VILLA MOBILE HOME PARK	Y	332	Arsenic
COUNTRY VILLA MOBILE HOME PARK	Y	332	Arsenic
COUNTRY VILLA MOBILE HOME PARK	Y	332	Arsenic
COUNTRY VILLA MOBILE HOME PARK	Y	332	Arsenic
COUNTRY VILLA MOBILE HOME PARK	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014

12/31/2013	100068289
12/31/2017	100069515
9/30/2017	100069506
6/30/2017	100069496
3/31/2017	100069488
12/31/2016	100069478
9/30/2016	100069469
6/30/2016	100069467
3/31/2016	100069466
12/31/2015	100069458
9/30/2015	100069452
6/30/2015	100069451
3/31/2015	100069443
12/31/2014	100069430
9/30/2014	100069426
6/30/2014	100069372
12/31/2017	780009754
9/30/2017	780009743
6/30/2017	780009733
3/31/2017	780009725
12/31/2016	780009718
9/30/2016	780009699
6/30/2016	780009694
3/31/2016	780009687
12/31/2015	780009678
9/30/2015	780009677
6/30/2015	780009665
3/31/2015	780009661
12/31/2014	780009652
9/30/2014	780009646
6/30/2014	780009640
3/31/2014	780009635
12/31/2013	780009628
12/31/2017	100069032
9/30/2017	100069018
6/30/2017	100068952
3/31/2017	100068942
12/31/2016	100068929
9/30/2016	100068941
6/30/2016	100068940
3/31/2016	100068939
12/31/2015	100068897
9/30/2015	100068886
6/30/2015	100068881
3/31/2015	100068877
12/31/2014	100068872
9/30/2014	100068863

06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	CWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS

50	1	<=100	TX0130058
50	1	<=100	TX0130058
50	1	<=100	TX0130058
45	1	<=100	TX1780050
45	1	<=100	TX1780050
45	1	<=100	TX1780050
45	1	<=100	TX1780050
45	1	<=100	TX1780050
45	1	<=100	TX1780050
45	1	<=100	TX1780050
45	1	<=100	TX1780050
45	1	<=100	TX1780050
45	1	<=100	TX1780050
45	1	<=100	TX1780050
45	1	<=100	TX1780050
45	1	<=100	TX1780050
45	1	<=100	TX1780050
0	1	<=100	TX1550136
0	1	<=100	TX1550136
0	1	<=100	TX1550136
0	1	<=100	TX1550136
0	1	<=100	TX1550136
0	1	<=100	TX1550136
0	1	<=100	TX1550136
0	1	<=100	TX1550136
0	1	<=100	TX1550136
0	1	<=100	TX1550136
0	1	<=100	TX1550136
0	1	<=100	TX1550136
0	1	<=100	TX1550136
0	1	<=100	TX1550136
0	1	<=100	TX1550136
0	1	<=100	TX1550136
0	1	<=100	TX1550136
0	1	<=100	TX1550136
350	2	101-500	TX1520301
350	2	101-500	TX1520301
350	2	101-500	TX1520301
350	2	101-500	TX1520301
350	2	101-500	TX1520301
350	2	101-500	TX1520301
149	2	101-500	TX1520147
149	2	101-500	TX1520147
149	2	101-500	TX1520147
149	2	101-500	TX1520147
100	1	<=100	TX0790424
100	1	<=100	TX0790424

COUNTRY VILLA MOBILE HOME PARK	Y	332	Arsenic
COUNTRY VILLA MOBILE HOME PARK	Y	332	Arsenic
COUNTRY VILLA MOBILE HOME PARK	Y	332	Arsenic
CYNDIE PARK 2 WSC	Y	332	Arsenic
CYNDIE PARK 2 WSC	Y	332	Arsenic
CYNDIE PARK 2 WSC	Y	332	Arsenic
CYNDIE PARK 2 WSC	Y	332	Arsenic
CYNDIE PARK 2 WSC	Y	332	Arsenic
CYNDIE PARK 2 WSC	Y	332	Arsenic
CYNDIE PARK 2 WSC	Y	332	Arsenic
CYNDIE PARK 2 WSC	Y	332	Arsenic
CYNDIE PARK 2 WSC	Y	332	Arsenic
CYNDIE PARK 2 WSC	Y	332	Arsenic
CYNDIE PARK 2 WSC	Y	332	Arsenic
CYNDIE PARK 2 WSC	Y	332	Arsenic
CYNDIE PARK 2 WSC	Y	332	Arsenic
CYNDIE PARK 2 WSC	Y	332	Arsenic
R M S WSC	Y	332	Arsenic
R M S WSC	Y	332	Arsenic
R M S WSC	Y	332	Arsenic
R M S WSC	Y	332	Arsenic
R M S WSC	Y	332	Arsenic
R M S WSC	Y	332	Arsenic
R M S WSC	Y	332	Arsenic
R M S WSC	Y	332	Arsenic
R M S WSC	Y	332	Arsenic
R M S WSC	Y	332	Arsenic
R M S WSC	Y	332	Arsenic
R M S WSC	Y	332	Arsenic
R M S WSC	Y	332	Arsenic
R M S WSC	Y	332	Arsenic
R M S WSC	Y	332	Arsenic
R M S WSC	Y	332	Arsenic
R M S WSC	Y	332	Arsenic
R M S WSC	Y	332	Arsenic
TEGA KIDS SUPERPLEX	Y	332	Arsenic
TEGA KIDS SUPERPLEX	Y	332	Arsenic
TEGA KIDS SUPERPLEX	Y	332	Arsenic
TEGA KIDS SUPERPLEX	Y	332	Arsenic
TEGA KIDS SUPERPLEX	Y	332	Arsenic
TEGA KIDS SUPERPLEX	Y	332	Arsenic
SHORT ROAD WATER SUPPLY	Y	332	Arsenic
SHORT ROAD WATER SUPPLY	Y	332	Arsenic
SHORT ROAD WATER SUPPLY	Y	332	Arsenic
SHORT ROAD WATER SUPPLY	Y	332	Arsenic
KIDACIOUS ACADEMY	Y	332	Arsenic
KIDACIOUS ACADEMY	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017

6/30/2014	100068859
3/31/2014	100068852
12/31/2013	100068847
12/31/2017	90064966
9/30/2017	90064965
6/30/2017	90064956
3/31/2017	90064947
12/31/2016	90064949
9/30/2016	90064939
6/30/2016	90064934
3/31/2016	90064928
12/31/2015	90064924
9/30/2015	90064917
6/30/2015	90064913
3/31/2015	90064910
6/30/2014	90064905
3/31/2014	90064904
12/31/2013	90064890
12/31/2017	100069313
9/30/2017	100069310
6/30/2017	100069303
3/31/2017	100069300
12/31/2016	100069294
9/30/2016	100069291
6/30/2016	100069287
3/31/2016	100069283
12/31/2015	100069282
9/30/2015	100069281
6/30/2015	100069280
3/31/2015	100069278
12/31/2014	100069276
9/30/2014	100069274
6/30/2014	100069270
3/31/2014	100069268
12/31/2013	100069263
12/31/2017	63
9/30/2017	54
6/30/2017	42
3/31/2017	32
12/31/2016	13
9/30/2016	22
12/31/2017	100069306
9/30/2017	100069299
6/30/2017	100069292
3/31/2017	100069281
12/31/2017	70035287
9/30/2017	70035286

06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	NTNCWS
06	TX	A	TNCWS
06	TX	A	TNCWS
06	TX	A	TNCWS
07	IA	A	CWS
07	IA	A	CWS
07	IA	A	CWS
07	IA	A	CWS
07	IA	A	CWS
07	IA	A	CWS
07	IA	A	CWS
07	IA	A	CWS

100	1	<=100	TX0830031
100	1	<=100	TX0830031
100	1	<=100	TX0830031
45	1	<=100	TX0660024
45	1	<=100	TX0660024
45	1	<=100	TX0660024
45	1	<=100	TX0660024
40	1	<=100	TX1520265
40	1	<=100	TX1520265
40	1	<=100	TX1520265
40	1	<=100	TX1520265
40	1	<=100	TX1520265
40	1	<=100	TX1520265
40	1	<=100	TX1520265
29	1	<=100	TX0750044
29	1	<=100	TX0750044
29	1	<=100	TX0750044
29	1	<=100	TX0750044
29	1	<=100	TX0750044
29	1	<=100	TX0750044
29	1	<=100	TX0750044
29	1	<=100	TX0750044
29	1	<=100	TX0750044
29	1	<=100	TX0750044
29	1	<=100	TX0750044
29	1	<=100	TX0750044
29	1	<=100	TX0750044
29	1	<=100	TX0750044
29	1	<=100	TX0750044
29	1	<=100	TX0750044
29	1	<=100	TX0750044
29	1	<=100	TX0750044
29	1	<=100	TX0750044
29	1	<=100	TX0750044
29	1	<=100	TX0750044
29	1	<=100	TX0750044
75	1	<=100	TX1520283
75	1	<=100	TX1520283
75	1	<=100	TX1520283
43	1	<=100	IA5282306
43	1	<=100	IA5282306
43	1	<=100	IA5282306
43	1	<=100	IA5282306
43	1	<=100	IA5282306
43	1	<=100	IA5282306
43	1	<=100	IA5282306
43	1	<=100	IA5282306

SEMINOLE GAS PROCESSING PLANT	Y	332	Arsenic
SEMINOLE GAS PROCESSING PLANT	Y	332	Arsenic
SEMINOLE GAS PROCESSING PLANT	Y	332	Arsenic
RAMIREZ COMMON SCHOOL DISTRICT	Y	332	Arsenic
RAMIREZ COMMON SCHOOL DISTRICT	Y	332	Arsenic
RAMIREZ COMMON SCHOOL DISTRICT	Y	332	Arsenic
RAMIREZ COMMON SCHOOL DISTRICT	Y	332	Arsenic
CASH REGISTER SERVICES	Y	332	Arsenic
CASH REGISTER SERVICES	Y	332	Arsenic
CASH REGISTER SERVICES	Y	332	Arsenic
CASH REGISTER SERVICES	Y	332	Arsenic
CASH REGISTER SERVICES	Y	332	Arsenic
CASH REGISTER SERVICES	Y	332	Arsenic
CASH REGISTER SERVICES	Y	332	Arsenic
WHISPERING HILLS ACHIEVEMENT CENTER	Y	332	Arsenic
WHISPERING HILLS ACHIEVEMENT CENTER	Y	332	Arsenic
WHISPERING HILLS ACHIEVEMENT CENTER	Y	332	Arsenic
WHISPERING HILLS ACHIEVEMENT CENTER	Y	332	Arsenic
WHISPERING HILLS ACHIEVEMENT CENTER	Y	332	Arsenic
WHISPERING HILLS ACHIEVEMENT CENTER	Y	332	Arsenic
WHISPERING HILLS ACHIEVEMENT CENTER	Y	332	Arsenic
WHISPERING HILLS ACHIEVEMENT CENTER	Y	332	Arsenic
WHISPERING HILLS ACHIEVEMENT CENTER	Y	332	Arsenic
WHISPERING HILLS ACHIEVEMENT CENTER	Y	332	Arsenic
WHISPERING HILLS ACHIEVEMENT CENTER	Y	332	Arsenic
WHISPERING HILLS ACHIEVEMENT CENTER	Y	332	Arsenic
WHISPERING HILLS ACHIEVEMENT CENTER	Y	332	Arsenic
WHISPERING HILLS ACHIEVEMENT CENTER	Y	332	Arsenic
WHISPERING HILLS ACHIEVEMENT CENTER	Y	332	Arsenic
WHISPERING HILLS ACHIEVEMENT CENTER	Y	332	Arsenic
WHISPERING HILLS ACHIEVEMENT CENTER	Y	332	Arsenic
WHISPERING HILLS ACHIEVEMENT CENTER	Y	332	Arsenic
WHISPERING HILLS ACHIEVEMENT CENTER	Y	332	Arsenic
WHISPERING HILLS ACHIEVEMENT CENTER	Y	332	Arsenic
WHISPERING HILLS ACHIEVEMENT CENTER	Y	332	Arsenic
NEW GENERATION COMMUNITY CHURCH	Y	332	Arsenic
NEW GENERATION COMMUNITY CHURCH	Y	332	Arsenic
NEW GENERATION COMMUNITY CHURCH	Y	332	Arsenic
GALLERY ACRES WEST	Y	332	Arsenic
GALLERY ACRES WEST	Y	332	Arsenic
GALLERY ACRES WEST	Y	332	Arsenic
GALLERY ACRES WEST	Y	332	Arsenic
GALLERY ACRES WEST	Y	332	Arsenic
GALLERY ACRES WEST	Y	332	Arsenic
GALLERY ACRES WEST	Y	332	Arsenic
GALLERY ACRES WEST	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015

9/30/2017	123
6/30/2017	119
3/31/2017	121
12/31/2017	16
9/30/2017	15
6/30/2017	6
3/31/2017	4
9/30/2017	95
6/30/2017	90
3/31/2017	80
9/30/2016	60
3/31/2016	53
12/31/2015	49
9/30/2015	44
12/31/2017	123
12/31/2017	124
9/30/2017	121
9/30/2017	122
6/30/2017	111
6/30/2017	112
3/31/2017	102
3/31/2017	103
12/31/2016	85
12/31/2016	96
9/30/2016	80
6/30/2016	77
3/31/2016	71
12/31/2015	68
9/30/2015	66
6/30/2015	64
3/31/2015	63
12/31/2014	61
9/30/2014	58
6/30/2014	54
3/31/2014	49
12/31/2013	45
6/30/2016	101
3/31/2016	91
12/31/2015	86
9/30/2017	191517
3/31/2017	74217
12/31/2016	35817
9/30/2016	61617
6/30/2016	143616
12/31/2015	20616
9/30/2015	150015
6/30/2015	132215

07	IA	A	CWS
07	IA	A	CWS
07	IA	A	CWS
07	IA	A	CWS
07	IA	A	CWS
07	IA	A	CWS
07	KS	A	CWS
07	KS	A	CWS
07	KS	A	CWS
07	KS	A	CWS
07	KS	A	CWS
07	KS	A	CWS
07	KS	A	CWS
07	KS	A	CWS
07	KS	A	CWS
07	KS	A	CWS
07	KS	A	CWS
07	KS	A	CWS
07	KS	A	CWS
07	KS	A	CWS
07	KS	A	CWS
07	KS	A	CWS
07	KS	A	CWS
07	KS	A	CWS
07	KS	A	CWS
07	KS	A	CWS
07	KS	A	CWS
07	KS	A	CWS
07	KS	A	CWS
07	KS	A	CWS
07	KS	A	CWS
07	KS	A	CWS
07	NE	A	CWS
07	NE	A	CWS
07	NE	A	CWS
07	NE	A	CWS
07	NE	A	CWS
07	NE	A	CWS
07	NE	A	CWS
07	NE	A	CWS
07	NE	A	CWS
07	NE	A	CWS
07	NE	A	CWS
07	NE	A	CWS
07	NE	A	CWS
07	NE	A	CWS

43	1	<=100	IA5282306
43	1	<=100	IA5282306
43	1	<=100	IA5282306
43	1	<=100	IA5282306
43	1	<=100	IA5282306
43	1	<=100	IA5282306
482	2	101-500	KS2019116
482	2	101-500	KS2019116
482	2	101-500	KS2019116
482	2	101-500	KS2019116
482	2	101-500	KS2019116
482	2	101-500	KS2019116
482	2	101-500	KS2019116
482	2	101-500	KS2019116
482	2	101-500	KS2019116
482	2	101-500	KS2019116
482	2	101-500	KS2019116
482	2	101-500	KS2019116
482	2	101-500	KS2019116
482	2	101-500	KS2019116
73	1	<=100	KS2002503
73	1	<=100	KS2002503
73	1	<=100	KS2002503
73	1	<=100	KS2002503
73	1	<=100	KS2002503
73	1	<=100	KS2002503
73	1	<=100	KS2002503
73	1	<=100	KS2002503
73	1	<=100	KS2002503
73	1	<=100	KS2002503
73	1	<=100	KS2002503
73	1	<=100	KS2002503
73	1	<=100	KS2002503
983	3	501-1,000	NE3104901
960	3	501-1,000	NE3101910
800	3	501-1,000	NE3107906
667	3	501-1,000	NE3100307
667	3	501-1,000	NE3100307
577	3	501-1,000	NE3102901
577	3	501-1,000	NE3102901
577	3	501-1,000	NE3102901
577	3	501-1,000	NE3102901
577	3	501-1,000	NE3102901
577	3	501-1,000	NE3102901
577	3	501-1,000	NE3102901
577	3	501-1,000	NE3102901
577	3	501-1,000	NE3102901

GALLERY ACRES WEST	Y	332	Arsenic
GALLERY ACRES WEST	Y	332	Arsenic
GALLERY ACRES WEST	Y	332	Arsenic
GALLERY ACRES WEST	Y	332	Arsenic
GALLERY ACRES WEST	Y	332	Arsenic
GALLERY ACRES WEST	Y	332	Arsenic
ARGONIA, CITY OF	Y	332	Arsenic
ARGONIA, CITY OF	Y	332	Arsenic
ARGONIA, CITY OF	Y	332	Arsenic
ARGONIA, CITY OF	Y	332	Arsenic
ARGONIA, CITY OF	Y	332	Arsenic
ARGONIA, CITY OF	Y	332	Arsenic
ARGONIA, CITY OF	Y	332	Arsenic
ARGONIA, CITY OF	Y	332	Arsenic
ARGONIA, CITY OF	Y	332	Arsenic
ARGONIA, CITY OF	Y	332	Arsenic
ARGONIA, CITY OF	Y	332	Arsenic
ARGONIA, CITY OF	Y	332	Arsenic
ARGONIA, CITY OF	Y	332	Arsenic
ENGLEWOOD, CITY OF	Y	332	Arsenic
ENGLEWOOD, CITY OF	Y	332	Arsenic
ENGLEWOOD, CITY OF	Y	332	Arsenic
ENGLEWOOD, CITY OF	Y	332	Arsenic
ENGLEWOOD, CITY OF	Y	332	Arsenic
ENGLEWOOD, CITY OF	Y	332	Arsenic
ENGLEWOOD, CITY OF	Y	332	Arsenic
ENGLEWOOD, CITY OF	Y	332	Arsenic
ENGLEWOOD, CITY OF	Y	332	Arsenic
ENGLEWOOD, CITY OF	Y	332	Arsenic
ENGLEWOOD, CITY OF	Y	332	Arsenic
ENGLEWOOD, CITY OF	Y	332	Arsenic
ENGLEWOOD, CITY OF	Y	332	Arsenic
ENGLEWOOD, CITY OF	Y	332	Arsenic
CHAPPELL, CITY OF	Y	332	Arsenic
SHELTON, VILLAGE OF	Y	332	Arsenic
CAIRO, VILLAGE OF	Y	332	Arsenic
ELGIN, CITY OF	Y	332	Arsenic
ELGIN, CITY OF	Y	332	Arsenic
WAUNETA, VILLAGE OF	Y	332	Arsenic
WAUNETA, VILLAGE OF	Y	332	Arsenic
WAUNETA, VILLAGE OF	Y	332	Arsenic
WAUNETA, VILLAGE OF	Y	332	Arsenic
WAUNETA, VILLAGE OF	Y	332	Arsenic
WAUNETA, VILLAGE OF	Y	332	Arsenic
WAUNETA, VILLAGE OF	Y	332	Arsenic
WAUNETA, VILLAGE OF	Y	332	Arsenic
WAUNETA, VILLAGE OF	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015

3/31/2015	79315
12/31/2014	4115
9/30/2014	165214
6/30/2014	108814
3/31/2014	83914
12/31/2013	3214
3/31/2017	3407
3/31/2017	3408
12/31/2016	3400
9/30/2016	3399
3/31/2016	3398
12/31/2015	3397
9/30/2015	3396
6/30/2015	3394
3/31/2015	3392
12/31/2014	3390
9/30/2014	3386
6/30/2014	3384
3/31/2014	3382
12/31/2013	3374
3/31/2017	4053
12/31/2016	4052
9/30/2016	4051
3/31/2016	4050
12/31/2015	4049
9/30/2015	4048
6/30/2015	4047
3/31/2015	4046
12/31/2014	4045
9/30/2014	4043
6/30/2014	4042
3/31/2014	4041
12/31/2013	4040
9/30/2015	514914
6/30/2017	492411
3/31/2015	401112
6/30/2017	15
3/31/2017	14
9/30/2017	623
6/30/2017	622
3/31/2017	621
12/31/2016	620
9/30/2016	618
6/30/2016	617
3/31/2016	616
12/31/2015	614
9/30/2015	613

07	NE	A	CWS
07	NE	A	CWS
07	NE	A	CWS
07	NE	A	CWS
07	NE	A	CWS
07	NE	A	CWS
07	NE	A	CWS
07	NE	A	CWS
07	NE	A	CWS
07	NE	A	CWS
07	NE	A	CWS
07	NE	A	NTNCWS
07	NE	A	NTNCWS
07	NE	A	NTNCWS
07	NE	A	NTNCWS
07	NE	A	NTNCWS
07	NE	A	NTNCWS
07	NE	A	NTNCWS
08	08	A	CWS
08	CO	A	CWS
08	CO	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS

577	3	501-1,000	NE3102901
577	3	501-1,000	NE3102901
567	3	501-1,000	NE3106901
150	2	101-500	NE3114106
150	2	101-500	NE3114106
150	2	101-500	NE3114106
150	2	101-500	NE3114106
150	2	101-500	NE3114106
150	2	101-500	NE3114106
80	1	<=100	NE3114505
80	1	<=100	NE3114505
85	1	<=100	NE3120259
57	1	<=100	NE3120270
57	1	<=100	NE3120270
57	1	<=100	NE3120270
57	1	<=100	NE3120270
55	1	<=100	NE3150038
54	1	<=100	NE3150461
60	1	<=100	083090023
295	2	101-500	CO0138030
295	2	101-500	CO0138030
80	1	<=100	MT0003932
62	1	<=100	MT0004249
62	1	<=100	MT0004249
62	1	<=100	MT0004249
62	1	<=100	MT0004249
62	1	<=100	MT0004249
62	1	<=100	MT0004249
62	1	<=100	MT0004249
62	1	<=100	MT0004249
62	1	<=100	MT0004249
62	1	<=100	MT0004249
62	1	<=100	MT0004249
62	1	<=100	MT0004249
62	1	<=100	MT0004249
62	1	<=100	MT0004249
62	1	<=100	MT0004249
62	1	<=100	MT0004249
60	1	<=100	MT0004288
60	1	<=100	MT0004288
60	1	<=100	MT0004288
60	1	<=100	MT0004288
60	1	<=100	MT0004288
60	1	<=100	MT0004288
60	1	<=100	MT0004288
60	1	<=100	MT0004288

WAUNETA, VILLAGE OF	Y	332	Arsenic
WAUNETA, VILLAGE OF	Y	332	Arsenic
OSHKOSH, CITY OF	Y	332	Arsenic
COLLEGE VIEW PARK	Y	332	Arsenic
COLLEGE VIEW PARK	Y	332	Arsenic
COLLEGE VIEW PARK	Y	332	Arsenic
COLLEGE VIEW PARK	Y	332	Arsenic
COLLEGE VIEW PARK	Y	332	Arsenic
COLLEGE VIEW PARK	Y	332	Arsenic
LEBANON, VILLAGE OF	Y	332	Arsenic
LEBANON, VILLAGE OF	Y	332	Arsenic
PRAIRIE HILL LEARNING CENTER	Y	332	Arsenic
SUPERIOR INDUSTRIES, INC	Y	332	Arsenic
SUPERIOR INDUSTRIES, INC	Y	332	Arsenic
SUPERIOR INDUSTRIES, INC	Y	332	Arsenic
SUPERIOR INDUSTRIES, INC	Y	332	Arsenic
ALLIANCE AIRPORT	Y	332	Arsenic
MCPHERSON CO DIST 4 - TRYON PUBLIC	Y	332	Arsenic
DIXON (OLD AGENCY)	Y	332	Arsenic
PEETZ TOWN OF	Y	332	Arsenic
PEETZ TOWN OF	Y	332	Arsenic
HIDDEN LAKE COLONY	Y	332	Arsenic
CLARKS LOOKOUT	Y	332	Arsenic
CLARKS LOOKOUT	Y	332	Arsenic
CLARKS LOOKOUT	Y	332	Arsenic
CLARKS LOOKOUT	Y	332	Arsenic
CLARKS LOOKOUT	Y	332	Arsenic
CLARKS LOOKOUT	Y	332	Arsenic
CLARKS LOOKOUT	Y	332	Arsenic
CLARKS LOOKOUT	Y	332	Arsenic
CLARKS LOOKOUT	Y	332	Arsenic
CLARKS LOOKOUT	Y	332	Arsenic
CLARKS LOOKOUT	Y	332	Arsenic
CLARKS LOOKOUT	Y	332	Arsenic
CLARKS LOOKOUT	Y	332	Arsenic
CLARKS LOOKOUT	Y	332	Arsenic
CLARKS LOOKOUT	Y	332	Arsenic
CLARKS LOOKOUT	Y	332	Arsenic
BLUE CLOUD SUBDIVISION	Y	332	Arsenic
BLUE CLOUD SUBDIVISION	Y	332	Arsenic
BLUE CLOUD SUBDIVISION	Y	332	Arsenic
BLUE CLOUD SUBDIVISION	Y	332	Arsenic
BLUE CLOUD SUBDIVISION	Y	332	Arsenic
BLUE CLOUD SUBDIVISION	Y	332	Arsenic
BLUE CLOUD SUBDIVISION	Y	332	Arsenic
BLUE CLOUD SUBDIVISION	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015

6/30/2015	611
3/31/2015	615
12/31/2016	456009
9/30/2017	527388
6/30/2017	527362
12/31/2016	527339
9/30/2016	527338
6/30/2016	527323
3/31/2016	527321
12/31/2016	495626
9/30/2016	495625
6/30/2014	112410
9/30/2017	203013
6/30/2017	203012
3/31/2017	203011
9/30/2016	203010
3/31/2016	715
6/30/2017	113609
9/30/2017	15230
9/30/2017	1006363
6/30/2017	1006362
12/31/2017	568230
12/31/2017	62
9/30/2017	61
6/30/2017	60
3/31/2017	59
12/31/2016	58
9/30/2016	57
6/30/2016	55
3/31/2016	54
12/31/2015	53
9/30/2015	52
6/30/2015	51
3/31/2015	50
12/31/2014	49
9/30/2014	48
6/30/2014	47
3/31/2014	46
12/31/2013	45
9/30/2017	2313
6/30/2017	2312
3/31/2017	2311
12/31/2016	2310
9/30/2016	2308
6/30/2016	2307
3/31/2016	2306
12/31/2015	2304

08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	CWS
08	MT	A	NTNCWS
08	SD	A	CWS
08	SD	A	CWS
08	SD	A	CWS
08	SD	A	CWS
08	SD	A	NTNCWS
08	SD	A	NTNCWS
08	SD	A	NTNCWS
08	SD	A	NTNCWS
08	SD	A	NTNCWS
08	SD	A	NTNCWS
08	SD	A	NTNCWS
08	SD	A	NTNCWS
08	SD	A	NTNCWS
08	SD	A	NTNCWS
08	SD	A	NTNCWS
08	SD	A	NTNCWS
08	SD	A	NTNCWS
08	SD	A	NTNCWS
08	SD	A	NTNCWS
08	SD	A	NTNCWS
08	UT	A	CWS
08	WY	A	CWS
09	09	A	CWS
09	09	A	CWS

60	1	<=100	MT0004288
60	1	<=100	MT0004288
60	1	<=100	MT0004288
60	1	<=100	MT0004288
60	1	<=100	MT0004288
60	1	<=100	MT0004288
60	1	<=100	MT0004288
60	1	<=100	MT0004288
54	1	<=100	MT0000497
48	1	<=100	MT0002590
48	1	<=100	MT0002590
48	1	<=100	MT0002590
48	1	<=100	MT0002590
48	1	<=100	MT0002590
48	1	<=100	MT0002590
48	1	<=100	MT0002590
48	1	<=100	MT0002590
48	1	<=100	MT0002590
48	1	<=100	MT0002590
48	1	<=100	MT0002590
48	1	<=100	MT0002590
48	1	<=100	MT0002590
75	1	<=100	MT0001396
110	2	101-500	SD4602353
110	2	101-500	SD4602353
110	2	101-500	SD4602353
110	2	101-500	SD4602353
75	1	<=100	SD4600939
75	1	<=100	SD4600939
75	1	<=100	SD4600939
75	1	<=100	SD4600939
75	1	<=100	SD4600939
75	1	<=100	SD4600939
75	1	<=100	SD4600939
75	1	<=100	SD4600939
75	1	<=100	SD4600939
75	1	<=100	SD4600939
75	1	<=100	SD4600939
75	1	<=100	SD4600939
75	1	<=100	SD4600939
75	1	<=100	SD4600939
75	1	<=100	SD4600939
210	2	101-500	UTAH28003
6225	5	3,301-10,000	WY5680085
3917	5	3,301-10,000	090400106
3917	5	3,301-10,000	090400106

BLUE CLOUD SUBDIVISION	Y	332	Arsenic
BLUE CLOUD SUBDIVISION	Y	332	Arsenic
BLUE CLOUD SUBDIVISION	Y	332	Arsenic
BLUE CLOUD SUBDIVISION	Y	332	Arsenic
BLUE CLOUD SUBDIVISION	Y	332	Arsenic
BLUE CLOUD SUBDIVISION	Y	332	Arsenic
BLUE CLOUD SUBDIVISION	Y	332	Arsenic
BLUE CLOUD SUBDIVISION	Y	332	Arsenic
PINE CREST TR PK	Y	332	Arsenic
BEAVERHEAD JACKSON WATER AND SEWER DIST	Y	332	Arsenic
BEAVERHEAD JACKSON WATER AND SEWER DIST	Y	332	Arsenic
BEAVERHEAD JACKSON WATER AND SEWER DIST	Y	332	Arsenic
BEAVERHEAD JACKSON WATER AND SEWER DIST	Y	332	Arsenic
BEAVERHEAD JACKSON WATER AND SEWER DIST	Y	332	Arsenic
BEAVERHEAD JACKSON WATER AND SEWER DIST	Y	332	Arsenic
BEAVERHEAD JACKSON WATER AND SEWER DIST	Y	332	Arsenic
BEAVERHEAD JACKSON WATER AND SEWER DIST	Y	332	Arsenic
BEAVERHEAD JACKSON WATER AND SEWER DIST	Y	332	Arsenic
BEAVERHEAD JACKSON WATER AND SEWER DIST	Y	332	Arsenic
BEAVERHEAD JACKSON WATER AND SEWER DIST	Y	332	Arsenic
BEAVERHEAD JACKSON WATER AND SEWER DIST	Y	332	Arsenic
ASH GROVE CEMENT COMPANY	Y	332	Arsenic
WESTWOOD COLONY	Y	332	Arsenic
WESTWOOD COLONY	Y	332	Arsenic
WESTWOOD COLONY	Y	332	Arsenic
WESTWOOD COLONY	Y	332	Arsenic
LAKEVIEW ELEMENTARY SCHOOL	Y	332	Arsenic
LAKEVIEW ELEMENTARY SCHOOL	Y	332	Arsenic
LAKEVIEW ELEMENTARY SCHOOL	Y	332	Arsenic
LAKEVIEW ELEMENTARY SCHOOL	Y	332	Arsenic
LAKEVIEW ELEMENTARY SCHOOL	Y	332	Arsenic
LAKEVIEW ELEMENTARY SCHOOL	Y	332	Arsenic
LAKEVIEW ELEMENTARY SCHOOL	Y	332	Arsenic
LAKEVIEW ELEMENTARY SCHOOL	Y	332	Arsenic
LAKEVIEW ELEMENTARY SCHOOL	Y	332	Arsenic
LAKEVIEW ELEMENTARY SCHOOL	Y	332	Arsenic
LAKEVIEW ELEMENTARY SCHOOL	Y	332	Arsenic
LAKEVIEW ELEMENTARY SCHOOL	Y	332	Arsenic
LAKEVIEW ELEMENTARY SCHOOL	Y	332	Arsenic
LAKEVIEW ELEMENTARY SCHOOL	Y	332	Arsenic
LAKEVIEW ELEMENTARY SCHOOL	Y	332	Arsenic
LAKEVIEW ELEMENTARY SCHOOL	Y	332	Arsenic
HANKSVILLE TOWN WATER SYSTEM	Y	332	Arsenic
YELLOWSTONE NP-OLD FAITHFUL	Y	332	Arsenic
Polacca	Y	332	Arsenic
Polacca	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017

9/30/2015	2303
6/30/2015	2302
3/31/2015	2301
12/31/2014	2300
9/30/2014	2297
6/30/2014	2296
3/31/2014	2295
12/31/2013	2293
12/31/2017	4376920
6/30/2014	1269457
12/31/2013	1269447
9/30/2017	1269506
6/30/2017	1269502
3/31/2017	1269507
9/30/2016	1269493
6/30/2016	1269484
3/31/2016	1269481
6/30/2015	1269469
3/31/2015	1269474
12/31/2014	1269473
9/30/2014	1269472
3/31/2014	1269449
12/31/2016	5341917
12/31/2017	1800103
9/30/2017	1700102
6/30/2017	1700101
3/31/2017	1700100
12/31/2017	1800204
9/30/2017	1700203
6/30/2017	1700201
3/31/2017	1700197
12/31/2016	1700196
9/30/2016	1600195
6/30/2016	1600194
12/31/2015	1600190
9/30/2015	1500189
6/30/2015	1500188
3/31/2015	1500187
12/31/2014	1500186
9/30/2014	1400185
6/30/2014	1400183
3/31/2014	1400182
12/31/2013	1400180
3/31/2018	4012437
3/31/2016	4000709
9/30/2017	040010602100572017
6/30/2017	040010602100542017

09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS

3917 5	3,301-10,000	090400106
3917 5	3,301-10,000	090400106
3917 5	3,301-10,000	090400106
3917 5	3,301-10,000	090400106
3917 5	3,301-10,000	090400106
3917 5	3,301-10,000	090400106
3917 5	3,301-10,000	090400106
3917 5	3,301-10,000	090400106
3917 5	3,301-10,000	090400106
3917 5	3,301-10,000	090400106
3917 5	3,301-10,000	090400106
3917 5	3,301-10,000	090400106
3917 5	3,301-10,000	090400106
3917 5	3,301-10,000	090400106
2250 4	1,001-3,300	090600156
2250 4	1,001-3,300	090600156
1500 4	1,001-3,300	090400259
1500 4	1,001-3,300	090400259
1500 4	1,001-3,300	090400259
1500 4	1,001-3,300	090400259
1500 4	1,001-3,300	090400259
1500 4	1,001-3,300	090400259
1500 4	1,001-3,300	090400259
1500 4	1,001-3,300	090400259
1500 4	1,001-3,300	090400259
1500 4	1,001-3,300	090400259
1500 4	1,001-3,300	090400259
1500 4	1,001-3,300	090400259
1500 4	1,001-3,300	090400259
1500 4	1,001-3,300	090400259
523 3	501-1,000	090400107
523 3	501-1,000	090400107
523 3	501-1,000	090400107
523 3	501-1,000	090400107
523 3	501-1,000	090400107
523 3	501-1,000	090400107
523 3	501-1,000	090400107
523 3	501-1,000	090400107
523 3	501-1,000	090400107
523 3	501-1,000	090400107
523 3	501-1,000	090400107
523 3	501-1,000	090400107
523 3	501-1,000	090400107
523 3	501-1,000	090400107
523 3	501-1,000	090400107
523 3	501-1,000	090400107

Polacca	Y	332	Arsenic
Polacca	Y	332	Arsenic
Polacca	Y	332	Arsenic
Polacca	Y	332	Arsenic
Polacca	Y	332	Arsenic
Polacca	Y	332	Arsenic
Polacca	Y	332	Arsenic
Polacca	Y	332	Arsenic
Polacca	Y	332	Arsenic
Polacca	Y	332	Arsenic
Polacca	Y	332	Arsenic
Polacca	Y	332	Arsenic
Polacca	Y	332	Arsenic
Polacca	Y	332	Arsenic
Polacca	Y	332	Arsenic
Tule River Reservation Main	Y	332	Arsenic
Tule River Reservation Main	Y	332	Arsenic
Shungopavi	Y	332	Arsenic
Shungopavi	Y	332	Arsenic
Shungopavi	Y	332	Arsenic
Shungopavi	Y	332	Arsenic
Shungopavi	Y	332	Arsenic
Shungopavi	Y	332	Arsenic
Shungopavi	Y	332	Arsenic
Shungopavi	Y	332	Arsenic
Shungopavi	Y	332	Arsenic
Shungopavi	Y	332	Arsenic
Shungopavi	Y	332	Arsenic
Shungopavi	Y	332	Arsenic
Shungopavi	Y	332	Arsenic
Shungopavi	Y	332	Arsenic
Shungopavi	Y	332	Arsenic
Sipaulovi (Lower Sipaulovi/Lower Mishongnovi)	Y	332	Arsenic
Sipaulovi (Lower Sipaulovi/Lower Mishongnovi)	Y	332	Arsenic
Sipaulovi (Lower Sipaulovi/Lower Mishongnovi)	Y	332	Arsenic
Sipaulovi (Lower Sipaulovi/Lower Mishongnovi)	Y	332	Arsenic
Sipaulovi (Lower Sipaulovi/Lower Mishongnovi)	Y	332	Arsenic
Sipaulovi (Lower Sipaulovi/Lower Mishongnovi)	Y	332	Arsenic
Sipaulovi (Lower Sipaulovi/Lower Mishongnovi)	Y	332	Arsenic
Sipaulovi (Lower Sipaulovi/Lower Mishongnovi)	Y	332	Arsenic
Sipaulovi (Lower Sipaulovi/Lower Mishongnovi)	Y	332	Arsenic
Sipaulovi (Lower Sipaulovi/Lower Mishongnovi)	Y	332	Arsenic
Sipaulovi (Lower Sipaulovi/Lower Mishongnovi)	Y	332	Arsenic
Sipaulovi (Lower Sipaulovi/Lower Mishongnovi)	Y	332	Arsenic
Sipaulovi (Lower Sipaulovi/Lower Mishongnovi)	Y	332	Arsenic
Sipaulovi (Lower Sipaulovi/Lower Mishongnovi)	Y	332	Arsenic
Sipaulovi (Lower Sipaulovi/Lower Mishongnovi)	Y	332	Arsenic
Sipaulovi (Lower Sipaulovi/Lower Mishongnovi)	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013

3/31/2017	040010602100512017
12/31/2016	0400106021005102016
9/30/2016	040010602100572016
6/30/2016	040010602100542016
3/31/2016	040010602100512016
12/31/2015	0400106021005102015
9/30/2015	040010602100572015
6/30/2015	040010602100542015
3/31/2015	040010602100512015
12/31/2014	0400106021005102014
9/30/2014	040010602100572014
6/30/2014	040010602100542014
3/31/2014	040010602100512014
12/31/2013	0400106021005102013
9/30/2017	060015602100572017
3/31/2017	060015602100512017
9/30/2017	040025902100572017
6/30/2017	040025902100542017
3/31/2017	040025902100512017
12/31/2016	0400259021005102016
9/30/2016	040025902100572016
6/30/2016	040025902100542016
3/31/2016	040025902100512016
12/31/2015	0400259021005102015
9/30/2015	040025902100572015
6/30/2015	040025902100542015
3/31/2015	040025902100512015
12/31/2014	0400259021005102014
9/30/2014	040025902100572014
6/30/2014	040025902100542014
3/31/2014	040025902100512014
9/30/2017	040010702100572017
6/30/2017	040010702100542017
3/31/2017	040010702100512017
12/31/2016	0400107021005102016
9/30/2016	040010702100572016
6/30/2016	040010702100542016
3/31/2016	040010702100512016
12/31/2015	0400107021005102015
9/30/2015	040010702100572015
6/30/2015	040010702100542015
3/31/2015	040010702100512015
12/31/2014	0400107021005102014
9/30/2014	040010702100572014
6/30/2014	040010702100542014
3/31/2014	040010702100512014
12/31/2013	0400107021005102013

09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	CWS
09	09	A	NTNCWS
09	09	A	NTNCWS
09	09	A	NTNCWS
09	09	A	NTNCWS
09	09	A	NTNCWS
09	09	A	NTNCWS
09	09	A	NTNCWS
09	09	A	NTNCWS
09	09	A	NTNCWS
09	09	A	NTNCWS
09	09	A	NTNCWS
09	09	A	NTNCWS
09	09	A	NTNCWS
09	09	A	NTNCWS
09	09	A	NTNCWS
09	09	A	NTNCWS

450	2	101-500	090400394
450	2	101-500	090400394
450	2	101-500	090400394
450	2	101-500	090400394
450	2	101-500	090400394
450	2	101-500	090400394
450	2	101-500	090400394
450	2	101-500	090400394
450	2	101-500	090400394
450	2	101-500	090400394
450	2	101-500	090400394
450	2	101-500	090400394
450	2	101-500	090400394
450	2	101-500	090400394
450	2	101-500	090400394
450	2	101-500	090400394
185	2	101-500	090400237
185	2	101-500	090400237
185	2	101-500	090400237
185	2	101-500	090400237
185	2	101-500	090400237
185	2	101-500	090400237
185	2	101-500	090400237
185	2	101-500	090400237
185	2	101-500	090400237
185	2	101-500	090400237
185	2	101-500	090400237
185	2	101-500	090400237
185	2	101-500	090400237
185	2	101-500	090400237
185	2	101-500	090400237
325	2	101-500	090400260
325	2	101-500	090400260
325	2	101-500	090400260
325	2	101-500	090400260
325	2	101-500	090400260
325	2	101-500	090400260
325	2	101-500	090400260
50	1	<=100	090400662
50	1	<=100	090400662
50	1	<=100	090400662
50	1	<=100	090400662
50	1	<=100	090400662
50	1	<=100	090400662
50	1	<=100	090400662
50	1	<=100	090400662
50	1	<=100	090400662

Mishongnovi (Upper Sipaulovi/Upper Mishongnovi)	Y	332	Arsenic
Mishongnovi (Upper Sipaulovi/Upper Mishongnovi)	Y	332	Arsenic
Mishongnovi (Upper Sipaulovi/Upper Mishongnovi)	Y	332	Arsenic
Mishongnovi (Upper Sipaulovi/Upper Mishongnovi)	Y	332	Arsenic
Mishongnovi (Upper Sipaulovi/Upper Mishongnovi)	Y	332	Arsenic
Mishongnovi (Upper Sipaulovi/Upper Mishongnovi)	Y	332	Arsenic
Mishongnovi (Upper Sipaulovi/Upper Mishongnovi)	Y	332	Arsenic
Mishongnovi (Upper Sipaulovi/Upper Mishongnovi)	Y	332	Arsenic
Mishongnovi (Upper Sipaulovi/Upper Mishongnovi)	Y	332	Arsenic
Mishongnovi (Upper Sipaulovi/Upper Mishongnovi)	Y	332	Arsenic
Mishongnovi (Upper Sipaulovi/Upper Mishongnovi)	Y	332	Arsenic
Mishongnovi (Upper Sipaulovi/Upper Mishongnovi)	Y	332	Arsenic
Mishongnovi (Upper Sipaulovi/Upper Mishongnovi)	Y	332	Arsenic
Mishongnovi (Upper Sipaulovi/Upper Mishongnovi)	Y	332	Arsenic
Mishongnovi (Upper Sipaulovi/Upper Mishongnovi)	Y	332	Arsenic
Mishongnovi (Upper Sipaulovi/Upper Mishongnovi)	Y	332	Arsenic
SCUA Soda Canyon	Y	332	Arsenic
SCUA Soda Canyon	Y	332	Arsenic
SCUA Soda Canyon	Y	332	Arsenic
SCUA Soda Canyon	Y	332	Arsenic
SCUA Soda Canyon	Y	332	Arsenic
SCUA Soda Canyon	Y	332	Arsenic
SCUA Soda Canyon	Y	332	Arsenic
SCUA Soda Canyon	Y	332	Arsenic
SCUA Soda Canyon	Y	332	Arsenic
SCUA Soda Canyon	Y	332	Arsenic
SCUA Soda Canyon	Y	332	Arsenic
SCUA Soda Canyon	Y	332	Arsenic
SCUA Soda Canyon	Y	332	Arsenic
SCUA Soda Canyon	Y	332	Arsenic
Hopi Cultural Center	Y	332	Arsenic
Hopi Cultural Center	Y	332	Arsenic
Hopi Cultural Center	Y	332	Arsenic
Hopi Cultural Center	Y	332	Arsenic
Hopi Cultural Center	Y	332	Arsenic
Hopi Cultural Center	Y	332	Arsenic
Hopi Cultural Center	Y	332	Arsenic
BIA San Carlos Forestry	Y	332	Arsenic
BIA San Carlos Forestry	Y	332	Arsenic
BIA San Carlos Forestry	Y	332	Arsenic
BIA San Carlos Forestry	Y	332	Arsenic
BIA San Carlos Forestry	Y	332	Arsenic
BIA San Carlos Forestry	Y	332	Arsenic
BIA San Carlos Forestry	Y	332	Arsenic
BIA San Carlos Forestry	Y	332	Arsenic
BIA San Carlos Forestry	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015

9/30/2017	040039402100572017
6/30/2017	040039402100542017
3/31/2017	040039402100512017
12/31/2016	0400394021005102016
9/30/2016	040039402100572016
6/30/2016	040039402100542016
3/31/2016	040039402100512016
12/31/2015	0400394021005102015
9/30/2015	040039402100572015
6/30/2015	040039402100542015
3/31/2015	040039402100512015
12/31/2014	0400394021005102014
9/30/2014	040039402100572014
6/30/2014	040039402100542014
3/31/2014	040039402100512014
12/31/2013	0400394021005102013
9/30/2017	040023702100572017
6/30/2017	040023702100542017
3/31/2017	040023702100512017
12/31/2016	0400237021005102016
9/30/2016	040023702100572016
6/30/2016	040023702100542016
3/31/2016	040023702100512016
9/30/2015	040023702100572015
6/30/2015	040023702100542015
3/31/2015	040023702100512015
12/31/2014	0400237021005102014
9/30/2014	040023702100572014
6/30/2014	040023702100542014
3/31/2014	040023702100512014
12/31/2013	0400237021005102013
9/30/2017	040026002100572017
6/30/2017	040026002100542017
3/31/2017	040026002100512017
12/31/2016	0400260021005102016
9/30/2016	040026002100572016
6/30/2016	040026002100542016
3/31/2016	040026002100512016
9/30/2017	040066202100572017
6/30/2017	040066202100542017
3/31/2017	040066202100512017
12/31/2016	0400662021005102016
9/30/2016	040066202100572016
6/30/2016	040066202100542016
3/31/2016	040066202100512016
12/31/2015	0400662021005102015
9/30/2015	040066202100572015

09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS

1600	4	1,001-3,300	AZ0411100
1600	4	1,001-3,300	AZ0411100
1600	4	1,001-3,300	AZ0411100
1600	4	1,001-3,300	AZ0411100
1500	4	1,001-3,300	AZ0407700
1500	4	1,001-3,300	AZ0407700
1350	4	1,001-3,300	AZ0402033
1350	4	1,001-3,300	AZ0402033
1350	4	1,001-3,300	AZ0402033
816	3	501-1,000	AZ0414098
816	3	501-1,000	AZ0414098
816	3	501-1,000	AZ0414098
816	3	501-1,000	AZ0414098
816	3	501-1,000	AZ0414098
816	3	501-1,000	AZ0414098
816	3	501-1,000	AZ0414098
816	3	501-1,000	AZ0414098
816	3	501-1,000	AZ0414098
816	3	501-1,000	AZ0414098
816	3	501-1,000	AZ0414098
816	3	501-1,000	AZ0414098
732	3	501-1,000	AZ0414314
732	3	501-1,000	AZ0414314
600	3	501-1,000	AZ0415023
600	3	501-1,000	AZ0415023
600	3	501-1,000	AZ0415023
600	3	501-1,000	AZ0415023
600	3	501-1,000	AZ0415023
600	3	501-1,000	AZ0415023
600	3	501-1,000	AZ0415023
600	3	501-1,000	AZ0415023
600	3	501-1,000	AZ0415023
600	3	501-1,000	AZ0415023
600	3	501-1,000	AZ0415023
600	3	501-1,000	AZ0415023
429	2	101-500	AZ0414014
400	2	101-500	AZ0410118
400	2	101-500	AZ0410118
400	2	101-500	AZ0410118
400	2	101-500	AZ0410118
400	2	101-500	AZ0410118
213	2	101-500	AZ0413425
213	2	101-500	AZ0413425
213	2	101-500	AZ0413425
213	2	101-500	AZ0413425
213	2	101-500	AZ0413425

THUNDERBIRD FARMS DWID	Y	332	Arsenic
THUNDERBIRD FARMS DWID	Y	332	Arsenic
THUNDERBIRD FARMS DWID	Y	332	Arsenic
THUNDERBIRD FARMS DWID	Y	332	Arsenic
FEDERAL CORRECTION INSTITUTION	Y	332	Arsenic
FEDERAL CORRECTION INSTITUTION	Y	332	Arsenic
TOMBSTONE CITY OF	Y	332	Arsenic
TOMBSTONE CITY OF	Y	332	Arsenic
TOMBSTONE CITY OF	Y	332	Arsenic
SIERRA PACIFIC MOBILE MANOR	Y	332	Arsenic
SIERRA PACIFIC MOBILE MANOR	Y	332	Arsenic
SIERRA PACIFIC MOBILE MANOR	Y	332	Arsenic
SIERRA PACIFIC MOBILE MANOR	Y	332	Arsenic
SIERRA PACIFIC MOBILE MANOR	Y	332	Arsenic
SIERRA PACIFIC MOBILE MANOR	Y	332	Arsenic
SIERRA PACIFIC MOBILE MANOR	Y	332	Arsenic
SIERRA PACIFIC MOBILE MANOR	Y	332	Arsenic
SIERRA PACIFIC MOBILE MANOR	Y	332	Arsenic
SIERRA PACIFIC MOBILE MANOR	Y	332	Arsenic
SIERRA PACIFIC MOBILE MANOR	Y	332	Arsenic
SIERRA PACIFIC MOBILE MANOR	Y	332	Arsenic
YUMA LAKES RESORT	Y	332	Arsenic
YUMA LAKES RESORT	Y	332	Arsenic
WENDEN DWID	Y	332	Arsenic
WENDEN DWID	Y	332	Arsenic
WENDEN DWID	Y	332	Arsenic
WENDEN DWID	Y	332	Arsenic
WENDEN DWID	Y	332	Arsenic
WENDEN DWID	Y	332	Arsenic
WENDEN DWID	Y	332	Arsenic
WENDEN DWID	Y	332	Arsenic
WENDEN DWID	Y	332	Arsenic
WENDEN DWID	Y	332	Arsenic
WENDEN DWID	Y	332	Arsenic
WENDEN DWID	Y	332	Arsenic
WENDEN DWID	Y	332	Arsenic
SHEPARD WATER COMPANY	Y	332	Arsenic
WHY DWID	Y	332	Arsenic
WHY DWID	Y	332	Arsenic
WHY DWID	Y	332	Arsenic
WHY DWID	Y	332	Arsenic
WHY DWID	Y	332	Arsenic
RIO VERDE RV PARK	Y	332	Arsenic
RIO VERDE RV PARK	Y	332	Arsenic
RIO VERDE RV PARK	Y	332	Arsenic
RIO VERDE RV PARK	Y	332	Arsenic
RIO VERDE RV PARK	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016

3/31/2017	7766
6/30/2016	7767
12/31/2015	7756
9/30/2015	7757
3/31/2017	3735
12/31/2016	3728
6/30/2017	29858
3/31/2017	29794
9/30/2016	29783
6/30/2017	5603
3/31/2017	5602
12/31/2016	5600
9/30/2016	5596
6/30/2016	5595
3/31/2016	5593
9/30/2015	5588
6/30/2015	5584
3/31/2015	5587
12/31/2014	5581
6/30/2014	5574
3/31/2014	5571
12/31/2019	6269
12/31/2019	6270
6/30/2017	7917
3/31/2017	7916
6/30/2016	7913
3/31/2016	7911
12/31/2015	7908
9/30/2015	7909
6/30/2015	7903
3/31/2015	7901
12/31/2014	7902
9/30/2014	7912
6/30/2014	7881
3/31/2014	7879
12/31/2013	7880
3/31/2016	4163
6/30/2017	8264
3/31/2017	8260
12/31/2016	8259
9/30/2016	8258
3/31/2016	8254
12/31/2015	1846
9/30/2015	1847
6/30/2017	1873
3/31/2017	1872
12/31/2016	1865

09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	CWS
09	AZ	A	NTNCWS
09	AZ	A	NTNCWS
09	CA	A	CWS

213	2	101-500	AZ0413425
213	2	101-500	AZ0413425
213	2	101-500	AZ0413425
213	2	101-500	AZ0413425
213	2	101-500	AZ0413425
213	2	101-500	AZ0413425
213	2	101-500	AZ0413425
200	2	101-500	AZ0414018
200	2	101-500	AZ0414018
200	2	101-500	AZ0414018
200	2	101-500	AZ0414018
200	2	101-500	AZ0414018
200	2	101-500	AZ0414018
200	2	101-500	AZ0414018
200	2	101-500	AZ0414018
200	2	101-500	AZ0414018
200	2	101-500	AZ0414018
200	2	101-500	AZ0414018
200	2	101-500	AZ0414018
142	2	101-500	AZ0415038
142	2	101-500	AZ0415038
142	2	101-500	AZ0415038
142	2	101-500	AZ0415038
142	2	101-500	AZ0415038
142	2	101-500	AZ0415038
142	2	101-500	AZ0415038
142	2	101-500	AZ0415038
142	2	101-500	AZ0415038
142	2	101-500	AZ0415038
142	2	101-500	AZ0415038
125	2	101-500	AZ0413038
125	2	101-500	AZ0413038
125	2	101-500	AZ0413038
125	2	101-500	AZ0413038
125	2	101-500	AZ0413038
100	1	<=100	AZ0407671
100	1	<=100	AZ0407671
100	1	<=100	AZ0407671
100	1	<=100	AZ0407671
35	1	<=100	AZ0414070
35	1	<=100	AZ0414070
35	1	<=100	AZ0414070
30	1	<=100	AZ0414107
30	1	<=100	AZ0414107
30	1	<=100	AZ0414107
219	2	101-500	AZ0404869
219	2	101-500	AZ0404869
20499	6	10,001-50,000	CA1510001

RIO VERDE RV PARK	Y	332	Arsenic
RIO VERDE RV PARK	Y	332	Arsenic
RIO VERDE RV PARK	Y	332	Arsenic
RIO VERDE RV PARK	Y	332	Arsenic
RIO VERDE RV PARK	Y	332	Arsenic
RIO VERDE RV PARK	Y	332	Arsenic
RIO VERDE RV PARK	Y	332	Arsenic
TACNA WATER MANAGEMENT COMPANY	Y	332	Arsenic
TACNA WATER MANAGEMENT COMPANY	Y	332	Arsenic
TACNA WATER MANAGEMENT COMPANY	Y	332	Arsenic
TACNA WATER MANAGEMENT COMPANY	Y	332	Arsenic
TACNA WATER MANAGEMENT COMPANY	Y	332	Arsenic
TACNA WATER MANAGEMENT COMPANY	Y	332	Arsenic
TACNA WATER MANAGEMENT COMPANY	Y	332	Arsenic
TACNA WATER MANAGEMENT COMPANY	Y	332	Arsenic
TACNA WATER MANAGEMENT COMPANY	Y	332	Arsenic
TACNA WATER MANAGEMENT COMPANY	Y	332	Arsenic
TACNA WATER MANAGEMENT COMPANY	Y	332	Arsenic
BOUSE WORLEY WATER SYSTEM	Y	332	Arsenic
BOUSE WORLEY WATER SYSTEM	Y	332	Arsenic
BOUSE WORLEY WATER SYSTEM	Y	332	Arsenic
BOUSE WORLEY WATER SYSTEM	Y	332	Arsenic
BOUSE WORLEY WATER SYSTEM	Y	332	Arsenic
BOUSE WORLEY WATER SYSTEM	Y	332	Arsenic
BOUSE WORLEY WATER SYSTEM	Y	332	Arsenic
BOUSE WORLEY WATER SYSTEM	Y	332	Arsenic
BOUSE WORLEY WATER SYSTEM	Y	332	Arsenic
BOUSE WORLEY WATER SYSTEM	Y	332	Arsenic
LAKE VERDE WATER COMPANY	Y	332	Arsenic
LAKE VERDE WATER COMPANY	Y	332	Arsenic
LAKE VERDE WATER COMPANY	Y	332	Arsenic
LAKE VERDE WATER COMPANY	Y	332	Arsenic
LAKE VERDE WATER COMPANY	Y	332	Arsenic
PEEKABOO WATER COOP	Y	332	Arsenic
PEEKABOO WATER COOP	Y	332	Arsenic
PEEKABOO WATER COOP	Y	332	Arsenic
PEEKABOO WATER COOP	Y	332	Arsenic
JONES COOP WATER ASSOC	Y	332	Arsenic
JONES COOP WATER ASSOC	Y	332	Arsenic
JONES COOP WATER ASSOC	Y	332	Arsenic
CITRUS PARK WATER COMPANY	Y	332	Arsenic
CITRUS PARK WATER COMPANY	Y	332	Arsenic
CITRUS PARK WATER COMPANY	Y	332	Arsenic
USDA TNF GRAPEVINE CAMPGROUND	Y	332	Arsenic
USDA TNF GRAPEVINE CAMPGROUND	Y	332	Arsenic
ARVIN COMMUNITY SERVICES DIST	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017

9/30/2016	1859
6/30/2016	1854
3/31/2016	1845
6/30/2015	1839
3/31/2015	1831
12/31/2014	1832
6/30/2014	1814
6/30/2017	10176
3/31/2017	10112
12/31/2016	10107
6/30/2016	10099
3/31/2016	10026
6/30/2015	10017
3/31/2015	10015
12/31/2014	10013
9/30/2014	9982
6/30/2014	9965
3/31/2014	9961
12/31/2013	9962
6/30/2017	6656
3/31/2017	6655
12/31/2016	6652
9/30/2016	6650
6/30/2016	6649
6/30/2015	6645
3/31/2015	6644
9/30/2014	6641
6/30/2014	6639
3/31/2014	6637
12/31/2016	4658
3/31/2016	4624
12/31/2015	4630
6/30/2017	4669
3/31/2017	4662
6/30/2017	1536
6/30/2015	1531
3/31/2015	1530
12/31/2014	1529
6/30/2017	11872
3/31/2017	11870
12/31/2016	11865
12/31/2017	22
6/30/2017	35
3/31/2017	34
6/30/2017	2913
3/31/2017	2911
6/30/2017	9912039

09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS

20499	6	10,001-50,000	CA1510001
20499	6	10,001-50,000	CA1510001
20499	6	10,001-50,000	CA1510001
20499	6	10,001-50,000	CA1510001
20499	6	10,001-50,000	CA1510001
20499	6	10,001-50,000	CA1510001
20499	6	10,001-50,000	CA1510001
20499	6	10,001-50,000	CA1510001
20499	6	10,001-50,000	CA1510001
20499	6	10,001-50,000	CA1510001
20499	6	10,001-50,000	CA1510001
20499	6	10,001-50,000	CA1510001
20499	6	10,001-50,000	CA1510001
20499	6	10,001-50,000	CA1510001
19057	6	10,001-50,000	CA1510012
19057	6	10,001-50,000	CA1510012
19057	6	10,001-50,000	CA1510012
19057	6	10,001-50,000	CA1510012
19057	6	10,001-50,000	CA1510012
9900	5	3,301-10,000	CA1510024
9900	5	3,301-10,000	CA1510024
9900	5	3,301-10,000	CA1510024
9900	5	3,301-10,000	CA1510024
9900	5	3,301-10,000	CA1510024
9900	5	3,301-10,000	CA1510024
9900	5	3,301-10,000	CA1510024
9900	5	3,301-10,000	CA1510024
9900	5	3,301-10,000	CA1510024
9900	5	3,301-10,000	CA1510024
9900	5	3,301-10,000	CA1510024
9900	5	3,301-10,000	CA1510024
9900	5	3,301-10,000	CA1510024
9900	5	3,301-10,000	CA1510024
6082	5	3,301-10,000	CA5010008
6082	5	3,301-10,000	CA5010008
6082	5	3,301-10,000	CA5010008
6082	5	3,301-10,000	CA5010008
6082	5	3,301-10,000	CA5010008
6082	5	3,301-10,000	CA5010008
6082	5	3,301-10,000	CA5010008
6082	5	3,301-10,000	CA5010008
6082	5	3,301-10,000	CA5010008
6082	5	3,301-10,000	CA5010008
6082	5	3,301-10,000	CA5010008
6082	5	3,301-10,000	CA5010008
6082	5	3,301-10,000	CA5010008

ARVIN COMMUNITY SERVICES DIST	Y	332	Arsenic
ARVIN COMMUNITY SERVICES DIST	Y	332	Arsenic
ARVIN COMMUNITY SERVICES DIST	Y	332	Arsenic
ARVIN COMMUNITY SERVICES DIST	Y	332	Arsenic
ARVIN COMMUNITY SERVICES DIST	Y	332	Arsenic
ARVIN COMMUNITY SERVICES DIST	Y	332	Arsenic
ARVIN COMMUNITY SERVICES DIST	Y	332	Arsenic
ARVIN COMMUNITY SERVICES DIST	Y	332	Arsenic
ARVIN COMMUNITY SERVICES DIST	Y	332	Arsenic
ARVIN COMMUNITY SERVICES DIST	Y	332	Arsenic
ARVIN COMMUNITY SERVICES DIST	Y	332	Arsenic
ARVIN COMMUNITY SERVICES DIST	Y	332	Arsenic
ARVIN COMMUNITY SERVICES DIST	Y	332	Arsenic
ARVIN COMMUNITY SERVICES DIST	Y	332	Arsenic
LAMONT PUBLIC UTILITY DIST	Y	332	Arsenic
LAMONT PUBLIC UTILITY DIST	Y	332	Arsenic
LAMONT PUBLIC UTILITY DIST	Y	332	Arsenic
LAMONT PUBLIC UTILITY DIST	Y	332	Arsenic
LAMONT PUBLIC UTILITY DIST	Y	332	Arsenic
GREENFIELD COUNTY WD	Y	332	Arsenic
GREENFIELD COUNTY WD	Y	332	Arsenic
GREENFIELD COUNTY WD	Y	332	Arsenic
GREENFIELD COUNTY WD	Y	332	Arsenic
GREENFIELD COUNTY WD	Y	332	Arsenic
GREENFIELD COUNTY WD	Y	332	Arsenic
GREENFIELD COUNTY WD	Y	332	Arsenic
GREENFIELD COUNTY WD	Y	332	Arsenic
GREENFIELD COUNTY WD	Y	332	Arsenic
GREENFIELD COUNTY WD	Y	332	Arsenic
GREENFIELD COUNTY WD	Y	332	Arsenic
GREENFIELD COUNTY WD	Y	332	Arsenic
GREENFIELD COUNTY WD	Y	332	Arsenic
GREENFIELD COUNTY WD	Y	332	Arsenic
GREENFIELD COUNTY WD	Y	332	Arsenic
HUGHSON, CITY OF	Y	332	Arsenic
HUGHSON, CITY OF	Y	332	Arsenic
HUGHSON, CITY OF	Y	332	Arsenic
HUGHSON, CITY OF	Y	332	Arsenic
HUGHSON, CITY OF	Y	332	Arsenic
HUGHSON, CITY OF	Y	332	Arsenic
HUGHSON, CITY OF	Y	332	Arsenic
HUGHSON, CITY OF	Y	332	Arsenic
HUGHSON, CITY OF	Y	332	Arsenic
HUGHSON, CITY OF	Y	332	Arsenic
HUGHSON, CITY OF	Y	332	Arsenic
HUGHSON, CITY OF	Y	332	Arsenic
HUGHSON, CITY OF	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014

3/31/2017	9912038
12/31/2016	9912037
9/30/2016	9912036
6/30/2016	9912035
3/31/2016	9912034
12/31/2015	9912033
9/30/2015	9912032
6/30/2015	9912031
3/31/2015	9912030
12/31/2014	9912029
9/30/2014	9912028
6/30/2014	9912027
3/31/2014	9912026
12/31/2013	9912024
6/30/2017	9512011
3/31/2017	9512010
6/30/2014	9512009
3/31/2014	9512008
12/31/2013	9512007
6/30/2017	9512023
3/31/2017	9512021
12/31/2016	9512020
9/30/2016	9512019
6/30/2016	9512018
3/31/2016	9512017
12/31/2015	9512016
9/30/2015	9512013
6/30/2015	9512012
3/31/2015	9512011
12/31/2014	9512010
9/30/2014	9512009
6/30/2014	9512008
3/31/2014	9512007
12/31/2013	9512006
9/30/2017	9810022
3/31/2017	9810021
12/31/2016	9810020
6/30/2016	9810019
3/31/2016	9810018
12/31/2015	9810017
9/30/2015	9810016
6/30/2015	9810015
3/31/2015	9810014
12/31/2014	9810013
9/30/2014	9810012
6/30/2014	9810011
3/31/2014	9810010

09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS

6082	5	3,301-10,000	CA5010008
4805	5	3,301-10,000	CA5010009
4805	5	3,301-10,000	CA5010009
4805	5	3,301-10,000	CA5010009
4805	5	3,301-10,000	CA5010009
4805	5	3,301-10,000	CA5010009
4805	5	3,301-10,000	CA5010009
4805	5	3,301-10,000	CA5010009
4805	5	3,301-10,000	CA5010009
4805	5	3,301-10,000	CA5010009
4805	5	3,301-10,000	CA5010009
4805	5	3,301-10,000	CA5010009
4805	5	3,301-10,000	CA5010009
4805	5	3,301-10,000	CA5010009
4805	5	3,301-10,000	CA5010009
4805	5	3,301-10,000	CA5010009
4805	5	3,301-10,000	CA5010009
3818	5	3,301-10,000	CA2010007
3818	5	3,301-10,000	CA2010007
3818	5	3,301-10,000	CA2010007
3818	5	3,301-10,000	CA2010007
3818	5	3,301-10,000	CA2010007
3818	5	3,301-10,000	CA2010007
3818	5	3,301-10,000	CA2010007
3818	5	3,301-10,000	CA2010007
3818	5	3,301-10,000	CA2010007
3818	5	3,301-10,000	CA2010007
3818	5	3,301-10,000	CA2010007
3818	5	3,301-10,000	CA2010007
3818	5	3,301-10,000	CA2010007
3818	5	3,301-10,000	CA2010007
3818	5	3,301-10,000	CA2010007
3818	5	3,301-10,000	CA2010007
3515	5	3,301-10,000	CA2010801
3515	5	3,301-10,000	CA2010801
3515	5	3,301-10,000	CA2010801
3310	5	3,301-10,000	CA5410009
3310	5	3,301-10,000	CA5410009
3310	5	3,301-10,000	CA5410009
3310	5	3,301-10,000	CA5410009
3310	5	3,301-10,000	CA5410009
3310	5	3,301-10,000	CA5410009
3310	5	3,301-10,000	CA5410009
3310	5	3,301-10,000	CA5410009
3310	5	3,301-10,000	CA5410009
3310	5	3,301-10,000	CA5410009
3310	5	3,301-10,000	CA5410009

HUGHSON, CITY OF	Y	332	Arsenic
KEYES COMMUNITY SERVICES DIST.	Y	332	Arsenic
KEYES COMMUNITY SERVICES DIST.	Y	332	Arsenic
KEYES COMMUNITY SERVICES DIST.	Y	332	Arsenic
KEYES COMMUNITY SERVICES DIST.	Y	332	Arsenic
KEYES COMMUNITY SERVICES DIST.	Y	332	Arsenic
KEYES COMMUNITY SERVICES DIST.	Y	332	Arsenic
KEYES COMMUNITY SERVICES DIST.	Y	332	Arsenic
KEYES COMMUNITY SERVICES DIST.	Y	332	Arsenic
KEYES COMMUNITY SERVICES DIST.	Y	332	Arsenic
KEYES COMMUNITY SERVICES DIST.	Y	332	Arsenic
KEYES COMMUNITY SERVICES DIST.	Y	332	Arsenic
KEYES COMMUNITY SERVICES DIST.	Y	332	Arsenic
KEYES COMMUNITY SERVICES DIST.	Y	332	Arsenic
KEYES COMMUNITY SERVICES DIST.	Y	332	Arsenic
KEYES COMMUNITY SERVICES DIST.	Y	332	Arsenic
HILLVIEW WC-OAKHURST/SIERRA LAKES	Y	332	Arsenic
HILLVIEW WC-OAKHURST/SIERRA LAKES	Y	332	Arsenic
HILLVIEW WC-OAKHURST/SIERRA LAKES	Y	332	Arsenic
HILLVIEW WC-OAKHURST/SIERRA LAKES	Y	332	Arsenic
HILLVIEW WC-OAKHURST/SIERRA LAKES	Y	332	Arsenic
HILLVIEW WC-OAKHURST/SIERRA LAKES	Y	332	Arsenic
HILLVIEW WC-OAKHURST/SIERRA LAKES	Y	332	Arsenic
HILLVIEW WC-OAKHURST/SIERRA LAKES	Y	332	Arsenic
HILLVIEW WC-OAKHURST/SIERRA LAKES	Y	332	Arsenic
HILLVIEW WC-OAKHURST/SIERRA LAKES	Y	332	Arsenic
HILLVIEW WC-OAKHURST/SIERRA LAKES	Y	332	Arsenic
HILLVIEW WC-OAKHURST/SIERRA LAKES	Y	332	Arsenic
HILLVIEW WC-OAKHURST/SIERRA LAKES	Y	332	Arsenic
HILLVIEW WC-OAKHURST/SIERRA LAKES	Y	332	Arsenic
VALLEY STATE PRISON	Y	332	Arsenic
VALLEY STATE PRISON	Y	332	Arsenic
VALLEY STATE PRISON	Y	332	Arsenic
PIXLEY PUBLIC UTIL DIST	Y	332	Arsenic
PIXLEY PUBLIC UTIL DIST	Y	332	Arsenic
PIXLEY PUBLIC UTIL DIST	Y	332	Arsenic
PIXLEY PUBLIC UTIL DIST	Y	332	Arsenic
PIXLEY PUBLIC UTIL DIST	Y	332	Arsenic
PIXLEY PUBLIC UTIL DIST	Y	332	Arsenic
PIXLEY PUBLIC UTIL DIST	Y	332	Arsenic
PIXLEY PUBLIC UTIL DIST	Y	332	Arsenic
PIXLEY PUBLIC UTIL DIST	Y	332	Arsenic
PIXLEY PUBLIC UTIL DIST	Y	332	Arsenic
PIXLEY PUBLIC UTIL DIST	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014

12/31/2013	9810005
9/30/2017	9610025
6/30/2017	9610024
3/31/2017	9610023
12/31/2016	9610022
9/30/2016	9610021
6/30/2016	9610020
3/31/2016	9610019
12/31/2015	9610018
9/30/2015	9610017
6/30/2015	9610016
3/31/2015	9610015
12/31/2014	9610014
9/30/2014	9610013
6/30/2014	9610012
3/31/2014	9610011
12/31/2013	9610010
9/30/2017	9911043
6/30/2017	9911042
3/31/2017	9911039
12/31/2016	9911038
9/30/2016	9911036
6/30/2016	9911034
3/31/2016	9911031
12/31/2015	9911029
9/30/2015	9911026
6/30/2015	9911028
3/31/2015	9911024
12/31/2014	9911022
9/30/2014	9911019
6/30/2014	9911018
3/31/2014	9911015
12/31/2013	9911014
6/30/2014	1111025
3/31/2014	1111024
12/31/2013	1111022
6/30/2017	9912026
3/31/2017	9912025
12/31/2016	9912024
9/30/2016	9912023
6/30/2016	9912021
3/31/2016	9912020
12/31/2015	9912019
9/30/2015	9912018
6/30/2015	9912017
3/31/2015	9912016
12/31/2014	9912015

09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS

3310 5	3,301-10,000	CA5410009
3310 5	3,301-10,000	CA5410009
3310 5	3,301-10,000	CA5410009
3310 5	3,301-10,000	CA5410009
2503 4	1,001-3,300	CA1010039
2503 4	1,001-3,300	CA1010039
2503 4	1,001-3,300	CA1010039
2503 4	1,001-3,300	CA1010039
2503 4	1,001-3,300	CA1010039
2503 4	1,001-3,300	CA1010039
2503 4	1,001-3,300	CA1010039
2503 4	1,001-3,300	CA1010039
2503 4	1,001-3,300	CA1010039
2503 4	1,001-3,300	CA1010039
2503 4	1,001-3,300	CA1010039
2503 4	1,001-3,300	CA1010039
2503 4	1,001-3,300	CA1010039
2503 4	1,001-3,300	CA1010039
2253 4	1,001-3,300	CA1510002
2253 4	1,001-3,300	CA1510002
2253 4	1,001-3,300	CA1510002
1500 4	1,001-3,300	CA1910246
1500 4	1,001-3,300	CA1910246
1500 4	1,001-3,300	CA1910246
1500 4	1,001-3,300	CA1910246
1500 4	1,001-3,300	CA1910246
1500 4	1,001-3,300	CA1910246
1500 4	1,001-3,300	CA1910246
1500 4	1,001-3,300	CA1910246
1500 4	1,001-3,300	CA1910246
1500 4	1,001-3,300	CA1910246
1500 4	1,001-3,300	CA1910246
1500 4	1,001-3,300	CA1910246
1500 4	1,001-3,300	CA1910246
1500 4	1,001-3,300	CA1910246
1500 4	1,001-3,300	CA1910246
1500 4	1,001-3,300	CA1910246
1500 4	1,001-3,300	CA5210003
1500 4	1,001-3,300	CA5210003
1500 4	1,001-3,300	CA5210003
1500 4	1,001-3,300	CA5210003
1500 4	1,001-3,300	CA5210003
1500 4	1,001-3,300	CA5210003
1500 4	1,001-3,300	CA5210003
1500 4	1,001-3,300	CA5210003
1500 4	1,001-3,300	CA5210003
1450 4	1,001-3,300	CA1610009

PIXLEY PUBLIC UTIL DIST	Y	332	Arsenic
PIXLEY PUBLIC UTIL DIST	Y	332	Arsenic
PIXLEY PUBLIC UTIL DIST	Y	332	Arsenic
PIXLEY PUBLIC UTIL DIST	Y	332	Arsenic
CARUTHERS COMM SERV DIST	Y	332	Arsenic
CARUTHERS COMM SERV DIST	Y	332	Arsenic
CARUTHERS COMM SERV DIST	Y	332	Arsenic
CARUTHERS COMM SERV DIST	Y	332	Arsenic
CARUTHERS COMM SERV DIST	Y	332	Arsenic
CARUTHERS COMM SERV DIST	Y	332	Arsenic
CARUTHERS COMM SERV DIST	Y	332	Arsenic
CARUTHERS COMM SERV DIST	Y	332	Arsenic
CARUTHERS COMM SERV DIST	Y	332	Arsenic
CARUTHERS COMM SERV DIST	Y	332	Arsenic
CARUTHERS COMM SERV DIST	Y	332	Arsenic
CARUTHERS COMM SERV DIST	Y	332	Arsenic
CARUTHERS COMM SERV DIST	Y	332	Arsenic
CARUTHERS COMM SERV DIST	Y	332	Arsenic
BORON CSD	Y	332	Arsenic
BORON CSD	Y	332	Arsenic
BORON CSD	Y	332	Arsenic
LAND PROJECTS MUTUAL WATER CO.	Y	332	Arsenic
LAND PROJECTS MUTUAL WATER CO.	Y	332	Arsenic
LAND PROJECTS MUTUAL WATER CO.	Y	332	Arsenic
LAND PROJECTS MUTUAL WATER CO.	Y	332	Arsenic
LAND PROJECTS MUTUAL WATER CO.	Y	332	Arsenic
LAND PROJECTS MUTUAL WATER CO.	Y	332	Arsenic
LAND PROJECTS MUTUAL WATER CO.	Y	332	Arsenic
LAND PROJECTS MUTUAL WATER CO.	Y	332	Arsenic
LAND PROJECTS MUTUAL WATER CO.	Y	332	Arsenic
LAND PROJECTS MUTUAL WATER CO.	Y	332	Arsenic
LAND PROJECTS MUTUAL WATER CO.	Y	332	Arsenic
LAND PROJECTS MUTUAL WATER CO.	Y	332	Arsenic
LAND PROJECTS MUTUAL WATER CO.	Y	332	Arsenic
LAND PROJECTS MUTUAL WATER CO.	Y	332	Arsenic
LAND PROJECTS MUTUAL WATER CO.	Y	332	Arsenic
LOS MOLINOS COMM. SERVICES DIST.	Y	332	Arsenic
LOS MOLINOS COMM. SERVICES DIST.	Y	332	Arsenic
LOS MOLINOS COMM. SERVICES DIST.	Y	332	Arsenic
LOS MOLINOS COMM. SERVICES DIST.	Y	332	Arsenic
LOS MOLINOS COMM. SERVICES DIST.	Y	332	Arsenic
LOS MOLINOS COMM. SERVICES DIST.	Y	332	Arsenic
LOS MOLINOS COMM. SERVICES DIST.	Y	332	Arsenic
LOS MOLINOS COMM. SERVICES DIST.	Y	332	Arsenic
LOS MOLINOS COMM. SERVICES DIST.	Y	332	Arsenic
KETTLEMAN CITY CSD	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2017

9/30/2014	9912014
6/30/2014	9912013
3/31/2014	9912012
12/31/2013	9912011
3/31/2017	1223049
12/31/2016	1223048
9/30/2016	1223047
6/30/2016	1223046
3/31/2016	1223045
12/31/2015	1223044
9/30/2015	1223043
6/30/2015	1223042
3/31/2015	1223041
12/31/2014	1223040
9/30/2014	1223039
6/30/2014	1223036
3/31/2014	1223035
12/31/2013	1223034
9/30/2017	9919032
6/30/2017	9919031
3/31/2017	9919030
9/30/2017	9507126
6/30/2017	9507124
3/31/2017	9507122
12/31/2016	9507121
9/30/2016	9507120
6/30/2016	9507023
3/31/2016	9507022
12/31/2015	9507021
9/30/2015	9507020
6/30/2015	9507019
3/31/2015	9507017
12/31/2014	9507016
9/30/2014	9507015
6/30/2014	9507014
3/31/2014	9507013
12/31/2013	9507012
9/30/2014	9821013
6/30/2014	9821012
12/31/2015	9821019
9/30/2015	9821018
6/30/2015	9821015
3/31/2015	9821017
12/31/2014	9821014
3/31/2014	9821011
12/31/2013	9821010
6/30/2017	9912027

09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS

1450 4	1,001-3,300	CA1610009
1450 4	1,001-3,300	CA1610009
1450 4	1,001-3,300	CA1610009
1450 4	1,001-3,300	CA1610009
1450 4	1,001-3,300	CA1610009
1450 4	1,001-3,300	CA1610009
1450 4	1,001-3,300	CA1610009
1450 4	1,001-3,300	CA1610009
1450 4	1,001-3,300	CA1610009
1450 4	1,001-3,300	CA1610009
1450 4	1,001-3,300	CA1610009
1450 4	1,001-3,300	CA1610009
1450 4	1,001-3,300	CA1610009
1450 4	1,001-3,300	CA1610009
1026 4	1,001-3,300	CA5410050
1026 4	1,001-3,300	CA5410050
1026 4	1,001-3,300	CA5410050
1026 4	1,001-3,300	CA5410050
1026 4	1,001-3,300	CA5410050
1026 4	1,001-3,300	CA5410050
1026 4	1,001-3,300	CA5410050
1026 4	1,001-3,300	CA5410050
1026 4	1,001-3,300	CA5410050
1026 4	1,001-3,300	CA5410050
1000 3	501-1,000	CA3601015
1000 3	501-1,000	CA3601015
1000 3	501-1,000	CA3601015
1000 3	501-1,000	CA3601015
1000 3	501-1,000	CA3601015
1000 3	501-1,000	CA3601015
1000 3	501-1,000	CA3601015
1000 3	501-1,000	CA3601015
1000 3	501-1,000	CA3601015
1000 3	501-1,000	CA3601015
1000 3	501-1,000	CA3601015
1000 3	501-1,000	CA3601015
1000 3	501-1,000	CA3601015
1000 3	501-1,000	CA3601015
850 3	501-1,000	CA2610003
850 3	501-1,000	CA2610003
850 3	501-1,000	CA2610003
850 3	501-1,000	CA2610003
850 3	501-1,000	CA2610003
850 3	501-1,000	CA2610003
850 3	501-1,000	CA2610003

KETTLEMAN CITY CSD	Y	332	Arsenic
KETTLEMAN CITY CSD	Y	332	Arsenic
KETTLEMAN CITY CSD	Y	332	Arsenic
KETTLEMAN CITY CSD	Y	332	Arsenic
KETTLEMAN CITY CSD	Y	332	Arsenic
KETTLEMAN CITY CSD	Y	332	Arsenic
KETTLEMAN CITY CSD	Y	332	Arsenic
KETTLEMAN CITY CSD	Y	332	Arsenic
KETTLEMAN CITY CSD	Y	332	Arsenic
KETTLEMAN CITY CSD	Y	332	Arsenic
KETTLEMAN CITY CSD	Y	332	Arsenic
KETTLEMAN CITY CSD	Y	332	Arsenic
KETTLEMAN CITY CSD	Y	332	Arsenic
KETTLEMAN CITY CSD	Y	332	Arsenic
ALPAUGH COMMUNITY SERVICES DISTRICT	Y	332	Arsenic
ALPAUGH COMMUNITY SERVICES DISTRICT	Y	332	Arsenic
ALPAUGH COMMUNITY SERVICES DISTRICT	Y	332	Arsenic
ALPAUGH COMMUNITY SERVICES DISTRICT	Y	332	Arsenic
ALPAUGH COMMUNITY SERVICES DISTRICT	Y	332	Arsenic
ALPAUGH COMMUNITY SERVICES DISTRICT	Y	332	Arsenic
ALPAUGH COMMUNITY SERVICES DISTRICT	Y	332	Arsenic
ALPAUGH COMMUNITY SERVICES DISTRICT	Y	332	Arsenic
ALPAUGH COMMUNITY SERVICES DISTRICT	Y	332	Arsenic
ALPAUGH COMMUNITY SERVICES DISTRICT	Y	332	Arsenic
ALPAUGH COMMUNITY SERVICES DISTRICT	Y	332	Arsenic
IRONWOOD CAMP	Y	332	Arsenic
IRONWOOD CAMP	Y	332	Arsenic
IRONWOOD CAMP	Y	332	Arsenic
IRONWOOD CAMP	Y	332	Arsenic
IRONWOOD CAMP	Y	332	Arsenic
IRONWOOD CAMP	Y	332	Arsenic
IRONWOOD CAMP	Y	332	Arsenic
IRONWOOD CAMP	Y	332	Arsenic
IRONWOOD CAMP	Y	332	Arsenic
IRONWOOD CAMP	Y	332	Arsenic
IRONWOOD CAMP	Y	332	Arsenic
IRONWOOD CAMP	Y	332	Arsenic
IRONWOOD CAMP	Y	332	Arsenic
IRONWOOD CAMP	Y	332	Arsenic
IRONWOOD CAMP	Y	332	Arsenic
BRIDGEPORT PUD	Y	332	Arsenic
BRIDGEPORT PUD	Y	332	Arsenic
BRIDGEPORT PUD	Y	332	Arsenic
BRIDGEPORT PUD	Y	332	Arsenic
BRIDGEPORT PUD	Y	332	Arsenic
BRIDGEPORT PUD	Y	332	Arsenic
BRIDGEPORT PUD	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015

3/31/2017	9912026
12/31/2016	9912025
9/30/2016	9912024
6/30/2016	9912022
3/31/2016	9912021
12/31/2015	9912020
9/30/2015	9912019
6/30/2015	9912018
3/31/2015	9912017
12/31/2014	9912016
9/30/2014	9912015
6/30/2014	9912013
3/31/2014	9912012
12/31/2013	9912011
6/30/2017	1212050
3/31/2017	1212049
12/31/2016	1212048
9/30/2016	1212047
6/30/2015	1212043
3/31/2015	1212042
12/31/2014	1212041
9/30/2014	1212039
6/30/2014	1212038
3/31/2014	1212037
12/31/2013	1212036
9/30/2017	1700046
6/30/2017	1700044
3/31/2017	1700042
12/31/2016	1700040
9/30/2016	1700031
6/30/2016	1600038
3/31/2016	1600035
12/31/2015	1600033
9/30/2015	1600029
6/30/2015	1500024
3/31/2015	1500023
12/31/2014	1500022
9/30/2014	1500021
3/31/2014	1400019
12/31/2013	1400017
6/30/2017	9913025
3/31/2017	9913024
12/31/2016	9913023
9/30/2016	9913022
6/30/2016	9913018
3/31/2016	9913021
12/31/2015	9913020

09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS

850 3	501-1,000	CA2610003
850 3	501-1,000	CA2610003
850 3	501-1,000	CA2610003
850 3	501-1,000	CA2610003
850 3	501-1,000	CA2610003
850 3	501-1,000	CA2610003
850 3	501-1,000	CA2610003
850 3	501-1,000	CA2610003
660 3	501-1,000	CA1000053
660 3	501-1,000	CA1000053
660 3	501-1,000	CA1000053
660 3	501-1,000	CA1000053
660 3	501-1,000	CA1000053
660 3	501-1,000	CA1000053
660 3	501-1,000	CA1000053
660 3	501-1,000	CA1000053
660 3	501-1,000	CA1000053
660 3	501-1,000	CA1000053
660 3	501-1,000	CA1000053
660 3	501-1,000	CA1000053
660 3	501-1,000	CA1000053
660 3	501-1,000	CA1000053
625 3	501-1,000	CA3600196
625 3	501-1,000	CA3600196
625 3	501-1,000	CA3600196
625 3	501-1,000	CA3600196
625 3	501-1,000	CA3600196
625 3	501-1,000	CA3600196
625 3	501-1,000	CA3600196
625 3	501-1,000	CA3600196
625 3	501-1,000	CA3600196
625 3	501-1,000	CA3600196
625 3	501-1,000	CA3600196
600 3	501-1,000	CA1510052
600 3	501-1,000	CA1510052
600 3	501-1,000	CA1510052
600 3	501-1,000	CA1510052
600 3	501-1,000	CA1510052
600 3	501-1,000	CA1510052
600 3	501-1,000	CA1510052
600 3	501-1,000	CA1510052
600 3	501-1,000	CA1510052
600 3	501-1,000	CA1510052
600 3	501-1,000	CA1510052
600 3	501-1,000	CA1510052
521 3	501-1,000	CA5400544
500 2	101-500	CA3600504

BRIDGEPORT PUD	Y	332	Arsenic
BRIDGEPORT PUD	Y	332	Arsenic
BRIDGEPORT PUD	Y	332	Arsenic
BRIDGEPORT PUD	Y	332	Arsenic
BRIDGEPORT PUD	Y	332	Arsenic
BRIDGEPORT PUD	Y	332	Arsenic
BRIDGEPORT PUD	Y	332	Arsenic
BRIDGEPORT PUD	Y	332	Arsenic
LANARE COMMUNITY SERVICES DIST	Y	332	Arsenic
LANARE COMMUNITY SERVICES DIST	Y	332	Arsenic
LANARE COMMUNITY SERVICES DIST	Y	332	Arsenic
LANARE COMMUNITY SERVICES DIST	Y	332	Arsenic
LANARE COMMUNITY SERVICES DIST	Y	332	Arsenic
LANARE COMMUNITY SERVICES DIST	Y	332	Arsenic
LANARE COMMUNITY SERVICES DIST	Y	332	Arsenic
LANARE COMMUNITY SERVICES DIST	Y	332	Arsenic
LANARE COMMUNITY SERVICES DIST	Y	332	Arsenic
LANARE COMMUNITY SERVICES DIST	Y	332	Arsenic
LANARE COMMUNITY SERVICES DIST	Y	332	Arsenic
LANARE COMMUNITY SERVICES DIST	Y	332	Arsenic
LANARE COMMUNITY SERVICES DIST	Y	332	Arsenic
LANARE COMMUNITY SERVICES DIST	Y	332	Arsenic
CSA 70 W-4 PIONEERTOWN	Y	332	Arsenic
CSA 70 W-4 PIONEERTOWN	Y	332	Arsenic
CSA 70 W-4 PIONEERTOWN	Y	332	Arsenic
CSA 70 W-4 PIONEERTOWN	Y	332	Arsenic
CSA 70 W-4 PIONEERTOWN	Y	332	Arsenic
CSA 70 W-4 PIONEERTOWN	Y	332	Arsenic
CSA 70 W-4 PIONEERTOWN	Y	332	Arsenic
CSA 70 W-4 PIONEERTOWN	Y	332	Arsenic
CSA 70 W-4 PIONEERTOWN	Y	332	Arsenic
CSA 70 W-4 PIONEERTOWN	Y	332	Arsenic
CSA 70 W-4 PIONEERTOWN	Y	332	Arsenic
NORTH EDWARDS WD	Y	332	Arsenic
NORTH EDWARDS WD	Y	332	Arsenic
NORTH EDWARDS WD	Y	332	Arsenic
NORTH EDWARDS WD	Y	332	Arsenic
NORTH EDWARDS WD	Y	332	Arsenic
NORTH EDWARDS WD	Y	332	Arsenic
NORTH EDWARDS WD	Y	332	Arsenic
NORTH EDWARDS WD	Y	332	Arsenic
NORTH EDWARDS WD	Y	332	Arsenic
NORTH EDWARDS WD	Y	332	Arsenic
NORTH EDWARDS WD	Y	332	Arsenic
NORTH EDWARDS WD	Y	332	Arsenic
ALLENSWORTH CSD	Y	332	Arsenic
KNOLL ENTERPRISES	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017

9/30/2015	9913019
6/30/2015	9913017
3/31/2015	9913014
12/31/2014	9913013
9/30/2014	9913012
6/30/2014	9913011
3/31/2014	9913010
12/31/2013	9913009
3/31/2017	9600022
12/31/2016	9600020
9/30/2016	9600019
6/30/2016	9600018
3/31/2016	9600017
12/31/2015	9600016
9/30/2015	9600015
6/30/2015	9600014
3/31/2015	9600013
12/31/2014	9600012
9/30/2014	9600011
6/30/2014	9600010
3/31/2014	9600009
12/31/2013	9600008
9/30/2016	1700046
6/30/2016	1600045
3/31/2016	1600044
9/30/2015	1600042
6/30/2015	1500033
3/31/2015	1500032
12/31/2014	1500031
9/30/2014	1500030
6/30/2014	1400029
3/31/2014	1400027
12/31/2013	1400024
9/30/2017	9712020
3/31/2017	9712019
12/31/2016	9712018
9/30/2016	9712017
6/30/2016	9712016
3/31/2016	9712015
12/31/2015	9712013
9/30/2015	9712012
6/30/2015	9712010
12/31/2014	9712009
6/30/2014	9712008
3/31/2014	9712007
6/30/2017	1400052
9/30/2017	1700036

09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS

500 2	101-500	CA3600504
500 2	101-500	CA3600504
500 2	101-500	CA3600504
500 2	101-500	CA3600504
500 2	101-500	CA3600504
500 2	101-500	CA3600504
500 2	101-500	CA3600504
500 2	101-500	CA3600504
450 2	101-500	CA1510016
450 2	101-500	CA1510016
450 2	101-500	CA1510016
450 2	101-500	CA1510016
450 2	101-500	CA1510016
450 2	101-500	CA1510016
450 2	101-500	CA1510016
450 2	101-500	CA1510016
450 2	101-500	CA1510016
450 2	101-500	CA1510016
450 2	101-500	CA1510016
450 2	101-500	CA1510016
450 2	101-500	CA1510016
450 2	101-500	CA1510016
450 2	101-500	CA1510016
450 2	101-500	CA1510016
381 2	101-500	CA0600008
381 2	101-500	CA0600008
381 2	101-500	CA0600008
381 2	101-500	CA0600008
381 2	101-500	CA0600008
381 2	101-500	CA0600008
381 2	101-500	CA0600008
350 2	101-500	CA5100107
350 2	101-500	CA5100107
350 2	101-500	CA5100107
350 2	101-500	CA5100107
350 2	101-500	CA5100107
350 2	101-500	CA5100107
350 2	101-500	CA5100107
350 2	101-500	CA5100107
350 2	101-500	CA5100107
325 2	101-500	CA3210011
325 2	101-500	CA3210011
325 2	101-500	CA3210011
325 2	101-500	CA3210011
325 2	101-500	CA3210011
325 2	101-500	CA3210011
325 2	101-500	CA3210011
325 2	101-500	CA3210011

KNOLL ENTERPRISES	Y	332	Arsenic
KNOLL ENTERPRISES	Y	332	Arsenic
KNOLL ENTERPRISES	Y	332	Arsenic
KNOLL ENTERPRISES	Y	332	Arsenic
KNOLL ENTERPRISES	Y	332	Arsenic
KNOLL ENTERPRISES	Y	332	Arsenic
KNOLL ENTERPRISES	Y	332	Arsenic
KNOLL ENTERPRISES	Y	332	Arsenic
RAND COMMUNITIES WATER DISTRICT	Y	332	Arsenic
RAND COMMUNITIES WATER DISTRICT	Y	332	Arsenic
RAND COMMUNITIES WATER DISTRICT	Y	332	Arsenic
RAND COMMUNITIES WATER DISTRICT	Y	332	Arsenic
RAND COMMUNITIES WATER DISTRICT	Y	332	Arsenic
RAND COMMUNITIES WATER DISTRICT	Y	332	Arsenic
RAND COMMUNITIES WATER DISTRICT	Y	332	Arsenic
RAND COMMUNITIES WATER DISTRICT	Y	332	Arsenic
RAND COMMUNITIES WATER DISTRICT	Y	332	Arsenic
RAND COMMUNITIES WATER DISTRICT	Y	332	Arsenic
RAND COMMUNITIES WATER DISTRICT	Y	332	Arsenic
RAND COMMUNITIES WATER DISTRICT	Y	332	Arsenic
RAND COMMUNITIES WATER DISTRICT	Y	332	Arsenic
RAND COMMUNITIES WATER DISTRICT	Y	332	Arsenic
RAND COMMUNITIES WATER DISTRICT	Y	332	Arsenic
COLUSA CO. WWD #1 - GRIMES	Y	332	Arsenic
COLUSA CO. WWD #1 - GRIMES	Y	332	Arsenic
COLUSA CO. WWD #1 - GRIMES	Y	332	Arsenic
COLUSA CO. WWD #1 - GRIMES	Y	332	Arsenic
COLUSA CO. WWD #1 - GRIMES	Y	332	Arsenic
COLUSA CO. WWD #1 - GRIMES	Y	332	Arsenic
COLUSA CO. WWD #1 - GRIMES	Y	332	Arsenic
SUTTER CO. WWD#1 (ROBBINS)	Y	332	Arsenic
SUTTER CO. WWD#1 (ROBBINS)	Y	332	Arsenic
SUTTER CO. WWD#1 (ROBBINS)	Y	332	Arsenic
SUTTER CO. WWD#1 (ROBBINS)	Y	332	Arsenic
SUTTER CO. WWD#1 (ROBBINS)	Y	332	Arsenic
SUTTER CO. WWD#1 (ROBBINS)	Y	332	Arsenic
SUTTER CO. WWD#1 (ROBBINS)	Y	332	Arsenic
SUTTER CO. WWD#1 (ROBBINS)	Y	332	Arsenic
SUTTER CO. WWD#1 (ROBBINS)	Y	332	Arsenic
PLUMAS EUREKA CSD	Y	332	Arsenic
PLUMAS EUREKA CSD	Y	332	Arsenic
PLUMAS EUREKA CSD	Y	332	Arsenic
PLUMAS EUREKA CSD	Y	332	Arsenic
PLUMAS EUREKA CSD	Y	332	Arsenic
PLUMAS EUREKA CSD	Y	332	Arsenic
PLUMAS EUREKA CSD	Y	332	Arsenic
PLUMAS EUREKA CSD	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014

6/30/2017	1700034
3/31/2017	1700032
12/31/2016	1700030
9/30/2016	1700026
6/30/2016	1600023
3/31/2016	1600030
6/30/2015	1500018
9/30/2014	1500017
9/30/2017	9912030
6/30/2017	9912029
3/31/2017	9912028
12/31/2016	9912027
9/30/2016	9912026
6/30/2016	9912025
3/31/2016	9912024
12/31/2015	9912023
9/30/2015	9912022
6/30/2015	9912021
3/31/2015	9912020
12/31/2014	9912019
9/30/2014	9912018
6/30/2014	9912017
3/31/2014	9912016
12/31/2015	1221026
6/30/2015	1221017
3/31/2015	1221025
12/31/2014	1221016
9/30/2014	1221015
3/31/2014	1221014
12/31/2013	1221013
12/31/2015	9921013
9/30/2015	9921014
6/30/2015	9921015
3/31/2015	9921008
12/31/2014	9921012
9/30/2014	9921007
6/30/2014	9921006
3/31/2014	9921005
12/31/2013	9921004
3/31/2017	1202034
9/30/2016	1202033
3/31/2016	1202032
12/31/2015	1202031
6/30/2015	1202030
3/31/2015	1202029
12/31/2014	1202028
9/30/2014	1202027

09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS

325 2	101-500	CA3210011
325 2	101-500	CA3210011
325 2	101-500	CA3210011
314 2	101-500	CA3303100
314 2	101-500	CA3303100
314 2	101-500	CA3303100
314 2	101-500	CA3303100
314 2	101-500	CA3303100
314 2	101-500	CA3303100
314 2	101-500	CA3303100
300 2	101-500	CA2000293
300 2	101-500	CA2010012
300 2	101-500	CA2010012
300 2	101-500	CA2010012
300 2	101-500	CA2010012
300 2	101-500	CA2010012
300 2	101-500	CA2010012
300 2	101-500	CA2010012
300 2	101-500	CA2010012
300 2	101-500	CA2010012
300 2	101-500	CA2010012
300 2	101-500	CA2010012
300 2	101-500	CA2010012
300 2	101-500	CA2010012
300 2	101-500	CA2010012
300 2	101-500	CA2010012
300 2	101-500	CA2010012
300 2	101-500	CA3301380
300 2	101-500	CA3301380
300 2	101-500	CA3301380
300 2	101-500	CA3301380
300 2	101-500	CA3301380
300 2	101-500	CA3301380
300 2	101-500	CA3301380
300 2	101-500	CA3301380
300 2	101-500	CA3301380
300 2	101-500	CA3301380
300 2	101-500	CA3301380
300 2	101-500	CA3301380
300 2	101-500	CA3301380
300 2	101-500	CA3301380
300 2	101-500	CA3301380
300 2	101-500	CA3301380
264 2	101-500	CA2000561
264 2	101-500	CA2000561
264 2	101-500	CA2000561

PLUMAS EUREKA CSD	Y	332	Arsenic
PLUMAS EUREKA CSD	Y	332	Arsenic
PLUMAS EUREKA CSD	Y	332	Arsenic
OASIS GARDENS WATER CO.	Y	332	Arsenic
OASIS GARDENS WATER CO.	Y	332	Arsenic
OASIS GARDENS WATER CO.	Y	332	Arsenic
OASIS GARDENS WATER CO.	Y	332	Arsenic
OASIS GARDENS WATER CO.	Y	332	Arsenic
OASIS GARDENS WATER CO.	Y	332	Arsenic
OASIS GARDENS WATER CO.	Y	332	Arsenic
MD#46 AHWAHNEE RESORTS	Y	332	Arsenic
HILLVIEW WATER CO-RAYMOND	Y	332	Arsenic
HILLVIEW WATER CO-RAYMOND	Y	332	Arsenic
HILLVIEW WATER CO-RAYMOND	Y	332	Arsenic
HILLVIEW WATER CO-RAYMOND	Y	332	Arsenic
HILLVIEW WATER CO-RAYMOND	Y	332	Arsenic
HILLVIEW WATER CO-RAYMOND	Y	332	Arsenic
HILLVIEW WATER CO-RAYMOND	Y	332	Arsenic
HILLVIEW WATER CO-RAYMOND	Y	332	Arsenic
HILLVIEW WATER CO-RAYMOND	Y	332	Arsenic
HILLVIEW WATER CO-RAYMOND	Y	332	Arsenic
HILLVIEW WATER CO-RAYMOND	Y	332	Arsenic
HILLVIEW WATER CO-RAYMOND	Y	332	Arsenic
HILLVIEW WATER CO-RAYMOND	Y	332	Arsenic
HILLVIEW WATER CO-RAYMOND	Y	332	Arsenic
HILLVIEW WATER CO-RAYMOND	Y	332	Arsenic
HILLVIEW WATER CO-RAYMOND	Y	332	Arsenic
SAINT ANTHONY TRAILER PARK	Y	332	Arsenic
SAINT ANTHONY TRAILER PARK	Y	332	Arsenic
SAINT ANTHONY TRAILER PARK	Y	332	Arsenic
SAINT ANTHONY TRAILER PARK	Y	332	Arsenic
SAINT ANTHONY TRAILER PARK	Y	332	Arsenic
SAINT ANTHONY TRAILER PARK	Y	332	Arsenic
SAINT ANTHONY TRAILER PARK	Y	332	Arsenic
SAINT ANTHONY TRAILER PARK	Y	332	Arsenic
SAINT ANTHONY TRAILER PARK	Y	332	Arsenic
SAINT ANTHONY TRAILER PARK	Y	332	Arsenic
SAINT ANTHONY TRAILER PARK	Y	332	Arsenic
SAINT ANTHONY TRAILER PARK	Y	332	Arsenic
SAINT ANTHONY TRAILER PARK	Y	332	Arsenic
SAINT ANTHONY TRAILER PARK	Y	332	Arsenic
SAINT ANTHONY TRAILER PARK	Y	332	Arsenic
SAINT ANTHONY TRAILER PARK	Y	332	Arsenic
MD#08 NORTH FORK WATER SYSTEM	Y	332	Arsenic
MD#08 NORTH FORK WATER SYSTEM	Y	332	Arsenic
MD#08 NORTH FORK WATER SYSTEM	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample

Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	9/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2015

6/30/2014	1202026
3/31/2014	1202025
12/31/2013	1202024
9/30/2017	1700015
6/30/2017	1700014
3/31/2017	1700013
12/31/2016	1700012
9/30/2016	1600010
6/30/2016	1600009
3/31/2016	1600008
9/30/2017	1400061
9/30/2017	9611061
6/30/2017	9611057
3/31/2017	9611053
12/31/2016	9611051
9/30/2016	9611048
6/30/2016	9611044
3/31/2016	9611042
12/31/2015	9611037
9/30/2015	9611035
6/30/2015	9611031
3/31/2015	9611030
12/31/2014	9611027
9/30/2014	9611024
6/30/2014	9611022
3/31/2014	9611018
12/31/2013	9611017
9/30/2017	9900005
6/30/2017	9900004
3/31/2017	9900003
12/31/2016	9900002
9/30/2016	1600049
6/30/2016	1600048
3/31/2016	1600047
12/31/2015	1600046
9/30/2015	1600045
6/30/2015	1500044
3/31/2015	1500043
12/31/2014	1500041
12/31/2014	1500042
9/30/2014	1500040
6/30/2014	1400039
3/31/2014	1400038
12/31/2013	1400036
12/31/2017	1500036
9/30/2016	1500035
6/30/2015	1400035

09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS

264 2	101-500	CA2000561
264 2	101-500	CA2000561
264 2	101-500	CA2000561
252 2	101-500	CA2700702
250 2	101-500	CA2000502
250 2	101-500	CA2000512
250 2	101-500	CA2000512
250 2	101-500	CA3400149
250 2	101-500	CA3400149
250 2	101-500	CA3400149
250 2	101-500	CA3400149
250 2	101-500	CA3400149
250 2	101-500	CA3400149
250 2	101-500	CA3400149
250 2	101-500	CA3400149
250 2	101-500	CA3400149
250 2	101-500	CA3400149
250 2	101-500	CA3400149
250 2	101-500	CA3400149
250 2	101-500	CA3400149
250 2	101-500	CA3400149
250 2	101-500	CA3400149
250 2	101-500	CA3400149
210 2	101-500	CA2701926
210 2	101-500	CA2701926
210 2	101-500	CA2701926
210 2	101-500	CA2701926
210 2	101-500	CA2701926
210 2	101-500	CA2701926
210 2	101-500	CA2701926
210 2	101-500	CA2701926
210 2	101-500	CA2701926
210 2	101-500	CA2701926
210 2	101-500	CA2701926
210 2	101-500	CA2701926
210 2	101-500	CA2701926
202 2	101-500	CA1000072
202 2	101-500	CA1000072
202 2	101-500	CA1000072
202 2	101-500	CA1000072
202 2	101-500	CA1000072
202 2	101-500	CA1000072
202 2	101-500	CA1000072
202 2	101-500	CA1000072
202 2	101-500	CA1000072
202 2	101-500	CA1000072
202 2	101-500	CA1000072

MD#08 NORTH FORK WATER SYSTEM	Y	332	Arsenic
MD#08 NORTH FORK WATER SYSTEM	Y	332	Arsenic
MD#08 NORTH FORK WATER SYSTEM	Y	332	Arsenic
PRUNEDALE MWC	Y	332	Arsenic
BASS LAKE HEIGHTS MUTUAL WATER	Y	332	Arsenic
EAST ACRES MUTUAL WATER COMPANY	Y	332	Arsenic
EAST ACRES MUTUAL WATER COMPANY	Y	332	Arsenic
RANCHO MARINA	Y	332	Arsenic
RANCHO MARINA	Y	332	Arsenic
RANCHO MARINA	Y	332	Arsenic
RANCHO MARINA	Y	332	Arsenic
RANCHO MARINA	Y	332	Arsenic
RANCHO MARINA	Y	332	Arsenic
RANCHO MARINA	Y	332	Arsenic
RANCHO MARINA	Y	332	Arsenic
RANCHO MARINA	Y	332	Arsenic
RANCHO MARINA	Y	332	Arsenic
RANCHO MARINA	Y	332	Arsenic
RANCHO MARINA	Y	332	Arsenic
RANCHO MARINA	Y	332	Arsenic
RANCHO MARINA	Y	332	Arsenic
RANCHO MARINA	Y	332	Arsenic
RANCHO MARINA	Y	332	Arsenic
MORO RD WS #09	Y	332	Arsenic
MORO RD WS #09	Y	332	Arsenic
MORO RD WS #09	Y	332	Arsenic
MORO RD WS #09	Y	332	Arsenic
MORO RD WS #09	Y	332	Arsenic
MORO RD WS #09	Y	332	Arsenic
MORO RD WS #09	Y	332	Arsenic
MORO RD WS #09	Y	332	Arsenic
MORO RD WS #09	Y	332	Arsenic
MORO RD WS #09	Y	332	Arsenic
MORO RD WS #09	Y	332	Arsenic
MORO RD WS #09	Y	332	Arsenic
SHAVER LAKE POINT #2	Y	332	Arsenic
SHAVER LAKE POINT #2	Y	332	Arsenic
SHAVER LAKE POINT #2	Y	332	Arsenic
SHAVER LAKE POINT #2	Y	332	Arsenic
SHAVER LAKE POINT #2	Y	332	Arsenic
SHAVER LAKE POINT #2	Y	332	Arsenic
SHAVER LAKE POINT #2	Y	332	Arsenic
SHAVER LAKE POINT #2	Y	332	Arsenic
SHAVER LAKE POINT #2	Y	332	Arsenic
SHAVER LAKE POINT #2	Y	332	Arsenic
SHAVER LAKE POINT #2	Y	332	Arsenic

MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	9/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/30/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014

9/30/2014	1400033
6/30/2014	1400032
3/31/2014	1400031
9/30/2014	1500033
9/30/2017	1400036
3/31/2015	1400058
12/31/2014	1400057
9/30/2017	1700043
6/30/2017	1700042
3/31/2017	1700040
12/31/2016	1700039
9/30/2016	1700038
6/30/2016	1600037
3/31/2016	1600034
12/31/2015	1600033
9/30/2015	1600032
6/30/2015	1500031
3/31/2015	1500030
12/31/2014	1500029
9/30/2014	1500028
6/30/2014	1400027
3/31/2014	1400026
12/31/2013	1400025
6/30/2017	9700007
3/31/2017	9700006
12/31/2016	9700005
9/30/2016	9700004
6/30/2016	9700003
3/31/2016	9700002
12/30/2015	1600042
9/30/2015	1600041
3/31/2015	1500040
12/31/2014	1500039
9/30/2014	1500038
6/30/2014	1400037
12/31/2013	1400036
3/31/2017	1123026
12/31/2016	1123025
9/30/2016	1123024
6/30/2016	1123023
3/31/2016	1123022
12/31/2015	1123021
9/30/2015	1123020
6/30/2015	1123019
3/31/2015	1123017
12/31/2014	1123016
9/30/2014	1123015

09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS

202 2	101-500	CA1000072
202 2	101-500	CA1000072
202 2	101-500	CA1000072
200 2	101-500	CA1500493
200 2	101-500	CA1500493
200 2	101-500	CA1500493
200 2	101-500	CA1500493
200 2	101-500	CA1500493
200 2	101-500	CA1500493
200 2	101-500	CA1500493
200 2	101-500	CA1500493
200 2	101-500	CA1500493
200 2	101-500	CA1500493
200 2	101-500	CA1500493
200 2	101-500	CA1500493
200 2	101-500	CA1500493
200 2	101-500	CA1500493
200 2	101-500	CA2000551
200 2	101-500	CA2000551
200 2	101-500	CA2000551
200 2	101-500	CA2000551
200 2	101-500	CA2000551
200 2	101-500	CA2000551
200 2	101-500	CA2000551
200 2	101-500	CA2000551
200 2	101-500	CA2000551
200 2	101-500	CA2000551
200 2	101-500	CA2000551
200 2	101-500	CA2000551
200 2	101-500	CA2000551
200 2	101-500	CA2000551
200 2	101-500	CA2000551
200 2	101-500	CA3701793
200 2	101-500	CA3701793
200 2	101-500	CA3701793
200 2	101-500	CA3701793
200 2	101-500	CA3701793
190 2	101-500	CA1500424
190 2	101-500	CA1500424
190 2	101-500	CA1500424
190 2	101-500	CA1500424
190 2	101-500	CA1500424
190 2	101-500	CA1500424
190 2	101-500	CA1500424
190 2	101-500	CA1500424
190 2	101-500	CA1500424
190 2	101-500	CA1500424

SHAVER LAKE POINT #2	Y	332	Arsenic
SHAVER LAKE POINT #2	Y	332	Arsenic
SHAVER LAKE POINT #2	Y	332	Arsenic
EL ADOBE POA, INC.	Y	332	Arsenic
EL ADOBE POA, INC.	Y	332	Arsenic
EL ADOBE POA, INC.	Y	332	Arsenic
EL ADOBE POA, INC.	Y	332	Arsenic
EL ADOBE POA, INC.	Y	332	Arsenic
EL ADOBE POA, INC.	Y	332	Arsenic
EL ADOBE POA, INC.	Y	332	Arsenic
EL ADOBE POA, INC.	Y	332	Arsenic
EL ADOBE POA, INC.	Y	332	Arsenic
EL ADOBE POA, INC.	Y	332	Arsenic
EL ADOBE POA, INC.	Y	332	Arsenic
EL ADOBE POA, INC.	Y	332	Arsenic
EL ADOBE POA, INC.	Y	332	Arsenic
EL ADOBE POA, INC.	Y	332	Arsenic
MD#07 MARINA VIEW HEIGHTS	Y	332	Arsenic
MD#07 MARINA VIEW HEIGHTS	Y	332	Arsenic
MD#07 MARINA VIEW HEIGHTS	Y	332	Arsenic
MD#07 MARINA VIEW HEIGHTS	Y	332	Arsenic
MD#07 MARINA VIEW HEIGHTS	Y	332	Arsenic
MD#07 MARINA VIEW HEIGHTS	Y	332	Arsenic
MD#07 MARINA VIEW HEIGHTS	Y	332	Arsenic
MD#07 MARINA VIEW HEIGHTS	Y	332	Arsenic
MD#07 MARINA VIEW HEIGHTS	Y	332	Arsenic
MD#07 MARINA VIEW HEIGHTS	Y	332	Arsenic
MD#07 MARINA VIEW HEIGHTS	Y	332	Arsenic
MD#07 MARINA VIEW HEIGHTS	Y	332	Arsenic
MD#07 MARINA VIEW HEIGHTS	Y	332	Arsenic
TWIN LAKES RESORT	Y	332	Arsenic
TWIN LAKES RESORT	Y	332	Arsenic
TWIN LAKES RESORT	Y	332	Arsenic
TWIN LAKES RESORT	Y	332	Arsenic
TWIN LAKES RESORT	Y	332	Arsenic
LANDS OF PROMISE MWC	Y	332	Arsenic
LANDS OF PROMISE MWC	Y	332	Arsenic
LANDS OF PROMISE MWC	Y	332	Arsenic
LANDS OF PROMISE MWC	Y	332	Arsenic
LANDS OF PROMISE MWC	Y	332	Arsenic
LANDS OF PROMISE MWC	Y	332	Arsenic
LANDS OF PROMISE MWC	Y	332	Arsenic
LANDS OF PROMISE MWC	Y	332	Arsenic
LANDS OF PROMISE MWC	Y	332	Arsenic
LANDS OF PROMISE MWC	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015

6/30/2014	1123013
3/31/2014	1123011
12/31/2013	1123010
6/30/2017	9619023
3/31/2017	9619022
12/31/2016	9619021
9/30/2016	9619020
6/30/2016	9619019
3/31/2016	9619018
12/31/2015	9619017
9/30/2015	9619016
6/30/2015	9619015
3/31/2015	9619014
12/31/2014	9619013
9/30/2014	9619012
6/30/2014	9619011
3/31/2014	9619010
12/31/2013	9619009
12/31/2016	1500048
9/30/2016	1500047
9/30/2017	1500051
6/30/2017	1500050
3/31/2017	1500049
12/31/2015	1500046
9/30/2015	1500045
6/30/2015	1400044
3/31/2015	1400040
12/31/2014	1400039
9/30/2014	1400038
6/30/2014	1300037
3/31/2014	1300035
12/31/2013	1300034
6/30/2017	1705359
3/31/2017	1705358
12/31/2016	1605326
9/30/2016	1605312
6/30/2016	1605300
9/30/2017	9712026
6/30/2017	9712024
3/31/2017	9712023
12/31/2016	9712022
9/30/2016	9712021
6/30/2016	9712020
3/31/2016	9712019
12/31/2015	9712018
9/30/2015	9712017
6/30/2015	9712016

09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS

190 2	101-500	CA1500424
190 2	101-500	CA1500424
190 2	101-500	CA1500424
190 2	101-500	CA1500424
190 2	101-500	CA1500424
190 2	101-500	CA1500424
180 2	101-500	CA2000506
180 2	101-500	CA2000506
180 2	101-500	CA2000506
162 2	101-500	CA2700612
162 2	101-500	CA2700612
162 2	101-500	CA2700612
162 2	101-500	CA2700612
162 2	101-500	CA2700612
162 2	101-500	CA2700612
162 2	101-500	CA2700612
162 2	101-500	CA2700612
162 2	101-500	CA2700612
162 2	101-500	CA2700612
162 2	101-500	CA2700612
162 2	101-500	CA2700612
162 2	101-500	CA2700612
162 2	101-500	CA2700612
161 2	101-500	CA5000077
161 2	101-500	CA5000077
161 2	101-500	CA5000077
161 2	101-500	CA5000077
161 2	101-500	CA5000077
161 2	101-500	CA5000077
161 2	101-500	CA5000077
161 2	101-500	CA5000077
161 2	101-500	CA5000077
161 2	101-500	CA5000077
161 2	101-500	CA5000077
161 2	101-500	CA5000077
161 2	101-500	CA5000077
161 2	101-500	CA5000077
161 2	101-500	CA5000077
161 2	101-500	CA5000077
160 2	101-500	CA1000071
160 2	101-500	CA1000071
160 2	101-500	CA1000071
160 2	101-500	CA1000071
160 2	101-500	CA1000071
160 2	101-500	CA1000071
160 2	101-500	CA1000071
160 2	101-500	CA1000071
160 2	101-500	CA1000071

LANDS OF PROMISE MWC	Y	332	Arsenic
LANDS OF PROMISE MWC	Y	332	Arsenic
LANDS OF PROMISE MWC	Y	332	Arsenic
LANDS OF PROMISE MWC	Y	332	Arsenic
LANDS OF PROMISE MWC	Y	332	Arsenic
LANDS OF PROMISE MWC	Y	332	Arsenic
SIERRA LINDA MUTUAL WATER CO	Y	332	Arsenic
SIERRA LINDA MUTUAL WATER CO	Y	332	Arsenic
SIERRA LINDA MUTUAL WATER CO	Y	332	Arsenic
LAGUNA SECA WC	Y	332	Arsenic
LAGUNA SECA WC	Y	332	Arsenic
LAGUNA SECA WC	Y	332	Arsenic
LAGUNA SECA WC	Y	332	Arsenic
LAGUNA SECA WC	Y	332	Arsenic
LAGUNA SECA WC	Y	332	Arsenic
LAGUNA SECA WC	Y	332	Arsenic
LAGUNA SECA WC	Y	332	Arsenic
LAGUNA SECA WC	Y	332	Arsenic
LAGUNA SECA WC	Y	332	Arsenic
LAGUNA SECA WC	Y	332	Arsenic
LAGUNA SECA WC	Y	332	Arsenic
LAGUNA SECA WC	Y	332	Arsenic
LAGUNA SECA WC	Y	332	Arsenic
CERES WEST MHP	Y	332	Arsenic
CERES WEST MHP	Y	332	Arsenic
CERES WEST MHP	Y	332	Arsenic
CERES WEST MHP	Y	332	Arsenic
CERES WEST MHP	Y	332	Arsenic
CERES WEST MHP	Y	332	Arsenic
CERES WEST MHP	Y	332	Arsenic
CERES WEST MHP	Y	332	Arsenic
CERES WEST MHP	Y	332	Arsenic
CERES WEST MHP	Y	332	Arsenic
CERES WEST MHP	Y	332	Arsenic
CERES WEST MHP	Y	332	Arsenic
CERES WEST MHP	Y	332	Arsenic
CERES WEST MHP	Y	332	Arsenic
CERES WEST MHP	Y	332	Arsenic
CERES WEST MHP	Y	332	Arsenic
LAKEVIEW IMPROVEMENT ASSOCIATION #1	Y	332	Arsenic
LAKEVIEW IMPROVEMENT ASSOCIATION #1	Y	332	Arsenic
LAKEVIEW IMPROVEMENT ASSOCIATION #1	Y	332	Arsenic
LAKEVIEW IMPROVEMENT ASSOCIATION #1	Y	332	Arsenic
LAKEVIEW IMPROVEMENT ASSOCIATION #1	Y	332	Arsenic
LAKEVIEW IMPROVEMENT ASSOCIATION #1	Y	332	Arsenic
LAKEVIEW IMPROVEMENT ASSOCIATION #1	Y	332	Arsenic
LAKEVIEW IMPROVEMENT ASSOCIATION #1	Y	332	Arsenic
LAKEVIEW IMPROVEMENT ASSOCIATION #1	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015

3/31/2015	9712015
12/31/2014	9712014
9/30/2014	9712013
6/30/2014	9712012
3/31/2014	9712011
12/31/2013	9712010
12/31/2016	1400038
12/31/2014	1400031
12/31/2015	1400036
12/31/2013	1400017
3/31/2017	9700006
12/31/2016	9700005
9/30/2016	9700004
6/30/2016	9700003
3/31/2016	9700002
12/30/2015	1600026
9/30/2015	1600025
6/30/2015	1500023
3/31/2015	1500022
12/31/2014	1500021
9/30/2014	1400024
6/30/2014	1400018
9/30/2017	1680007
6/30/2017	1680008
3/31/2017	1680006
12/31/2016	1680005
9/30/2016	1680004
6/30/2016	1680003
3/31/2016	1680002
12/31/2015	1680001
9/30/2015	1580004
6/30/2015	1580003
3/31/2015	1580002
12/31/2014	1580001
9/30/2014	1480004
6/30/2014	1480003
3/31/2014	1480002
12/31/2013	1480001
6/30/2017	1123021
3/31/2017	1123020
12/31/2016	1123019
9/30/2016	1123018
6/30/2016	1123017
12/31/2015	1123012
9/30/2015	1123010
6/30/2015	1123009
3/31/2015	1123008

09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS

160 2	101-500	CA1000071
160 2	101-500	CA1000071
150 2	101-500	CA1500378
150 2	101-500	CA1500378
150 2	101-500	CA1500378
150 2	101-500	CA1500378
150 2	101-500	CA1500378
150 2	101-500	CA1500378
150 2	101-500	CA1500378
150 2	101-500	CA1500378
150 2	101-500	CA1500378
150 2	101-500	CA1500378
150 2	101-500	CA1500378
150 2	101-500	CA1500378
150 2	101-500	CA1500378
150 2	101-500	CA1500378
150 2	101-500	CA1500378
150 2	101-500	CA2000552
150 2	101-500	CA2000552
150 2	101-500	CA2000552
150 2	101-500	CA2000552
150 2	101-500	CA2000552
150 2	101-500	CA2000552
150 2	101-500	CA2000552
150 2	101-500	CA2000552
150 2	101-500	CA2000552
150 2	101-500	CA2000552
150 2	101-500	CA2000552
150 2	101-500	CA2000552
150 2	101-500	CA3400164
150 2	101-500	CA3400164
150 2	101-500	CA3400164
150 2	101-500	CA3400164
150 2	101-500	CA3400164
150 2	101-500	CA3400164
150 2	101-500	CA3400164
150 2	101-500	CA3400164
150 2	101-500	CA3400164
150 2	101-500	CA3400164
150 2	101-500	CA3400164
150 2	101-500	CA3400164
150 2	101-500	CA3400164
150 2	101-500	CA3400164
150 2	101-500	CA3400164
150 2	101-500	CA3400164
150 2	101-500	CA3400164
137 2	101-500	CA2000538

LAKEVIEW IMPROVEMENT ASSOCIATION #1	Y	332	Arsenic
LAKEVIEW IMPROVEMENT ASSOCIATION #1	Y	332	Arsenic
MAHER MUTUAL WATER COMPANY	Y	332	Arsenic
MAHER MUTUAL WATER COMPANY	Y	332	Arsenic
MAHER MUTUAL WATER COMPANY	Y	332	Arsenic
MAHER MUTUAL WATER COMPANY	Y	332	Arsenic
MAHER MUTUAL WATER COMPANY	Y	332	Arsenic
MAHER MUTUAL WATER COMPANY	Y	332	Arsenic
MAHER MUTUAL WATER COMPANY	Y	332	Arsenic
MAHER MUTUAL WATER COMPANY	Y	332	Arsenic
MAHER MUTUAL WATER COMPANY	Y	332	Arsenic
MAHER MUTUAL WATER COMPANY	Y	332	Arsenic
MAHER MUTUAL WATER COMPANY	Y	332	Arsenic
MAHER MUTUAL WATER COMPANY	Y	332	Arsenic
MAHER MUTUAL WATER COMPANY	Y	332	Arsenic
MAHER MUTUAL WATER COMPANY	Y	332	Arsenic
MD#24 TEAFORD MEADOW LAKES	Y	332	Arsenic
MD#24 TEAFORD MEADOW LAKES	Y	332	Arsenic
MD#24 TEAFORD MEADOW LAKES	Y	332	Arsenic
MD#24 TEAFORD MEADOW LAKES	Y	332	Arsenic
MD#24 TEAFORD MEADOW LAKES	Y	332	Arsenic
MD#24 TEAFORD MEADOW LAKES	Y	332	Arsenic
MD#24 TEAFORD MEADOW LAKES	Y	332	Arsenic
MD#24 TEAFORD MEADOW LAKES	Y	332	Arsenic
MD#24 TEAFORD MEADOW LAKES	Y	332	Arsenic
MD#24 TEAFORD MEADOW LAKES	Y	332	Arsenic
MD#24 TEAFORD MEADOW LAKES	Y	332	Arsenic
VIEIRA'S RESORT, INC	Y	332	Arsenic
VIEIRA'S RESORT, INC	Y	332	Arsenic
VIEIRA'S RESORT, INC	Y	332	Arsenic
VIEIRA'S RESORT, INC	Y	332	Arsenic
VIEIRA'S RESORT, INC	Y	332	Arsenic
VIEIRA'S RESORT, INC	Y	332	Arsenic
VIEIRA'S RESORT, INC	Y	332	Arsenic
VIEIRA'S RESORT, INC	Y	332	Arsenic
VIEIRA'S RESORT, INC	Y	332	Arsenic
VIEIRA'S RESORT, INC	Y	332	Arsenic
VIEIRA'S RESORT, INC	Y	332	Arsenic
VIEIRA'S RESORT, INC	Y	332	Arsenic
VIEIRA'S RESORT, INC	Y	332	Arsenic
VIEIRA'S RESORT, INC	Y	332	Arsenic
VIEIRA'S RESORT, INC	Y	332	Arsenic
VIEIRA'S RESORT, INC	Y	332	Arsenic
CEDAR VALLEY MUTUAL WATER CO	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample

Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	1/1/2017

12/31/2014	1123007
9/30/2014	1123006
6/30/2017	9812027
3/31/2017	9812026
12/31/2016	9812025
9/30/2016	9812024
6/30/2016	9812022
3/31/2016	9812021
12/31/2015	9812020
9/30/2015	9812019
6/30/2015	9812018
3/31/2015	9812017
12/31/2014	9812016
9/30/2014	9812015
6/30/2014	9812014
3/31/2014	9812013
12/31/2013	9812012
9/30/2016	1500040
9/30/2015	1500038
6/30/2015	1400037
9/30/2017	1500044
6/30/2017	1500043
3/31/2017	1500042
12/31/2016	1500041
9/30/2016	1500039
9/30/2014	1400036
6/30/2014	1300035
3/31/2014	1300015
12/31/2013	1300030
9/30/2017	1700070
6/30/2017	1700069
3/31/2017	1700068
12/31/2016	1700067
9/30/2016	1700066
6/30/2016	1600065
3/31/2016	1600064
12/31/2015	1600062
12/31/2015	1600063
9/30/2015	1600061
6/30/2015	1500060
3/31/2015	1500059
12/31/2014	1500058
9/30/2014	1500057
6/30/2014	1400056
3/31/2014	1400054
12/31/2013	1400055
3/31/2017	1400031

09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS

137 2	101-500	CA2000538
137 2	101-500	CA2000538
137 2	101-500	CA2000538
137 2	101-500	CA2000538
137 2	101-500	CA2000538
137 2	101-500	CA2000538
137 2	101-500	CA2000538
137 2	101-500	CA2000538
137 2	101-500	CA2000538
135 2	101-500	CA1900100
135 2	101-500	CA1900100
135 2	101-500	CA1900100
135 2	101-500	CA1900100
135 2	101-500	CA1900100
135 2	101-500	CA1900100
135 2	101-500	CA1900100
135 2	101-500	CA1900100
135 2	101-500	CA1900100
133 2	101-500	CA3500823
133 2	101-500	CA3500823
133 2	101-500	CA3500823
133 2	101-500	CA3500823
133 2	101-500	CA3500823
130 2	101-500	CA2000550
130 2	101-500	CA2000550
130 2	101-500	CA2000550
130 2	101-500	CA2000550
130 2	101-500	CA2000550
130 2	101-500	CA2000550
130 2	101-500	CA2000550
130 2	101-500	CA2000550
130 2	101-500	CA2000550
130 2	101-500	CA2000550
130 2	101-500	CA2000550
130 2	101-500	CA2000550
130 2	101-500	CA2000550
130 2	101-500	CA2000550
130 2	101-500	CA2000550
130 2	101-500	CA2000550
130 2	101-500	CA2000550
130 2	101-500	CA2000550
125 2	101-500	CA5000051
125 2	101-500	CA5000051
125 2	101-500	CA5000051
125 2	101-500	CA5000051

CEDAR VALLEY MUTUAL WATER CO	Y	332	Arsenic
CEDAR VALLEY MUTUAL WATER CO	Y	332	Arsenic
CEDAR VALLEY MUTUAL WATER CO	Y	332	Arsenic
CEDAR VALLEY MUTUAL WATER CO	Y	332	Arsenic
CEDAR VALLEY MUTUAL WATER CO	Y	332	Arsenic
CEDAR VALLEY MUTUAL WATER CO	Y	332	Arsenic
CEDAR VALLEY MUTUAL WATER CO	Y	332	Arsenic
CEDAR VALLEY MUTUAL WATER CO	Y	332	Arsenic
CEDAR VALLEY MUTUAL WATER CO	Y	332	Arsenic
METTLER VALLEY MUTUAL	Y	332	Arsenic
METTLER VALLEY MUTUAL	Y	332	Arsenic
METTLER VALLEY MUTUAL	Y	332	Arsenic
METTLER VALLEY MUTUAL	Y	332	Arsenic
METTLER VALLEY MUTUAL	Y	332	Arsenic
METTLER VALLEY MUTUAL	Y	332	Arsenic
METTLER VALLEY MUTUAL	Y	332	Arsenic
METTLER VALLEY MUTUAL	Y	332	Arsenic
METTLER VALLEY MUTUAL	Y	332	Arsenic
BEST ROAD MWC	Y	332	Arsenic
BEST ROAD MWC	Y	332	Arsenic
BEST ROAD MWC	Y	332	Arsenic
BEST ROAD MWC	Y	332	Arsenic
BEST ROAD MWC	Y	332	Arsenic
MD#06 LAKE SHORE PARK	Y	332	Arsenic
MD#06 LAKE SHORE PARK	Y	332	Arsenic
MD#06 LAKE SHORE PARK	Y	332	Arsenic
MD#06 LAKE SHORE PARK	Y	332	Arsenic
MD#06 LAKE SHORE PARK	Y	332	Arsenic
MD#06 LAKE SHORE PARK	Y	332	Arsenic
MD#06 LAKE SHORE PARK	Y	332	Arsenic
MD#06 LAKE SHORE PARK	Y	332	Arsenic
MD#06 LAKE SHORE PARK	Y	332	Arsenic
MD#06 LAKE SHORE PARK	Y	332	Arsenic
MD#06 LAKE SHORE PARK	Y	332	Arsenic
MD#06 LAKE SHORE PARK	Y	332	Arsenic
MD#06 LAKE SHORE PARK	Y	332	Arsenic
MD#06 LAKE SHORE PARK	Y	332	Arsenic
MD#06 LAKE SHORE PARK	Y	332	Arsenic
MD#06 LAKE SHORE PARK	Y	332	Arsenic
MD#06 LAKE SHORE PARK	Y	332	Arsenic
MD#06 LAKE SHORE PARK	Y	332	Arsenic
MD#06 LAKE SHORE PARK	Y	332	Arsenic
MOBILE PLAZA PARK	Y	332	Arsenic
MOBILE PLAZA PARK	Y	332	Arsenic
MOBILE PLAZA PARK	Y	332	Arsenic
MOBILE PLAZA PARK	Y	332	Arsenic

MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/31/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/31/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016

9/30/2016	1400029
12/31/2016	1400030
9/30/2015	1400028
3/31/2015	1400026
12/31/2014	1400025
9/30/2014	1400024
6/30/2014	1400023
3/31/2014	1400022
12/31/2013	1300021
6/30/2016	1600007
3/31/2016	1600006
12/31/2015	1600005
9/30/2015	1600004
6/30/2015	1500003
3/31/2015	1500002
12/31/2014	1500001
9/30/2014	4
6/30/2014	3
9/30/2017	805012
6/30/2017	805011
3/31/2017	805006
12/31/2016	805005
9/30/2016	805004
12/31/2016	1500078
9/30/2017	1500081
6/30/2017	1500080
3/31/2017	1500079
9/30/2015	1500073
9/30/2015	1500076
6/30/2015	1400072
6/30/2015	1400075
3/30/2015	1400074
3/31/2015	1400066
3/31/2015	1400068
12/31/2014	1400067
9/30/2014	1400064
9/30/2014	1400065
6/30/2014	1300060
6/30/2014	1300063
3/31/2014	1300059
3/31/2014	1300062
12/31/2013	1300061
12/31/2013	1300057
9/30/2017	1680007
6/30/2017	1680008
3/31/2017	1680006
12/31/2016	1680005

09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS

125 2	101-500	CA5000051
125 2	101-500	CA5000051
125 2	101-500	CA5000051
125 2	101-500	CA5000051
125 2	101-500	CA5000051
125 2	101-500	CA5000051
125 2	101-500	CA5000051
125 2	101-500	CA5000051
125 2	101-500	CA5000051
125 2	101-500	CA5000051
125 2	101-500	CA5000051
125 2	101-500	CA5000051
125 2	101-500	CA5200550
125 2	101-500	CA5200550
125 2	101-500	CA5200550
125 2	101-500	CA5200550
125 2	101-500	CA5200550
125 2	101-500	CA5200550
125 2	101-500	CA5200550
125 2	101-500	CA5200550
125 2	101-500	CA5200550
124 2	101-500	CA3600025
124 2	101-500	CA3600025
124 2	101-500	CA3600025
124 2	101-500	CA3600025
124 2	101-500	CA3600025
124 2	101-500	CA3600025
124 2	101-500	CA3600025
124 2	101-500	CA3600025
124 2	101-500	CA3600025
124 2	101-500	CA3600025
124 2	101-500	CA3600025
124 2	101-500	CA3600025
124 2	101-500	CA3600025
124 2	101-500	CA3600025
124 2	101-500	CA3600025
120 2	101-500	CA1500525
120 2	101-500	CA1500525
120 2	101-500	CA1500525
120 2	101-500	CA1500525
120 2	101-500	CA1500525
120 2	101-500	CA1500525
120 2	101-500	CA1500525
120 2	101-500	CA1500525
120 2	101-500	CA1500525
120 2	101-500	CA1500525
120 2	101-500	CA1500525

MOBILE PLAZA PARK	Y	332	Arsenic
MOBILE PLAZA PARK	Y	332	Arsenic
MOBILE PLAZA PARK	Y	332	Arsenic
MOBILE PLAZA PARK	Y	332	Arsenic
MOBILE PLAZA PARK	Y	332	Arsenic
MOBILE PLAZA PARK	Y	332	Arsenic
MOBILE PLAZA PARK	Y	332	Arsenic
MOBILE PLAZA PARK	Y	332	Arsenic
MOBILE PLAZA PARK	Y	332	Arsenic
MOBILE PLAZA PARK	Y	332	Arsenic
MOBILE PLAZA PARK	Y	332	Arsenic
MOBILE PLAZA PARK	Y	332	Arsenic
NEW ORCHARD MOBILE HOME PARK LLC	Y	332	Arsenic
NEW ORCHARD MOBILE HOME PARK LLC	Y	332	Arsenic
NEW ORCHARD MOBILE HOME PARK LLC	Y	332	Arsenic
NEW ORCHARD MOBILE HOME PARK LLC	Y	332	Arsenic
NEW ORCHARD MOBILE HOME PARK LLC	Y	332	Arsenic
NEW ORCHARD MOBILE HOME PARK LLC	Y	332	Arsenic
NEW ORCHARD MOBILE HOME PARK LLC	Y	332	Arsenic
NEW ORCHARD MOBILE HOME PARK LLC	Y	332	Arsenic
NEW ORCHARD MOBILE HOME PARK LLC	Y	332	Arsenic
BAR-LEN MWC	Y	332	Arsenic
BAR-LEN MWC	Y	332	Arsenic
BAR-LEN MWC	Y	332	Arsenic
BAR-LEN MWC	Y	332	Arsenic
BAR-LEN MWC	Y	332	Arsenic
BAR-LEN MWC	Y	332	Arsenic
BAR-LEN MWC	Y	332	Arsenic
BAR-LEN MWC	Y	332	Arsenic
BAR-LEN MWC	Y	332	Arsenic
BAR-LEN MWC	Y	332	Arsenic
BAR-LEN MWC	Y	332	Arsenic
BAR-LEN MWC	Y	332	Arsenic
BAR-LEN MWC	Y	332	Arsenic
BAR-LEN MWC	Y	332	Arsenic
BAR-LEN MWC	Y	332	Arsenic
LAKEVIEW RANCHOS MUTUAL WATER COMPANY	Y	332	Arsenic
LAKEVIEW RANCHOS MUTUAL WATER COMPANY	Y	332	Arsenic
LAKEVIEW RANCHOS MUTUAL WATER COMPANY	Y	332	Arsenic
LAKEVIEW RANCHOS MUTUAL WATER COMPANY	Y	332	Arsenic
LAKEVIEW RANCHOS MUTUAL WATER COMPANY	Y	332	Arsenic
LAKEVIEW RANCHOS MUTUAL WATER COMPANY	Y	332	Arsenic
LAKEVIEW RANCHOS MUTUAL WATER COMPANY	Y	332	Arsenic
LAKEVIEW RANCHOS MUTUAL WATER COMPANY	Y	332	Arsenic
LAKEVIEW RANCHOS MUTUAL WATER COMPANY	Y	332	Arsenic
LAKEVIEW RANCHOS MUTUAL WATER COMPANY	Y	332	Arsenic
LAKEVIEW RANCHOS MUTUAL WATER COMPANY	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015

9/30/2016	1680004
6/30/2016	1680003
3/31/2016	1680002
12/31/2016	1680001
9/30/2015	1580004
6/30/2015	1580003
3/31/2015	1580002
12/31/2014	1580001
9/30/2014	1480004
6/30/2014	1480003
3/31/2014	1480002
12/31/2013	1480001
3/31/2017	1600013
12/31/2016	1600012
3/31/2016	1600011
9/30/2015	1600010
6/30/2015	1500008
3/31/2015	1500009
6/30/2014	1400007
3/31/2014	1400006
12/31/2013	1300005
9/30/2017	1600027
6/30/2017	1600026
3/31/2017	1600025
12/31/2016	1600024
9/30/2016	1600021
6/30/2016	1600023
3/31/2016	1600020
12/31/2015	1500022
9/30/2015	1600017
6/30/2015	1500016
3/31/2015	1500015
12/31/2014	1500014
9/30/2014	1500013
3/31/2014	1400012
12/31/2013	1400011
9/30/2017	9912026
6/30/2017	9912025
3/31/2017	9912024
12/31/2016	9912023
9/30/2016	9912022
6/30/2016	9912021
3/31/2016	9912019
12/31/2015	9912017
9/30/2015	9912016
6/30/2015	9912015
3/31/2015	9912014

09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS

120	2	101-500	CA1500525
120	2	101-500	CA1500525
120	2	101-500	CA1500525
120	2	101-500	CA1500525
120	2	101-500	CA1500525
110	2	101-500	CA2000527
110	2	101-500	CA2000527
110	2	101-500	CA2000527
110	2	101-500	CA2000527
110	2	101-500	CA2000527
110	2	101-500	CA2000527
110	2	101-500	CA2000527
110	2	101-500	CA2000527
110	2	101-500	CA2000527
110	2	101-500	CA2000527
110	2	101-500	CA2000527
110	2	101-500	CA2000527
100	1	<=100	CA0900102
100	1	<=100	CA0900102
100	1	<=100	CA1500585
100	1	<=100	CA1500585
100	1	<=100	CA1500585
100	1	<=100	CA1500585
100	1	<=100	CA1500585
100	1	<=100	CA1500585
100	1	<=100	CA1500585
100	1	<=100	CA1500585
100	1	<=100	CA1500585
100	1	<=100	CA1500585
100	1	<=100	CA1500585
100	1	<=100	CA2000688
100	1	<=100	CA2000688
100	1	<=100	CA2000737
100	1	<=100	CA2000737
100	1	<=100	CA2000737
100	1	<=100	CA2000737
100	1	<=100	CA2000737
100	1	<=100	CA2000737
100	1	<=100	CA2000737
100	1	<=100	CA2000737
100	1	<=100	CA2000737
100	1	<=100	CA3400103
100	1	<=100	CA3400103
100	1	<=100	CA3400103
100	1	<=100	CA3400103
100	1	<=100	CA3400103
100	1	<=100	CA5000085

LAKEVIEW RANCHOS MUTUAL WATER COMPANY	Y	332	Arsenic
LAKEVIEW RANCHOS MUTUAL WATER COMPANY	Y	332	Arsenic
LAKEVIEW RANCHOS MUTUAL WATER COMPANY	Y	332	Arsenic
LAKEVIEW RANCHOS MUTUAL WATER COMPANY	Y	332	Arsenic
LAKEVIEW RANCHOS MUTUAL WATER COMPANY	Y	332	Arsenic
YOSEMITE FORKS EST MUTUAL	Y	332	Arsenic
YOSEMITE FORKS EST MUTUAL	Y	332	Arsenic
YOSEMITE FORKS EST MUTUAL	Y	332	Arsenic
YOSEMITE FORKS EST MUTUAL	Y	332	Arsenic
YOSEMITE FORKS EST MUTUAL	Y	332	Arsenic
YOSEMITE FORKS EST MUTUAL	Y	332	Arsenic
YOSEMITE FORKS EST MUTUAL	Y	332	Arsenic
YOSEMITE FORKS EST MUTUAL	Y	332	Arsenic
YOSEMITE FORKS EST MUTUAL	Y	332	Arsenic
YOSEMITE FORKS EST MUTUAL	Y	332	Arsenic
YOSEMITE FORKS EST MUTUAL	Y	332	Arsenic
GOLD BEACH PARK	Y	332	Arsenic
GOLD BEACH PARK	Y	332	Arsenic
OASIS PROPERTY OWNERS ASSOCIATION	Y	332	Arsenic
OASIS PROPERTY OWNERS ASSOCIATION	Y	332	Arsenic
OASIS PROPERTY OWNERS ASSOCIATION	Y	332	Arsenic
OASIS PROPERTY OWNERS ASSOCIATION	Y	332	Arsenic
OASIS PROPERTY OWNERS ASSOCIATION	Y	332	Arsenic
OASIS PROPERTY OWNERS ASSOCIATION	Y	332	Arsenic
OASIS PROPERTY OWNERS ASSOCIATION	Y	332	Arsenic
OASIS PROPERTY OWNERS ASSOCIATION	Y	332	Arsenic
OASIS PROPERTY OWNERS ASSOCIATION	Y	332	Arsenic
OASIS PROPERTY OWNERS ASSOCIATION	Y	332	Arsenic
OASIS PROPERTY OWNERS ASSOCIATION	Y	332	Arsenic
ECCO	Y	332	Arsenic
ECCO	Y	332	Arsenic
MD#42 STILL MEADOW	Y	332	Arsenic
MD#42 STILL MEADOW	Y	332	Arsenic
MD#42 STILL MEADOW	Y	332	Arsenic
MD#42 STILL MEADOW	Y	332	Arsenic
MD#42 STILL MEADOW	Y	332	Arsenic
MD#42 STILL MEADOW	Y	332	Arsenic
MD#42 STILL MEADOW	Y	332	Arsenic
MD#42 STILL MEADOW	Y	332	Arsenic
MD#42 STILL MEADOW	Y	332	Arsenic
B & W RESORT MARINA	Y	332	Arsenic
B & W RESORT MARINA	Y	332	Arsenic
B & W RESORT MARINA	Y	332	Arsenic
B & W RESORT MARINA	Y	332	Arsenic
B & W RESORT MARINA	Y	332	Arsenic
GREEN RUN MOBILE ESTATES	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	9/1/2017
Maximum Contaminant Level Violation	Arsenic	8/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017

12/31/2014	9912013
9/30/2014	9912012
6/30/2014	9912011
3/31/2014	9912009
12/31/2013	9912008
3/31/2017	1500023
12/31/2016	1500022
9/30/2016	1500021
12/31/2015	1500020
9/30/2015	1500019
6/30/2015	1400018
3/31/2015	1500017
12/31/2014	1400016
9/30/2014	1400015
6/30/2014	1300014
3/31/2014	1300013
12/31/2013	1300012
12/31/2015	1600006
4/30/2014	1600007
6/30/2017	9512018
3/31/2017	9512017
9/30/2016	9512016
6/30/2016	9512015
12/31/2015	9512014
9/30/2015	9512012
6/30/2015	9512011
3/31/2015	9512010
12/31/2014	9512009
3/31/2014	9512008
12/31/2013	9512007
9/30/2017	1400015
8/31/2017	1400014
9/30/2017	1500059
12/31/2015	1500055
9/30/2015	1500054
12/31/2014	1400050
12/31/2014	1400052
3/31/2017	1500058
12/31/2016	1500057
9/30/2016	1500056
6/30/2015	1400053
3/31/2017	1700009
12/31/2016	1700008
9/30/2016	1700007
6/30/2016	1600006
3/31/2016	1600003
9/30/2017	9780004

09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS

100	1	<=100	CA5000085
100	1	<=100	CA5000085
100	1	<=100	CA5000085
100	1	<=100	CA5000085
100	1	<=100	CA5000085
100	1	<=100	CA5000085
100	1	<=100	CA5000085
100	1	<=100	CA5000085
100	1	<=100	CA5000085
100	1	<=100	CA5000085
100	1	<=100	CA5000085
100	1	<=100	CA5000085
100	1	<=100	CA5000085
100	1	<=100	CA5000085
100	1	<=100	CA5000085
87	1	<=100	CA2700799
87	1	<=100	CA2700799
87	1	<=100	CA2700799
87	1	<=100	CA2700799
87	1	<=100	CA2700799
87	1	<=100	CA2700799
87	1	<=100	CA2700799
87	1	<=100	CA2700799
87	1	<=100	CA2700799
87	1	<=100	CA2700799
87	1	<=100	CA2700799
87	1	<=100	CA2700799
87	1	<=100	CA2700799
87	1	<=100	CA2700799
87	1	<=100	CA2700799
84	1	<=100	CA3900726
80	1	<=100	CA3400138
80	1	<=100	CA3400138
80	1	<=100	CA3400138
80	1	<=100	CA3400138
80	1	<=100	CA3400138
80	1	<=100	CA3400138
80	1	<=100	CA3400138
80	1	<=100	CA3400138
80	1	<=100	CA3400138
80	1	<=100	CA3400138
80	1	<=100	CA3400138
80	1	<=100	CA3400138
80	1	<=100	CA3400138
80	1	<=100	CA3400138
80	1	<=100	CA3400138
80	1	<=100	CA5201137

GREEN RUN MOBILE ESTATES	Y	332	Arsenic
GREEN RUN MOBILE ESTATES	Y	332	Arsenic
GREEN RUN MOBILE ESTATES	Y	332	Arsenic
GREEN RUN MOBILE ESTATES	Y	332	Arsenic
GREEN RUN MOBILE ESTATES	Y	332	Arsenic
GREEN RUN MOBILE ESTATES	Y	332	Arsenic
GREEN RUN MOBILE ESTATES	Y	332	Arsenic
GREEN RUN MOBILE ESTATES	Y	332	Arsenic
GREEN RUN MOBILE ESTATES	Y	332	Arsenic
GREEN RUN MOBILE ESTATES	Y	332	Arsenic
GREEN RUN MOBILE ESTATES	Y	332	Arsenic
GREEN RUN MOBILE ESTATES	Y	332	Arsenic
GREEN RUN MOBILE ESTATES	Y	332	Arsenic
GREEN RUN MOBILE ESTATES	Y	332	Arsenic
GREEN RUN MOBILE ESTATES	Y	332	Arsenic
VISTA DEL TORO WS	Y	332	Arsenic
VISTA DEL TORO WS	Y	332	Arsenic
VISTA DEL TORO WS	Y	332	Arsenic
VISTA DEL TORO WS	Y	332	Arsenic
VISTA DEL TORO WS	Y	332	Arsenic
VISTA DEL TORO WS	Y	332	Arsenic
VISTA DEL TORO WS	Y	332	Arsenic
VISTA DEL TORO WS	Y	332	Arsenic
VISTA DEL TORO WS	Y	332	Arsenic
VISTA DEL TORO WS	Y	332	Arsenic
VISTA DEL TORO WS	Y	332	Arsenic
VISTA DEL TORO WS	Y	332	Arsenic
VISTA DEL TORO WS	Y	332	Arsenic
VISTA DEL TORO WS	Y	332	Arsenic
VISTA DEL TORO WS	Y	332	Arsenic
BENTLEY TRAILER COURT	Y	332	Arsenic
LOCKE WATER WORKS CO [SWS]	Y	332	Arsenic
LOCKE WATER WORKS CO [SWS]	Y	332	Arsenic
LOCKE WATER WORKS CO [SWS]	Y	332	Arsenic
LOCKE WATER WORKS CO [SWS]	Y	332	Arsenic
LOCKE WATER WORKS CO [SWS]	Y	332	Arsenic
LOCKE WATER WORKS CO [SWS]	Y	332	Arsenic
LOCKE WATER WORKS CO [SWS]	Y	332	Arsenic
LOCKE WATER WORKS CO [SWS]	Y	332	Arsenic
LOCKE WATER WORKS CO [SWS]	Y	332	Arsenic
LOCKE WATER WORKS CO [SWS]	Y	332	Arsenic
LOCKE WATER WORKS CO [SWS]	Y	332	Arsenic
LOCKE WATER WORKS CO [SWS]	Y	332	Arsenic
LOCKE WATER WORKS CO [SWS]	Y	332	Arsenic
LOCKE WATER WORKS CO [SWS]	Y	332	Arsenic
LOCKE WATER WORKS CO [SWS]	Y	332	Arsenic
MILLSTREAM MOBILE HOME PARK	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample

Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/31/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	1/1/2017

6/30/2017	9780005
3/31/2017	9780003
12/31/2016	9780002
9/30/2016	1680004
6/30/2016	1680003
3/31/2016	1680002
12/31/2015	1680001
9/30/2015	1580004
6/30/2015	1580003
3/31/2015	1580002
12/31/2014	1580001
9/30/2014	1480004
6/30/2014	1480003
3/31/2014	1480002
12/31/2013	1480001
3/31/2014	1400026
12/31/2013	1400025
6/30/2017	9700010
3/31/2017	9700009
12/31/2016	9700006
9/30/2016	9700003
6/30/2016	1600039
3/31/2016	1600038
12/30/2015	1600037
9/30/2015	1600035
6/30/2015	1500034
3/31/2015	1500032
12/31/2014	1500031
9/30/2014	1500028
6/30/2014	1400027
6/30/2017	1600011
9/30/2017	9900002
3/31/2017	1700050
12/31/2016	1700049
9/30/2016	1700048
6/30/2016	1600047
3/31/2016	1600046
12/31/2015	1600045
9/30/2015	1500043
6/30/2015	1500042
3/31/2015	1500041
12/31/2014	1500040
9/30/2014	1500039
6/30/2014	1400038
3/31/2014	1400037
12/31/2013	1400036
3/31/2017	1600018

09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS

80	1	<=100	CA5201137
80	1	<=100	CA5201137
80	1	<=100	CA5201137
80	1	<=100	CA5201137
80	1	<=100	CA5201137
80	1	<=100	CA5201137
80	1	<=100	CA5201137
80	1	<=100	CA5201137
75	1	<=100	CA5000057
73	1	<=100	CA1500571
73	1	<=100	CA1500571
73	1	<=100	CA1500571
73	1	<=100	CA1500571
68	1	<=100	CA1500461
68	1	<=100	CA1500461
68	1	<=100	CA1500461
68	1	<=100	CA1500461
68	1	<=100	CA1500461
68	1	<=100	CA1500461
68	1	<=100	CA1500461
68	1	<=100	CA1500461
68	1	<=100	CA1500461
68	1	<=100	CA1500461
68	1	<=100	CA1500461
68	1	<=100	CA1500461
68	1	<=100	CA1500461
68	1	<=100	CA1500461
67	1	<=100	CA1500458
67	1	<=100	CA1500458
67	1	<=100	CA1500458
67	1	<=100	CA1500458
67	1	<=100	CA1500458
67	1	<=100	CA1500458
67	1	<=100	CA1500458
67	1	<=100	CA1500458
67	1	<=100	CA1500458
67	1	<=100	CA1500458
67	1	<=100	CA1500458
67	1	<=100	CA1500458
63	1	<=100	CA1502724
63	1	<=100	CA1502724
63	1	<=100	CA1502724
63	1	<=100	CA1502724
63	1	<=100	CA1502724
63	1	<=100	CA1502724

MILLSTREAM MOBILE HOME PARK	Y	332	Arsenic
MILLSTREAM MOBILE HOME PARK	Y	332	Arsenic
MILLSTREAM MOBILE HOME PARK	Y	332	Arsenic
MILLSTREAM MOBILE HOME PARK	Y	332	Arsenic
MILLSTREAM MOBILE HOME PARK	Y	332	Arsenic
MILLSTREAM MOBILE HOME PARK	Y	332	Arsenic
MILLSTREAM MOBILE HOME PARK	Y	332	Arsenic
MILLSTREAM MOBILE HOME PARK	Y	332	Arsenic
ORCHARD VILLAGE MHP	Y	332	Arsenic
LUCKY 18 ON ROSAMOND, LLC	Y	332	Arsenic
LUCKY 18 ON ROSAMOND, LLC	Y	332	Arsenic
LUCKY 18 ON ROSAMOND, LLC	Y	332	Arsenic
LUCKY 18 ON ROSAMOND, LLC	Y	332	Arsenic
FOUNTAIN TRAILER PARK WATER	Y	332	Arsenic
FOUNTAIN TRAILER PARK WATER	Y	332	Arsenic
FOUNTAIN TRAILER PARK WATER	Y	332	Arsenic
FOUNTAIN TRAILER PARK WATER	Y	332	Arsenic
FOUNTAIN TRAILER PARK WATER	Y	332	Arsenic
FOUNTAIN TRAILER PARK WATER	Y	332	Arsenic
FOUNTAIN TRAILER PARK WATER	Y	332	Arsenic
FOUNTAIN TRAILER PARK WATER	Y	332	Arsenic
FOUNTAIN TRAILER PARK WATER	Y	332	Arsenic
FOUNTAIN TRAILER PARK WATER	Y	332	Arsenic
FOUNTAIN TRAILER PARK WATER	Y	332	Arsenic
FOUNTAIN TRAILER PARK WATER	Y	332	Arsenic
FOUNTAIN TRAILER PARK WATER	Y	332	Arsenic
FOUNTAIN TRAILER PARK WATER	Y	332	Arsenic
R.S. MUTUAL WATER COMPANY	Y	332	Arsenic
R.S. MUTUAL WATER COMPANY	Y	332	Arsenic
R.S. MUTUAL WATER COMPANY	Y	332	Arsenic
R.S. MUTUAL WATER COMPANY	Y	332	Arsenic
R.S. MUTUAL WATER COMPANY	Y	332	Arsenic
R.S. MUTUAL WATER COMPANY	Y	332	Arsenic
R.S. MUTUAL WATER COMPANY	Y	332	Arsenic
R.S. MUTUAL WATER COMPANY	Y	332	Arsenic
R.S. MUTUAL WATER COMPANY	Y	332	Arsenic
R.S. MUTUAL WATER COMPANY	Y	332	Arsenic
R.S. MUTUAL WATER COMPANY	Y	332	Arsenic
R.S. MUTUAL WATER COMPANY	Y	332	Arsenic
R.S. MUTUAL WATER COMPANY	Y	332	Arsenic
QUAIL VALLEY WATER DIST-EASTSIDE SYSTEM	Y	332	Arsenic
QUAIL VALLEY WATER DIST-EASTSIDE SYSTEM	Y	332	Arsenic
QUAIL VALLEY WATER DIST-EASTSIDE SYSTEM	Y	332	Arsenic
QUAIL VALLEY WATER DIST-EASTSIDE SYSTEM	Y	332	Arsenic
QUAIL VALLEY WATER DIST-EASTSIDE SYSTEM	Y	332	Arsenic
QUAIL VALLEY WATER DIST-EASTSIDE SYSTEM	Y	332	Arsenic

MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016

12/31/2016	1600017
3/31/2016	1600016
9/30/2015	1600012
6/30/2015	1500011
3/31/2015	1500010
6/30/2014	1400009
3/31/2014	1400008
12/31/2013	1300004
9/30/2017	1480002
9/30/2017	9812029
6/30/2017	9812028
3/31/2017	9812027
3/31/2016	9812021
9/30/2017	9919033
3/31/2017	9919031
12/31/2016	9919029
9/30/2016	9919027
6/30/2016	9919026
3/31/2016	9919025
12/31/2015	9919023
9/30/2015	9919022
6/30/2015	9919021
3/31/2015	9919020
12/31/2014	9919018
9/30/2014	9919014
6/30/2014	9919013
3/31/2014	9919012
12/31/2013	9919011
9/30/2017	9612032
6/30/2017	9612028
3/31/2017	9612026
12/31/2016	9612025
9/30/2016	9612023
3/31/2016	9612021
12/31/2015	9612020
9/30/2015	9612019
6/30/2015	9612018
3/31/2015	9612017
6/30/2014	9612013
3/31/2014	9612011
12/31/2013	9612010
9/30/2017	1219049
6/30/2017	1219048
3/31/2017	1219047
12/31/2016	1219045
9/30/2016	1219044
6/30/2016	1219043

09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS

63 1	<=100	CA1502724
63 1	<=100	CA1502724
63 1	<=100	CA1502724
63 1	<=100	CA1502724
63 1	<=100	CA1502724
61 1	<=100	CA1900038
61 1	<=100	CA1900038
61 1	<=100	CA1900038
61 1	<=100	CA1900038
61 1	<=100	CA1900038
61 1	<=100	CA1900038
61 1	<=100	CA1900038
61 1	<=100	CA1900038
61 1	<=100	CA1900038
60 1	<=100	CA1400037
60 1	<=100	CA4000637
60 1	<=100	CA4000637
60 1	<=100	CA4000637
60 1	<=100	CA4000637
60 1	<=100	CA4000637
60 1	<=100	CA4000637
60 1	<=100	CA4000637
60 1	<=100	CA4000637
60 1	<=100	CA4000637
60 1	<=100	CA4000637
60 1	<=100	CA4000637
60 1	<=100	CA4000637
60 1	<=100	CA4000637
60 1	<=100	CA4000637
60 1	<=100	CA5000086
60 1	<=100	CA5000086
60 1	<=100	CA5000086
60 1	<=100	CA5000086
60 1	<=100	CA5000086
60 1	<=100	CA5000086
60 1	<=100	CA5000086
60 1	<=100	CA5000086
60 1	<=100	CA5000086
60 1	<=100	CA5000086
60 1	<=100	CA5000086
60 1	<=100	CA5000086
60 1	<=100	CA5000086
60 1	<=100	CA5000086
57 1	<=100	CA2701959
57 1	<=100	CA2701959
57 1	<=100	CA2701959

QUAIL VALLEY WATER DIST-EASTSIDE SYSTEM	Y	332	Arsenic
QUAIL VALLEY WATER DIST-EASTSIDE SYSTEM	Y	332	Arsenic
QUAIL VALLEY WATER DIST-EASTSIDE SYSTEM	Y	332	Arsenic
QUAIL VALLEY WATER DIST-EASTSIDE SYSTEM	Y	332	Arsenic
QUAIL VALLEY WATER DIST-EASTSIDE SYSTEM	Y	332	Arsenic
LANCASTER PARK MOBILE HOME PARK	Y	332	Arsenic
LANCASTER PARK MOBILE HOME PARK	Y	332	Arsenic
LANCASTER PARK MOBILE HOME PARK	Y	332	Arsenic
LANCASTER PARK MOBILE HOME PARK	Y	332	Arsenic
LANCASTER PARK MOBILE HOME PARK	Y	332	Arsenic
LANCASTER PARK MOBILE HOME PARK	Y	332	Arsenic
LANCASTER PARK MOBILE HOME PARK	Y	332	Arsenic
LANCASTER PARK MOBILE HOME PARK	Y	332	Arsenic
LANCASTER PARK MOBILE HOME PARK	Y	332	Arsenic
FOOTHILL MOBILE HOME PARK	Y	332	Arsenic
COUNTRY HILLS ESTATES	Y	332	Arsenic
COUNTRY HILLS ESTATES	Y	332	Arsenic
COUNTRY HILLS ESTATES	Y	332	Arsenic
COUNTRY HILLS ESTATES	Y	332	Arsenic
COUNTRY HILLS ESTATES	Y	332	Arsenic
COUNTRY HILLS ESTATES	Y	332	Arsenic
COUNTRY HILLS ESTATES	Y	332	Arsenic
COUNTRY HILLS ESTATES	Y	332	Arsenic
COUNTRY HILLS ESTATES	Y	332	Arsenic
COUNTRY HILLS ESTATES	Y	332	Arsenic
COUNTRY HILLS ESTATES	Y	332	Arsenic
COUNTRY HILLS ESTATES	Y	332	Arsenic
COUNTRY HILLS ESTATES	Y	332	Arsenic
COUNTRY HILLS ESTATES	Y	332	Arsenic
COUNTRYSIDE MHP	Y	332	Arsenic
COUNTRYSIDE MHP	Y	332	Arsenic
COUNTRYSIDE MHP	Y	332	Arsenic
COUNTRYSIDE MHP	Y	332	Arsenic
COUNTRYSIDE MHP	Y	332	Arsenic
COUNTRYSIDE MHP	Y	332	Arsenic
COUNTRYSIDE MHP	Y	332	Arsenic
COUNTRYSIDE MHP	Y	332	Arsenic
COUNTRYSIDE MHP	Y	332	Arsenic
COUNTRYSIDE MHP	Y	332	Arsenic
COUNTRYSIDE MHP	Y	332	Arsenic
COUNTRYSIDE MHP	Y	332	Arsenic
COUNTRYSIDE MHP	Y	332	Arsenic
COUNTRYSIDE MHP	Y	332	Arsenic
TIERRA VISTA MWC	Y	332	Arsenic
TIERRA VISTA MWC	Y	332	Arsenic
TIERRA VISTA MWC	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016

3/31/2016	1219042
12/31/2015	1219041
9/30/2015	1219040
6/30/2015	1219039
3/31/2015	1219038
6/30/2016	1600007
3/31/2016	1600006
12/31/2015	1600005
9/30/2015	1600004
6/30/2015	1500003
3/31/2015	1500002
12/31/2014	1500001
6/30/2014	2
3/31/2014	1
6/30/2016	1500064
6/30/2017	900011
3/31/2017	900012
12/31/2016	900013
9/30/2016	900014
6/30/2016	900015
3/31/2016	900016
12/31/2015	900017
9/30/2015	900018
6/30/2015	900019
3/31/2015	900020
12/31/2014	900021
9/30/2014	900022
6/30/2014	900023
3/31/2014	900024
12/31/2013	900025
3/31/2017	9780003
12/31/2016	9780002
9/30/2016	1680004
6/30/2016	1680003
3/31/2016	1680002
12/31/2016	1680001
9/30/2015	1580004
6/30/2015	1580003
3/31/2015	1580002
12/31/2014	1580001
9/30/2014	1480004
6/30/2014	1480003
3/31/2014	1480002
12/31/2013	1480001
3/31/2017	9700003
12/31/2016	9700002
9/30/2016	1600033

09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS

57 1	<=100	CA2701959
57 1	<=100	CA2701959
57 1	<=100	CA2701959
57 1	<=100	CA2701959
57 1	<=100	CA2701959
57 1	<=100	CA2701959
57 1	<=100	CA2701959
57 1	<=100	CA2701959
56 1	<=100	CA1500455
56 1	<=100	CA1500455
56 1	<=100	CA1500455
56 1	<=100	CA1500455
56 1	<=100	CA1500455
56 1	<=100	CA1500455
56 1	<=100	CA1500455
56 1	<=100	CA1500455
56 1	<=100	CA1500455
56 1	<=100	CA1500455
56 1	<=100	CA1500455
56 1	<=100	CA1500455
56 1	<=100	CA1500455
56 1	<=100	CA1500455
56 1	<=100	CA1500455
56 1	<=100	CA1500455
56 1	<=100	CA1900961
56 1	<=100	CA1900961
56 1	<=100	CA1900961
56 1	<=100	CA1900961
56 1	<=100	CA1900961
56 1	<=100	CA1900961
56 1	<=100	CA1900961
56 1	<=100	CA1900961
51 1	<=100	CA1500436
51 1	<=100	CA1500436
51 1	<=100	CA1500436
51 1	<=100	CA1500436
51 1	<=100	CA1500436
51 1	<=100	CA1500436
51 1	<=100	CA1500436
51 1	<=100	CA1500436
51 1	<=100	CA1500436
51 1	<=100	CA1500436
51 1	<=100	CA1500436
51 1	<=100	CA1500436
51 1	<=100	CA1500436
51 1	<=100	CA1500436
51 1	<=100	CA1500436

TIERRA VISTA MWC	Y	332	Arsenic
TIERRA VISTA MWC	Y	332	Arsenic
TIERRA VISTA MWC	Y	332	Arsenic
TIERRA VISTA MWC	Y	332	Arsenic
TIERRA VISTA MWC	Y	332	Arsenic
TIERRA VISTA MWC	Y	332	Arsenic
TIERRA VISTA MWC	Y	332	Arsenic
TIERRA VISTA MWC	Y	332	Arsenic
WILLIAM FISHER MEMORIAL WATER COMPANY	Y	332	Arsenic
WILLIAM FISHER MEMORIAL WATER COMPANY	Y	332	Arsenic
WILLIAM FISHER MEMORIAL WATER COMPANY	Y	332	Arsenic
WILLIAM FISHER MEMORIAL WATER COMPANY	Y	332	Arsenic
WILLIAM FISHER MEMORIAL WATER COMPANY	Y	332	Arsenic
WILLIAM FISHER MEMORIAL WATER COMPANY	Y	332	Arsenic
WILLIAM FISHER MEMORIAL WATER COMPANY	Y	332	Arsenic
WILLIAM FISHER MEMORIAL WATER COMPANY	Y	332	Arsenic
WILLIAM FISHER MEMORIAL WATER COMPANY	Y	332	Arsenic
WILLIAM FISHER MEMORIAL WATER COMPANY	Y	332	Arsenic
WILLIAM FISHER MEMORIAL WATER COMPANY	Y	332	Arsenic
WILLIAM FISHER MEMORIAL WATER COMPANY	Y	332	Arsenic
WILLIAM FISHER MEMORIAL WATER COMPANY	Y	332	Arsenic
WILLIAM FISHER MEMORIAL WATER COMPANY	Y	332	Arsenic
WILLIAM FISHER MEMORIAL WATER COMPANY	Y	332	Arsenic
WILLIAM FISHER MEMORIAL WATER COMPANY	Y	332	Arsenic
WINTERHAVEN MOBILE ESTATES	Y	332	Arsenic
WINTERHAVEN MOBILE ESTATES	Y	332	Arsenic
WINTERHAVEN MOBILE ESTATES	Y	332	Arsenic
WINTERHAVEN MOBILE ESTATES	Y	332	Arsenic
WINTERHAVEN MOBILE ESTATES	Y	332	Arsenic
WINTERHAVEN MOBILE ESTATES	Y	332	Arsenic
WINTERHAVEN MOBILE ESTATES	Y	332	Arsenic
WINTERHAVEN MOBILE ESTATES	Y	332	Arsenic
HUNGRY GULCH MWC	Y	332	Arsenic
HUNGRY GULCH MWC	Y	332	Arsenic
HUNGRY GULCH MWC	Y	332	Arsenic
HUNGRY GULCH MWC	Y	332	Arsenic
HUNGRY GULCH MWC	Y	332	Arsenic
HUNGRY GULCH MWC	Y	332	Arsenic
HUNGRY GULCH MWC	Y	332	Arsenic
HUNGRY GULCH MWC	Y	332	Arsenic
HUNGRY GULCH MWC	Y	332	Arsenic
HUNGRY GULCH MWC	Y	332	Arsenic
HUNGRY GULCH MWC	Y	332	Arsenic
HUNGRY GULCH MWC	Y	332	Arsenic
HUNGRY GULCH MWC	Y	332	Arsenic
HUNGRY GULCH MWC	Y	332	Arsenic
HUNGRY GULCH MWC	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014

6/30/2016	1600032
3/30/2016	1600030
12/30/2015	1600029
10/10/2015	1600028
6/30/2015	1500027
3/31/2015	1500026
12/31/2014	1500025
6/30/2014	1400023
9/30/2017	9912023
6/30/2017	9912022
3/31/2017	9912021
12/31/2016	9912020
9/30/2016	9912019
6/30/2016	9912018
3/31/2016	9912017
12/31/2015	9912016
9/30/2015	9912015
6/30/2015	9912014
3/31/2015	9912013
12/31/2014	9912012
9/30/2014	9912011
6/30/2014	9912010
3/31/2014	9912009
12/31/2013	9912008
6/30/2016	1600007
3/31/2016	1600005
12/31/2015	1600006
9/30/2015	1600004
6/30/2015	1500003
12/31/2014	1500001
6/30/2014	3
3/31/2014	2
9/30/2017	9919026
6/30/2017	9919025
3/31/2017	9919024
12/31/2016	9919023
9/30/2016	9919022
6/30/2016	9919021
3/31/2016	9919020
12/31/2015	9919019
9/30/2015	9919018
6/30/2015	9919017
3/31/2015	9919016
12/31/2014	9919015
9/30/2014	9919014
6/30/2014	9919013
3/31/2014	9919012

09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS

51 1	<=100	CA1500436
50 1	<=100	CA1009051
50 1	<=100	CA1009051
50 1	<=100	CA1009051
50 1	<=100	CA1009051
50 1	<=100	CA1009051
50 1	<=100	CA1009051
50 1	<=100	CA1009051
50 1	<=100	CA1009051
50 1	<=100	CA1009051
50 1	<=100	CA1009051
50 1	<=100	CA1009051
50 1	<=100	CA1400036
50 1	<=100	CA1400036
50 1	<=100	CA1400036
50 1	<=100	CA1400036
50 1	<=100	CA1400036
50 1	<=100	CA1400036
50 1	<=100	CA1400036
50 1	<=100	CA1400036
50 1	<=100	CA1400036
50 1	<=100	CA1400036
50 1	<=100	CA1400036
50 1	<=100	CA1400036
50 1	<=100	CA1400036
50 1	<=100	CA1400036
50 1	<=100	CA1400036
50 1	<=100	CA1900520
50 1	<=100	CA1900520
50 1	<=100	CA1900520
50 1	<=100	CA1900520
50 1	<=100	CA1900520
50 1	<=100	CA1900520
50 1	<=100	CA1900520
50 1	<=100	CA1900520
50 1	<=100	CA2000785
50 1	<=100	CA2000785
50 1	<=100	CA2000785
50 1	<=100	CA2000785
50 1	<=100	CA2600622
50 1	<=100	CA2600622
50 1	<=100	CA2600622
50 1	<=100	CA2600622
50 1	<=100	CA2600622
50 1	<=100	CA2600622
50 1	<=100	CA2600622

HUNGRY GULCH MWC	Y	332	Arsenic
CANTUA CREEK VINEYARDS, IV, LLC.	Y	332	Arsenic
CANTUA CREEK VINEYARDS, IV, LLC.	Y	332	Arsenic
CANTUA CREEK VINEYARDS, IV, LLC.	Y	332	Arsenic
CANTUA CREEK VINEYARDS, IV, LLC.	Y	332	Arsenic
CANTUA CREEK VINEYARDS, IV, LLC.	Y	332	Arsenic
CANTUA CREEK VINEYARDS, IV, LLC.	Y	332	Arsenic
CANTUA CREEK VINEYARDS, IV, LLC.	Y	332	Arsenic
CANTUA CREEK VINEYARDS, IV, LLC.	Y	332	Arsenic
CANTUA CREEK VINEYARDS, IV, LLC.	Y	332	Arsenic
CANTUA CREEK VINEYARDS, IV, LLC.	Y	332	Arsenic
CANTUA CREEK VINEYARDS, IV, LLC.	Y	332	Arsenic
KEELER COMMUNITY SERVICE DISTRICT	Y	332	Arsenic
KEELER COMMUNITY SERVICE DISTRICT	Y	332	Arsenic
KEELER COMMUNITY SERVICE DISTRICT	Y	332	Arsenic
KEELER COMMUNITY SERVICE DISTRICT	Y	332	Arsenic
KEELER COMMUNITY SERVICE DISTRICT	Y	332	Arsenic
KEELER COMMUNITY SERVICE DISTRICT	Y	332	Arsenic
KEELER COMMUNITY SERVICE DISTRICT	Y	332	Arsenic
KEELER COMMUNITY SERVICE DISTRICT	Y	332	Arsenic
KEELER COMMUNITY SERVICE DISTRICT	Y	332	Arsenic
KEELER COMMUNITY SERVICE DISTRICT	Y	332	Arsenic
KEELER COMMUNITY SERVICE DISTRICT	Y	332	Arsenic
KEELER COMMUNITY SERVICE DISTRICT	Y	332	Arsenic
KEELER COMMUNITY SERVICE DISTRICT	Y	332	Arsenic
KEELER COMMUNITY SERVICE DISTRICT	Y	332	Arsenic
KEELER COMMUNITY SERVICE DISTRICT	Y	332	Arsenic
KEELER COMMUNITY SERVICE DISTRICT	Y	332	Arsenic
THE VILLAGE MOBILE HOME PARK	Y	332	Arsenic
THE VILLAGE MOBILE HOME PARK	Y	332	Arsenic
THE VILLAGE MOBILE HOME PARK	Y	332	Arsenic
THE VILLAGE MOBILE HOME PARK	Y	332	Arsenic
THE VILLAGE MOBILE HOME PARK	Y	332	Arsenic
THE VILLAGE MOBILE HOME PARK	Y	332	Arsenic
THE VILLAGE MOBILE HOME PARK	Y	332	Arsenic
THE VILLAGE MOBILE HOME PARK	Y	332	Arsenic
VALLEY TEEN RANCH	Y	332	Arsenic
VALLEY TEEN RANCH	Y	332	Arsenic
VALLEY TEEN RANCH	Y	332	Arsenic
VALLEY TEEN RANCH	Y	332	Arsenic
SIERRA EAST MOBILE HOME COMMUNITY	Y	332	Arsenic
SIERRA EAST MOBILE HOME COMMUNITY	Y	332	Arsenic
SIERRA EAST MOBILE HOME COMMUNITY	Y	332	Arsenic
SIERRA EAST MOBILE HOME COMMUNITY	Y	332	Arsenic
SIERRA EAST MOBILE HOME COMMUNITY	Y	332	Arsenic
SIERRA EAST MOBILE HOME COMMUNITY	Y	332	Arsenic
SIERRA EAST MOBILE HOME COMMUNITY	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015

12/31/2013	9919011
3/31/2017	9600013
12/31/2016	9600012
9/30/2016	9600011
6/30/2016	9600010
3/31/2016	9600009
12/31/2015	9600008
9/30/2015	9600006
6/30/2015	9600005
3/31/2015	9600004
12/31/2014	9600003
9/30/2014	9600002
9/30/2017	1500077
6/30/2017	1500075
3/31/2017	1500073
12/31/2016	1500071
9/30/2016	1500069
6/30/2016	1500067
3/31/2016	1500065
12/31/2015	1500062
9/30/2015	1500060
6/30/2015	1500053
3/31/2015	1500035
12/31/2014	1500001
9/30/2014	1400027
6/30/2014	1400018
3/31/2014	1400008
12/31/2013	1400001
6/30/2016	1600007
3/31/2016	1600006
12/31/2015	1600005
9/30/2015	1600004
6/30/2015	1500003
3/31/2015	1500002
12/31/2014	1500001
3/31/2014	1
9/30/2016	1500022
9/30/2015	1500021
12/31/2014	1400020
9/30/2014	1400019
12/31/2014	1500018
6/30/2017	1600032
12/31/2016	1600030
9/30/2016	1600029
6/30/2016	1600028
3/31/2016	1600027
12/31/2015	1600021

09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS

50	1	<=100	CA2600622
50	1	<=100	CA2600622
50	1	<=100	CA2600622
50	1	<=100	CA3900579
50	1	<=100	CA3900579
50	1	<=100	CA3900579
50	1	<=100	CA3900579
50	1	<=100	CA3900579
50	1	<=100	CA3900579
50	1	<=100	CA3900579
50	1	<=100	CA3900579
50	1	<=100	CA3900579
50	1	<=100	CA3900579
50	1	<=100	CA3900579
50	1	<=100	CA3900579
50	1	<=100	CA3900579
50	1	<=100	CA3900579
50	1	<=100	CA5000033
50	1	<=100	CA5000033
50	1	<=100	CA5000033
50	1	<=100	CA5000033
50	1	<=100	CA5000033
50	1	<=100	CA5000033
50	1	<=100	CA5000033
50	1	<=100	CA5000033
50	1	<=100	CA5000033
50	1	<=100	CA5000033
50	1	<=100	CA5000033
49	1	<=100	CA0707615
49	1	<=100	CA0707615
49	1	<=100	CA0707615
49	1	<=100	CA0707615
49	1	<=100	CA0707615
49	1	<=100	CA0707615
49	1	<=100	CA0707615
49	1	<=100	CA0707615
49	1	<=100	CA0707615
49	1	<=100	CA0707615
49	1	<=100	CA0707615
49	1	<=100	CA0707615
49	1	<=100	CA0707615
49	1	<=100	CA0707615
49	1	<=100	CA0707615
49	1	<=100	CA0707615
48	1	<=100	CA1502620
48	1	<=100	CA1502620
48	1	<=100	CA1502620

SIERRA EAST MOBILE HOME COMMUNITY	Y	332	Arsenic
SIERRA EAST MOBILE HOME COMMUNITY	Y	332	Arsenic
SIERRA EAST MOBILE HOME COMMUNITY	Y	332	Arsenic
CENTURY MOBILE HOME PARK	Y	332	Arsenic
CENTURY MOBILE HOME PARK	Y	332	Arsenic
CENTURY MOBILE HOME PARK	Y	332	Arsenic
CENTURY MOBILE HOME PARK	Y	332	Arsenic
CENTURY MOBILE HOME PARK	Y	332	Arsenic
CENTURY MOBILE HOME PARK	Y	332	Arsenic
CENTURY MOBILE HOME PARK	Y	332	Arsenic
CENTURY MOBILE HOME PARK	Y	332	Arsenic
CENTURY MOBILE HOME PARK	Y	332	Arsenic
CENTURY MOBILE HOME PARK	Y	332	Arsenic
CENTURY MOBILE HOME PARK	Y	332	Arsenic
CENTURY MOBILE HOME PARK	Y	332	Arsenic
CENTURY MOBILE HOME PARK	Y	332	Arsenic
CENTURY MOBILE HOME PARK	Y	332	Arsenic
COBLES CORNER	Y	332	Arsenic
COBLES CORNER	Y	332	Arsenic
COBLES CORNER	Y	332	Arsenic
COBLES CORNER	Y	332	Arsenic
COBLES CORNER	Y	332	Arsenic
COBLES CORNER	Y	332	Arsenic
COBLES CORNER	Y	332	Arsenic
COBLES CORNER	Y	332	Arsenic
COBLES CORNER	Y	332	Arsenic
COBLES CORNER	Y	332	Arsenic
COBLES CORNER	Y	332	Arsenic
DOUBLETREE RANCH WATER SYSTEM	Y	332	Arsenic
DOUBLETREE RANCH WATER SYSTEM	Y	332	Arsenic
DOUBLETREE RANCH WATER SYSTEM	Y	332	Arsenic
DOUBLETREE RANCH WATER SYSTEM	Y	332	Arsenic
DOUBLETREE RANCH WATER SYSTEM	Y	332	Arsenic
DOUBLETREE RANCH WATER SYSTEM	Y	332	Arsenic
DOUBLETREE RANCH WATER SYSTEM	Y	332	Arsenic
DOUBLETREE RANCH WATER SYSTEM	Y	332	Arsenic
DOUBLETREE RANCH WATER SYSTEM	Y	332	Arsenic
DOUBLETREE RANCH WATER SYSTEM	Y	332	Arsenic
DOUBLETREE RANCH WATER SYSTEM	Y	332	Arsenic
DOUBLETREE RANCH WATER SYSTEM	Y	332	Arsenic
DOUBLETREE RANCH WATER SYSTEM	Y	332	Arsenic
DOUBLETREE RANCH WATER SYSTEM	Y	332	Arsenic
DOUBLETREE RANCH WATER SYSTEM	Y	332	Arsenic
POND MUTUAL WATER COMPANY	Y	332	Arsenic
POND MUTUAL WATER COMPANY	Y	332	Arsenic
POND MUTUAL WATER COMPANY	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	3/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016

9/30/2015	1500013
6/30/2015	1500020
3/31/2015	1500019
3/31/2015	1400034
9/30/2017	1600042
6/30/2017	1600041
3/31/2017	1600040
12/31/2016	1600039
3/31/2016	1600038
12/31/2015	1600037
9/30/2015	1600036
6/30/2015	1500035
12/31/2014	1400033
9/30/2014	1400032
6/30/2014	1300031
3/31/2014	1300030
12/31/2013	1300029
9/30/2017	9780006
3/31/2017	9780005
12/31/2016	9780004
9/30/2016	1680004
6/30/2016	1680003
3/31/2016	1680002
12/31/2015	1680001
9/30/2015	1580003
6/30/2014	1480003
3/31/2014	1480002
12/31/2013	1480001
9/30/2017	1600039
6/30/2017	1600038
3/31/2017	1600027
12/31/2016	1600028
9/30/2016	1600026
6/30/2016	1600025
3/31/2016	1600024
12/31/2015	1600023
9/30/2015	1600029
6/30/2015	1600030
3/30/2015	1500022
12/31/2014	1600031
9/30/2014	1600032
6/30/2014	1400021
3/31/2014	1600033
12/31/2013	1600034
6/30/2017	9619018
3/31/2017	9619017
12/31/2016	9619016

09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS

48	1	<=100	CA1502620
48	1	<=100	CA1502620
48	1	<=100	CA1502620
48	1	<=100	CA1502620
48	1	<=100	CA1502620
48	1	<=100	CA1502620
48	1	<=100	CA1502620
48	1	<=100	CA1502620
48	1	<=100	CA1502620
48	1	<=100	CA1502620
48	1	<=100	CA1502620
45	1	<=100	CA0707602
45	1	<=100	CA0707602
45	1	<=100	CA0707602
45	1	<=100	CA0707602
45	1	<=100	CA0707602
45	1	<=100	CA0707602
45	1	<=100	CA0707602
45	1	<=100	CA0707602
45	1	<=100	CA0707602
45	1	<=100	CA0707602
45	1	<=100	CA0707602
45	1	<=100	CA0707602
45	1	<=100	CA0707602
45	1	<=100	CA0707602
45	1	<=100	CA0707602
45	1	<=100	CA0707602
45	1	<=100	CA2000534
45	1	<=100	CA2000534
45	1	<=100	CA2000534
45	1	<=100	CA2000534
45	1	<=100	CA2700536
45	1	<=100	CA2700536
45	1	<=100	CA2700536
45	1	<=100	CA2700536
45	1	<=100	CA2700536
45	1	<=100	CA2700536
45	1	<=100	CA2700536
45	1	<=100	CA2700536
45	1	<=100	CA2700536
45	1	<=100	CA2700536
45	1	<=100	CA2700536
44	1	<=100	CA1502744
44	1	<=100	CA1502744
44	1	<=100	CA1502744
44	1	<=100	CA1502744
40	1	<=100	CA3400130

POND MUTUAL WATER COMPANY	Y	332	Arsenic
POND MUTUAL WATER COMPANY	Y	332	Arsenic
POND MUTUAL WATER COMPANY	Y	332	Arsenic
POND MUTUAL WATER COMPANY	Y	332	Arsenic
POND MUTUAL WATER COMPANY	Y	332	Arsenic
POND MUTUAL WATER COMPANY	Y	332	Arsenic
POND MUTUAL WATER COMPANY	Y	332	Arsenic
POND MUTUAL WATER COMPANY	Y	332	Arsenic
POND MUTUAL WATER COMPANY	Y	332	Arsenic
POND MUTUAL WATER COMPANY	Y	332	Arsenic
POND MUTUAL WATER COMPANY	Y	332	Arsenic
BEACON WEST	Y	332	Arsenic
BEACON WEST	Y	332	Arsenic
BEACON WEST	Y	332	Arsenic
BEACON WEST	Y	332	Arsenic
BEACON WEST	Y	332	Arsenic
BEACON WEST	Y	332	Arsenic
BEACON WEST	Y	332	Arsenic
BEACON WEST	Y	332	Arsenic
BEACON WEST	Y	332	Arsenic
BEACON WEST	Y	332	Arsenic
BEACON WEST	Y	332	Arsenic
BEACON WEST	Y	332	Arsenic
BEACON WEST	Y	332	Arsenic
BEACON WEST	Y	332	Arsenic
BEACON WEST	Y	332	Arsenic
BEACON WEST	Y	332	Arsenic
BEACON WEST	Y	332	Arsenic
LEISURE ACRES MUTUAL WATER COMPANY	Y	332	Arsenic
LEISURE ACRES MUTUAL WATER COMPANY	Y	332	Arsenic
LEISURE ACRES MUTUAL WATER COMPANY	Y	332	Arsenic
LEISURE ACRES MUTUAL WATER COMPANY	Y	332	Arsenic
CORRAL DE TIERRA ESTATES WC	Y	332	Arsenic
CORRAL DE TIERRA ESTATES WC	Y	332	Arsenic
CORRAL DE TIERRA ESTATES WC	Y	332	Arsenic
CORRAL DE TIERRA ESTATES WC	Y	332	Arsenic
CORRAL DE TIERRA ESTATES WC	Y	332	Arsenic
CORRAL DE TIERRA ESTATES WC	Y	332	Arsenic
CORRAL DE TIERRA ESTATES WC	Y	332	Arsenic
CORRAL DE TIERRA ESTATES WC	Y	332	Arsenic
CORRAL DE TIERRA ESTATES WC	Y	332	Arsenic
CORRAL DE TIERRA ESTATES WC	Y	332	Arsenic
60TH STREET ASSOC. WATER SYSTEM	Y	332	Arsenic
60TH STREET ASSOC. WATER SYSTEM	Y	332	Arsenic
60TH STREET ASSOC. WATER SYSTEM	Y	332	Arsenic
60TH STREET ASSOC. WATER SYSTEM	Y	332	Arsenic
THE COURTLAND GROUP	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/10/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015

9/30/2016	9619015
6/30/2016	9619014
3/31/2016	9619013
12/31/2015	9619012
9/30/2015	9619011
6/30/2015	9619010
3/31/2015	9619009
12/31/2014	9619008
9/30/2014	9619007
6/30/2014	9619006
3/31/2014	9619005
9/30/2017	1600024
6/30/2017	1600023
3/31/2017	1600011
12/31/2016	1600010
9/30/2016	1600012
6/30/2016	1600009
3/31/2016	1600008
12/31/2015	1600007
9/30/2015	1600013
6/30/2015	1600014
3/31/2015	1600015
12/31/2014	1600016
9/30/2014	1600017
6/30/2014	1400006
3/31/2014	1600018
12/31/2013	1600019
3/31/2017	1500026
9/30/2014	1400021
6/30/2014	1400020
12/31/2013	1300018
12/31/2014	1500020
6/30/2017	1600033
3/30/2017	1600032
12/31/2016	1600031
9/30/2016	1600030
6/30/2016	1600029
3/31/2016	1600028
12/30/2015	1600027
9/30/2015	1500024
6/30/2015	1500025
4/30/2015	1500026
6/30/2016	1119007
3/31/2016	1119006
12/31/2015	1119005
9/30/2015	1119004
6/30/2015	1500013

09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS

40 1	<=100	CA3400130
40 1	<=100	CA3400130
40 1	<=100	CA3400130
40 1	<=100	CA3400433
40 1	<=100	CA3400433
40 1	<=100	CA3400433
40 1	<=100	CA3400433
40 1	<=100	CA3400433
40 1	<=100	CA3400433
40 1	<=100	CA3400433
40 1	<=100	CA3400433
40 1	<=100	CA3400433
40 1	<=100	CA3400433
40 1	<=100	CA3400433
40 1	<=100	CA3400433
40 1	<=100	CA3400433
37 1	<=100	CA1500442
37 1	<=100	CA1500442
37 1	<=100	CA1500442
37 1	<=100	CA1500442
37 1	<=100	CA1500442
37 1	<=100	CA1500442
37 1	<=100	CA1500442
37 1	<=100	CA1500442
37 1	<=100	CA1500442
37 1	<=100	CA1500442
37 1	<=100	CA1500442
37 1	<=100	CA1500442
37 1	<=100	CA1500442
37 1	<=100	CA1500442
35 1	<=100	CA1502569
35 1	<=100	CA1502569
35 1	<=100	CA1502569
35 1	<=100	CA1502569
35 1	<=100	CA1502569
35 1	<=100	CA1502569
35 1	<=100	CA1502569
35 1	<=100	CA1502569
35 1	<=100	CA1502569
35 1	<=100	CA1502569
35 1	<=100	CA1502569
35 1	<=100	CA1502569
35 1	<=100	CA1502569
35 1	<=100	CA1502569
35 1	<=100	CA1502569
35 1	<=100	CA1502569
32 1	<=100	CA1502383

THE COURTLAND GROUP	Y	332	Arsenic
THE COURTLAND GROUP	Y	332	Arsenic
THE COURTLAND GROUP	Y	332	Arsenic
EDGEWATER MOBILE HOME PARK	Y	332	Arsenic
EDGEWATER MOBILE HOME PARK	Y	332	Arsenic
EDGEWATER MOBILE HOME PARK	Y	332	Arsenic
EDGEWATER MOBILE HOME PARK	Y	332	Arsenic
EDGEWATER MOBILE HOME PARK	Y	332	Arsenic
EDGEWATER MOBILE HOME PARK	Y	332	Arsenic
EDGEWATER MOBILE HOME PARK	Y	332	Arsenic
EDGEWATER MOBILE HOME PARK	Y	332	Arsenic
EDGEWATER MOBILE HOME PARK	Y	332	Arsenic
EDGEWATER MOBILE HOME PARK	Y	332	Arsenic
EDGEWATER MOBILE HOME PARK	Y	332	Arsenic
EDGEWATER MOBILE HOME PARK	Y	332	Arsenic
SUNSET APARTMENTS WS	Y	332	Arsenic
SUNSET APARTMENTS WS	Y	332	Arsenic
SUNSET APARTMENTS WS	Y	332	Arsenic
SUNSET APARTMENTS WS	Y	332	Arsenic
SUNSET APARTMENTS WS	Y	332	Arsenic
SUNSET APARTMENTS WS	Y	332	Arsenic
SUNSET APARTMENTS WS	Y	332	Arsenic
SUNSET APARTMENTS WS	Y	332	Arsenic
SUNSET APARTMENTS WS	Y	332	Arsenic
SUNSET APARTMENTS WS	Y	332	Arsenic
SUNSET APARTMENTS WS	Y	332	Arsenic
SUNSET APARTMENTS WS	Y	332	Arsenic
SUNSET APARTMENTS WS	Y	332	Arsenic
SUNSET APARTMENTS WS	Y	332	Arsenic
FIRST MUTUAL WATER SYSTEM	Y	332	Arsenic
FIRST MUTUAL WATER SYSTEM	Y	332	Arsenic
FIRST MUTUAL WATER SYSTEM	Y	332	Arsenic
FIRST MUTUAL WATER SYSTEM	Y	332	Arsenic
FIRST MUTUAL WATER SYSTEM	Y	332	Arsenic
FIRST MUTUAL WATER SYSTEM	Y	332	Arsenic
FIRST MUTUAL WATER SYSTEM	Y	332	Arsenic
FIRST MUTUAL WATER SYSTEM	Y	332	Arsenic
FIRST MUTUAL WATER SYSTEM	Y	332	Arsenic
FIRST MUTUAL WATER SYSTEM	Y	332	Arsenic
FIRST MUTUAL WATER SYSTEM	Y	332	Arsenic
FIRST MUTUAL WATER SYSTEM	Y	332	Arsenic
FIRST MUTUAL WATER SYSTEM	Y	332	Arsenic
FIRST MUTUAL WATER SYSTEM	Y	332	Arsenic
FIRST MUTUAL WATER SYSTEM	Y	332	Arsenic
FIRST MUTUAL WATER SYSTEM	Y	332	Arsenic
NORD ROAD WATER ASSOCIATION	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2017

3/31/2015	1500012
12/31/2014	1500011
9/30/2014	1500010
9/30/2015	1500030
9/30/2017	1600035
6/30/2017	1600034
6/30/2016	1600033
3/31/2016	1600032
12/31/2015	1600031
6/30/2015	1500029
3/31/2015	1500028
12/31/2014	1500027
9/30/2014	1500026
6/30/2014	1400025
3/31/2014	1400024
12/31/2013	1400023
9/30/2017	9612030
3/31/2017	9612028
12/31/2016	9612027
9/30/2016	9612025
6/30/2016	9612024
3/31/2016	9612022
12/31/2015	9612021
9/30/2015	9612020
6/30/2015	9612016
3/31/2015	9612015
12/31/2014	9612014
6/30/2014	9612013
3/31/2014	9612012
12/31/2013	9612011
9/30/2017	9619028
6/30/2017	9619027
3/31/2017	9619025
12/31/2016	9619023
9/30/2016	9619021
6/30/2016	9619020
3/31/2016	9619017
12/31/2015	9619016
9/30/2015	9619015
6/30/2015	9619014
3/31/2015	9619012
12/31/2014	9619011
9/30/2014	9619010
6/30/2014	9619009
3/31/2014	9619008
12/31/2013	9619007
6/30/2017	9912038

09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS

32 1	<=100	CA1502383
32 1	<=100	CA1502383
32 1	<=100	CA1502383
32 1	<=100	CA1502383
32 1	<=100	CA1502383
32 1	<=100	CA1502383
32 1	<=100	CA1502383
32 1	<=100	CA1502383
32 1	<=100	CA1502383
32 1	<=100	CA1502383
32 1	<=100	CA1502383
32 1	<=100	CA1502383
32 1	<=100	CA1502383
32 1	<=100	CA1502383
32 1	<=100	CA2000941
32 1	<=100	CA2000941
32 1	<=100	CA2000941
32 1	<=100	CA4900575
32 1	<=100	CA4900575
32 1	<=100	CA4900575
32 1	<=100	CA4900575
32 1	<=100	CA4900575
32 1	<=100	CA4900575
32 1	<=100	CA4900575
32 1	<=100	CA4900575
32 1	<=100	CA4900575
32 1	<=100	CA4900575
32 1	<=100	CA4900575
30 1	<=100	CA3901213
30 1	<=100	CA3901213
30 1	<=100	CA3901213
30 1	<=100	CA3901213
30 1	<=100	CA3901213
30 1	<=100	CA3901213
30 1	<=100	CA3901213
30 1	<=100	CA3901213
30 1	<=100	CA3901213
30 1	<=100	CA3901213
30 1	<=100	CA3901213
30 1	<=100	CA3901213
30 1	<=100	CA3901213
30 1	<=100	CA3901213
30 1	<=100	CA5000218
30 1	<=100	CA5000218
30 1	<=100	CA5000218
30 1	<=100	CA5000218
30 1	<=100	CA5000218

NORD ROAD WATER ASSOCIATION	Y	332	Arsenic
NORD ROAD WATER ASSOCIATION	Y	332	Arsenic
NORD ROAD WATER ASSOCIATION	Y	332	Arsenic
NORD ROAD WATER ASSOCIATION	Y	332	Arsenic
NORD ROAD WATER ASSOCIATION	Y	332	Arsenic
NORD ROAD WATER ASSOCIATION	Y	332	Arsenic
NORD ROAD WATER ASSOCIATION	Y	332	Arsenic
NORD ROAD WATER ASSOCIATION	Y	332	Arsenic
NORD ROAD WATER ASSOCIATION	Y	332	Arsenic
NORD ROAD WATER ASSOCIATION	Y	332	Arsenic
NORD ROAD WATER ASSOCIATION	Y	332	Arsenic
NORD ROAD WATER ASSOCIATION	Y	332	Arsenic
NORD ROAD WATER ASSOCIATION	Y	332	Arsenic
NORD ROAD WATER ASSOCIATION	Y	332	Arsenic
NORD ROAD WATER ASSOCIATION	Y	332	Arsenic
BASS LAKE MHP	Y	332	Arsenic
BASS LAKE MHP	Y	332	Arsenic
BASS LAKE MHP	Y	332	Arsenic
LOCH HAVEN MUTUAL WATER COMPANY	Y	332	Arsenic
LOCH HAVEN MUTUAL WATER COMPANY	Y	332	Arsenic
LOCH HAVEN MUTUAL WATER COMPANY	Y	332	Arsenic
LOCH HAVEN MUTUAL WATER COMPANY	Y	332	Arsenic
LOCH HAVEN MUTUAL WATER COMPANY	Y	332	Arsenic
LOCH HAVEN MUTUAL WATER COMPANY	Y	332	Arsenic
LOCH HAVEN MUTUAL WATER COMPANY	Y	332	Arsenic
LOCH HAVEN MUTUAL WATER COMPANY	Y	332	Arsenic
LOCH HAVEN MUTUAL WATER COMPANY	Y	332	Arsenic
LOCH HAVEN MUTUAL WATER COMPANY	Y	332	Arsenic
LOCH HAVEN MUTUAL WATER COMPANY	Y	332	Arsenic
AVALOS, SILVIA	Y	332	Arsenic
AVALOS, SILVIA	Y	332	Arsenic
AVALOS, SILVIA	Y	332	Arsenic
AVALOS, SILVIA	Y	332	Arsenic
AVALOS, SILVIA	Y	332	Arsenic
AVALOS, SILVIA	Y	332	Arsenic
AVALOS, SILVIA	Y	332	Arsenic
AVALOS, SILVIA	Y	332	Arsenic
AVALOS, SILVIA	Y	332	Arsenic
AVALOS, SILVIA	Y	332	Arsenic
AVALOS, SILVIA	Y	332	Arsenic
AVALOS, SILVIA	Y	332	Arsenic
AVALOS, SILVIA	Y	332	Arsenic
AVALOS, SILVIA	Y	332	Arsenic
COUNTRY VILLA APTS	Y	332	Arsenic
COUNTRY VILLA APTS	Y	332	Arsenic
COUNTRY VILLA APTS	Y	332	Arsenic
COUNTRY VILLA APTS	Y	332	Arsenic
COUNTRY VILLA APTS	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016

3/31/2017	9912037
12/31/2016	9912036
9/30/2016	9912035
6/30/2016	9912033
3/31/2016	9912032
12/31/2015	9912031
9/30/2015	9912030
6/30/2015	9912029
3/31/2015	9912028
12/31/2014	9912027
9/30/2014	9912026
6/30/2014	9912025
3/31/2014	9912024
12/31/2013	9912023
6/30/2017	1500015
12/31/2016	1500016
9/30/2017	1500014
9/30/2016	9803025
6/30/2016	9803024
3/31/2016	9803023
12/31/2015	9803022
9/30/2015	9803021
6/30/2015	9803020
12/31/2014	9803018
9/30/2014	9803017
6/30/2014	9803016
3/31/2014	9803015
12/31/2013	9803014
9/30/2017	1600037
6/30/2017	1600036
3/31/2017	1600035
12/31/2016	1600034
3/31/2016	1600033
12/31/2015	1600032
9/30/2015	1600031
6/30/2015	1500030
3/31/2015	1400027
12/31/2014	1400026
9/30/2014	1400024
6/30/2014	1300023
3/31/2014	1300022
12/31/2013	1300021
9/30/2017	9880006
6/30/2017	9880007
3/31/2017	9880004
12/31/2016	9880003
9/30/2016	1680004

09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	CWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS

30	1	<=100	CA5000218
30	1	<=100	CA5000218
30	1	<=100	CA5000218
30	1	<=100	CA5000218
30	1	<=100	CA5000218
30	1	<=100	CA5000218
30	1	<=100	CA5000218
30	1	<=100	CA5000218
30	1	<=100	CA5000218
30	1	<=100	CA5000218
30	1	<=100	CA5000218
26	1	<=100	CA4900643
26	1	<=100	CA4900643
26	1	<=100	CA4900643
26	1	<=100	CA4900643
26	1	<=100	CA4900643
26	1	<=100	CA4900643
26	1	<=100	CA4900643
26	1	<=100	CA4900643
26	1	<=100	CA4900643
26	1	<=100	CA4900643
26	1	<=100	CA4900643
26	1	<=100	CA4900643
25	1	<=100	CA5000297
24	1	<=100	CA1900785
24	1	<=100	CA1900785
24	1	<=100	CA1900785
24	1	<=100	CA1900785
24	1	<=100	CA1900785
24	1	<=100	CA1900785
24	1	<=100	CA1900785
24	1	<=100	CA1900785
24	1	<=100	CA1900785
1340	4	1,001-3,300	CA2000150
1340	4	1,001-3,300	CA2000150
1000	3	501-1,000	CA3600036
1000	3	501-1,000	CA3600036
1000	3	501-1,000	CA3600036
1000	3	501-1,000	CA3600036
1000	3	501-1,000	CA3600036
1000	3	501-1,000	CA3600036
1000	3	501-1,000	CA3600036
1000	3	501-1,000	CA3600036
1000	3	501-1,000	CA3600036
1000	3	501-1,000	CA3600036
1000	3	501-1,000	CA3600036
1000	3	501-1,000	CA3600036

COUNTRY VILLA APTS	Y	332	Arsenic
COUNTRY VILLA APTS	Y	332	Arsenic
COUNTRY VILLA APTS	Y	332	Arsenic
COUNTRY VILLA APTS	Y	332	Arsenic
COUNTRY VILLA APTS	Y	332	Arsenic
COUNTRY VILLA APTS	Y	332	Arsenic
COUNTRY VILLA APTS	Y	332	Arsenic
COUNTRY VILLA APTS	Y	332	Arsenic
COUNTRY VILLA APTS	Y	332	Arsenic
COUNTRY VILLA APTS	Y	332	Arsenic
COUNTRY VILLA APTS	Y	332	Arsenic
MOUNT WESKE ESTATES MUTUAL WATER COMPANY	Y	332	Arsenic
MOUNT WESKE ESTATES MUTUAL WATER COMPANY	Y	332	Arsenic
MOUNT WESKE ESTATES MUTUAL WATER COMPANY	Y	332	Arsenic
MOUNT WESKE ESTATES MUTUAL WATER COMPANY	Y	332	Arsenic
MOUNT WESKE ESTATES MUTUAL WATER COMPANY	Y	332	Arsenic
MOUNT WESKE ESTATES MUTUAL WATER COMPANY	Y	332	Arsenic
MOUNT WESKE ESTATES MUTUAL WATER COMPANY	Y	332	Arsenic
MOUNT WESKE ESTATES MUTUAL WATER COMPANY	Y	332	Arsenic
MOUNT WESKE ESTATES MUTUAL WATER COMPANY	Y	332	Arsenic
MOUNT WESKE ESTATES MUTUAL WATER COMPANY	Y	332	Arsenic
MOUNT WESKE ESTATES MUTUAL WATER COMPANY	Y	332	Arsenic
MOUNT WESKE ESTATES MUTUAL WATER COMPANY	Y	332	Arsenic
BUEHNER HOUSES	Y	332	Arsenic
MITCHELL'S AVENUE E MOBILE HOME PARK	Y	332	Arsenic
MITCHELL'S AVENUE E MOBILE HOME PARK	Y	332	Arsenic
MITCHELL'S AVENUE E MOBILE HOME PARK	Y	332	Arsenic
MITCHELL'S AVENUE E MOBILE HOME PARK	Y	332	Arsenic
MITCHELL'S AVENUE E MOBILE HOME PARK	Y	332	Arsenic
MITCHELL'S AVENUE E MOBILE HOME PARK	Y	332	Arsenic
MITCHELL'S AVENUE E MOBILE HOME PARK	Y	332	Arsenic
MITCHELL'S AVENUE E MOBILE HOME PARK	Y	332	Arsenic
MITCHELL'S AVENUE E MOBILE HOME PARK	Y	332	Arsenic
LIBERTY HIGH SCHOOL	Y	332	Arsenic
LIBERTY HIGH SCHOOL	Y	332	Arsenic
CALICO GHOST TOWN	Y	332	Arsenic
CALICO GHOST TOWN	Y	332	Arsenic
CALICO GHOST TOWN	Y	332	Arsenic
CALICO GHOST TOWN	Y	332	Arsenic
CALICO GHOST TOWN	Y	332	Arsenic
CALICO GHOST TOWN	Y	332	Arsenic
CALICO GHOST TOWN	Y	332	Arsenic
CALICO GHOST TOWN	Y	332	Arsenic
CALICO GHOST TOWN	Y	332	Arsenic
CALICO GHOST TOWN	Y	332	Arsenic
CALICO GHOST TOWN	Y	332	Arsenic
CALICO GHOST TOWN	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014

6/30/2016	1680003
3/31/2016	1680002
12/31/2015	1680001
9/30/2015	1580004
6/30/2015	1580003
3/31/2015	1580002
12/31/2014	1580001
9/30/2014	1480004
6/30/2014	1480003
3/31/2014	1480002
12/31/2013	1480001
9/30/2016	1218038
6/30/2016	1218037
3/31/2016	1218036
12/31/2015	1218035
9/30/2015	1218034
6/30/2015	1218033
3/31/2015	1218032
12/31/2014	1218031
9/30/2014	1218030
6/30/2014	1218029
3/31/2014	1218028
12/31/2013	1218027
12/31/2013	1480001
6/30/2016	1600007
3/31/2016	1600006
12/31/2015	1600005
9/30/2015	1600004
6/30/2015	1500003
3/31/2015	1500002
12/31/2014	1500001
9/30/2014	3
6/30/2014	2
6/30/2017	1500014
3/31/2017	1500013
9/30/2017	1700036
6/30/2017	1700034
3/31/2017	1700032
12/31/2016	1700030
9/30/2016	1700025
6/30/2016	1600024
3/31/2016	1600023
12/31/2015	1600022
9/30/2015	1500021
6/30/2015	1500014
3/31/2015	1500013
12/31/2014	1500012

09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS

1000	3	501-1,000	CA3600036
1000	3	501-1,000	CA3600036
1000	3	501-1,000	CA3600036
1000	3	501-1,000	CA3600036
1000	3	501-1,000	CA3600062
1000	3	501-1,000	CA3600062
1000	3	501-1,000	CA3600062
1000	3	501-1,000	CA3600062
1000	3	501-1,000	CA3600062
1000	3	501-1,000	CA3600062
1000	3	501-1,000	CA3600062
1000	3	501-1,000	CA3600062
1000	3	501-1,000	CA3600062
1000	3	501-1,000	CA3600062
1000	3	501-1,000	CA3600062
1000	3	501-1,000	CA3600062
1000	3	501-1,000	CA3600062
1000	3	501-1,000	CA3600062
1000	3	501-1,000	CA3600062
940	3	501-1,000	CA1502231
940	3	501-1,000	CA1502231
940	3	501-1,000	CA1502231
940	3	501-1,000	CA1502231
940	3	501-1,000	CA1502231
940	3	501-1,000	CA1502231
940	3	501-1,000	CA1502231
940	3	501-1,000	CA1502231
940	3	501-1,000	CA1502231
940	3	501-1,000	CA1502231
940	3	501-1,000	CA1502231
940	3	501-1,000	CA1502231
940	3	501-1,000	CA1502231
804	3	501-1,000	CA3901169
804	3	501-1,000	CA3901169
804	3	501-1,000	CA3901169
804	3	501-1,000	CA3901169
804	3	501-1,000	CA3901169
804	3	501-1,000	CA3901169
804	3	501-1,000	CA3901169
804	3	501-1,000	CA3901169
804	3	501-1,000	CA3901169
804	3	501-1,000	CA3901169
804	3	501-1,000	CA3901169
804	3	501-1,000	CA3901169
804	3	501-1,000	CA3901169

CALICO GHOST TOWN	Y	332	Arsenic
CALICO GHOST TOWN	Y	332	Arsenic
CALICO GHOST TOWN	Y	332	Arsenic
CALICO GHOST TOWN	Y	332	Arsenic
CALLIER WATER SYSTEM	Y	332	Arsenic
CALLIER WATER SYSTEM	Y	332	Arsenic
CALLIER WATER SYSTEM	Y	332	Arsenic
CALLIER WATER SYSTEM	Y	332	Arsenic
CALLIER WATER SYSTEM	Y	332	Arsenic
CALLIER WATER SYSTEM	Y	332	Arsenic
CALLIER WATER SYSTEM	Y	332	Arsenic
CALLIER WATER SYSTEM	Y	332	Arsenic
CALLIER WATER SYSTEM	Y	332	Arsenic
CALLIER WATER SYSTEM	Y	332	Arsenic
CALLIER WATER SYSTEM	Y	332	Arsenic
CALLIER WATER SYSTEM	Y	332	Arsenic
CALLIER WATER SYSTEM	Y	332	Arsenic
CALLIER WATER SYSTEM	Y	332	Arsenic
CALLIER WATER SYSTEM	Y	332	Arsenic
ROSAMOND SCHOOL WATER SYSTEM	Y	332	Arsenic
ROSAMOND SCHOOL WATER SYSTEM	Y	332	Arsenic
ROSAMOND SCHOOL WATER SYSTEM	Y	332	Arsenic
ROSAMOND SCHOOL WATER SYSTEM	Y	332	Arsenic
ROSAMOND SCHOOL WATER SYSTEM	Y	332	Arsenic
ROSAMOND SCHOOL WATER SYSTEM	Y	332	Arsenic
ROSAMOND SCHOOL WATER SYSTEM	Y	332	Arsenic
ROSAMOND SCHOOL WATER SYSTEM	Y	332	Arsenic
ROSAMOND SCHOOL WATER SYSTEM	Y	332	Arsenic
ROSAMOND SCHOOL WATER SYSTEM	Y	332	Arsenic
ROSAMOND SCHOOL WATER SYSTEM	Y	332	Arsenic
ROSAMOND SCHOOL WATER SYSTEM	Y	332	Arsenic
ROSAMOND SCHOOL WATER SYSTEM	Y	332	Arsenic
MUSD-NILE GARDEN SCHOOL	Y	332	Arsenic
MUSD-NILE GARDEN SCHOOL	Y	332	Arsenic
MUSD-NILE GARDEN SCHOOL	Y	332	Arsenic
MUSD-NILE GARDEN SCHOOL	Y	332	Arsenic
MUSD-NILE GARDEN SCHOOL	Y	332	Arsenic
MUSD-NILE GARDEN SCHOOL	Y	332	Arsenic
MUSD-NILE GARDEN SCHOOL	Y	332	Arsenic
MUSD-NILE GARDEN SCHOOL	Y	332	Arsenic
MUSD-NILE GARDEN SCHOOL	Y	332	Arsenic
MUSD-NILE GARDEN SCHOOL	Y	332	Arsenic
MUSD-NILE GARDEN SCHOOL	Y	332	Arsenic
MUSD-NILE GARDEN SCHOOL	Y	332	Arsenic
MUSD-NILE GARDEN SCHOOL	Y	332	Arsenic
MUSD-NILE GARDEN SCHOOL	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013

9/30/2014	1500011
6/30/2014	1500010
3/31/2014	1500015
12/31/2013	1400008
9/30/2017	1700024
6/30/2017	1700023
3/31/2017	1700022
12/31/2016	1700021
9/30/2016	1700020
6/30/2016	1600019
3/31/2016	1600018
12/31/2015	1600017
9/30/2015	1500016
6/30/2015	1500015
3/31/2015	1500014
12/31/2014	1500013
9/30/2014	1500012
6/30/2014	1500011
3/31/2014	1400010
12/31/2013	1400009
9/30/2017	9812019
6/30/2017	9812018
3/31/2017	9812017
12/31/2016	9812016
9/30/2016	9812015
6/30/2016	9812013
3/31/2016	9812012
12/31/2015	9812011
9/30/2015	9812010
9/30/2014	9812009
6/30/2014	9812008
3/31/2014	9812007
12/31/2013	9812006
9/30/2017	1600032
6/30/2017	1600031
3/31/2017	1600030
12/31/2016	1600029
3/31/2016	1600028
12/31/2015	1600027
9/30/2015	1600026
6/30/2015	1500025
3/31/2015	1500024
12/31/2014	1400023
9/30/2014	1400022
6/30/2014	1300021
3/31/2014	1300020
12/31/2013	1300019

09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS

800 3	501-1,000	CA1502154
800 3	501-1,000	CA1502154
800 3	501-1,000	CA1502154
800 3	501-1,000	CA1502154
800 3	501-1,000	CA1502154
800 3	501-1,000	CA1502154
800 3	501-1,000	CA1502154
800 3	501-1,000	CA1502154
800 3	501-1,000	CA1502154
800 3	501-1,000	CA1502154
800 3	501-1,000	CA1502154
800 3	501-1,000	CA1502154
800 3	501-1,000	CA1502154
800 3	501-1,000	CA1502154
650 3	501-1,000	CA5100149
650 3	501-1,000	CA5100149
650 3	501-1,000	CA5100149
650 3	501-1,000	CA5100149
650 3	501-1,000	CA5100149
650 3	501-1,000	CA5100149
650 3	501-1,000	CA5100149
650 3	501-1,000	CA5100149
500 2	101-500	CA2702009
500 2	101-500	CA2702009
500 2	101-500	CA2702009
500 2	101-500	CA2702009
500 2	101-500	CA2702009
500 2	101-500	CA2702009
500 2	101-500	CA2702009
500 2	101-500	CA2702009
500 2	101-500	CA2702009
500 2	101-500	CA2702009
500 2	101-500	CA2702009
500 2	101-500	CA2702009
500 2	101-500	CA2702009
500 2	101-500	CA2702009
465 2	101-500	CA3400271
465 2	101-500	CA3400271
465 2	101-500	CA3400271
410 2	101-500	CA5700652
410 2	101-500	CA5700652
410 2	101-500	CA5700652
350 2	101-500	CA1600048
350 2	101-500	CA1600048
350 2	101-500	CA1600048
350 2	101-500	CA1600048
350 2	101-500	CA1600048

LAKESIDE SCHOOL	Y	332	Arsenic
LAKESIDE SCHOOL	Y	332	Arsenic
LAKESIDE SCHOOL	Y	332	Arsenic
LAKESIDE SCHOOL	Y	332	Arsenic
LAKESIDE SCHOOL	Y	332	Arsenic
LAKESIDE SCHOOL	Y	332	Arsenic
LAKESIDE SCHOOL	Y	332	Arsenic
LAKESIDE SCHOOL	Y	332	Arsenic
LAKESIDE SCHOOL	Y	332	Arsenic
LAKESIDE SCHOOL	Y	332	Arsenic
LAKESIDE SCHOOL	Y	332	Arsenic
LAKESIDE SCHOOL	Y	332	Arsenic
LAKESIDE SCHOOL	Y	332	Arsenic
LAKESIDE SCHOOL	Y	332	Arsenic
BARRY ELEMENTARY SCHOOL	Y	332	Arsenic
BARRY ELEMENTARY SCHOOL	Y	332	Arsenic
BARRY ELEMENTARY SCHOOL	Y	332	Arsenic
BARRY ELEMENTARY SCHOOL	Y	332	Arsenic
BARRY ELEMENTARY SCHOOL	Y	332	Arsenic
BARRY ELEMENTARY SCHOOL	Y	332	Arsenic
BARRY ELEMENTARY SCHOOL	Y	332	Arsenic
BARRY ELEMENTARY SCHOOL	Y	332	Arsenic
LAGUNA SECA RECREATION WS	Y	332	Arsenic
LAGUNA SECA RECREATION WS	Y	332	Arsenic
LAGUNA SECA RECREATION WS	Y	332	Arsenic
LAGUNA SECA RECREATION WS	Y	332	Arsenic
LAGUNA SECA RECREATION WS	Y	332	Arsenic
LAGUNA SECA RECREATION WS	Y	332	Arsenic
LAGUNA SECA RECREATION WS	Y	332	Arsenic
LAGUNA SECA RECREATION WS	Y	332	Arsenic
LAGUNA SECA RECREATION WS	Y	332	Arsenic
LAGUNA SECA RECREATION WS	Y	332	Arsenic
LAGUNA SECA RECREATION WS	Y	332	Arsenic
LAGUNA SECA RECREATION WS	Y	332	Arsenic
LAGUNA SECA RECREATION WS	Y	332	Arsenic
LAGUNA SECA RECREATION WS	Y	332	Arsenic
ARCOHE ELEM SCHOOL - MAIN CAMPUS	Y	332	Arsenic
ARCOHE ELEM SCHOOL - MAIN CAMPUS	Y	332	Arsenic
ARCOHE ELEM SCHOOL - MAIN CAMPUS	Y	332	Arsenic
YOLO FLIERS CLUB	Y	332	Arsenic
YOLO FLIERS CLUB	Y	332	Arsenic
YOLO FLIERS CLUB	Y	332	Arsenic
KETTLEMAN CITY ELEMENTARY	Y	332	Arsenic
KETTLEMAN CITY ELEMENTARY	Y	332	Arsenic
KETTLEMAN CITY ELEMENTARY	Y	332	Arsenic
KETTLEMAN CITY ELEMENTARY	Y	332	Arsenic
KETTLEMAN CITY ELEMENTARY	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016

6/30/2017	9712021
3/31/2017	9712020
12/31/2016	9712019
9/30/2016	9712018
6/30/2016	9712017
3/31/2016	9712016
12/31/2015	9712015
9/30/2015	9712014
6/30/2015	9712013
3/31/2015	9712012
12/31/2014	9712011
6/30/2014	9712010
3/31/2014	9712009
12/31/2013	9712008
12/31/2015	9521015
9/30/2015	9521014
6/30/2015	9521011
3/31/2015	9521012
12/31/2014	9521010
9/30/2014	9521009
6/30/2014	9521008
12/31/2013	9521007
3/31/2014	1400021
12/31/2013	1400020
6/30/2017	1600034
3/31/2017	1600033
12/31/2016	1600032
9/30/2016	1600031
6/30/2016	1600030
3/31/2016	1600029
12/30/2015	1600028
9/30/2015	1600027
3/31/2015	1500025
12/31/2014	1500024
9/30/2014	1500023
6/30/2014	1400022
12/31/2015	1600004
9/30/2015	1600005
6/30/2015	1500002
3/31/2015	1500008
12/31/2014	1400006
9/30/2014	1500006
9/30/2017	1600018
6/30/2017	1600016
3/31/2017	1600017
12/31/2016	1600015
9/30/2016	1600019

09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS

350 2	101-500	CA1600048
350 2	101-500	CA1600048
350 2	101-500	CA1600048
350 2	101-500	CA1600048
350 2	101-500	CA2000612
350 2	101-500	CA2000612
350 2	101-500	CA2000612
350 2	101-500	CA2000612
350 2	101-500	CA2000612
350 2	101-500	CA2000612
350 2	101-500	CA2000612
350 2	101-500	CA2000612
350 2	101-500	CA2000612
350 2	101-500	CA2000612
350 2	101-500	CA2000612
337 2	101-500	CA4800561
337 2	101-500	CA4800561
337 2	101-500	CA4800561
337 2	101-500	CA4800561
337 2	101-500	CA4800561
337 2	101-500	CA4800561
337 2	101-500	CA4800561
337 2	101-500	CA4800561
337 2	101-500	CA4800561
337 2	101-500	CA4800561
337 2	101-500	CA4800561
337 2	101-500	CA4800561
337 2	101-500	CA4800561
337 2	101-500	CA4800561
337 2	101-500	CA4800561
337 2	101-500	CA4800561
337 2	101-500	CA4800561
337 2	101-500	CA4800561
337 2	101-500	CA4800561
337 2	101-500	CA4800561
337 2	101-500	CA4800561
320 2	101-500	CA1600008
320 2	101-500	CA1600008
320 2	101-500	CA1600008
320 2	101-500	CA1600008
320 2	101-500	CA1600008
320 2	101-500	CA1600008
320 2	101-500	CA1600008
320 2	101-500	CA1600008
320 2	101-500	CA1600008
320 2	101-500	CA1600008
320 2	101-500	CA1600008

KETTLEMAN CITY ELEMENTARY	Y	332	Arsenic
KETTLEMAN CITY ELEMENTARY	Y	332	Arsenic
KETTLEMAN CITY ELEMENTARY	Y	332	Arsenic
KETTLEMAN CITY ELEMENTARY	Y	332	Arsenic
NORTH FORK UNION SCHOOL	Y	332	Arsenic
NORTH FORK UNION SCHOOL	Y	332	Arsenic
NORTH FORK UNION SCHOOL	Y	332	Arsenic
NORTH FORK UNION SCHOOL	Y	332	Arsenic
NORTH FORK UNION SCHOOL	Y	332	Arsenic
NORTH FORK UNION SCHOOL	Y	332	Arsenic
NORTH FORK UNION SCHOOL	Y	332	Arsenic
NORTH FORK UNION SCHOOL	Y	332	Arsenic
NORTH FORK UNION SCHOOL	Y	332	Arsenic
NORTH FORK UNION SCHOOL	Y	332	Arsenic
NORTH FORK UNION SCHOOL	Y	332	Arsenic
SNUG HARBOR RESORT	Y	332	Arsenic
SNUG HARBOR RESORT	Y	332	Arsenic
SNUG HARBOR RESORT	Y	332	Arsenic
SNUG HARBOR RESORT	Y	332	Arsenic
SNUG HARBOR RESORT	Y	332	Arsenic
SNUG HARBOR RESORT	Y	332	Arsenic
SNUG HARBOR RESORT	Y	332	Arsenic
SNUG HARBOR RESORT	Y	332	Arsenic
SNUG HARBOR RESORT	Y	332	Arsenic
SNUG HARBOR RESORT	Y	332	Arsenic
SNUG HARBOR RESORT	Y	332	Arsenic
SNUG HARBOR RESORT	Y	332	Arsenic
SNUG HARBOR RESORT	Y	332	Arsenic
SNUG HARBOR RESORT	Y	332	Arsenic
SNUG HARBOR RESORT	Y	332	Arsenic
SNUG HARBOR RESORT	Y	332	Arsenic
SNUG HARBOR RESORT	Y	332	Arsenic
SNUG HARBOR RESORT	Y	332	Arsenic
SNUG HARBOR RESORT	Y	332	Arsenic
SNUG HARBOR RESORT	Y	332	Arsenic
SNUG HARBOR RESORT	Y	332	Arsenic
CENTRAL UNION ELEMENTARY	Y	332	Arsenic
CENTRAL UNION ELEMENTARY	Y	332	Arsenic
CENTRAL UNION ELEMENTARY	Y	332	Arsenic
CENTRAL UNION ELEMENTARY	Y	332	Arsenic
CENTRAL UNION ELEMENTARY	Y	332	Arsenic
CENTRAL UNION ELEMENTARY	Y	332	Arsenic
CENTRAL UNION ELEMENTARY	Y	332	Arsenic
CENTRAL UNION ELEMENTARY	Y	332	Arsenic
CENTRAL UNION ELEMENTARY	Y	332	Arsenic
CENTRAL UNION ELEMENTARY	Y	332	Arsenic
CENTRAL UNION ELEMENTARY	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014

12/31/2014	1400012
9/30/2014	1400011
6/30/2014	1400010
3/31/2014	1400009
6/30/2017	1400035
3/31/2017	1400034
12/31/2016	1400033
9/30/2016	1400032
6/30/2015	1400031
3/31/2015	1400029
12/31/2014	1400028
9/30/2014	1400027
6/30/2014	1300026
3/31/2014	1300025
12/31/2013	1300024
3/31/2017	104042
3/31/2017	104043
12/31/2016	104040
12/31/2016	104041
9/30/2016	104038
9/30/2016	104039
6/30/2016	104037
3/31/2016	104036
12/31/2015	104034
3/31/2015	104018
3/31/2015	104033
12/31/2014	104017
12/31/2014	104029
9/30/2014	104016
9/30/2014	104032
6/30/2014	104015
6/30/2014	104031
3/31/2014	104014
3/31/2014	104030
12/31/2013	104013
12/31/2013	104028
9/30/2017	9900008
6/30/2017	9900006
3/31/2017	9900004
12/31/2016	9900005
9/30/2016	9900007
6/30/2016	1600016
3/31/2015	1500014
12/31/2014	1400013
9/30/2014	1400012
6/30/2014	1400011
3/31/2014	1400010

09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS

320 2	101-500	CA1600008
304 2	101-500	CA2400206
304 2	101-500	CA2400206
280 2	101-500	CA1400526
280 2	101-500	CA1400526
280 2	101-500	CA1600050
280 2	101-500	CA1600050
280 2	101-500	CA1600050
280 2	101-500	CA1600050
280 2	101-500	CA1600050
280 2	101-500	CA1600050
280 2	101-500	CA1600050
280 2	101-500	CA1600050
280 2	101-500	CA1600050
280 2	101-500	CA1600050
280 2	101-500	CA1600050
280 2	101-500	CA1600050
280 2	101-500	CA1600050
280 2	101-500	CA1600050
280 2	101-500	CA1600050
250 2	101-500	CA2701221
250 2	101-500	CA2701221
250 2	101-500	CA2701221
250 2	101-500	CA2701221
250 2	101-500	CA2701221
250 2	101-500	CA2701221
250 2	101-500	CA2701221
250 2	101-500	CA2701221
250 2	101-500	CA2701221
250 2	101-500	CA2701221
250 2	101-500	CA2701221
250 2	101-500	CA2701221
250 2	101-500	CA2701221
250 2	101-500	CA3701010
250 2	101-500	CA3701010
250 2	101-500	CA3701010
250 2	101-500	CA3701010
250 2	101-500	CA3701010
250 2	101-500	CA3701010
250 2	101-500	CA3701010
250 2	101-500	CA3701010
250 2	101-500	CA3701010
250 2	101-500	CA3701010
250 2	101-500	CA3701010
250 2	101-500	CA3701010

CENTRAL UNION ELEMENTARY	Y	332	Arsenic
JOSEPH GALLO CHEESE CO.	Y	332	Arsenic
JOSEPH GALLO CHEESE CO.	Y	332	Arsenic
EASTERN SIERRA COLLEGE CENTER - BISHOP	Y	332	Arsenic
EASTERN SIERRA COLLEGE CENTER - BISHOP	Y	332	Arsenic
CENTRAL VALLEY MEAT CO INC	Y	332	Arsenic
CENTRAL VALLEY MEAT CO INC	Y	332	Arsenic
CENTRAL VALLEY MEAT CO INC	Y	332	Arsenic
CENTRAL VALLEY MEAT CO INC	Y	332	Arsenic
CENTRAL VALLEY MEAT CO INC	Y	332	Arsenic
CENTRAL VALLEY MEAT CO INC	Y	332	Arsenic
CENTRAL VALLEY MEAT CO INC	Y	332	Arsenic
CENTRAL VALLEY MEAT CO INC	Y	332	Arsenic
CENTRAL VALLEY MEAT CO INC	Y	332	Arsenic
CENTRAL VALLEY MEAT CO INC	Y	332	Arsenic
CENTRAL VALLEY MEAT CO INC	Y	332	Arsenic
CENTRAL VALLEY MEAT CO INC	Y	332	Arsenic
CENTRAL VALLEY MEAT CO INC	Y	332	Arsenic
CENTRAL VALLEY MEAT CO INC	Y	332	Arsenic
WASHINGTON SCHOOL WS	Y	332	Arsenic
WASHINGTON SCHOOL WS	Y	332	Arsenic
WASHINGTON SCHOOL WS	Y	332	Arsenic
WASHINGTON SCHOOL WS	Y	332	Arsenic
WASHINGTON SCHOOL WS	Y	332	Arsenic
WASHINGTON SCHOOL WS	Y	332	Arsenic
WASHINGTON SCHOOL WS	Y	332	Arsenic
WASHINGTON SCHOOL WS	Y	332	Arsenic
WASHINGTON SCHOOL WS	Y	332	Arsenic
WASHINGTON SCHOOL WS	Y	332	Arsenic
WASHINGTON SCHOOL WS	Y	332	Arsenic
WASHINGTON SCHOOL WS	Y	332	Arsenic
WASHINGTON SCHOOL WS	Y	332	Arsenic
WASHINGTON SCHOOL WS	Y	332	Arsenic
WARNER UNIFIED SCHOOL DISTRICT	Y	332	Arsenic
WARNER UNIFIED SCHOOL DISTRICT	Y	332	Arsenic
WARNER UNIFIED SCHOOL DISTRICT	Y	332	Arsenic
WARNER UNIFIED SCHOOL DISTRICT	Y	332	Arsenic
WARNER UNIFIED SCHOOL DISTRICT	Y	332	Arsenic
WARNER UNIFIED SCHOOL DISTRICT	Y	332	Arsenic
WARNER UNIFIED SCHOOL DISTRICT	Y	332	Arsenic
WARNER UNIFIED SCHOOL DISTRICT	Y	332	Arsenic
WARNER UNIFIED SCHOOL DISTRICT	Y	332	Arsenic
WARNER UNIFIED SCHOOL DISTRICT	Y	332	Arsenic
WARNER UNIFIED SCHOOL DISTRICT	Y	332	Arsenic
WARNER UNIFIED SCHOOL DISTRICT	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014

12/31/2013	1300009
9/30/2017	1300004
9/30/2017	1300005
6/30/2017	1500057
3/31/2017	1500055
9/30/2017	9800004
6/30/2017	9800003
3/31/2017	9800002
12/31/2016	1600028
9/30/2016	1600026
6/30/2016	9800005
3/31/2016	1600023
12/31/2015	1500022
9/30/2015	1500021
6/30/2015	1500020
3/31/2015	1500019
9/30/2014	1400017
6/30/2014	1400016
3/31/2014	1400015
12/31/2013	1300014
3/31/2014	1400023
12/31/2013	1400020
6/30/2017	1600047
3/31/2017	1600045
12/31/2016	1600043
9/30/2016	1600041
6/30/2016	1600039
3/30/2016	1600037
12/30/2015	1600035
9/30/2015	1600033
6/30/2015	1500031
3/31/2015	1500028
12/31/2014	1500027
6/30/2014	1400024
6/30/2017	1705360
3/31/2017	1705359
12/31/2016	1605329
9/30/2016	1605304
6/30/2016	1605295
3/31/2016	1605280
12/31/2015	1505158
9/30/2015	1505138
6/30/2015	1505112
3/31/2015	1505086
9/30/2014	1404127
6/30/2014	1404065
3/31/2014	1404064

09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS

250	2	101-500	CA3701010
205	2	101-500	CA1503664
205	2	101-500	CA1503664
205	2	101-500	CA1503664
205	2	101-500	CA1503664
205	2	101-500	CA1503664
205	2	101-500	CA1503664
200	2	101-500	CA2400165
200	2	101-500	CA2400165
200	2	101-500	CA2400165
200	2	101-500	CA2400165
200	2	101-500	CA2400165
200	2	101-500	CA2400165
200	2	101-500	CA2400165
200	2	101-500	CA2400165
200	2	101-500	CA2400165
200	2	101-500	CA2400165
200	2	101-500	CA2400165
200	2	101-500	CA2702030
200	2	101-500	CA2702030
200	2	101-500	CA2702030
200	2	101-500	CA2702030
200	2	101-500	CA2702030
200	2	101-500	CA2702030
200	2	101-500	CA2702030
200	2	101-500	CA2702030
200	2	101-500	CA2702030
200	2	101-500	CA2702030
200	2	101-500	CA2702030
100	1	<=100	CA4000774
100	1	<=100	CA4000774
100	1	<=100	CA4000774
100	1	<=100	CA4000774
100	1	<=100	CA4000774
100	1	<=100	CA4000774
100	1	<=100	CA4000774
100	1	<=100	CA4000774
100	1	<=100	CA4000774
100	1	<=100	CA4000774
100	1	<=100	CA4000774
100	1	<=100	CA4000774
100	1	<=100	CA4000774
100	1	<=100	CA4000774
100	1	<=100	CA4000774
75	1	<=100	CA5000465

WARNER UNIFIED SCHOOL DISTRICT	Y	332	Arsenic
SOLEDAD MOUNTAIN PROJECT WATER SYSTEM	Y	332	Arsenic
SOLEDAD MOUNTAIN PROJECT WATER SYSTEM	Y	332	Arsenic
SOLEDAD MOUNTAIN PROJECT WATER SYSTEM	Y	332	Arsenic
SOLEDAD MOUNTAIN PROJECT WATER SYSTEM	Y	332	Arsenic
SOLEDAD MOUNTAIN PROJECT WATER SYSTEM	Y	332	Arsenic
SOLEDAD MOUNTAIN PROJECT WATER SYSTEM	Y	332	Arsenic
FOSTER FARMS DELHI FEEDMILL COLLIER ROAD	Y	332	Arsenic
FOSTER FARMS DELHI FEEDMILL COLLIER ROAD	Y	332	Arsenic
FOSTER FARMS DELHI FEEDMILL COLLIER ROAD	Y	332	Arsenic
FOSTER FARMS DELHI FEEDMILL COLLIER ROAD	Y	332	Arsenic
FOSTER FARMS DELHI FEEDMILL COLLIER ROAD	Y	332	Arsenic
FOSTER FARMS DELHI FEEDMILL COLLIER ROAD	Y	332	Arsenic
FOSTER FARMS DELHI FEEDMILL COLLIER ROAD	Y	332	Arsenic
FOSTER FARMS DELHI FEEDMILL COLLIER ROAD	Y	332	Arsenic
FOSTER FARMS DELHI FEEDMILL COLLIER ROAD	Y	332	Arsenic
FOSTER FARMS DELHI FEEDMILL COLLIER ROAD	Y	332	Arsenic
CYPRESS COMMUNITY CHURCH WS	Y	332	Arsenic
CYPRESS COMMUNITY CHURCH WS	Y	332	Arsenic
CYPRESS COMMUNITY CHURCH WS	Y	332	Arsenic
CYPRESS COMMUNITY CHURCH WS	Y	332	Arsenic
CYPRESS COMMUNITY CHURCH WS	Y	332	Arsenic
CYPRESS COMMUNITY CHURCH WS	Y	332	Arsenic
CYPRESS COMMUNITY CHURCH WS	Y	332	Arsenic
CYPRESS COMMUNITY CHURCH WS	Y	332	Arsenic
CYPRESS COMMUNITY CHURCH WS	Y	332	Arsenic
CYPRESS COMMUNITY CHURCH WS	Y	332	Arsenic
CYPRESS COMMUNITY CHURCH WS	Y	332	Arsenic
PLEASANT VALLEY ELEMENTARY	Y	332	Arsenic
PLEASANT VALLEY ELEMENTARY	Y	332	Arsenic
PLEASANT VALLEY ELEMENTARY	Y	332	Arsenic
PLEASANT VALLEY ELEMENTARY	Y	332	Arsenic
PLEASANT VALLEY ELEMENTARY	Y	332	Arsenic
PLEASANT VALLEY ELEMENTARY	Y	332	Arsenic
PLEASANT VALLEY ELEMENTARY	Y	332	Arsenic
PLEASANT VALLEY ELEMENTARY	Y	332	Arsenic
PLEASANT VALLEY ELEMENTARY	Y	332	Arsenic
PLEASANT VALLEY ELEMENTARY	Y	332	Arsenic
PLEASANT VALLEY ELEMENTARY	Y	332	Arsenic
PLEASANT VALLEY ELEMENTARY	Y	332	Arsenic
PLEASANT VALLEY ELEMENTARY	Y	332	Arsenic
PLEASANT VALLEY ELEMENTARY	Y	332	Arsenic
PLEASANT VALLEY ELEMENTARY	Y	332	Arsenic
PLEASANT VALLEY ELEMENTARY	Y	332	Arsenic
DUARTE NURSERY INC WATER SYSTEM	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	1/1/2014

12/31/2013	1403962
9/30/2017	7
6/30/2017	6
3/31/2017	4
12/31/2016	3
9/30/2016	2
6/30/2016	1
9/30/2017	9700012
6/30/2017	9700011
3/31/2017	9700010
12/31/2016	9700009
9/30/2016	9700008
6/30/2016	9700007
3/31/2016	9700006
12/31/2015	9700005
9/30/2015	9700004
6/30/2015	9700003
3/31/2015	9700002
12/31/2013	1400024
6/30/2017	1600038
3/31/2017	1600036
12/31/2016	1600035
9/30/2016	1600034
6/30/2016	1600033
3/31/2016	1600032
12/30/2015	1600031
9/30/2015	1600030
6/30/2015	1500029
12/31/2014	1500027
9/30/2014	1500026
9/30/2017	900038
6/30/2017	900037
3/31/2017	900036
12/31/2016	900035
9/30/2016	900034
6/30/2016	900033
3/31/2016	900032
12/31/2015	900031
9/30/2015	900030
6/30/2015	900029
3/31/2015	900028
12/31/2014	900027
9/30/2014	900026
6/30/2014	900025
3/31/2014	900024
12/31/2013	900023
3/31/2014	1480002

09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS

75	1	<=100	CA5000465
69	1	<=100	CA5700514
69	1	<=100	CA5700514
69	1	<=100	CA5700514
69	1	<=100	CA5700514
69	1	<=100	CA5700514
60	1	<=100	CA1000604
60	1	<=100	CA1000604
60	1	<=100	CA1000604
60	1	<=100	CA1000604
60	1	<=100	CA1000604
60	1	<=100	CA1000604
60	1	<=100	CA2000641
60	1	<=100	CA2000641
60	1	<=100	CA2000641
60	1	<=100	CA2000866
60	1	<=100	CA2000866
60	1	<=100	CA2000866
60	1	<=100	CA2000866
60	1	<=100	CA2000866
60	1	<=100	CA2000866
60	1	<=100	CA2000866
60	1	<=100	CA2000866
60	1	<=100	CA2000866
60	1	<=100	CA2000866
60	1	<=100	CA2000866
60	1	<=100	CA2000866
55	1	<=100	CA2400343
55	1	<=100	CA2400343
53	1	<=100	CA1600601
53	1	<=100	CA1600601
53	1	<=100	CA1600601
53	1	<=100	CA1600601
53	1	<=100	CA1600601
53	1	<=100	CA1600601
53	1	<=100	CA1600601
53	1	<=100	CA1600601
53	1	<=100	CA1600601
53	1	<=100	CA1600601
53	1	<=100	CA1600601
53	1	<=100	CA1600601
53	1	<=100	CA1600601
53	1	<=100	CA1600601
53	1	<=100	CA1600601
53	1	<=100	CA1600601
53	1	<=100	CA2400248

DUARTE NURSERY INC WATER SYSTEM	Y	332	Arsenic
BOGLE FAMILY LIMITED PARTNER	Y	332	Arsenic
BOGLE FAMILY LIMITED PARTNER	Y	332	Arsenic
BOGLE FAMILY LIMITED PARTNER	Y	332	Arsenic
BOGLE FAMILY LIMITED PARTNER	Y	332	Arsenic
BOGLE FAMILY LIMITED PARTNER	Y	332	Arsenic
JOHANN DAIRY	Y	332	Arsenic
JOHANN DAIRY	Y	332	Arsenic
JOHANN DAIRY	Y	332	Arsenic
JOHANN DAIRY	Y	332	Arsenic
JOHANN DAIRY	Y	332	Arsenic
JOHANN DAIRY	Y	332	Arsenic
ALMADEN - MADERA	Y	332	Arsenic
ALMADEN - MADERA	Y	332	Arsenic
ALMADEN - MADERA	Y	332	Arsenic
AGRILAND FARMING CO INC	Y	332	Arsenic
AGRILAND FARMING CO INC	Y	332	Arsenic
AGRILAND FARMING CO INC	Y	332	Arsenic
AGRILAND FARMING CO INC	Y	332	Arsenic
AGRILAND FARMING CO INC	Y	332	Arsenic
AGRILAND FARMING CO INC	Y	332	Arsenic
AGRILAND FARMING CO INC	Y	332	Arsenic
AGRILAND FARMING CO INC	Y	332	Arsenic
AGRILAND FARMING CO INC	Y	332	Arsenic
AGRILAND FARMING CO INC	Y	332	Arsenic
AGRILAND FARMING CO INC	Y	332	Arsenic
AGRILAND FARMING CO INC	Y	332	Arsenic
GEMPERLE EGG RANCH	Y	332	Arsenic
GEMPERLE EGG RANCH	Y	332	Arsenic
KWRA MRF	Y	332	Arsenic
KWRA MRF	Y	332	Arsenic
KWRA MRF	Y	332	Arsenic
KWRA MRF	Y	332	Arsenic
KWRA MRF	Y	332	Arsenic
KWRA MRF	Y	332	Arsenic
KWRA MRF	Y	332	Arsenic
KWRA MRF	Y	332	Arsenic
KWRA MRF	Y	332	Arsenic
KWRA MRF	Y	332	Arsenic
KWRA MRF	Y	332	Arsenic
KWRA MRF	Y	332	Arsenic
KWRA MRF	Y	332	Arsenic
KWRA MRF	Y	332	Arsenic
KWRA MRF	Y	332	Arsenic
KWRA MRF	Y	332	Arsenic
YOSEMITE VALLEY BEEF PACKING CO INC	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	8/1/2017
Maximum Contaminant Level Violation	Arsenic	5/1/2017
Maximum Contaminant Level Violation	Arsenic	2/1/2017
Maximum Contaminant Level Violation	Arsenic	11/1/2016
Maximum Contaminant Level Violation	Arsenic	8/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	11/1/2015
Maximum Contaminant Level Violation	Arsenic	8/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017

12/31/2013	1480001
6/30/2016	1600014
12/31/2014	1600013
9/30/2014	1600012
6/30/2014	1600011
3/31/2014	1600010
3/31/2017	1223018
12/31/2016	1223017
9/30/2016	1223016
6/30/2016	1223015
3/31/2016	1223014
12/31/2015	1223012
9/30/2016	9800004
12/31/2016	9800002
6/30/2016	9800003
9/30/2017	1500031
6/30/2017	1500030
3/31/2017	1500029
12/31/2016	1500028
9/30/2016	1500027
12/31/2015	1500026
9/30/2015	1500025
3/31/2015	1400024
12/31/2014	1400023
9/30/2014	1400022
6/30/2014	1300021
3/31/2014	1300020
12/31/2013	1300019
9/30/2017	1
9/30/2017	2
10/31/2017	9700005
7/31/2017	9700004
4/30/2017	9700003
1/31/2017	1600026
10/31/2016	1600025
6/30/2016	1600024
3/31/2016	1600023
1/31/2016	1500022
10/31/2015	1500021
6/30/2015	1500020
3/31/2015	1500019
12/30/2014	1400018
9/30/2014	1400017
6/30/2014	1400016
3/31/2014	1400015
12/31/2013	1300014
9/30/2017	4

09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS

53	1	<=100	CA2400248
53	1	<=100	CA2400248
53	1	<=100	CA2400248
50	1	<=100	CA2702370
50	1	<=100	CA3901290
50	1	<=100	CA3901290
50	1	<=100	CA3901290
50	1	<=100	CA3901290
50	1	<=100	CA3901290
50	1	<=100	CA3901290
47	1	<=100	CA1600605
47	1	<=100	CA1600605
47	1	<=100	CA1600605
47	1	<=100	CA1600605
47	1	<=100	CA1600605
47	1	<=100	CA1600605
47	1	<=100	CA1600605
47	1	<=100	CA1600605
47	1	<=100	CA1600605
47	1	<=100	CA1600605
47	1	<=100	CA1600605
47	1	<=100	CA1600605
47	1	<=100	CA1600605
47	1	<=100	CA1600605
47	1	<=100	CA3303092
47	1	<=100	CA3303092
47	1	<=100	CA3303092
47	1	<=100	CA3303092
47	1	<=100	CA3303092
47	1	<=100	CA3303092
47	1	<=100	CA3303092
47	1	<=100	CA3303092
47	1	<=100	CA3303092
47	1	<=100	CA3303092
47	1	<=100	CA3303092
47	1	<=100	CA3303092
47	1	<=100	CA3303092
47	1	<=100	CA3303092
45	1	<=100	CA5000484
45	1	<=100	CA5000484
45	1	<=100	CA5000484
45	1	<=100	CA5000484
45	1	<=100	CA5000484
45	1	<=100	CA5000484
45	1	<=100	CA5000484
45	1	<=100	CA5000484

YOSEMITE VALLEY BEEF PACKING CO INC	Y	332	Arsenic
YOSEMITE VALLEY BEEF PACKING CO INC	Y	332	Arsenic
YOSEMITE VALLEY BEEF PACKING CO INC	Y	332	Arsenic
SPCA WS	Y	332	Arsenic
FISHER NURSERY	Y	332	Arsenic
FISHER NURSERY	Y	332	Arsenic
FISHER NURSERY	Y	332	Arsenic
FISHER NURSERY	Y	332	Arsenic
FISHER NURSERY	Y	332	Arsenic
FISHER NURSERY	Y	332	Arsenic
BAKER COMMODITIES INC.	Y	332	Arsenic
BAKER COMMODITIES INC.	Y	332	Arsenic
BAKER COMMODITIES INC.	Y	332	Arsenic
BAKER COMMODITIES INC.	Y	332	Arsenic
BAKER COMMODITIES INC.	Y	332	Arsenic
BAKER COMMODITIES INC.	Y	332	Arsenic
BAKER COMMODITIES INC.	Y	332	Arsenic
BAKER COMMODITIES INC.	Y	332	Arsenic
BAKER COMMODITIES INC.	Y	332	Arsenic
BAKER COMMODITIES INC.	Y	332	Arsenic
BAKER COMMODITIES INC.	Y	332	Arsenic
BAKER COMMODITIES INC.	Y	332	Arsenic
BAKER COMMODITIES INC.	Y	332	Arsenic
BAKER COMMODITIES INC.	Y	332	Arsenic
MECCA ARCO TRAVEL CENTER	Y	332	Arsenic
MECCA ARCO TRAVEL CENTER	Y	332	Arsenic
MECCA ARCO TRAVEL CENTER	Y	332	Arsenic
MECCA ARCO TRAVEL CENTER	Y	332	Arsenic
MECCA ARCO TRAVEL CENTER	Y	332	Arsenic
MECCA ARCO TRAVEL CENTER	Y	332	Arsenic
MECCA ARCO TRAVEL CENTER	Y	332	Arsenic
MECCA ARCO TRAVEL CENTER	Y	332	Arsenic
MECCA ARCO TRAVEL CENTER	Y	332	Arsenic
MECCA ARCO TRAVEL CENTER	Y	332	Arsenic
MECCA ARCO TRAVEL CENTER	Y	332	Arsenic
MECCA ARCO TRAVEL CENTER	Y	332	Arsenic
MECCA ARCO TRAVEL CENTER	Y	332	Arsenic
MECCA ARCO TRAVEL CENTER	Y	332	Arsenic
UNITED PALLET SERVICES INC WATER SYSTEM	Y	332	Arsenic
UNITED PALLET SERVICES INC WATER SYSTEM	Y	332	Arsenic
UNITED PALLET SERVICES INC WATER SYSTEM	Y	332	Arsenic
UNITED PALLET SERVICES INC WATER SYSTEM	Y	332	Arsenic
UNITED PALLET SERVICES INC WATER SYSTEM	Y	332	Arsenic
UNITED PALLET SERVICES INC WATER SYSTEM	Y	332	Arsenic
UNITED PALLET SERVICES INC WATER SYSTEM	Y	332	Arsenic
UNITED PALLET SERVICES INC WATER SYSTEM	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	6/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	8/1/2017
Maximum Contaminant Level Violation	Arsenic	5/1/2017
Maximum Contaminant Level Violation	Arsenic	2/1/2017
Maximum Contaminant Level Violation	Arsenic	11/1/2016
Maximum Contaminant Level Violation	Arsenic	8/1/2016
Maximum Contaminant Level Violation	Arsenic	5/1/2016
Maximum Contaminant Level Violation	Arsenic	2/1/2016
Maximum Contaminant Level Violation	Arsenic	11/1/2015
Maximum Contaminant Level Violation	Arsenic	8/1/2015
Maximum Contaminant Level Violation	Arsenic	5/1/2015
Maximum Contaminant Level Violation	Arsenic	2/1/2015
Maximum Contaminant Level Violation	Arsenic	8/1/2014
Maximum Contaminant Level Violation	Arsenic	5/1/2014
Maximum Contaminant Level Violation	Arsenic	2/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015

6/30/2017	3
3/31/2017	2
12/31/2016	1
6/30/2014	1500023
3/31/2015	1400023
12/31/2014	1400022
9/30/2014	1400021
6/30/2014	1300020
3/31/2014	1300019
12/31/2013	1300018
10/31/2017	1700037
7/31/2017	1700036
4/30/2017	1700035
1/31/2017	1700034
10/31/2016	1600032
7/31/2016	1600029
4/30/2016	1600027
1/31/2016	1500024
10/30/2015	1500023
7/31/2015	1500020
4/30/2015	1500018
11/30/2014	1400015
7/31/2014	1400014
4/30/2014	1400013
9/30/2017	1700030
6/30/2017	1700029
3/31/2017	1700028
12/31/2016	1700027
9/30/2016	1700026
6/30/2016	1600025
3/31/2016	1600024
12/31/2015	1600022
9/30/2015	1600021
6/30/2015	1500020
3/31/2015	1500018
12/31/2014	1500017
9/30/2014	1400016
6/30/2014	1400015
3/31/2014	1400014
9/30/2017	1680007
6/30/2017	1680008
3/31/2017	1680006
12/31/2016	1680005
9/30/2016	1680004
6/30/2016	1680003
3/31/2016	1680002
12/31/2015	1680001

09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS

45 1	<=100	CA5000484
45 1	<=100	CA5000484
45 1	<=100	CA5000484
45 1	<=100	CA5000484
45 1	<=100	CA5000484
45 1	<=100	CA5000484
45 1	<=100	CA5000484
45 1	<=100	CA5000484
43 1	<=100	CA2000619
43 1	<=100	CA2000619
43 1	<=100	CA2000619
43 1	<=100	CA2000619
43 1	<=100	CA2000619
43 1	<=100	CA2000619
43 1	<=100	CA2000619
43 1	<=100	CA2000619
43 1	<=100	CA2000619
43 1	<=100	CA2000619
43 1	<=100	CA2000619
43 1	<=100	CA2000619
43 1	<=100	CA2000619
43 1	<=100	CA2000619
40 1	<=100	CA1000584
40 1	<=100	CA1000584
40 1	<=100	CA1000584
40 1	<=100	CA1000584
40 1	<=100	CA1000584
40 1	<=100	CA1000584
40 1	<=100	CA1000584
40 1	<=100	CA1000584
40 1	<=100	CA1000584
40 1	<=100	CA1000584
40 1	<=100	CA1000584
40 1	<=100	CA1000584
40 1	<=100	CA1000584
40 1	<=100	CA3901334
40 1	<=100	CA3901334
40 1	<=100	CA3901334
40 1	<=100	CA3901334
40 1	<=100	CA3901334
40 1	<=100	CA3901334
40 1	<=100	CA3901334
40 1	<=100	CA3901334
40 1	<=100	CA3901334
40 1	<=100	CA3901334
40 1	<=100	CA3901334
40 1	<=100	CA3901334
40 1	<=100	CA3901334

UNITED PALLET SERVICES INC WATER SYSTEM	Y	332	Arsenic
UNITED PALLET SERVICES INC WATER SYSTEM	Y	332	Arsenic
UNITED PALLET SERVICES INC WATER SYSTEM	Y	332	Arsenic
UNITED PALLET SERVICES INC WATER SYSTEM	Y	332	Arsenic
UNITED PALLET SERVICES INC WATER SYSTEM	Y	332	Arsenic
UNITED PALLET SERVICES INC WATER SYSTEM	Y	332	Arsenic
UNITED PALLET SERVICES INC WATER SYSTEM	Y	332	Arsenic
UNITED PALLET SERVICES INC WATER SYSTEM	Y	332	Arsenic
COLD SPRING GRANITE CO RAYMOND	Y	332	Arsenic
COLD SPRING GRANITE CO RAYMOND	Y	332	Arsenic
COLD SPRING GRANITE CO RAYMOND	Y	332	Arsenic
COLD SPRING GRANITE CO RAYMOND	Y	332	Arsenic
COLD SPRING GRANITE CO RAYMOND	Y	332	Arsenic
COLD SPRING GRANITE CO RAYMOND	Y	332	Arsenic
COLD SPRING GRANITE CO RAYMOND	Y	332	Arsenic
COLD SPRING GRANITE CO RAYMOND	Y	332	Arsenic
COLD SPRING GRANITE CO RAYMOND	Y	332	Arsenic
COLD SPRING GRANITE CO RAYMOND	Y	332	Arsenic
COLD SPRING GRANITE CO RAYMOND	Y	332	Arsenic
COLD SPRING GRANITE CO RAYMOND	Y	332	Arsenic
COLD SPRING GRANITE CO RAYMOND	Y	332	Arsenic
COLD SPRING GRANITE CO RAYMOND	Y	332	Arsenic
TRUE ORGANIC PRODUCTS	Y	332	Arsenic
TRUE ORGANIC PRODUCTS	Y	332	Arsenic
TRUE ORGANIC PRODUCTS	Y	332	Arsenic
TRUE ORGANIC PRODUCTS	Y	332	Arsenic
TRUE ORGANIC PRODUCTS	Y	332	Arsenic
TRUE ORGANIC PRODUCTS	Y	332	Arsenic
TRUE ORGANIC PRODUCTS	Y	332	Arsenic
TRUE ORGANIC PRODUCTS	Y	332	Arsenic
TRUE ORGANIC PRODUCTS	Y	332	Arsenic
TRUE ORGANIC PRODUCTS	Y	332	Arsenic
TRUE ORGANIC PRODUCTS	Y	332	Arsenic
TRUE ORGANIC PRODUCTS	Y	332	Arsenic
BJJ COMPANY LLC	Y	332	Arsenic
BJJ COMPANY LLC	Y	332	Arsenic
BJJ COMPANY LLC	Y	332	Arsenic
BJJ COMPANY LLC	Y	332	Arsenic
BJJ COMPANY LLC	Y	332	Arsenic
BJJ COMPANY LLC	Y	332	Arsenic
BJJ COMPANY LLC	Y	332	Arsenic
BJJ COMPANY LLC	Y	332	Arsenic
BJJ COMPANY LLC	Y	332	Arsenic
BJJ COMPANY LLC	Y	332	Arsenic
BJJ COMPANY LLC	Y	332	Arsenic
BJJ COMPANY LLC	Y	332	Arsenic
BJJ COMPANY LLC	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/12/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014

9/30/2015	1580004
6/30/2015	1580003
3/31/2015	1580002
12/31/2014	1580001
9/30/2014	1480004
6/30/2014	1480003
3/31/2014	1480002
12/31/2013	1480001
3/31/2017	1500043
12/31/2016	1500042
9/30/2016	1500041
6/30/2015	1400042
3/31/2015	1400039
12/31/2014	1500040
12/31/2014	1400038
9/30/2014	1400036
6/30/2014	1300028
6/30/2014	1300035
3/31/2014	1300027
3/31/2014	1300034
12/31/2013	1300026
12/31/2013	1300033
3/31/2017	1223026
12/31/2016	1223025
9/30/2016	1223024
6/30/2016	1223023
3/31/2016	1223022
12/31/2015	1223021
9/30/2015	1223020
6/30/2015	1223019
3/31/2015	1223017
12/31/2014	1223016
9/30/2014	1223015
3/31/2014	1223014
9/30/2017	1600033
6/30/2017	1600032
3/31/2017	1600031
12/31/2016	1600030
3/31/2016	1600029
12/31/2015	1600028
9/30/2015	1600027
6/30/2015	1500026
3/31/2015	1400025
12/31/2014	1400024
9/30/2014	1400023
6/30/2014	1300022
3/31/2014	1300021

09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS

40	1	<=100	CA3901334
38	1	<=100	CA5100145
38	1	<=100	CA5100145
38	1	<=100	CA5100145
38	1	<=100	CA5100145
38	1	<=100	CA5100145
38	1	<=100	CA5100145
38	1	<=100	CA5100145
35	1	<=100	CA4901267
35	1	<=100	CA5000498
35	1	<=100	CA5000498
35	1	<=100	CA5000498
32	1	<=100	CA5403054
32	1	<=100	CA5403054
32	1	<=100	CA5403054
32	1	<=100	CA5403054
32	1	<=100	CA5403054
32	1	<=100	CA5403054
32	1	<=100	CA5403054
32	1	<=100	CA5403054
32	1	<=100	CA5403054
32	1	<=100	CA5403054
32	1	<=100	CA5403054
32	1	<=100	CA5403054
32	1	<=100	CA5403054
30	1	<=100	CA3400364
30	1	<=100	CA3400364
30	1	<=100	CA3400364
30	1	<=100	CA3400364
30	1	<=100	CA3400364
30	1	<=100	CA3400364
30	1	<=100	CA3400364
25	1	<=100	CA2702550
25	1	<=100	CA2702550
25	1	<=100	CA2702550
25	1	<=100	CA2702550
25	1	<=100	CA2702550
25	1	<=100	CA2702550
25	1	<=100	CA2702550
25	1	<=100	CA2702550
25	1	<=100	CA2702550
25	1	<=100	CA2702550
25	1	<=100	CA2702550
25	1	<=100	CA2702550
25	1	<=100	CA2702550
25	1	<=100	CA2801011

BJJ COMPANY LLC	Y	332	Arsenic
WINSHIP ELEMENTARY SCHOOL	Y	332	Arsenic
WINSHIP ELEMENTARY SCHOOL	Y	332	Arsenic
WINSHIP ELEMENTARY SCHOOL	Y	332	Arsenic
WINSHIP ELEMENTARY SCHOOL	Y	332	Arsenic
WINSHIP ELEMENTARY SCHOOL	Y	332	Arsenic
WINSHIP ELEMENTARY SCHOOL	Y	332	Arsenic
WINSHIP ELEMENTARY SCHOOL	Y	332	Arsenic
TLC CHILD & FAMILY SERVICES	Y	332	Arsenic
PATCHETTS FORD MERCURY	Y	332	Arsenic
PATCHETTS FORD MERCURY	Y	332	Arsenic
PATCHETTS FORD MERCURY	Y	332	Arsenic
PFFJ, LLC	Y	332	Arsenic
PFFJ, LLC	Y	332	Arsenic
PFFJ, LLC	Y	332	Arsenic
PFFJ, LLC	Y	332	Arsenic
PFFJ, LLC	Y	332	Arsenic
PFFJ, LLC	Y	332	Arsenic
PFFJ, LLC	Y	332	Arsenic
PFFJ, LLC	Y	332	Arsenic
PFFJ, LLC	Y	332	Arsenic
PFFJ, LLC	Y	332	Arsenic
PFFJ, LLC	Y	332	Arsenic
PFFJ, LLC	Y	332	Arsenic
PFFJ, LLC	Y	332	Arsenic
PFFJ, LLC	Y	332	Arsenic
JEAN HARVIE SCHOOL [SWS]	Y	332	Arsenic
JEAN HARVIE SCHOOL [SWS]	Y	332	Arsenic
JEAN HARVIE SCHOOL [SWS]	Y	332	Arsenic
JEAN HARVIE SCHOOL [SWS]	Y	332	Arsenic
JEAN HARVIE SCHOOL [SWS]	Y	332	Arsenic
JEAN HARVIE SCHOOL [SWS]	Y	332	Arsenic
JEAN HARVIE SCHOOL [SWS]	Y	332	Arsenic
GRANGE HALL WS	Y	332	Arsenic
GRANGE HALL WS	Y	332	Arsenic
GRANGE HALL WS	Y	332	Arsenic
GRANGE HALL WS	Y	332	Arsenic
GRANGE HALL WS	Y	332	Arsenic
GRANGE HALL WS	Y	332	Arsenic
GRANGE HALL WS	Y	332	Arsenic
GRANGE HALL WS	Y	332	Arsenic
GRANGE HALL WS	Y	332	Arsenic
GRANGE HALL WS	Y	332	Arsenic
GRANGE HALL WS	Y	332	Arsenic
GRANGE HALL WS	Y	332	Arsenic
GRANGE HALL WS	Y	332	Arsenic
DOMAINE CARNEROS	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	4/1/2017

12/31/2013	1300020
12/31/2015	9
9/30/2015	8
6/30/2015	5
3/31/2015	6
9/30/2014	4
3/31/2014	3
12/31/2013	2
9/30/2015	1218009
12/31/2016	1680003
9/30/2016	1680002
6/30/2016	1680001
9/30/2017	1400067
6/30/2017	1400066
3/31/2017	1400065
12/31/2016	1400064
9/30/2016	1400063
6/30/2016	1400062
3/31/2016	1400061
12/31/2015	1400060
9/30/2015	1400058
6/30/2015	1400057
3/31/2015	1400056
12/31/2014	1400055
3/31/2014	1400054
12/31/2013	1400053
6/30/2015	1500026
3/31/2015	1500025
12/31/2014	1500024
9/30/2014	1500023
6/30/2014	1400022
3/31/2014	1400021
12/31/2013	1400020
6/30/2017	1600044
3/31/2017	1600043
12/31/2016	1600042
9/30/2016	1600041
6/30/2016	1600040
3/31/2016	1600039
12/30/2015	1600038
9/30/2015	1600037
6/30/2015	1500036
3/31/2015	1500035
12/31/2014	1500034
9/30/2014	1500033
12/31/2013	1400031
6/30/2017	958027

09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	CA	A	NTNCWS
09	NN	A	CWS
09	NN	A	CWS
09	NN	A	CWS
09	NN	A	CWS
09	NN	A	CWS
09	NN	A	CWS
09	NN	A	CWS
09	NN	A	CWS
09	NN	A	CWS
09	NN	A	CWS
09	NN	A	CWS
09	NN	A	CWS
09	NN	A	CWS
09	NN	A	CWS
09	NN	A	CWS
09	NN	A	CWS
09	NN	A	CWS
09	NN	A	CWS
09	NN	A	CWS
09	NN	A	CWS
09	NN	A	CWS
09	NN	A	CWS
09	NN	A	CWS
09	NN	A	CWS
09	NN	A	CWS
09	NN	A	CWS
09	NN	A	CWS
09	NN	A	CWS
09	NN	A	CWS
09	NN	A	CWS
09	NN	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS

25	1	<=100	CA5000570
25	1	<=100	CA5000570
25	1	<=100	CA5000570
25	1	<=100	CA5000570
25	1	<=100	CA5000570
25	1	<=100	CA5000570
25	1	<=100	CA5000570
25	1	<=100	CA5000570
25	1	<=100	CA5000570
25	1	<=100	CA5000570
25	1	<=100	CA5000570
25	1	<=100	CA5000570
25	1	<=100	CA5000570
25	1	<=100	CA5000570
1551	4	1,001-3,300	NN4900220
1551	4	1,001-3,300	NN4900220
1551	4	1,001-3,300	NN4900220
1551	4	1,001-3,300	NN4900220
1551	4	1,001-3,300	NN4900220
1551	4	1,001-3,300	NN4900220
1551	4	1,001-3,300	NN4900220
1551	4	1,001-3,300	NN4900220
1551	4	1,001-3,300	NN4900220
1551	4	1,001-3,300	NN4900220
1551	4	1,001-3,300	NN4900220
1551	4	1,001-3,300	NN4900220
1551	4	1,001-3,300	NN4900220
975	3	501-1,000	NN3503028
975	3	501-1,000	NN3503028
975	3	501-1,000	NN3503028
975	3	501-1,000	NN3503028
975	3	501-1,000	NN3503028
975	3	501-1,000	NN3503028
975	3	501-1,000	NN3503028
975	3	501-1,000	NN3503028
975	3	501-1,000	NN3503028
975	3	501-1,000	NN3503028
975	3	501-1,000	NN3503028
338	2	101-500	NN0400814
350	2	101-500	NV0000146
240	2	101-500	NV0005028
240	2	101-500	NV0005028
240	2	101-500	NV0005028
240	2	101-500	NV0005028
240	2	101-500	NV0005028
240	2	101-500	NV0005028

INTERSTATE TRUCK CENTER VALLEY PETERBILT	Y	332	Arsenic
INTERSTATE TRUCK CENTER VALLEY PETERBILT	Y	332	Arsenic
INTERSTATE TRUCK CENTER VALLEY PETERBILT	Y	332	Arsenic
INTERSTATE TRUCK CENTER VALLEY PETERBILT	Y	332	Arsenic
INTERSTATE TRUCK CENTER VALLEY PETERBILT	Y	332	Arsenic
INTERSTATE TRUCK CENTER VALLEY PETERBILT	Y	332	Arsenic
INTERSTATE TRUCK CENTER VALLEY PETERBILT	Y	332	Arsenic
INTERSTATE TRUCK CENTER VALLEY PETERBILT	Y	332	Arsenic
INTERSTATE TRUCK CENTER VALLEY PETERBILT	Y	332	Arsenic
INTERSTATE TRUCK CENTER VALLEY PETERBILT	Y	332	Arsenic
INTERSTATE TRUCK CENTER VALLEY PETERBILT	Y	332	Arsenic
INTERSTATE TRUCK CENTER VALLEY PETERBILT	Y	332	Arsenic
INTERSTATE TRUCK CENTER VALLEY PETERBILT	Y	332	Arsenic
INTERSTATE TRUCK CENTER VALLEY PETERBILT	Y	332	Arsenic
Aneth NTUA	Y	332	Arsenic
Aneth NTUA	Y	332	Arsenic
Aneth NTUA	Y	332	Arsenic
Aneth NTUA	Y	332	Arsenic
Aneth NTUA	Y	332	Arsenic
Aneth NTUA	Y	332	Arsenic
Aneth NTUA	Y	332	Arsenic
Aneth NTUA	Y	332	Arsenic
Aneth NTUA	Y	332	Arsenic
Aneth NTUA	Y	332	Arsenic
Aneth NTUA	Y	332	Arsenic
Aneth NTUA	Y	332	Arsenic
Aneth NTUA	Y	332	Arsenic
Toadlena NTUA	Y	332	Arsenic
Toadlena NTUA	Y	332	Arsenic
Toadlena NTUA	Y	332	Arsenic
Toadlena NTUA	Y	332	Arsenic
Toadlena NTUA	Y	332	Arsenic
Toadlena NTUA	Y	332	Arsenic
Toadlena NTUA	Y	332	Arsenic
Toadlena NTUA	Y	332	Arsenic
Toadlena NTUA	Y	332	Arsenic
Toadlena NTUA	Y	332	Arsenic
Toadlena NTUA	Y	332	Arsenic
Toadlena NTUA	Y	332	Arsenic
Coppermine NTUA	Y	332	Arsenic
HITCHIN POST MOTEL AND RV PARK	Y	332	Arsenic
SHOSHONE ESTATES WATER CO INC	Y	332	Arsenic
SHOSHONE ESTATES WATER CO INC	Y	332	Arsenic
SHOSHONE ESTATES WATER CO INC	Y	332	Arsenic
SHOSHONE ESTATES WATER CO INC	Y	332	Arsenic
SHOSHONE ESTATES WATER CO INC	Y	332	Arsenic
SHOSHONE ESTATES WATER CO INC	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016

9/30/2017	1680006
6/30/2017	1680007
3/31/2017	1680005
12/31/2016	1680004
9/30/2016	1680003
6/30/2016	1680002
3/31/2016	1680001
6/30/2015	1580003
3/31/2015	1580002
12/31/2014	1580001
9/30/2014	1480004
6/30/2014	1480003
3/31/2014	1480002
12/31/2013	1480001
9/30/2017	490022002100572017
6/30/2017	490022002100542017
3/31/2017	490022002100512017
12/31/2016	4900220021005102016
9/30/2016	490022002100572016
6/30/2016	490022002100542016
3/31/2016	490022002100512016
12/31/2015	4900220021005102015
9/30/2015	490022002100572015
3/31/2015	490022002100512015
12/31/2014	4900220021005102014
3/31/2014	490022002100512014
12/31/2013	4900220021005102013
9/30/2017	350302802100572017
6/30/2017	350302802100542017
3/31/2017	350302802100512017
12/31/2016	3503028021005102016
9/30/2016	350302802100572016
12/31/2015	3503028021005102015
9/30/2015	350302802100572015
3/31/2015	350302802100512015
12/31/2014	3503028021005102014
9/30/2014	350302802100572014
6/30/2014	350302802100542014
3/31/2014	350302802100512014
3/31/2017	040081402100512017
6/30/2017	1003616
9/30/2017	42338
6/30/2017	42337
3/31/2017	42336
12/31/2016	42334
9/30/2016	42333
6/30/2016	42331

09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS

240	2	101-500	NV0005028
240	2	101-500	NV0005028
240	2	101-500	NV0005028
240	2	101-500	NV0005028
240	2	101-500	NV0005028
240	2	101-500	NV0005028
240	2	101-500	NV0005028
240	2	101-500	NV0005028
240	2	101-500	NV0005028
240	2	101-500	NV0005028
200	2	101-500	NV0000162
200	2	101-500	NV0000162
200	2	101-500	NV0000162
200	2	101-500	NV0000162
120	2	101-500	NV0004021
120	2	101-500	NV0004021
120	2	101-500	NV0004021
100	1	<=100	NV0000123
100	1	<=100	NV0000123
70	1	<=100	NV0000058
70	1	<=100	NV0000058
70	1	<=100	NV0000058
70	1	<=100	NV0000058
70	1	<=100	NV0000058
70	1	<=100	NV0000058
70	1	<=100	NV0000058
70	1	<=100	NV0000058
70	1	<=100	NV0000058
70	1	<=100	NV0000058
70	1	<=100	NV0000058
70	1	<=100	NV0000058
70	1	<=100	NV0000058
70	1	<=100	NV0000058
70	1	<=100	NV0000058
70	1	<=100	NV0000149
70	1	<=100	NV0000149
70	1	<=100	NV0000149
70	1	<=100	NV0000149
70	1	<=100	NV0000149
70	1	<=100	NV0000149
70	1	<=100	NV0000149
70	1	<=100	NV0000149
70	1	<=100	NV0000149
70	1	<=100	NV0000149
70	1	<=100	NV0000149
70	1	<=100	NV0000149
70	1	<=100	NV0000149

SHOSHONE ESTATES WATER CO INC	Y	332	Arsenic
SHOSHONE ESTATES WATER CO INC	Y	332	Arsenic
SHOSHONE ESTATES WATER CO INC	Y	332	Arsenic
SHOSHONE ESTATES WATER CO INC	Y	332	Arsenic
SHOSHONE ESTATES WATER CO INC	Y	332	Arsenic
SHOSHONE ESTATES WATER CO INC	Y	332	Arsenic
SHOSHONE ESTATES WATER CO INC	Y	332	Arsenic
SHOSHONE ESTATES WATER CO INC	Y	332	Arsenic
SHOSHONE ESTATES WATER CO INC	Y	332	Arsenic
SHOSHONE ESTATES WATER CO INC	Y	332	Arsenic
MCDERMITT WATER SYSTEM	Y	332	Arsenic
MCDERMITT WATER SYSTEM	Y	332	Arsenic
MCDERMITT WATER SYSTEM	Y	332	Arsenic
MCDERMITT WATER SYSTEM	Y	332	Arsenic
SILVER KNOLLS MUTUAL WATER COMPANY	Y	332	Arsenic
SILVER KNOLLS MUTUAL WATER COMPANY	Y	332	Arsenic
SILVER KNOLLS MUTUAL WATER COMPANY	Y	332	Arsenic
SUNRISE MOUNTAIN TP	Y	332	Arsenic
SUNRISE MOUNTAIN TP	Y	332	Arsenic
WILDES MANOR	Y	332	Arsenic
WILDES MANOR	Y	332	Arsenic
WILDES MANOR	Y	332	Arsenic
WILDES MANOR	Y	332	Arsenic
WILDES MANOR	Y	332	Arsenic
WILDES MANOR	Y	332	Arsenic
WILDES MANOR	Y	332	Arsenic
WILDES MANOR	Y	332	Arsenic
WILDES MANOR	Y	332	Arsenic
WILDES MANOR	Y	332	Arsenic
WILDES MANOR	Y	332	Arsenic
WILDES MANOR	Y	332	Arsenic
WILDES MANOR	Y	332	Arsenic
WILDES MANOR	Y	332	Arsenic
WILDES MANOR	Y	332	Arsenic
WILDES MANOR	Y	332	Arsenic
DESERT PARADISE MHP	Y	332	Arsenic
DESERT PARADISE MHP	Y	332	Arsenic
DESERT PARADISE MHP	Y	332	Arsenic
DESERT PARADISE MHP	Y	332	Arsenic
DESERT PARADISE MHP	Y	332	Arsenic
DESERT PARADISE MHP	Y	332	Arsenic
DESERT PARADISE MHP	Y	332	Arsenic
DESERT PARADISE MHP	Y	332	Arsenic
DESERT PARADISE MHP	Y	332	Arsenic
DESERT PARADISE MHP	Y	332	Arsenic
DESERT PARADISE MHP	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014

3/31/2016	42330
12/31/2015	42329
9/30/2015	42327
6/30/2015	42326
3/31/2015	42325
12/31/2014	42321
9/30/2014	42319
6/30/2014	42317
3/31/2014	42316
12/31/2013	42284
9/30/2017	1106081
6/30/2017	1106080
3/31/2017	1106079
12/31/2016	1106078
9/30/2017	1029430
6/30/2017	1029429
3/31/2017	1029428
9/30/2017	194511
6/30/2017	194508
9/30/2017	60900
6/30/2017	60895
3/31/2017	60896
12/31/2016	60853
9/30/2016	60852
6/30/2016	60850
3/31/2016	60849
12/31/2015	60848
9/30/2015	60847
6/30/2015	60845
3/31/2015	60843
12/31/2014	60841
9/30/2014	60839
6/30/2014	60838
3/31/2014	60837
12/31/2013	60833
9/30/2017	1116567
6/30/2017	1116566
3/31/2017	1116565
12/31/2016	1116564
9/30/2016	1116561
6/30/2016	1116560
3/31/2016	1116559
12/31/2015	1116558
9/30/2015	1116557
6/30/2015	1116556
3/31/2015	1116555
12/31/2014	1116554

09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	CWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
09	NV	A	NTNCWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS

70	1	<=100	NV0000149
70	1	<=100	NV0000149
70	1	<=100	NV0000149
70	1	<=100	NV0000149
40	1	<=100	NV0000797
40	1	<=100	NV0000797
40	1	<=100	NV0000797
40	1	<=100	NV0000797
500	2	101-500	NV0002602
500	2	101-500	NV0002602
351	2	101-500	NV0000928
351	2	101-500	NV0000928
351	2	101-500	NV0000928
351	2	101-500	NV0000928
351	2	101-500	NV0000928
351	2	101-500	NV0000928
351	2	101-500	NV0000928
351	2	101-500	NV0000928
351	2	101-500	NV0000928
351	2	101-500	NV0000928
351	2	101-500	NV0000928
351	2	101-500	NV0000928
351	2	101-500	NV0000928
351	2	101-500	NV0000928
351	2	101-500	NV0000928
351	2	101-500	NV0000928
175	2	101-500	NV0004061
175	2	101-500	NV0004061
50	1	<=100	NV0002202
50	1	<=100	NV0002202
50	1	<=100	NV0004067
38	1	<=100	NV0001148
38	1	<=100	NV0001148
38	1	<=100	NV0001148
38	1	<=100	NV0001148
465	2	101-500	AK2220037
350	2	101-500	AK2271211
337	2	101-500	AK2241012
337	2	101-500	AK2241012
337	2	101-500	AK2241012
337	2	101-500	AK2241012
337	2	101-500	AK2241012
337	2	101-500	AK2241012
337	2	101-500	AK2241012
184	2	101-500	AK2340141
184	2	101-500	AK2340141
184	2	101-500	AK2340141

DESERT PARADISE MHP	Y	332	Arsenic
DESERT PARADISE MHP	Y	332	Arsenic
DESERT PARADISE MHP	Y	332	Arsenic
DESERT PARADISE MHP	Y	332	Arsenic
OLD FORTY WEST MOTEL	Y	332	Arsenic
OLD FORTY WEST MOTEL	Y	332	Arsenic
OLD FORTY WEST MOTEL	Y	332	Arsenic
OLD FORTY WEST MOTEL	Y	332	Arsenic
LOVES TRAVEL STOP AND COUNTRY STORE	Y	332	Arsenic
LOVES TRAVEL STOP AND COUNTRY STORE	Y	332	Arsenic
LAMOILLE VALLEY PLAZA	Y	332	Arsenic
LAMOILLE VALLEY PLAZA	Y	332	Arsenic
LAMOILLE VALLEY PLAZA	Y	332	Arsenic
LAMOILLE VALLEY PLAZA	Y	332	Arsenic
LAMOILLE VALLEY PLAZA	Y	332	Arsenic
LAMOILLE VALLEY PLAZA	Y	332	Arsenic
LAMOILLE VALLEY PLAZA	Y	332	Arsenic
LAMOILLE VALLEY PLAZA	Y	332	Arsenic
LAMOILLE VALLEY PLAZA	Y	332	Arsenic
LAMOILLE VALLEY PLAZA	Y	332	Arsenic
LAMOILLE VALLEY PLAZA	Y	332	Arsenic
LAMOILLE VALLEY PLAZA	Y	332	Arsenic
LAMOILLE VALLEY PLAZA	Y	332	Arsenic
LAMOILLE VALLEY PLAZA	Y	332	Arsenic
LAMOILLE VALLEY PLAZA	Y	332	Arsenic
SPRINGWOOD EQUESTRIAN CENTER	Y	332	Arsenic
SPRINGWOOD EQUESTRIAN CENTER	Y	332	Arsenic
GRANITE CONSTRUCTION	Y	332	Arsenic
GRANITE CONSTRUCTION	Y	332	Arsenic
NORTHWEST ACADEMY	Y	332	Arsenic
DIAMOND PLASTICS	Y	332	Arsenic
DIAMOND PLASTICS	Y	332	Arsenic
DIAMOND PLASTICS	Y	332	Arsenic
DIAMOND PLASTICS	Y	332	Arsenic
MEADOW BROOK SUBDIVISION	Y	332	Arsenic
TUNTUTULIAK WASHETERIA AND WATERING PT	Y	332	Arsenic
RIVER TERRACE TC	Y	332	Arsenic
RIVER TERRACE TC	Y	332	Arsenic
RIVER TERRACE TC	Y	332	Arsenic
RIVER TERRACE TC	Y	332	Arsenic
RIVER TERRACE TC	Y	332	Arsenic
RIVER TERRACE TC	Y	332	Arsenic
RIVER TERRACE TC	Y	332	Arsenic
LITTLE DIOMEDE WATER SUPPLY	Y	332	Arsenic
LITTLE DIOMEDE WATER SUPPLY	Y	332	Arsenic
LITTLE DIOMEDE WATER SUPPLY	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016

9/30/2014	1116553
6/30/2014	1116552
3/31/2014	1116551
12/31/2013	1116549
9/30/2017	4032
6/30/2017	4031
3/31/2017	3917
12/31/2016	3916
9/30/2017	2
6/30/2017	1
9/30/2017	1953
6/30/2017	1951
3/31/2017	1949
12/31/2016	1948
9/30/2016	1947
6/30/2016	1945
3/31/2016	1944
12/31/2015	1943
9/30/2015	1942
6/30/2015	1940
3/31/2015	1939
12/31/2014	1938
9/30/2014	1937
6/30/2014	1935
3/31/2014	1934
12/31/2013	1933
9/30/2017	1
6/30/2017	2
9/30/2017	25
6/30/2017	26
9/30/2017	133229
9/30/2017	16
6/30/2017	9
3/31/2017	5
12/31/2016	1
6/30/2015	2810
3/31/2016	6572613
6/30/2017	6790061
12/31/2016	6790056
9/30/2016	6790057
6/30/2016	6790053
3/31/2016	6790044
12/31/2015	6790045
9/30/2015	6790041
6/30/2017	3926146
3/31/2017	3926143
12/31/2016	3926142

10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	CWS
10	AK	A	NTNCWS
10	AK	A	NTNCWS
10	ID	A	CWS
10	ID	A	CWS
10	ID	A	CWS
10	ID	A	CWS
10	ID	A	CWS
10	ID	A	CWS
10	ID	A	CWS
10	ID	A	CWS
10	ID	A	NTNCWS
10	ID	A	NTNCWS
10	ID	A	NTNCWS
10	ID	A	NTNCWS
10	ID	A	NTNCWS
10	ID	A	NTNCWS
10	ID	A	NTNCWS
10	ID	A	NTNCWS
10	ID	A	NTNCWS
10	ID	A	NTNCWS

184	2	101-500	AK2340141
170	2	101-500	AK2243658
170	2	101-500	AK2243658
170	2	101-500	AK2243658
170	2	101-500	AK2243658
170	2	101-500	AK2243658
170	2	101-500	AK2243658
170	2	101-500	AK2243658
170	2	101-500	AK2243658
170	2	101-500	AK2243658
170	2	101-500	AK2243658
170	2	101-500	AK2243658
100	1	<=100	AK2223624
100	1	<=100	AK2223624
100	1	<=100	AK2223624
100	1	<=100	AK2223624
100	1	<=100	AK2223624
100	1	<=100	AK2223624
100	1	<=100	AK2223624
74	1	<=100	AK2224337
74	1	<=100	AK2224337
74	1	<=100	AK2224337
74	1	<=100	AK2224337
74	1	<=100	AK2224337
74	1	<=100	AK2224337
40	1	<=100	AK2216902
77	1	<=100	AK2220429
44	1	<=100	AK2260676
2500	4	1,001-3,300	ID5420021
2500	4	1,001-3,300	ID5420021
2500	4	1,001-3,300	ID5420021
2500	4	1,001-3,300	ID5420021
2500	4	1,001-3,300	ID5420021
100	1	<=100	ID1400004
48	1	<=100	ID3140133
48	1	<=100	ID3140133
50	1	<=100	ID3380038
50	1	<=100	ID3380038
50	1	<=100	ID3380038
50	1	<=100	ID3380038
50	1	<=100	ID3380038
50	1	<=100	ID3380038
50	1	<=100	ID3380038
50	1	<=100	ID3380038
50	1	<=100	ID3380038
50	1	<=100	ID3380038

LITTLE DIOMEDE WATER SUPPLY	Y	332	Arsenic
KB SUB. WATER SERVICE ASSOC.	Y	332	Arsenic
KB SUB. WATER SERVICE ASSOC.	Y	332	Arsenic
KB SUB. WATER SERVICE ASSOC.	Y	332	Arsenic
KB SUB. WATER SERVICE ASSOC.	Y	332	Arsenic
KB SUB. WATER SERVICE ASSOC.	Y	332	Arsenic
KB SUB. WATER SERVICE ASSOC.	Y	332	Arsenic
KB SUB. WATER SERVICE ASSOC.	Y	332	Arsenic
KB SUB. WATER SERVICE ASSOC.	Y	332	Arsenic
KB SUB. WATER SERVICE ASSOC.	Y	332	Arsenic
KB SUB. WATER SERVICE ASSOC.	Y	332	Arsenic
KB SUB. WATER SERVICE ASSOC.	Y	332	Arsenic
KB SUB. WATER SERVICE ASSOC.	Y	332	Arsenic
BLUFFVIEW ACRES WATER SYSTEM	Y	332	Arsenic
BLUFFVIEW ACRES WATER SYSTEM	Y	332	Arsenic
BLUFFVIEW ACRES WATER SYSTEM	Y	332	Arsenic
BLUFFVIEW ACRES WATER SYSTEM	Y	332	Arsenic
BLUFFVIEW ACRES WATER SYSTEM	Y	332	Arsenic
BLUFFVIEW ACRES WATER SYSTEM	Y	332	Arsenic
BLUFFVIEW ACRES WATER SYSTEM	Y	332	Arsenic
SHEENA MAY ESTATES	Y	332	Arsenic
SHEENA MAY ESTATES	Y	332	Arsenic
SHEENA MAY ESTATES	Y	332	Arsenic
SHEENA MAY ESTATES	Y	332	Arsenic
SHEENA MAY ESTATES	Y	332	Arsenic
SHEENA MAY ESTATES	Y	332	Arsenic
ESTELL S/D, LOT 2	Y	332	Arsenic
WOLF EYE CENTER	Y	332	Arsenic
L&PSD PORT HEIDEN SCHOOL	Y	332	Arsenic
FILER WATER WORKS	Y	332	Arsenic
FILER WATER WORKS	Y	332	Arsenic
FILER WATER WORKS	Y	332	Arsenic
FILER WATER WORKS	Y	332	Arsenic
FILER WATER WORKS	Y	332	Arsenic
AVERY WATER AND SEWER DIST	Y	332	Arsenic
VANAL HEIGHTS WELL ASSN	Y	332	Arsenic
VANAL HEIGHTS WELL ASSN	Y	332	Arsenic
PARTNERS PRODUCE	Y	332	Arsenic
PARTNERS PRODUCE	Y	332	Arsenic
PARTNERS PRODUCE	Y	332	Arsenic
PARTNERS PRODUCE	Y	332	Arsenic
PARTNERS PRODUCE	Y	332	Arsenic
PARTNERS PRODUCE	Y	332	Arsenic
PARTNERS PRODUCE	Y	332	Arsenic
PARTNERS PRODUCE	Y	332	Arsenic
PARTNERS PRODUCE	Y	332	Arsenic
PARTNERS PRODUCE	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015

9/30/2016	3926139
3/31/2016	6099554
9/30/2017	6099604
6/30/2017	6099577
3/31/2017	6099569
12/31/2016	6099570
9/30/2016	6099571
6/30/2016	6099572
3/31/2016	6099568
12/31/2015	6099556
9/30/2015	6099553
6/30/2015	6099555
3/31/2015	6099557
6/30/2015	6559665
3/31/2015	6559666
12/31/2014	6559660
9/30/2014	6559655
6/30/2014	6559656
3/31/2014	6559653
12/31/2013	6559651
3/31/2015	6129422
12/31/2014	6129423
9/30/2014	6129418
6/30/2014	6129417
3/31/2014	6129416
12/31/2013	6129424
12/31/2014	6734020
9/30/2015	9
9/30/2015	6716454
9/30/2016	3460
12/31/2016	3463
9/30/2016	3461
6/30/2016	3459
3/31/2016	3458
6/30/2016	13386
9/30/2017	5019
6/30/2017	5017
9/30/2017	94
6/30/2017	93
3/31/2017	92
12/31/2016	78
12/31/2016	79
9/30/2016	76
9/30/2016	77
6/30/2016	73
3/31/2016	72
12/31/2015	71

10	ID	A	NTNCWS
10	ID	A	NTNCWS
10	ID	A	NTNCWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS

50	1	<=100	ID3380038
50	1	<=100	ID3380038
50	1	<=100	ID3380038
3270	4	1,001-3,300	OR4100579
3270	4	1,001-3,300	OR4100579
3270	4	1,001-3,300	OR4100579
3270	4	1,001-3,300	OR4100579
3270	4	1,001-3,300	OR4100579
3270	4	1,001-3,300	OR4100579
3270	4	1,001-3,300	OR4100579
3270	4	1,001-3,300	OR4100579
3270	4	1,001-3,300	OR4100579
3270	4	1,001-3,300	OR4100579
3270	4	1,001-3,300	OR4100579
3270	4	1,001-3,300	OR4100579
3270	4	1,001-3,300	OR4100579
3270	4	1,001-3,300	OR4100579
3270	4	1,001-3,300	OR4100579
1875	4	1,001-3,300	OR4100917
1875	4	1,001-3,300	OR4100917
1875	4	1,001-3,300	OR4100917
1875	4	1,001-3,300	OR4100917
1875	4	1,001-3,300	OR4100917
1875	4	1,001-3,300	OR4100917
1875	4	1,001-3,300	OR4100917
1875	4	1,001-3,300	OR4100917
1875	4	1,001-3,300	OR4100917
1875	4	1,001-3,300	OR4100917
1875	4	1,001-3,300	OR4100917
1875	4	1,001-3,300	OR4100917
1875	4	1,001-3,300	OR4100917
1875	4	1,001-3,300	OR4100917
1875	4	1,001-3,300	OR4100917
1875	4	1,001-3,300	OR4100917
1875	4	1,001-3,300	OR4100917
1875	4	1,001-3,300	OR4100917
1875	4	1,001-3,300	OR4100917
1875	4	1,001-3,300	OR4100917
1875	4	1,001-3,300	OR4100917
1875	4	1,001-3,300	OR4100917
1875	4	1,001-3,300	OR4100917
1875	4	1,001-3,300	OR4100917
250	2	101-500	OR4100611

PARTNERS PRODUCE	Y	332	Arsenic
PARTNERS PRODUCE	Y	332	Arsenic
PARTNERS PRODUCE	Y	332	Arsenic
NYSSA, CITY OF	Y	332	Arsenic
NYSSA, CITY OF	Y	332	Arsenic
NYSSA, CITY OF	Y	332	Arsenic
NYSSA, CITY OF	Y	332	Arsenic
NYSSA, CITY OF	Y	332	Arsenic
NYSSA, CITY OF	Y	332	Arsenic
NYSSA, CITY OF	Y	332	Arsenic
NYSSA, CITY OF	Y	332	Arsenic
NYSSA, CITY OF	Y	332	Arsenic
NYSSA, CITY OF	Y	332	Arsenic
NYSSA, CITY OF	Y	332	Arsenic
NYSSA, CITY OF	Y	332	Arsenic
NYSSA, CITY OF	Y	332	Arsenic
NYSSA, CITY OF	Y	332	Arsenic
NYSSA, CITY OF	Y	332	Arsenic
NYSSA, CITY OF	Y	332	Arsenic
VALE, CITY OF	Y	332	Arsenic
VALE, CITY OF	Y	332	Arsenic
VALE, CITY OF	Y	332	Arsenic
VALE, CITY OF	Y	332	Arsenic
VALE, CITY OF	Y	332	Arsenic
VALE, CITY OF	Y	332	Arsenic
VALE, CITY OF	Y	332	Arsenic
VALE, CITY OF	Y	332	Arsenic
VALE, CITY OF	Y	332	Arsenic
VALE, CITY OF	Y	332	Arsenic
VALE, CITY OF	Y	332	Arsenic
VALE, CITY OF	Y	332	Arsenic
VALE, CITY OF	Y	332	Arsenic
VALE, CITY OF	Y	332	Arsenic
VALE, CITY OF	Y	332	Arsenic
VALE, CITY OF	Y	332	Arsenic
VALE, CITY OF	Y	332	Arsenic
VALE, CITY OF	Y	332	Arsenic
VALE, CITY OF	Y	332	Arsenic
VALE, CITY OF	Y	332	Arsenic
VALE, CITY OF	Y	332	Arsenic
VALE, CITY OF	Y	332	Arsenic
VALE, CITY OF	Y	332	Arsenic
VALE, CITY OF	Y	332	Arsenic
VALE, CITY OF	Y	332	Arsenic
VALE, CITY OF	Y	332	Arsenic
PAISLEY, CITY OF	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average

Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	7/1/2017

9/30/2015	69
6/30/2015	66
3/31/2015	67
9/30/2017	902193840
6/30/2017	902193838
3/31/2017	902193836
12/31/2016	902193835
9/30/2016	902193833
6/30/2016	902193832
3/31/2016	902193831
12/31/2015	902193830
9/30/2015	902193829
6/30/2015	902193828
3/31/2015	902193827
12/31/2014	902193826
9/30/2014	902193824
6/30/2014	902193823
3/31/2014	902193822
12/31/2013	902193821
9/30/2017	902597141
9/30/2017	902597142
6/30/2017	902597137
6/30/2017	902597138
3/31/2017	902597133
3/31/2017	902597134
12/31/2016	902597131
12/31/2016	902597132
9/30/2016	902597078
9/30/2016	902597079
6/30/2016	902597076
6/30/2016	902597077
3/31/2016	902597071
3/31/2016	902597072
12/31/2015	902597066
12/31/2015	902597067
9/30/2015	902597064
9/30/2015	902597065
6/30/2015	902597062
6/30/2015	902597063
3/31/2015	902597059
3/31/2015	902597060
12/31/2014	902597058
9/30/2014	902597057
6/30/2014	902597056
3/31/2014	902597054
12/31/2013	902597053
9/30/2017	900636084

10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	OR	A	CWS
10	WA	A	CWS
10	WA	A	CWS
10	WA	A	CWS
10	WA	A	CWS
10	WA	A	CWS
10	WA	A	CWS
10	WA	A	CWS
10	WA	A	CWS
10	WA	A	CWS
10	WA	A	CWS
10	WA	A	CWS
10	WA	A	CWS
10	WA	A	CWS
10	WA	A	CWS
10	WA	A	CWS
10	WA	A	CWS
10	WA	A	CWS
10	WA	A	CWS
10	WA	A	CWS
10	WA	A	CWS
10	WA	A	CWS
10	WA	A	CWS
10	WA	A	CWS

250	2	101-500	OR4100611
250	2	101-500	OR4100611
250	2	101-500	OR4100611
250	2	101-500	OR4100611
250	2	101-500	OR4100611
250	2	101-500	OR4100611
250	2	101-500	OR4100611
88	1	<=100	OR4100756
88	1	<=100	OR4100756
88	1	<=100	OR4100962
88	1	<=100	OR4100962
88	1	<=100	OR4100962
60	1	<=100	OR4105364
28	1	<=100	OR4105854
28	1	<=100	OR4105854
28	1	<=100	OR4105854
28	1	<=100	OR4105854
28	1	<=100	OR4105854
28	1	<=100	OR4105854
28	1	<=100	OR4105854
28	1	<=100	OR4105854
28	1	<=100	OR4105854
28	1	<=100	OR4105854
28	1	<=100	OR4105854
600	3	501-1,000	WA5336705
600	3	501-1,000	WA5336705
600	3	501-1,000	WA5336705
460	2	101-500	WA5331569
460	2	101-500	WA5331569
99	1	<=100	WA5330434
99	1	<=100	WA5330434
55	1	<=100	WA5307200
55	1	<=100	WA5307200
55	1	<=100	WA5307200
55	1	<=100	WA5307200
55	1	<=100	WA5307200
55	1	<=100	WA5307200
55	1	<=100	WA5307200
55	1	<=100	WA5307200
55	1	<=100	WA5307200
55	1	<=100	WA5307200
55	1	<=100	WA5307200
55	1	<=100	WA5307200
55	1	<=100	WA5307200
55	1	<=100	WA5307200
55	1	<=100	WA5307200
55	1	<=100	WA5307200

PAISLEY, CITY OF	Y	332	Arsenic
PAISLEY, CITY OF	Y	332	Arsenic
PAISLEY, CITY OF	Y	332	Arsenic
PAISLEY, CITY OF	Y	332	Arsenic
PAISLEY, CITY OF	Y	332	Arsenic
PAISLEY, CITY OF	Y	332	Arsenic
PAISLEY, CITY OF	Y	332	Arsenic
SLEEPY HOLLOW PHASE I WS	Y	332	Arsenic
SLEEPY HOLLOW PHASE I WS	Y	332	Arsenic
DUNN COURT DUPLEXES	Y	332	Arsenic
DUNN COURT DUPLEXES	Y	332	Arsenic
DUNN COURT DUPLEXES	Y	332	Arsenic
MT TERRACE MHP	Y	332	Arsenic
RIVER VILLAGE MHP	Y	332	Arsenic
RIVER VILLAGE MHP	Y	332	Arsenic
RIVER VILLAGE MHP	Y	332	Arsenic
RIVER VILLAGE MHP	Y	332	Arsenic
RIVER VILLAGE MHP	Y	332	Arsenic
RIVER VILLAGE MHP	Y	332	Arsenic
RIVER VILLAGE MHP	Y	332	Arsenic
RIVER VILLAGE MHP	Y	332	Arsenic
RIVER VILLAGE MHP	Y	332	Arsenic
RIVER VILLAGE MHP	Y	332	Arsenic
RIVER VILLAGE MHP	Y	332	Arsenic
JEFFERSON COUNTY WATER DIST #1	Y	332	Arsenic
JEFFERSON COUNTY WATER DIST #1	Y	332	Arsenic
JEFFERSON COUNTY WATER DIST #1	Y	332	Arsenic
HARTSTENE POINTE	Y	332	Arsenic
HARTSTENE POINTE	Y	332	Arsenic
STEVENS CO PUD - MISSION RIDGE	Y	332	Arsenic
STEVENS CO PUD - MISSION RIDGE	Y	332	Arsenic
COLUMBIA CREST ESTATES	Y	332	Arsenic
COLUMBIA CREST ESTATES	Y	332	Arsenic
COLUMBIA CREST ESTATES	Y	332	Arsenic
COLUMBIA CREST ESTATES	Y	332	Arsenic
COLUMBIA CREST ESTATES	Y	332	Arsenic
COLUMBIA CREST ESTATES	Y	332	Arsenic
COLUMBIA CREST ESTATES	Y	332	Arsenic
COLUMBIA CREST ESTATES	Y	332	Arsenic
COLUMBIA CREST ESTATES	Y	332	Arsenic
COLUMBIA CREST ESTATES	Y	332	Arsenic
COLUMBIA CREST ESTATES	Y	332	Arsenic
COLUMBIA CREST ESTATES	Y	332	Arsenic
COLUMBIA CREST ESTATES	Y	332	Arsenic
COLUMBIA CREST ESTATES	Y	332	Arsenic
COLUMBIA CREST ESTATES	Y	332	Arsenic
COLUMBIA CREST ESTATES	Y	332	Arsenic

MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	02	Maximum Contaminant Level Violation, Average
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample

Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	7/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2017
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2016
Maximum Contaminant Level Violation	Arsenic	4/1/2016
Maximum Contaminant Level Violation	Arsenic	10/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2017
Maximum Contaminant Level Violation	Arsenic	10/1/2016
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	7/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014
Maximum Contaminant Level Violation	Arsenic	10/1/2013
Maximum Contaminant Level Violation	Arsenic	10/1/2013

6/30/2017	900636083
3/31/2017	900636081
12/31/2016	900636080
9/30/2016	900636056
6/30/2016	900636055
3/31/2016	900636054
12/31/2015	900636053
9/30/2017	901586236
6/30/2017	901586235
3/31/2017	902823114
9/30/2017	902823118
6/30/2017	902823116
9/30/2017	903177115
9/30/2017	900740573
3/31/2016	900740499
6/30/2017	900740571
3/31/2017	900740569
12/31/2016	900740565
9/30/2016	900740505
6/30/2016	900740501
12/31/2015	900740498
9/30/2015	900740496
3/31/2014	900740486
12/31/2013	900740483
3/31/2015	1584951
12/31/2014	1474217
9/30/2014	1474212
3/31/2017	1727326
12/31/2016	1627325
9/30/2014	1469781
6/30/2014	1448786
9/30/2015	1586192
9/30/2015	1586193
6/30/2015	1586194
6/30/2015	1586195
3/31/2015	1584949
3/31/2015	1584950
12/31/2014	1474215
12/31/2014	1474216
9/30/2014	1474210
9/30/2014	1474211
6/30/2014	1448789
6/30/2014	1448790
3/31/2014	1431150
3/31/2014	1431151
12/31/2013	1331156
12/31/2013	1331157

10	WA	A	NTNCWS
10	WA	A	NTNCWS
10	WA	A	NTNCWS
10	WA	A	NTNCWS
10	WA	A	NTNCWS
10	WA	A	NTNCWS

940 3	501-1,000	WA5359575
940 3	501-1,000	WA5359575
940 3	501-1,000	WA5359575
940 3	501-1,000	WA5359575
940 3	501-1,000	WA5359575
940 3	501-1,000	WA5359575

NISQUALLY COMMERCIAL PARK	Y	332	Arsenic
NISQUALLY COMMERCIAL PARK	Y	332	Arsenic
NISQUALLY COMMERCIAL PARK	Y	332	Arsenic
NISQUALLY COMMERCIAL PARK	Y	332	Arsenic
NISQUALLY COMMERCIAL PARK	Y	332	Arsenic
NISQUALLY COMMERCIAL PARK	Y	332	Arsenic

MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample
MCL	01	Maximum Contaminant Level Violation, Single Sample

Maximum Contaminant Level Violation	Arsenic	4/1/2015
Maximum Contaminant Level Violation	Arsenic	1/1/2015
Maximum Contaminant Level Violation	Arsenic	10/1/2014
Maximum Contaminant Level Violation	Arsenic	7/1/2014
Maximum Contaminant Level Violation	Arsenic	4/1/2014
Maximum Contaminant Level Violation	Arsenic	1/1/2014

6/30/2015	1586196
3/31/2015	1584952
12/31/2014	1474218
9/30/2014	1474213
6/30/2014	1448787
3/31/2014	1431153