Message

**From:** Ex. 6 Personal Privacy (PP)
**Sent:** 1/30/2018 12:26:32 AM
**To:** Rao, Kate [Rao.kate@epa.gov]
**Subject:** Re: RE: RE: Kozuma residence

Thanks for the info and the help Ms. Rao. I plan to call Mr. Tomomitsu tomorrow, as I will have large blocks of time to talk and plan after some early morning commitments. I've already spoken to my nephew, who has done contract work on septic systems, about regrading possibilities so that we can get space for leach fields. Might have to remove a 60+ year old fruit tree. Main truck about 4' in diameter and shade coverage about 800 s.f.
I'll hold up on any decisions until I talk to both Mr. Tomomitsu and a Waste Water engineer.

I'll try not to bother you too much, but I will keep you posted on matters and developments that I believe you should know about.

Thanks again for calling me back today, and for the great help and guidance provided.

Richard Kozuma

In a message dated 1/29/2018 9:22:28 AM Hawaiian Standard Time, Rao.kate@epa.gov writes:

> Hi Mr. Kozuma –
>
> Thanks for the call today. Please contact Mark Tomomitsu (see below for his contact information) about DOH's septic system permitting process and the tax credit program.
>
> Mark Tomomitsu
>
> Environmental Engineer
>
> Planning & Design Section
>
> Wastewater Branch
>
> State of Hawaii Department of Health
>
> Telephone (808) 586-4294
>
> Fax (808) 586-4300
>
> As we discussed, you are working to replace the cesspool serving both the main home and ohana with a DOH approved septic system (also referred to as an individual wastewater system (IWS)). You will contact me by the end of February 2018 to update me on your progress.

Please don't hesitate to contact me with any questions you may have.

Thank you.

Kate

**********

Kate Rao
Drinking Water Protection Section (WTR 3-2)
USEPA Region 9
75 Hawthorne St., San Francisco, CA 94105
tel: (415) 972-3533 / fax: (415) 947-3549

**From:** Ex. 6 Personal Privacy (PP)
**Sent:** Monday, January 29, 2018 10:34 AM
**To:** Rao, Kate <Rao.kate@epa.gov>
**Subject:** Re: RE: Kozuma residence

Ms. Rao,

The sketches sent to you by Ms. Pate were done by me. I didn't, and still don't, know how to send that kind of material to anyone via email. Ms. Pate is a friend who works with a law firm. I do work with the firm on matters with which I am familiar.

Please call me when you can. I would like to talk to you for no more than five minutes about matters related to my cesspool issue.

Thank you.

Richard Kozuma

In a message dated 1/29/2018 8:00:27 AM Hawaiian Standard Time, Rao.kate@epa.gov writes:

Ms. Pate –

Thanks for the drawing. I will review it and let you know if I have any questions.

Regards - Kate

**********

Kate Rao
Drinking Water Protection Section (WTR 3-2)
USEPA Region 9
75 Hawthorne St., San Francisco, CA 94105
tel: (415) 972-3533 / fax: (415) 947-3549

---

**From:** Lynda Pate [mailto:lpate@lbchlaw.com]
**Sent:** Friday, January 26, 2018 3:06 PM
**To:** Rao, Kate <Rao.kate@epa.gov>
**Cc:** Ex. 6 Personal Privacy (PP)
**Subject:** Kozuma residence

Good afternoon Ms. Rao,

At Mr. Kozuma's request I am forwarding the attached document which consists of two drawings of his dwelling. Please let us know if you have difficulty opening the attachment.

Lynda Pate
Lyons, Brandt, Cook & Hiramatsu
1800 Davies Pacific Center
841 Bishop Street
Honolulu, Hawaii 96813

Telephone: (808)524-7030
Facsimile: (808)533-3011