Message

From: Bahrman, Sarah [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=1D493CF492ED4FC0BE275A699826A64C-BAHRMAN, SARAH]
Sent: 10/20/2017 8:52:44 PM
To: O'Connor, Darcy [oconnor.darcy@epa.gov]
CC: Minter, Douglas [Minter.Douglas@epa.gov]; Shea, Valois [Shea.Valois@epa.gov]; Chin, Lucita [Chin.Lucita@epa.gov]
Subject: RE: Dewey Burdock briefing paper
Attachments: PatarickDavisBriefingFigures.pdf

Sorry! Valois prepared the figure – here they are. I'll look at your comments now.

Sarah E. Bahrman | Director, Safe Drinking Water Program | U.S. Environmental Protection Agency - Region 8
(p) 303.312.6243 | (c) 303.903.8515 | (f) 877.876.9101

From: O'Connor, Darcy
Sent: Friday, October 20, 2017 2:25 PM
To: Bahrman, Sarah <Bahrman.Sarah@epa.gov>
Cc: Minter, Douglas <Minter.Douglas@epa.gov>; Shea, Valois <Shea.Valois@epa.gov>; Chin, Lucita <Chin.Lucita@epa.gov>
Subject: RE: Dewey Burdock briefing paper

Ex. 5 AC/DP

Let me know if you have questions.

Thanks!
D

From: Bahrman, Sarah
Sent: Friday, October 20, 2017 12:58 PM
To: O'Connor, Darcy <oconnor.darcy@epa.gov>
Cc: Minter, Douglas <Minter.Douglas@epa.gov>; Shea, Valois <Shea.Valois@epa.gov>; Chin, Lucita <Chin.Lucita@epa.gov>
Subject: Dewey Burdock briefing paper

Hi Darcy –
Here's the draft briefing DB briefing paper for Monday. This includes a couple of new bullets under the Class III section that explain the Class III permit requirements.

Please let us know if you have any comments/questions as you review.

Thanks,
Sarah

Sarah E. Bahrman | Director, Safe Drinking Water Program | U.S. Environmental Protection Agency - Region 8
(p) 303.312.6243 | (c) 303.903.8515 | (f) 877.876.9101