Message

From: Minter, Douglas [Minter.Douglas@epa.gov]
Sent: 11/7/2016 4:44:04 PM
To: Chin, Lucita [Chin.Lucita@epa.gov]
Subject: RE: Updated Communications Strategy for Dewey Burdock UIC Permits/Aquifer Exemption

Thanks Lucita: I am not sure of the timing of her review on the Air Qs and As. Hopefully, she can just focus on those.

From: Chin, Lucita
Sent: Friday, November 04, 2016 10:52 AM
To: Minter, Douglas <Minter.Douglas@epa.gov>; Shea, Valois <Shea.Valois@epa.gov>
Cc: Bahrman, Sarah <Bahrman.Sarah@epa.gov>; Laumann, Sara <Laumann.Sara@epa.gov>; Sutin, Elyana <Sutin.Elyana@epa.gov>; Boydston, Michael <Boydston.Michael@epa.gov>
Subject: RE: Updated Communications Strategy for Dewey Burdock UIC Permits/Aquifer Exemption

Ex. 5 AC/DP

Thanks, Lucita

Lucita Chin
Associate Regional Counsel
Environmental Protection Agency
1595 Wynkoop St.
Denver, CO 80202
Office: (303) 312-7832

From: Minter, Douglas
Sent: Thursday, November 03, 2016 12:28 PM
To: O'Connor, Darcy <oconnor.darcy@epa.gov>
Cc: Bahrman, Sarah <Bahrman.Sarah@epa.gov>; Chin, Lucita <Chin.Lucita@epa.gov>; Shea, Valois <Shea.Valois@epa.gov>; McClain-Vanderpool, Lisa <Mcclain-Vanderpool.Lisa@epa.gov>; Mylott, Richard <Mylott.Richard@epa.gov>; Davis, Natasha <Davis.Natasha@epa.gov>; Boydston, Michael <Boydston.Michael@epa.gov>; Merritt, Steven <Merritt.Steven@epa.gov>; Razzazian, Christopher <Razzazian.Christopher@epa.gov>; Laumann, Sara <Laumann.Sara@epa.gov>; Matsumoto, Kimi <Matsumoto.Kimi@epa.gov>; Ketellapper, Victor <Ketellapper.Victor@epa.gov>; Chisholm, Joseph <chisholm.joseph@epa.gov>; Lloyd, Lisa <Lloyd.Lisa@epa.gov>; Sutin, Elyana <Sutin.Elyana@epa.gov>; Palomares, Art <Palomares.Art@epa.gov>
Subject: Updated Communications Strategy for Dewey Burdock UIC Permits/Aquifer Exemption

Darcy: attached for your review is a final draft of our communications strategy to be implemented by November 18th, when we project issuance of our draft UIC permits and proposed aquifer exemption decision for public review and comment.

The first attachment shows all revisions and comments received from OCPI, ORC, OPRA, OWP, EPR, and OGWDW. The second shows no revisions or comments.

Douglas K. Minter
Chief
Underground Injection Control Unit
USEPA Region 8
(303) 312-6079

"Practice Public Servant Leadership"