Message

From: Green, Holly [Green.Holly@epa.gov]
Sent: 6/1/2015 7:45:37 PM
To: Boomgaard, Craig [Boomgaard.Craig@epa.gov]; Minter, Douglas [Minter.Douglas@epa.gov]; Hall, Beth [Hall.Beth@epa.gov]
Subject: RE: OGC attendance in UIC meeting

Yes, they will come to our conference room, as far we know now.

Thanks!

Holly Sage Green
Acting Chief, Prevention Branch
EPA Office of Ground Water and Drinking Water
1200 Pennsylvania Ave. NW, Washington, DC 20460
(202) 566-0651

From: Boomgaard, Craig
Sent: Monday, June 01, 2015 3:42 PM
To: Green, Holly; Minter, Douglas; Hall, Beth
Subject: RE: OGC attendance in UIC meeting

Holly,

We've got everything set up for the DB meeting.

If OGC could sit in with Beth for the VTC portions of the manager's meeting they are interested in that would be the easiest at this stage of the game. If that won't work for them, we can see what they need (audio or audio with slides, or full VTC) and try to accommodate them. I still have some other options available, but like to keep things as simple as possible.

Craig Boomgaard, P.G., PMP
Environmental Scientist – UIC Program
1595 Wynkoop Street
MSC 8P-W-UIC
Denver, CO 80202-1129
Phone 303.312.6794
Fax 303.312.7084
Boomgaard.Craig@epa.gov

From: Green, Holly
Sent: Monday, June 01, 2015 1:21 PM
To: Minter, Douglas; Boomgaard, Craig; Hall, Beth
Subject: RE: OGC attendance in UIC meeting

Sounds good. They could also attend in the HQ UIC conference room.

Holly Sage Green
Acting Chief, Prevention Branch
EPA Office of Ground Water and Drinking Water
1200 Pennsylvania Ave. NW, Washington, DC 20460
(202) 566-0651

From: Minter, Douglas
Sent: Monday, June 01, 2015 2:41 PM
To: Green, Holly; Boomgaard, Craig
Subject: RE: OGC attendance in UIC meeting

Holly: Craig can set OGC up to participate in all the meeting sessions at their discretion. Does that work for OGWDW?

Douglas

From: Green, Holly
Sent: Monday, June 01, 2015 12:28 PM
To: Hall, Beth; Boomgaard, Craig; Minter, Douglas
Subject: OGC attendance in UIC meeting

Hi Craig, Douglas, Beth,

OGC would like to participate in the UIC meeting and DB discussions. I am fine with that. Can you please help get them set up?

Thanks,
Holly

Holly Sage Green
Acting Chief, Prevention Branch
EPA Office of Ground Water and Drinking Water
1200 Pennsylvania Ave. NW, Washington, DC 20460
(202) 566-0651

From: Wehling, Carrie
Sent: Monday, June 01, 2015 1:35 PM
To: Green, Holly; Bergman, Ronald; Darman, Leslie
Subject: your meeting(s) with region 8

Hey, Holly. Since we are not travelling to R8 for the UIC meeting, can we attend some of the sessions by webinar/conference call? If so, please send us information on how we can attend.

Also, we understand you are meeting with R8 on Dewey-Burdock at noon (MT) tomorrow. Since we have been discussing with ORC some of their legal concerns, we'd be happy to attend that meeting by phone. Just let us know.

Thanks.

Carrie

Caroline (Carrie) Wehling
Office of General Counsel
Water Law Office -- SDWA team leader
Cross-Cutting Issues Law Office -- Administrative records and dockets
U.S. Environmental Protection Agency
Washington DC 20004
202-564-5492
wehling.carrie@epa.gov

From: Green, Holly
Sent: Monday, June 01, 2015 1:05 PM
To: Bergman, Ronald; Darman, Leslie; Prabhu, Aditi; Parikh, Pooja; Wehling, Carrie; Kumar, Chitra; Lopez-Carbo, Maria
Subject: RE: Monthly with OGC

Hi all,

Ron and I will be on travel in Denver this Wed. Did you all still want to meet (Maria and Chitra will be here) or reschedule/cancel till next time?

Thanks,
Holly

Holly Sage Green
Acting Chief, Prevention Branch
EPA Office of Ground Water and Drinking Water
1200 Pennsylvania Ave. NW, Washington, DC 20460
(202) 566-0651

-----Original Appointment-----
From: Bergman, Ronald
Sent: Thursday, November 20, 2014 11:16 AM
To: Bergman, Ronald; Green, Holly; Eisenberg, Mindy; Darman, Leslie; Prabhu, Aditi; Parikh, Pooja; Wehling, Carrie; Corr, Elizabeth; Kumar, Chitra
Cc: Lopez-Carbo, Maria
Subject: Monthly with OGC
When: Wednesday, June 03, 2015 9:00 AM-10:00 AM (UTC-05:00) Eastern Time (US & Canada).
Where: DCRoomEast2400/DC-ICC-OW-OGWDW