Message

From: Minter, Douglas [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=0C1A47CA3AE847E2B7B818DA4734D7FD-MINTER, DOUGLAS]
Sent: 6/15/2020 8:46:20 PM
To: Robinson, Valois [Robinson.Valois@epa.gov]
Subject: RE: Updated Burden Analysis

Yes thanks!

From: Robinson, Valois <Robinson.Valois@epa.gov>
Sent: Monday, June 15, 2020 2:45 PM
To: Minter, Douglas <Minter.Douglas@epa.gov>
Subject: RE: Updated Burden Analysis

Do you have time after the end of our 3:30-4:30 meeting to go over it?
Thanks!

Valois

Valois Robinson
EPA Region 8
Underground Injection Control Program
MailCode: 8WD-SDU
1595 Wynkoop Street
Denver, CO 80202-1129
(303) 312-6276
robinson.valois@epa.gov

From: Minter, Douglas <Minter.Douglas@epa.gov>
Sent: Monday, June 15, 2020 2:41 PM
To: Robinson, Valois <Robinson.Valois@epa.gov>
Cc: Arnold, Rick <Arnold.Rick@epa.gov>; Bahrman, Sarah <Bahrman.Sarah@epa.gov>
Subject: FW: Updated Burden Analysis

Thanks Valois: I made a few edits. I probably need some help understanding the math behind the last item.

Douglas

From: Robinson, Valois <Robinson.Valois@epa.gov>
Sent: Sunday, June 14, 2020 12:54 PM
To: Minter, Douglas <Minter.Douglas@epa.gov>; Arnold, Rick <Arnold.Rick@epa.gov>
Subject: Updated Burden Analysis

Hello!

Ex. 5 Deliberative Process (DP)

Ex. 5 Deliberative Process (DP)

Valois

Valois Robinson
EPA Region 8
Underground Injection Control Program
MailCode: 8WD-SDU
1595 Wynkoop Street
Denver, CO 80202-1129
(303) 312-6276
robinson.valois@epa.gov