Message

From: Hildebrandt, Kurt [Hildebrandt.Kurt@epa.gov]
Sent: 10/30/2020 3:24:37 PM
To: Robinson, Valois [Robinson.Valois@epa.gov]; Minter, Douglas [Minter.Douglas@epa.gov]
CC: Mindrup, Mary [Mindrup.Mary@epa.gov]; Meissner, Benjamin [Meissner.Benjamin@epa.gov]; Campbell, Brent [campbell.brent@epa.gov]
Subject: RE: Dewey-Burdock AE ROD

True but thought it might be better up front. However, later works as well.

Kurt F. Hildebrandt
Underground Injection Control Program | Ground Water and Drinking Water Branch | Water Division
US Environmental Protection Agency Region 7| 11201 Renner Boulevard | Lenexa, KS 66219
913-551-7413

Celebrating EPA's 50th Anniversary!
www.epa.gov/50

From: Robinson, Valois <Robinson.Valois@epa.gov>
Sent: Friday, October 30, 2020 10:14 AM
To: Hildebrandt, Kurt <Hildebrandt.Kurt@epa.gov>; Minter, Douglas <Minter.Douglas@epa.gov>
Cc: Mindrup, Mary <Mindrup.Mary@epa.gov>; Meissner, Benjamin <Meissner.Benjamin@epa.gov>; Campbell, Brent <campbell.brent@epa.gov>
Subject: RE: Dewey-Burdock AE ROD

Hi Kurt,

Ex. 5 Deliberative Process (DP)

Thanks again!

Valois

Valois Robinson
EPA Region 8
Underground Injection Control Program
MailCode: 8WD-SDU
1595 Wynkoop Street
Denver, CO 80202-1129
(303) 312-6276
robinson.valois@epa.gov

From: Hildebrandt, Kurt <Hildebrandt.Kurt@epa.gov>
Sent: Friday, October 30, 2020 6:05 AM
To: Minter, Douglas <Minter.Douglas@epa.gov>; Robinson, Valois <Robinson.Valois@epa.gov>
Cc: Mindrup, Mary <Mindrup.Mary@epa.gov>; Meissner, Benjamin <Meissner.Benjamin@epa.gov>; Campbell, Brent <campbell.brent@epa.gov>
Subject: RE: Dewey-Burdock AE ROD

Ex. 5 Deliberative Process (DP)

Oh well, hindsight is 20/20. ☺

Kurt F. Hildebrandt
Underground Injection Control Program | Ground Water and Drinking Water Branch | Water Division
US Environmental Protection Agency Region 7| 11201 Renner Boulevard | Lenexa, KS 66219
913-551-7413

Celebrating EPA's 50th Anniversary!
www.epa.gov/50

From: Minter, Douglas <Minter.Douglas@epa.gov>
Sent: Thursday, October 29, 2020 6:09 PM
To: Hildebrandt, Kurt <Hildebrandt.Kurt@epa.gov>; Robinson, Valois <Robinson.Valois@epa.gov>
Cc: Mindrup, Mary <Mindrup.Mary@epa.gov>; Meissner, Benjamin <Meissner.Benjamin@epa.gov>; Campbell, Brent <campbell.brent@epa.gov>
Subject: RE: Dewey-Burdock AE ROD

Thanks Kurt for your prompt review and thanks to Mary for allowing you contribute!

Douglas

From: Hildebrandt, Kurt <Hildebrandt.Kurt@epa.gov>
Sent: Thursday, October 29, 2020 4:45 PM
To: Robinson, Valois <Robinson.Valois@epa.gov>
Cc: Minter, Douglas <Minter.Douglas@epa.gov>; Mindrup, Mary <Mindrup.Mary@epa.gov>; Meissner, Benjamin <Meissner.Benjamin@epa.gov>; Campbell, Brent <campbell.brent@epa.gov>

Subject: RE: Dewey-Burdock AE ROD
Importance: High

Valois –

Ex. 5 Deliberative Process (DP)

Appreciate the opportunity to look it over. Feel free to get back with me if you have any questions about our comments.

Regards,
Kurt

Kurt F. Hildebrandt
Underground Injection Control Program | Ground Water and Drinking Water Branch | Water Division
US Environmental Protection Agency Region 7| 11201 Renner Boulevard | Lenexa, KS 66219
913-551-7413

Celebrating EPA's 50th Anniversary!
www.epa.gov/50

From: Robinson, Valois <Robinson.Valois@epa.gov>
Sent: Tuesday, October 20, 2020 4:15 PM
To: Hildebrandt, Kurt <Hildebrandt.Kurt@epa.gov>
Cc: Minter, Douglas <Minter.Douglas@epa.gov>; Mindrup, Mary <Mindrup.Mary@epa.gov>
Subject: Dewey-Burdock AE ROD

Hi Kurt,
Thanks so much for reviewing this AE ROD! It is longer than our usual AE RODs because of all the comments we received.

Ex. 5 Deliberative Process (DP)

Please let me know if you have any questions or would like to talk about any of this in person.

I really appreciate your help with this!

Valois

Valois Robinson
EPA Region 8
Underground Injection Control Program

MailCode: 8WD-SDU
1595 Wynkoop Street
Denver, CO 80202-1129
(303) 312-6276
robinson.valois@epa.gov