Message

From: Shea, Valois [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=A4217A71307D4429B7BDC7C80EB40C7D-SHEA, VALOIS]
Sent: 8/4/2014 4:30:53 PM
To: Minter, Douglas (Minter.Douglas@epa.gov) [Minter.Douglas@epa.gov]; Bloom, Judy [Bloom.Judy@epa.gov]
Subject: FW: information for Capture Zone analysis of drinking water wells at the Dewey Burdock ISR site
Attachments: AEBoundaryFigure.pdf

Hi Douglas & Judy,
I realized after sending this email and the follow-up evite that I probably should have copied you on both. I have sent an evite to Greg for tomorrow at 3:30 in the Granite Room on the 5th floor to walk him through the info I have compiled from the Dewey Burdock permit application on the 10 wells that need the capture zone analysis. Please attend if you would like. I will forward the evite next.
Thanks!

Valois Shea
US EPA Region 8
Mail Code: 8P-W-UIC
1595 Wynkoop Street
Denver, CO 80202-1129
phone: 303-312-6276
fax: 303-312-6741
http://www2.epa.gov/region8/underground-injection-control

From: Shea, Valois
Sent: Monday, August 04, 2014 10:21 AM
To: Oberley, Gregory
Subject: information for Capture Zone analysis of drinking water wells at the Dewey Burdock ISR site

Hi Greg,
I have compiled all the information I could find on the 10 drinking water wells at the Dewey Burdock that need a capture zone analysis. These 10 wells are shown in the attached figure. I have saved all the files at
I:\30 Day Share\Valois\Dewey Burdock\AqEx\Capture Zone Analysis

It might be a good idea to have a meeting so I can walk you through what all the info is before your dive in.
I will send an evite to suggest a meeting time. Please suggest another time, if another time would work better for you.
Thanks so much for looking at this!

Valois Shea
US EPA Region 8

Mail Code: 8P-W-UIC
1595 Wynkoop Street
Denver, CO 80202-1129
phone: 303-312-6276
fax: 303-312-6741
http://www2.epa.gov/region8/underground-injection-control