From: Microsoft Outlook [MicrosoftExchange329e71ec88ae4615bbc36ab6ce41109e@usepa.onmicrosoft.com]
Sent: 9/25/2020 1:45:04 AM
To: lscheinost@powertechuranium.com
Subject: Undeliverable: A couple of questions about Powertech comment C58 on the cumulative effects analysis document
Attachments: A couple of questions about Powertech comment C58 on the cumulative effects analysis document

Your message did not reach some or all of the intended recipients.

Subject:A couple of questions about Powertech comment C58 on the cumulative effects analysis document
Sent:9/25/2020 1:45:18 AM

The following recipient(s) cannot be reached:

lscheinost@powertechuranium.com on 9/25/2020 1:45:18 AM
Diagnostic code = OrNameUnrecognized; Reason code = TransferFailed; Status code = 510
<email.adnet-inc.net #5.1.351 smtp;550 5.1.351 Remote server returned unknown recipient or mailbox unavailable -> 550 <lscheinost@powertechuranium.com> No such user here>

Office 365

Your message to lscheinost@powertechuranium.com couldn't be delivered.

lscheinost wasn't found at powertechuranium.com, or the mailbox is unavailable.

Robinson.Valois	Office 365	lscheinost
Action Required		Recipient

Unknown To address

How to Fix It

The email address might be misspelled or it might not exist. Try one or more of the following:

- **Retype the recipient's address, then resend the message -** If you're using Outlook, open this non-delivery report message and click **Send Again** from the menu or ribbon. In Outlook on the web, select this message, and then click the "**To send this message again, click here.**" link located just above the message preview window. In the To or Cc line, delete and then retype the entire recipient's address (ignore any address suggestions). After typing the complete address, click **Send** to resend the message. If you're using an email program other than Outlook or Outlook on the web, follow its standard way for resending a message. Just be sure to delete and retype the recipient's entire address before resending it.
- **Remove the recipient from the recipient Auto-Complete List, then resend the message -** If you're using Outlook or Outlook on the web, follow the steps in the "Remove the

recipient from the recipient Auto-Complete List" section of this article. Then resend the message. Be sure to delete and retype the recipient's entire address before clicking **Send**.

- **Contact the recipient by some other means,** (by phone, for example) to confirm you're using the right address. Ask them if they've set up an email forwarding rule that could be forwarding your message to an incorrect address.

If the problem continues, forward this message to your email admin. If you're an email admin, refer to the **More Info for Email Admins** section below.

Was this helpful? Send feedback to Microsoft.

More Info for Email Admins

Status code: 550 5.1.351

When Office 365 tried to send the message, the external email server returned an error stating that the recipient is unknown or the mailbox is unavailable. This error was reported by an email server outside Office 365.

If you or the sender can't fix the problem, contact the responsible party's email admin - Give them the error code and error message from this non-delivery report (NDR) to help them troubleshoot the issue. To determine who the responsible party might be, check the error for information about where the problem is happening. For example, look for a domain name like contoso.com. A domain name in the error might suggest who is responsible for the error. It could be the recipient's email server, or it could be a third-party service that your organization or the recipient's organization is using to process or filter email messages.

Although the sender might be able to fix the issue by correcting the recipient address, it's likely that only the recipient's email admin can fix the problem. Unfortunately, it's unlikely Office 365 Support will be able to help with these kinds of externally reported errors.

Original Message Details

Created Date:	9/25/2020 1:44:58 AM
Sender Address:	Robinson.Valois@epa.gov
Recipient Address:	lscheinost@powertechuranium.com
Subject:	A couple of questions about Powertech comment C58 on the cumulative effects analysis document

Error Details

Reported error:	*550 5.1.351 Remote server returned unknown recipient or mailbox unavailable -> 550 <lscheinost@powertechuranium.com> No such user here*
DSN generated by:	DM8PR09MB6087.namprd09.prod.outlook.com
Remote server:	email.adnet-inc.net

Message Hops

HOP	TIME (UTC)	FROM	TO	WITH

1	9/25/2020 1:44:58 AM	DM8PR09MB6469.namprd09.prod.outlook.com	DM8PR09MB6469.namprd09.prod.outlook.com	mapi
2	9/25/2020 1:44:58 AM	DM8PR09MB6469.namprd09.prod.outlook.com	DM8PR09MB6087.namprd09.prod.outlook.com	Microsoft SMTP Serve cipher=TLS_ECDHE_R

Original Message Headers


```
ARC-Seal: i=1; a=rsa-sha256; s=arcselector9901; d=microsoft.com; cv=none;

b=mlZtpIfKGtI3X+Y4n8GfBzOoyZaZADjL21sYxpjnc3SFfziU8It2zuHa0FmA5abjO4BHVzMpkSd4yDT8n6ABGa6
lV2UPemzfqZtNqj90gpXUS3iEnQ/HLMyTFdrt7sZUXY8ElDhWoUzrqkXa8Fk74g3qRY4Dj2jPoLeW5e9npZBRZtLq
nlD++wh/ln70XPqisLDQbY+OyAKGwngmPu3y4aBWMkv07pA1HjiEzw9OeWnceslqHWyMmlcztxgq2ZhmSbKwiIqpq
G3hX9wIjZuc05CQDnIpviPlfdluRlgt9+cnLNbSLosuIroMN0ORtiLCaoHFV+e8M53PxoCYIgc6UQ==
ARC-Message-Signature: i=1; a=rsa-sha256; c=relaxed/relaxed; d=microsoft.com;
 s=arcselector9901;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=4fvCTNGFSFv8Ygy8q3lK0ifQcRYUgPCmQYei1klCStY=;

b=Mhll5Vvkka58oWjjZ6FHKXhaF1WhInpfH/0KObZ/SErzqg/uzlH06CFjsguHYdwt5/2arTJoxAIE+dWTBnHprb1
Cym8hBH1ti96WZ9eZkNgaHUw3zun+ee6WjVU+mg4DINM0UZUQQzIwrP9/la7gTKn1RCYW0/GIhVccfT/6nQZIx1+E
4c81d4svU/ZPZi2JRKP0tiSPeYTEVfjkoh8O5tdnpKLzIAejIiDxtJY11HLOF+ShKkmVyYH4AJHCMi5xJB+257p5+
s4CQcM7SGyDpJP2fTXaojwlu0YfN2CmWA5JdJPrzBHGSbfifhGpDM20rHKB8HhNG1/vNuTVJom8pw==
ARC-Authentication-Results: i=1; mx.microsoft.com 1; spf=pass
 smtp.mailfrom=epa.gov; dmarc=pass action=none header.from=epa.gov; dkim=pass
 header.d=epa.gov; arc=none
DKIM-Signature: v=1; a=rsa-sha256; c=relaxed/relaxed; d=epa.gov; s=selector2;
 h=From:Date:Subject:Message-ID:Content-Type:MIME-Version:X-MS-Exchange-SenderADCheck;
 bh=4fvCTNGFSFv8Ygy8q3lK0ifQcRYUgPCmQYei1klCStY=;

b=sFW9FBN58byWG8sMNwY+G+dV41WznKRxKolW5wFbqFKSDqyb4OIulm5WhTnDZd/LTE8XjyHRtxtkyy+9rQNMiRX
sGaqRh8TrLpt7o+Dpg8rd3B/ladUFsiceV1E0tBXlgTPyb0cnlBCZKyjAkMjE4Uk98+LZTG2KUZIW4s63El0=
Received: from DM8PR09MB6469.namprd09.prod.outlook.com (2603:10b6:5:2e3::15)
 by DM8PR09MB6087.namprd09.prod.outlook.com (2603:10b6:5:2e1::7) with
 Microsoft SMTP Server (version=TLS1_2,
 cipher=TLS_ECDHE_RSA_WITH_AES_256_GCM_SHA384) id 15.20.3412.21; Fri, 25 Sep
 2020 01:44:58 +0000
Received: from DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::7488:ca3f:caf:17c3]) by DM8PR09MB6469.namprd09.prod.outlook.com
 ([fe80::7488:ca3f:caf:17c3%4]) with mapi id 15.20.3412.020; Fri, 25 Sep 2020
 01:44:58 +0000
From: "Robinson, Valois" <Robinson.Valois@epa.gov>
To: John Mays <jmays@powertechuranium.com>, "lscheinost@powertechuranium.com"
        <lscheinost@powertechuranium.com>
Subject: A couple of questions about Powertech comment C58 on the cumulative
 effects analysis document
Thread-Topic: A couple of questions about Powertech comment C58 on the
 cumulative effects analysis document
Thread-Index: AdaS3MStcXXYaNB+To6VDlx7I7kBXw==
```

Date: Fri, 25 Sep 2020 01:44:58 +0000

Message-ID:
<DM8PR09MB6469C8905320D9F7E80ACB4FF4360@DM8PR09MB6469.namprd09.prod.outlook.com>

Accept-Language: en-US

Content-Language: en-US

X-MS-Has-Attach: yes

X-MS-TNEF-Correlator:

authentication-results: powertechuranium.com; dkim=none (message not signed)
 header.d=none;powertechuranium.com; dmarc=none action=none
 header.from=epa.gov;

x-originating-ip: [97.118.188.33]

x-ms-publictraffictype: Email

x-ms-office365-filtering-correlation-id: 8b419534-cfb3-4291-2f25-08d860f49ca1

x-ms-traffictypediagnostic: DM8PR09MB6087:

x-microsoft-antispam-prvs:
<DM8PR09MB6087D58186A753F20E04A77EF4360@DM8PR09MB6087.namprd09.prod.outlook.com>

x-ms-oob-tlc-oobclassifiers: OLM:1728;

x-ms-exchange-senderadcheck: 1

x-microsoft-antispam: BCL:0;

x-microsoft-antispam-message-info:
2NpiHpqX4SqQVkQ9nzQlpCTLKf9qqU99dTGMUjwCu889J93Ob4PuySGvUF4LkoLqnXDQPtWD9tbLVrC51Kv/dCx6P
LbB9Lh1TiUIDGsk2LabMXA2s22eJOedkleJ7XM9jLzaX3iBdZazB9QXy/T++EhPZWVFCuvE++gjLYPxrVsmFO1p5w
m7aHeYLPpvRYnD6MeELIIqaQw2XDms1UD1txmXILFs6t/kceAViyh2xxL1jbPiEF/UNL1gTMz3RlgtGlHPk3eVO3B
IoWXzZJ13zWcDWiiny0GCd6q7z7TBqbtfLsJk1FH9LTaZE410jzgRX1/FLSMLiTQjUQ1y9yY7gsfS6JLg9hyc/f6C
iJEZF3OViNPY0s1GiFcmm1FfUN7B

x-forefront-antispam-report:
CIP:255.255.255.255;CTRY:;LANG:;SCL:1;SRV:;IPV:NLI;SFV:NSPM;H:DM8PR09MB6469.namprd09.prod
.outlook.com;PTR:;CAT:NONE;SFS:(4636009)(366004)(136003)(346002)(376002)(396003)(39860400
002)(83380400001)(5660300002)(55016002)(2906002)(86362001)(316002)(110136005)(71200400001
)(6506007)(4744005)(33656002)(7696005)(9686003)(186003)(26005)(66616009)(66476007)(669460
07)(66556008)(64756008)(478600001)(76116006)(66446008)(8676002)(8936002)(99936003)(450100
002)(52536014);DIR:OUT;SFP:1102;

x-ms-exchange-antispam-messagedata:
ndYc2nkH+LFHzQflunUFIGCbS+9U2RMyBBXLvT68Wdu7Bbmru/mY9LUAFCzr7T3+thHquyLOVz6F+wHFbIoqPQQtE
cOSeg3idm3AsIJUpLKbFK6tDjalH4b2jSGVL1RWlg8KB36a8d6ZY56bUPuLlzs036rGwXN3K2W/1CIbCo5T4xVSW9
EhxAjyPcfJgl1VSkOvowujQN0qthWSAyo47hpFhrA1Krtdx3FQK5PdUau9B4W1D8ZhmJSCi34GyjlHTxVGzFq+b4JX
kSmFkPsWHgUQzc0VuzS+T6QVr9ovxtAM4YYGOuZQ9jwVinVyB1JmkR/ALIO4QwVPhttgTkqmPcSN/glMKV+zrgtO6
cbqTSakK6BpHaGiP7B7dBbqV9pM/i9YCKFo0YPCeFWziVAhZqCkFtlN0d9DRVsPdlOGMeOyWJ0tYPjMhL155PNknO
NIxhx3kGYndv9RJYtDOTxOcRa8+vka750er3S9M6xGbAdfZXYfA6YoA0mEqq6mLQL22rV+Zzbojlcfs VSMX2ilprF
1/Ty9xdC7DGz+yWdLvjesNNBkNnVbVpXJfcdW4IsRQws3LkakTVYATTZCReXjmalT299nGeed9E9St3Vbo3LI2VqR
zKCM+zwloUzcmY/H//Fw/ILb3lWGA46P7sxPFyA==

x-ms-exchange-transport-forked: True

Content-Type: multipart/mixed;
        boundary="_004_DM8PR09MB6469C8905320D9F7E80ACB4FF4360DM8PR09MB6469namp_"

MIME-Version: 1.0

X-OriginatorOrg: epa.gov

X-MS-Exchange-CrossTenant-AuthAs: Internal

X-MS-Exchange-CrossTenant-AuthSource: DM8PR09MB6469.namprd09.prod.outlook.com

X-MS-Exchange-CrossTenant-Network-Message-Id: 8b419534-cfb3-4291-2f25-08d860f49ca1

X-MS-Exchange-CrossTenant-originalarrivaltime: 25 Sep 2020 01:44:58.7527
 (UTC)

X-MS-Exchange-CrossTenant-fromentityheader: Hosted

X-MS-Exchange-CrossTenant-id: 88b378b3-6748-4867-acf9-76aacbeca6a7

X-MS-Exchange-CrossTenant-mailboxtype: HOSTED

X-MS-Exchange-CrossTenant-userprincipalname:
3f7nFabeqt2rlrwnt22uPIaJLySDF78PDdgOBvPLQTSYdMcsmQKEx1tvtQGpddxOYdBWr5nk51OW+9ejoAttAQ==

X-MS-Exchange-Transport-CrossTenantHeadersStamped: DM8PR09MB6087